


Report No.: SEWA2309000114RG02

Rev.: 01 Page: 49 of 56




MultiView * Spectrum

Ref Level -10.00 den - Offset 11.6.00 * RBW 13-bit SQL

**Att 20.00 * SWT 50 ms * VBW 33-bit Mode Auto Sweep

Count 5/5

1-N5--15-20-L-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-3000-12000-Ant0--53.70--13-PASS 1-N5--15-20-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.009-0.15-Ant0--87.97--33-PASS



1-N5--15-20-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.15-30-Ant0--88.47--23-PASS 1-N5--15-20-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-30-1000-Ant0--54.47--13-PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit


or email: CN. <u>Doccheck@sgs.com</u> Soundriko Finku N, Tanshang Pood, Johno Indatarial Park, Suchou Area, China (Jiangsi) Pikt Free Trade Zone 215000 中国・苏州・中国(江苏)自由限易试验区苏州上区苏州工业国区海胜路1号的6号厂房南部 鄭塢: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWA2309000114RG02

Rev.: 01 Page: 50 of 56




MultiView * Spectrum

Ref Level 100 db * SW | 80 ms * VSW | 1945

* Att | 20 db * SW | 80 ms * VSW | 3945 | Mode Auto Sweep | 1975 | Mode Auto Swe

1-N5--15-20-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-1000-3000-Ant0--37.35--13-PASS 1-N5--15-20-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-3000-12000-Ant0--54.00--13-PASS



MultiView * Spectrum

Perliced 0.00 din Offset 1.45 di * 989Y 10 liste

* Att 20 di * SWT 20 ms (~172 ms) * V8W 30 liste Mode Auto FFT

Count 5/5

Count 5

1-N5--15-20-H-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.009-0.15-Ant0--87.00--33-PASS 1-N5--15-20-H-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.15-30-Ant0--88.89--23-PASS





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Co




Report No.: SEWA2309000114RG02

Rev.: 01 Page: 51 of 56





1-N5--15-20-H-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-30-1000-Ant0--55.30--13-PASS 1-N5--15-20-H-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-1000-3000-Ant0--37.44--13-PASS



1-N5--15-20-H-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-3000-12000-Ant0--53.92--13-PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-en/Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$3071443,



Report No.: SEWA2309000114RG02

Rev.: 01

Page: 52 of 56

Field Strength of Spurious Radiation

Test Band = SA Band 5_ TM1
Test Channel = Low Channel

Final	Final Data List										
NO.	Frequency	Reading	Factor	Level	Limit	Limit Margin Heigh		Angle	Polarity		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1650	74.19	-118.07	-43.88	-13.00	30.88	263	211	Horizontal		
2	2474 85.88 -114.37 -2		-28.49	-13.00	15.49	251	115	Horizontal			
3	3300.36	51.91	-111.89	-59.98	-13.00	46.98	174	115	Horizontal		
4	4125.45	49.12	-109.79	-60.67	-13.00	47.67	265	200	Horizontal		
5	4950.54 51.88 -107.8		-107.85	-55.97	-13.00	42.97	254	357	Horizontal		
6	5775.63	50.85	-105.30	-54.45	-13.00	41.45	177	211	Horizontal		

Final	Final Data List										
NO.	Frequency	Reading	Factor	Level	Limit	Margin Height		Angle	Dolority		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1650.18	53.98	-118.06	-64.08	-13.00	51.08	263	343	Vertical		
2	2475.27 52.10 -114.35 -62.25 -13.00 49.25 25		254	360	Vertical						
3	3300.36	51.16	-111.89	-60.73	-13.00	47.73	174	360	Vertical		
4	4125.45	50.25	-109.79	-59.54	-13.00	46.54	185	92	Vertical		
5	4950.54	51.00	-107.85	-56.85	-13.00	43.85	264	360	Vertical		
6	5775.63	50.10	-105.30	-55.20	-13.00	42.20	111	124	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SEWA2309000114RG02

Rev.: 01

53 of 56 Page:

Test Band = SA Band 5_ TM1 Test Channel = Mid Channel

Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin Height		Angle	Polarity		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1654	69.13	-118.06	-48.93	-13.00	35.93	263	66	Horizontal		
2	2482	87.58	-114.29	-26.71	-13.00	13.71	254	139	Horizontal		
3	3310.36	52.44	-111.92	-59.48	-13.00	46.48	175	288	Horizontal		
4	4137.95	49.67	-109.74	-60.07	-13.00	47.07	263	213	Horizontal		
5	4965.54	51.39	-107.80	-56.41	-13.00	43.41	254	340	Horizontal		
6	5793.13	51.34	-105.23	-53.89	-13.00	40.89	177	204	Horizontal		

Final Data List										
NO	Frequency	Reading	Factor	Level	Limit	Margin Height		Angle	Polarity	
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity	
1	1655.18	54.00	-118.05	-64.05	-13.00	51.05	142	84	Vertical	
2	2460 59.80 -1		-114.52	-54.72	-13.00	41.72	265	84	Vertical	
3	3310.36	53.15	-111.92	-58.77	-13.00	45.77	284	190	Vertical	
4	4137.95	50.45	-109.74	-59.29	-13.00	46.29	176	360	Vertical	
5	4965.54	51.12	-107.80	-56.68	-13.00	43.68	263	318	Vertical	
6	5793.13	52.01	-105.23	-53.22	-13.00	40.22	322	360	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: SEWA2309000114RG02

Rev.: 01

Page: 54 of 56

Test Band = SA Band 5_ TM1 Test Channel = High Channel

Final	Final Data List										
NO.	Frequency	Reading	Factor	Level	Limit	Limit Margin Heig		Angle	Dolositu		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	1660	65.76	-118.04	-52.28	-13.00	39.28	262	160	Horizontal		
2	2488 82.59 -114.23 -31.64 -13.00 18.64		251	234	Horizontal						
3	3320.36	52.19	-111.94	-59.75	-13.00	46.75	174	96	Horizontal		
4	4150.45	50.16	-109.67	-59.51	-13.00	46.51	186	251	Horizontal		
5	4980.54 51.16 -107.74		-56.58	-13.00	43.58	264	356	Horizontal			
6	5810.63	51.93	-105.13	-53.20	-13.00	40.20	188	212	Horizontal		

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Limit Margin Heigh		Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1660.18	54.19	-118.04	-63.85	-13.00	50.85	241	179	Vertical			
2	2490.27	52.25	-114.18	-61.93	-13.00	48.93	175	114	Vertical			
3	3320.36	50.96	-111.94	-60.98	-13.00	47.98	262	114	Vertical			
4	4150.45	49.13	-109.67	-60.54	-13.00	47.54	251	359	Vertical			
5	4980.54	51.28	-107.74	-56.46	-13.00	43.46	144	179	Vertical			
6	5810.63	51.77	-105.13	-53.36	-13.00	40.36	186	345	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SEWA2309000114RG02

Rev.: 01

Page: 55 of 56

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

	Voltage												
Band	scs	Band width	Modulation	Channel	RB Config	Voltag e	Temp e rature	Deviation (Hz)	Deviation (ppm)	Verdic t			
N5	15	20	DFT- PI2BPSK	М	Outer_Full	VH	NT	0.700000	0.000837	PASS			
N5	15	20	DFT- PI2BPSK	М	Outer_Full	VN	NT	-2.000000	-0.002391	PASS			
N5	15	20	DFT- PI2BPSK	М	Outer_Full	VL	NT	4.500000	0.005380	PASS			
N5	15	20	CP-QPSK	М	Outer_Full	VH	NT	2.400000	0.002869	PASS			
N5	15	20	CP-QPSK	М	Outer_Full	VN	NT	2.600000	0.003108	PASS			
N5	15	20	CP-QPSK	М	Outer_Full	VL	NT	39.000000	0.046623	PASS			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: SEWA2309000114RG02

Rev.: 01 Page: 56 of 56

Frequency Error VS. Temperature

					Tempera	ture				
Band	scs	Band width	Modulation	Channel	RB Config	Voltag e	Temp e rature	Deviation (Hz)	Deviation (ppm)	Verdic t
N5	15	20	DFT- PI2BPSK	М	Outer_Full	NV	-30	3.400000	0.004065	PASS
N5	15	20	DFT- PI2BPSK	М	Outer_Full	NV	-20	3.800000	0.004543	PASS
N5	15	20	DFT- PI2BPSK	М	Outer_Full	NV	-10	5.900000	0.007053	PASS
N5	15	20	DFT- PI2BPSK	М	Outer_Full	NV	0	2.200000	0.002630	PASS
N5	15	20	DFT- PI2BPSK	М	Outer_Full	NV	10	4.200000	0.005021	PASS
N5	15	20	DFT- PI2BPSK	М	Outer_Full	NV	20	-1.300000	-0.001554	PASS
N5	15	20	DFT- PI2BPSK	М	Outer_Full	NV	30	6.900000	0.008249	PASS
N5	15	20	DFT- PI2BPSK	М	Outer_Full	NV	40	7.800000	0.009325	PASS
N5	15	20	DFT- PI2BPSK	М	Outer_Full	NV	50	2.700000	0.003228	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	-30	11.600000	0.013867	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	-20	5.500000	0.006575	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	-10	12.400000	0.014824	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	0	6.700000	0.008010	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	10	6.200000	0.007412	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	20	9.200000	0.010998	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	30	2.300000	0.002750	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	40	9.900000	0.011835	PASS
N5	15	20	CP-QPSK	М	Outer_Full	NV	50	2.200000	0.002630	PASS

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and juryaldiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest setuent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com