


Report No.: SEWA2309000114RG02


Rev.: 01

Page: 39 of 48


Conducted Spurious Emission for SA


Test Graphs





1-N12--15-15-L-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.15-30-Ant0--83.33--23-PASS





1-N12--15-15-L-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-30-1000-Ant0--50.46--13-PASS 1-N12--15-15-L-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-1000-3000-Ant0--37.99--13-PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Co



Report No.: SEWA2309000114RG02

Rev.: 01 Page: 40 of 48



MultiView * Spectrum

Pet Level 10:00 dim Offset 24-20 dim RRW 1 Met

Att 20 dim SWF 50 mis e WW 3 Met Mode Auto Sweep

Count 5/5

Irrospector/ Sweep


Line Limit


Descript

Des

1-N12--15-15-L-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-3000-12000-Ant0--49.05--13-PASS

1-N12--15-15-L-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-12000-20000-Ant0--39.83--13-PASS





1-N12--15-15-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.009-0.15-Ant0--87.72--33-PASS

1-N12--15-15-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.15-30-Ant0--84.35--23-PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Co




Report No.: SEWA2309000114RG02


Rev.: 01 Page: 41 of 48



1-N12--15-15-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-30-1000-Ant0--51.29--13-PASS

1-N12--15-15-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-1000-3000-Ant0--37.39--13-PASS





1-N12--15-15-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-3000-12000-Ant0--48.69--13-PASS

1-N12--15-15-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-12000-20000-Ant0--38.79--13-PASS




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit




Report No.: SEWA2309000114RG02


Rev.: 01 Page: 42 of 48



1-N12--15-15-H-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.009-0.15-Ant0--87.64--33-PASS

1-N12--15-15-H-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.15-30-Ant0--84.42--23-PASS





1-N12--15-15-H-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-30-1000-Ant0--50.45--13-PASS

1-N12--15-15-H-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-1000-3000-Ant0--37.72--13-PASS





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Co



Report No.: SEWA2309000114RG02

Rev.: 01 Page: 43 of 48





1-N12--15-15-H-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-3000-12000-Ant0--49.02--13-PASS

1-N12--15-15-H-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-12000-20000-Ant0--39.72--13-PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **To c



Report No.: SEWA2309000114RG02

Rev.: 01 Page: 44 of 48

Field Strength of Spurious Radiation

Test Band = SA Band 12_ TM1
Test Channel = Low Channel

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Polarity			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1399.68	53.45	-118.59	-65.14	-13.00	52.14	263	357	Horizontal			
2	2099.52	53.42	-116.04	-62.62	-13.00	49.62	251	175	Horizontal			
3	2799.36	51.05	-113.02	-61.97	-13.00	48.97	175	357	Horizontal			
4	3499.2	50.03	-111.91	-61.88	-13.00	48.88	265	175	Horizontal			
5	4199.04	48.48	-109.45	-60.97	-13.00	47.97	284	298	Horizontal			
6	4898.88	50.83	-108.05	-57.22	-13.00	44.22	144	50	Horizontal			

Final	Final Data List											
NO	Frequency	Reading	Factor	Level	Limit	Margin	Margin Height Angle	Angle	Polarity			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]				
1	1399.68	53.41	-118.59	-65.18	-13.00	52.18	263	76	Vertical			
2	2099.52	51.49	-116.04	-64.55	-13.00	51.55	241	278	Vertical			
3	2799.36	51.87	-113.02	-61.15	-13.00	48.15	176	123	Vertical			
4	3499.2	51.64	-111.91	-60.27	-13.00	47.27	284	360	Vertical			
5	4199.04	48.53	-109.45	-60.92	-13.00	47.92	166	310	Vertical			
6	4898.88	51.48	-108.05	-56.57	-13.00	43.57	324	295	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SEWA2309000114RG02

Rev.: 01

Page: 45 of 48

Test Band = SA Band 12_ TM1 Test Channel = Mid Channel

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1401.68	51.71	-118.58	-66.87	-13.00	53.87	251	112	Horizontal			
2	2102.52	52.40	-116.03	-63.63	-13.00	50.63	142	86	Horizontal			
3	2803.36	50.41	-113.01	-62.60	-13.00	49.60	262	33	Horizontal			
4	3504.2	51.90	-111.89	-59.99	-13.00	46.99	284	96	Horizontal			
5	4205.04	48.71	-109.44	-60.73	-13.00	47.73	176	55	Horizontal			
6	4905.88	49.83	-108.03	-58.20	-13.00	45.20	265	127	Horizontal			

Final	Final Data List											
NO	Frequency	Reading	Factor	Level	Limit Margin Heig		Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1401.68	52.26	-118.58	-66.32	-13.00	53.32	263	155	Vertical			
2	2102.52	52.84	-116.03	-63.19	-13.00	50.19	251	314	Vertical			
3	2803.36	51.80	-113.01	-61.21	-13.00	48.21	174	353	Vertical			
4	3504.2	50.49	-111.89	-61.40	-13.00	48.40	286	62	Vertical			
5	4205.04	49.27	-109.44	-60.17	-13.00	47.17	264	187	Vertical			
6	4905.88	51.04	-108.03	-56.99	-13.00	43.99	144	283	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: SEWA2309000114RG02

Rev.: 01 Page: 46 of 48

Test Band = SA Band 12_ TM1 Test Channel = High Channel

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1403.5556	63.64	-118.58	-54.94	-13.00	41.94	263	357	Horizontal			
2	2104.4444	79.39	-116.02	-36.63	-13.00	23.63	251	313	Horizontal			
3	2807.36	51.73	-113.00	-61.27	-13.00	48.27	174	76	Horizontal			
4	3509.2	50.50	-111.88	-61.38	-13.00	48.38	286	0	Horizontal			
5	4211.04	48.86	-109.43	-60.57	-13.00	47.57	264	266	Horizontal			
6	4912.88	49.67	-108.00	-58.33	-13.00	45.33	188	156	Horizontal			

Final	Final Data List											
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1403.68	52.88	-118.58	-65.70	-13.00	52.70	142	313	Vertical			
2	2105.52	53.05	-116.02	-62.97	-13.00	49.97	263	360	Vertical			
3	2807.36	51.29	-113.00	-61.71	-13.00	48.71	284	187	Vertical			
4	3509.2	50.89	-111.88	-60.99	-13.00	47.99	176	218	Vertical			
5	4211.04	48.07	-109.43	-61.36	-13.00	48.36	264	360	Vertical			
6	4912.88	50.35	-108.00	-57.65	-13.00	44.65	188	77	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SEWA2309000114RG02

Rev.: 01

Page: 47 of 48

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

	Voltage											
Band	scs	Bandwid th	Modulation	Cha nnel	RB Config	Voltage	Temp eratur e	Deviation(Hz	Deviation (ppm)	Verdict		
N12	15	15	DFT-PI2BPSK	М	Outer_Full	VH	NT	-1.600000	-0.002261	PASS		
N12	15	15	DFT-PI2BPSK	М	Outer_Full	VN	NT	-3.000000	-0.004240	PASS		
N12	15	15	DFT-PI2BPSK	М	Outer_Full	VL	NT	-2.800000	-0.003958	PASS		
N12	15	15	CP-QPSK	М	Outer_Full	VH	NT	1.400000	0.001979	PASS		
N12	15	15	CP-QPSK	М	Outer_Full	VN	NT	-0.700000	-0.000989	PASS		
N12	15	15	CP-QPSK	М	Outer_Full	VL	NT	-0.500000	-0.000707	PASS		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: SEWA2309000114RG02

Rev.: 01 Page: 48 of 48

Frequency Error VS. Temperature

					Temperati	ıre				
Band	scs	Bandwid th	Modulation	Cha nnel	RB Config	Voltage	Temp eratur e	Deviation(Hz)	Deviation (ppm)	Verdict
N12	15	15	DFT-PI2BPSK	М	Outer_Full	NV	-30	-1.500000	-0.002120	PASS
N12	15	15	DFT-PI2BPSK	М	Outer_Full	NV	-20	-2.400000	-0.003392	PASS
N12	15	15	DFT-PI2BPSK	М	Outer_Full	NV	-10	-1.300000	-0.001837	PASS
N12	15	15	DFT-PI2BPSK	М	Outer_Full	NV	0	-0.800000	-0.001131	PASS
N12	15	15	DFT-PI2BPSK	М	Outer_Full	NV	10	-2.800000	-0.003958	PASS
N12	15	15	DFT-PI2BPSK	М	Outer_Full	NV	20	-1.400000	-0.001979	PASS
N12	15	15	DFT-PI2BPSK	М	Outer_Full	NV	30	-3.100000	-0.004382	PASS
N12	15	15	DFT-PI2BPSK	М	Outer_Full	NV	40	-2.400000	-0.003392	PASS
N12	15	15	DFT-PI2BPSK	М	Outer_Full	NV	50	-1.800000	-0.002544	PASS
N12	15	15	CP-QPSK	М	Outer_Full	NV	-30	-0.100000	-0.000141	PASS
N12	15	15	CP-QPSK	М	Outer_Full	NV	-20	-1.100000	-0.001555	PASS
N12	15	15	CP-QPSK	М	Outer_Full	NV	-10	-0.900000	-0.001272	PASS
N12	15	15	CP-QPSK	М	Outer_Full	NV	0	0.200000	0.000283	PASS
N12	15	15	CP-QPSK	М	Outer_Full	NV	10	-0.800000	-0.001131	PASS
N12	15	15	CP-QPSK	М	Outer_Full	NV	20	-1.000000	-0.001413	PASS
N12	15	15	CP-QPSK	М	Outer_Full	NV	30	-0.600000	-0.000848	PASS
N12	15	15	CP-QPSK	М	Outer_Full	NV	40	0.000000	0.000000	PASS
N12	15	15	CP-QPSK	М	Outer_Full	NV	50	-0.200000	-0.000283	PASS

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,