

Report No.: SEWA2309000114RG02

Rev.: 01

Page: 1 of 86

# Appendix B.40

## NR Band n66



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
t (86-512) 62992980 sgs.china@sgs.com

## Effective (Isotropic) Radiated Power Output Data for SA

### Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power ( dBm )	EIRP ( dBm )	Limit ( dBm )	Verdict
N66	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	24.42	25.89	30.00	PASS
N66	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	24.35	25.82	30.00	PASS
N66	15	5	DFT-PI2BPSK	L	Outer_Full	23.85	25.32	30.00	PASS
N66	15	5	DFT-QPSK	L	Inner_1RB_Left	24.25	25.72	30.00	PASS
N66	15	5	DFT-QPSK	L	Inner_1RB_Right	24.26	25.73	30.00	PASS
N66	15	5	DFT-QPSK	L	Outer_Full	23.35	24.82	30.00	PASS
N66	15	5	DFT-16QAM	L	Inner_1RB_Left	23.32	24.79	30.00	PASS
N66	15	5	DFT-16QAM	L	Inner_1RB_Right	23.32	24.79	30.00	PASS
N66	15	5	DFT-16QAM	L	Outer_Full	22.42	23.89	30.00	PASS
N66	15	5	DFT-64QAM	L	Inner_1RB_Left	22.05	23.52	30.00	PASS
N66	15	5	DFT-64QAM	L	Inner_1RB_Right	22.06	23.53	30.00	PASS
N66	15	5	DFT-64QAM	L	Outer_Full	21.89	23.36	30.00	PASS
N66	15	5	DFT-256QAM	L	Inner_1RB_Left	19.38	20.85	30.00	PASS
N66	15	5	DFT-256QAM	L	Inner_1RB_Right	19.40	20.87	30.00	PASS
N66	15	5	DFT-256QAM	L	Outer_Full	19.86	21.33	30.00	PASS
N66	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	24.40	25.87	30.00	PASS
N66	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	24.37	25.84	30.00	PASS
N66	15	5	DFT-PI2BPSK	M	Outer_Full	23.89	25.36	30.00	PASS
N66	15	5	DFT-QPSK	M	Inner_1RB_Left	24.34	25.81	30.00	PASS
N66	15	5	DFT-QPSK	M	Inner_1RB_Right	24.28	25.75	30.00	PASS
N66	15	5	DFT-QPSK	M	Outer_Full	23.39	24.86	30.00	PASS
N66	15	5	DFT-16QAM	M	Inner_1RB_Left	23.35	24.82	30.00	PASS
N66	15	5	DFT-16QAM	M	Inner_1RB_Right	23.32	24.79	30.00	PASS
N66	15	5	DFT-16QAM	M	Outer_Full	22.47	23.94	30.00	PASS
N66	15	5	DFT-64QAM	M	Inner_1RB_Left	22.08	23.55	30.00	PASS
N66	15	5	DFT-64QAM	M	Inner_1RB_Right	22.18	23.65	30.00	PASS
N66	15	5	DFT-64QAM	M	Outer_Full	21.96	23.43	30.00	PASS
N66	15	5	DFT-256QAM	M	Inner_1RB_Left	19.49	20.96	30.00	PASS
N66	15	5	DFT-256QAM	M	Inner_1RB_Right	19.37	20.84	30.00	PASS
N66	15	5	DFT-256QAM	M	Outer_Full	19.88	21.35	30.00	PASS
N66	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	24.23	25.70	30.00	PASS
N66	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	24.19	25.66	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
Wireless Laboratories

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWA2309000114RG02

Rev.: 01

Page: 3 of 86

N66	15	5	DFT-PI2BPSK	H	Outer_Full	23.73	25.20	30.00	PASS
N66	15	5	DFT-QPSK	H	Inner_1RB_Left	24.18	25.65	30.00	PASS
N66	15	5	DFT-QPSK	H	Inner_1RB_Right	24.13	25.60	30.00	PASS
N66	15	5	DFT-QPSK	H	Outer_Full	23.30	24.77	30.00	PASS
N66	15	5	DFT-16QAM	H	Inner_1RB_Left	23.22	24.69	30.00	PASS
N66	15	5	DFT-16QAM	H	Inner_1RB_Right	23.16	24.63	30.00	PASS
N66	15	5	DFT-16QAM	H	Outer_Full	22.30	23.77	30.00	PASS
N66	15	5	DFT-64QAM	H	Inner_1RB_Left	21.87	23.34	30.00	PASS
N66	15	5	DFT-64QAM	H	Inner_1RB_Right	22.02	23.49	30.00	PASS
N66	15	5	DFT-64QAM	H	Outer_Full	21.77	23.24	30.00	PASS
N66	15	5	DFT-256QAM	H	Inner_1RB_Left	19.15	20.62	30.00	PASS
N66	15	5	DFT-256QAM	H	Inner_1RB_Right	19.20	20.67	30.00	PASS
N66	15	5	DFT-256QAM	H	Outer_Full	19.72	21.19	30.00	PASS
N66	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	24.24	25.71	30.00	PASS
N66	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	24.33	25.80	30.00	PASS
N66	15	10	DFT-PI2BPSK	L	Outer_Full	23.89	25.36	30.00	PASS
N66	15	10	DFT-QPSK	L	Inner_1RB_Left	24.27	25.74	30.00	PASS
N66	15	10	DFT-QPSK	L	Inner_1RB_Right	24.19	25.66	30.00	PASS
N66	15	10	DFT-QPSK	L	Outer_Full	23.40	24.87	30.00	PASS
N66	15	10	DFT-16QAM	L	Inner_1RB_Left	23.28	24.75	30.00	PASS
N66	15	10	DFT-16QAM	L	Inner_1RB_Right	23.32	24.79	30.00	PASS
N66	15	10	DFT-16QAM	L	Outer_Full	22.34	23.81	30.00	PASS
N66	15	10	DFT-64QAM	L	Inner_1RB_Left	22.03	23.50	30.00	PASS
N66	15	10	DFT-64QAM	L	Inner_1RB_Right	22.03	23.50	30.00	PASS
N66	15	10	DFT-64QAM	L	Outer_Full	21.92	23.39	30.00	PASS
N66	15	10	DFT-256QAM	L	Inner_1RB_Left	19.29	20.76	30.00	PASS
N66	15	10	DFT-256QAM	L	Inner_1RB_Right	19.33	20.80	30.00	PASS
N66	15	10	DFT-256QAM	L	Outer_Full	19.85	21.32	30.00	PASS
N66	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	24.29	25.76	30.00	PASS
N66	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	24.32	25.79	30.00	PASS
N66	15	10	DFT-PI2BPSK	M	Outer_Full	23.91	25.38	30.00	PASS
N66	15	10	DFT-QPSK	M	Inner_1RB_Left	24.22	25.69	30.00	PASS
N66	15	10	DFT-QPSK	M	Inner_1RB_Right	24.25	25.72	30.00	PASS
N66	15	10	DFT-QPSK	M	Outer_Full	23.43	24.90	30.00	PASS
N66	15	10	DFT-16QAM	M	Inner_1RB_Left	23.30	24.77	30.00	PASS
N66	15	10	DFT-16QAM	M	Inner_1RB_Right	23.28	24.75	30.00	PASS
N66	15	10	DFT-16QAM	M	Outer_Full	22.37	23.84	30.00	PASS
N66	15	10	DFT-64QAM	M	Inner_1RB_Left	22.16	23.63	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWA2309000114RG02

Rev.: 01

Page: 4 of 86

N66	15	10	DFT-64QAM	M	Inner_1RB_Right	22.08	23.55	30.00	PASS
N66	15	10	DFT-64QAM	M	Outer_Full	21.93	23.40	30.00	PASS
N66	15	10	DFT-256QAM	M	Inner_1RB_Left	19.37	20.84	30.00	PASS
N66	15	10	DFT-256QAM	M	Inner_1RB_Right	19.31	20.78	30.00	PASS
N66	15	10	DFT-256QAM	M	Outer_Full	19.90	21.37	30.00	PASS
N66	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	24.05	25.52	30.00	PASS
N66	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	24.12	25.59	30.00	PASS
N66	15	10	DFT-PI2BPSK	H	Outer_Full	23.74	25.21	30.00	PASS
N66	15	10	DFT-QPSK	H	Inner_1RB_Left	23.99	25.46	30.00	PASS
N66	15	10	DFT-QPSK	H	Inner_1RB_Right	24.07	25.54	30.00	PASS
N66	15	10	DFT-QPSK	H	Outer_Full	23.26	24.73	30.00	PASS
N66	15	10	DFT-16QAM	H	Inner_1RB_Left	23.01	24.48	30.00	PASS
N66	15	10	DFT-16QAM	H	Inner_1RB_Right	23.09	24.56	30.00	PASS
N66	15	10	DFT-16QAM	H	Outer_Full	22.10	23.57	30.00	PASS
N66	15	10	DFT-64QAM	H	Inner_1RB_Left	21.80	23.27	30.00	PASS
N66	15	10	DFT-64QAM	H	Inner_1RB_Right	21.94	23.41	30.00	PASS
N66	15	10	DFT-64QAM	H	Outer_Full	21.70	23.17	30.00	PASS
N66	15	10	DFT-256QAM	H	Inner_1RB_Left	19.06	20.53	30.00	PASS
N66	15	10	DFT-256QAM	H	Inner_1RB_Right	19.17	20.64	30.00	PASS
N66	15	10	DFT-256QAM	H	Outer_Full	19.62	21.09	30.00	PASS
N66	15	15	DFT-PI2BPSK	L	Inner_1RB_Left	24.69	26.16	30.00	PASS
N66	15	15	DFT-PI2BPSK	L	Inner_1RB_Right	24.67	26.14	30.00	PASS
N66	15	15	DFT-PI2BPSK	L	Outer_Full	24.17	25.64	30.00	PASS
N66	15	15	DFT-QPSK	L	Inner_1RB_Left	24.55	26.02	30.00	PASS
N66	15	15	DFT-QPSK	L	Inner_1RB_Right	24.57	26.04	30.00	PASS
N66	15	15	DFT-QPSK	L	Outer_Full	23.69	25.16	30.00	PASS
N66	15	15	DFT-16QAM	L	Inner_1RB_Left	23.60	25.07	30.00	PASS
N66	15	15	DFT-16QAM	L	Inner_1RB_Right	23.62	25.09	30.00	PASS
N66	15	15	DFT-16QAM	L	Outer_Full	22.76	24.23	30.00	PASS
N66	15	15	DFT-64QAM	L	Inner_1RB_Left	22.47	23.94	30.00	PASS
N66	15	15	DFT-64QAM	L	Inner_1RB_Right	22.30	23.77	30.00	PASS
N66	15	15	DFT-64QAM	L	Outer_Full	22.28	23.75	30.00	PASS
N66	15	15	DFT-256QAM	L	Inner_1RB_Left	19.67	21.14	30.00	PASS
N66	15	15	DFT-256QAM	L	Inner_1RB_Right	19.65	21.12	30.00	PASS
N66	15	15	DFT-256QAM	L	Outer_Full	20.13	21.60	30.00	PASS
N66	15	15	DFT-PI2BPSK	M	Inner_1RB_Left	24.50	25.97	30.00	PASS
N66	15	15	DFT-PI2BPSK	M	Inner_1RB_Right	24.32	25.79	30.00	PASS
N66	15	15	DFT-PI2BPSK	M	Outer_Full	23.94	25.41	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWA2309000114RG02

Rev.: 01

Page: 5 of 86

N66	15	15	DFT-QPSK	M	Inner_1RB_Left	24.33	25.80	30.00	PASS
N66	15	15	DFT-QPSK	M	Inner_1RB_Right	24.22	25.69	30.00	PASS
N66	15	15	DFT-QPSK	M	Outer_Full	23.43	24.90	30.00	PASS
N66	15	15	DFT-16QAM	M	Inner_1RB_Left	23.45	24.92	30.00	PASS
N66	15	15	DFT-16QAM	M	Inner_1RB_Right	23.25	24.72	30.00	PASS
N66	15	15	DFT-16QAM	M	Outer_Full	22.48	23.95	30.00	PASS
N66	15	15	DFT-64QAM	M	Inner_1RB_Left	22.27	23.74	30.00	PASS
N66	15	15	DFT-64QAM	M	Inner_1RB_Right	22.02	23.49	30.00	PASS
N66	15	15	DFT-64QAM	M	Outer_Full	21.99	23.46	30.00	PASS
N66	15	15	DFT-256QAM	M	Inner_1RB_Left	19.49	20.96	30.00	PASS
N66	15	15	DFT-256QAM	M	Inner_1RB_Right	19.29	20.76	30.00	PASS
N66	15	15	DFT-256QAM	M	Outer_Full	19.93	21.40	30.00	PASS
N66	15	15	DFT-PI2BPSK	H	Inner_1RB_Left	24.33	25.80	30.00	PASS
N66	15	15	DFT-PI2BPSK	H	Inner_1RB_Right	24.30	25.77	30.00	PASS
N66	15	15	DFT-PI2BPSK	H	Outer_Full	23.76	25.23	30.00	PASS
N66	15	15	DFT-QPSK	H	Inner_1RB_Left	24.17	25.64	30.00	PASS
N66	15	15	DFT-QPSK	H	Inner_1RB_Right	24.14	25.61	30.00	PASS
N66	15	15	DFT-QPSK	H	Outer_Full	23.31	24.78	30.00	PASS
N66	15	15	DFT-16QAM	H	Inner_1RB_Left	23.20	24.67	30.00	PASS
N66	15	15	DFT-16QAM	H	Inner_1RB_Right	23.18	24.65	30.00	PASS
N66	15	15	DFT-16QAM	H	Outer_Full	22.29	23.76	30.00	PASS
N66	15	15	DFT-64QAM	H	Inner_1RB_Left	22.07	23.54	30.00	PASS
N66	15	15	DFT-64QAM	H	Inner_1RB_Right	22.03	23.50	30.00	PASS
N66	15	15	DFT-64QAM	H	Outer_Full	21.79	23.26	30.00	PASS
N66	15	15	DFT-256QAM	H	Inner_1RB_Left	19.24	20.71	30.00	PASS
N66	15	15	DFT-256QAM	H	Inner_1RB_Right	19.24	20.71	30.00	PASS
N66	15	15	DFT-256QAM	H	Outer_Full	19.70	21.17	30.00	PASS
N66	15	20	DFT-PI2BPSK	L	Inner_1RB_Left	24.66	26.13	30.00	PASS
N66	15	20	DFT-PI2BPSK	L	Inner_1RB_Right	24.61	26.08	30.00	PASS
N66	15	20	DFT-PI2BPSK	L	Outer_Full	24.14	25.61	30.00	PASS
N66	15	20	DFT-QPSK	L	Inner_1RB_Left	24.55	26.02	30.00	PASS
N66	15	20	DFT-QPSK	L	Inner_1RB_Right	24.55	26.02	30.00	PASS
N66	15	20	DFT-QPSK	L	Outer_Full	23.74	25.21	30.00	PASS
N66	15	20	DFT-16QAM	L	Inner_1RB_Left	23.55	25.02	30.00	PASS
N66	15	20	DFT-16QAM	L	Inner_1RB_Right	23.67	25.14	30.00	PASS
N66	15	20	DFT-16QAM	L	Outer_Full	22.68	24.15	30.00	PASS
N66	15	20	DFT-64QAM	L	Inner_1RB_Left	22.13	23.60	30.00	PASS
N66	15	20	DFT-64QAM	L	Inner_1RB_Right	22.41	23.88	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn  
t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWA2309000114RG02

Rev.: 01

Page: 6 of 86

N66	15	20	DFT-64QAM	L	Outer_Full	22.27	23.74	30.00	PASS
N66	15	20	DFT-256QAM	L	Inner_1RB_Left	19.58	21.05	30.00	PASS
N66	15	20	DFT-256QAM	L	Inner_1RB_Right	19.56	21.03	30.00	PASS
N66	15	20	DFT-256QAM	L	Outer_Full	20.22	21.69	30.00	PASS
N66	15	20	DFT-PI2BPSK	M	Inner_1RB_Left	24.47	25.94	30.00	PASS
N66	15	20	DFT-PI2BPSK	M	Inner_1RB_Right	24.30	25.77	30.00	PASS
N66	15	20	DFT-PI2BPSK	M	Outer_Full	23.91	25.38	30.00	PASS
N66	15	20	DFT-QPSK	M	Inner_1RB_Left	24.41	25.88	30.00	PASS
N66	15	20	DFT-QPSK	M	Inner_1RB_Right	24.17	25.64	30.00	PASS
N66	15	20	DFT-QPSK	M	Outer_Full	23.42	24.89	30.00	PASS
N66	15	20	DFT-16QAM	M	Inner_1RB_Left	23.48	24.95	30.00	PASS
N66	15	20	DFT-16QAM	M	Inner_1RB_Right	23.23	24.70	30.00	PASS
N66	15	20	DFT-16QAM	M	Outer_Full	22.44	23.91	30.00	PASS
N66	15	20	DFT-64QAM	M	Inner_1RB_Left	22.25	23.72	30.00	PASS
N66	15	20	DFT-64QAM	M	Inner_1RB_Right	22.00	23.47	30.00	PASS
N66	15	20	DFT-64QAM	M	Outer_Full	21.99	23.46	30.00	PASS
N66	15	20	DFT-256QAM	M	Inner_1RB_Left	19.55	21.02	30.00	PASS
N66	15	20	DFT-256QAM	M	Inner_1RB_Right	19.33	20.80	30.00	PASS
N66	15	20	DFT-256QAM	M	Outer_Full	19.91	21.38	30.00	PASS
N66	15	20	DFT-PI2BPSK	H	Inner_1RB_Left	24.37	25.84	30.00	PASS
N66	15	20	DFT-PI2BPSK	H	Inner_1RB_Right	24.38	25.85	30.00	PASS
N66	15	20	DFT-PI2BPSK	H	Outer_Full	23.76	25.23	30.00	PASS
N66	15	20	DFT-QPSK	H	Inner_1RB_Left	24.24	25.71	30.00	PASS
N66	15	20	DFT-QPSK	H	Inner_1RB_Right	24.22	25.69	30.00	PASS
N66	15	20	DFT-QPSK	H	Outer_Full	23.31	24.78	30.00	PASS
N66	15	20	DFT-16QAM	H	Inner_1RB_Left	23.27	24.74	30.00	PASS
N66	15	20	DFT-16QAM	H	Inner_1RB_Right	23.19	24.66	30.00	PASS
N66	15	20	DFT-16QAM	H	Outer_Full	22.34	23.81	30.00	PASS
N66	15	20	DFT-64QAM	H	Inner_1RB_Left	22.04	23.51	30.00	PASS
N66	15	20	DFT-64QAM	H	Inner_1RB_Right	22.02	23.49	30.00	PASS
N66	15	20	DFT-64QAM	H	Outer_Full	21.86	23.33	30.00	PASS
N66	15	20	DFT-256QAM	H	Inner_1RB_Left	19.29	20.76	30.00	PASS
N66	15	20	DFT-256QAM	H	Inner_1RB_Right	19.24	20.71	30.00	PASS
N66	15	20	DFT-256QAM	H	Outer_Full	19.77	21.24	30.00	PASS
N66	15	30	DFT-PI2BPSK	L	Inner_1RB_Left	24.61	26.08	30.00	PASS
N66	15	30	DFT-PI2BPSK	L	Inner_1RB_Right	24.43	25.90	30.00	PASS
N66	15	30	DFT-PI2BPSK	L	Outer_Full	24.17	25.64	30.00	PASS
N66	15	30	DFT-QPSK	L	Inner_1RB_Left	24.51	25.98	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



N66	15	30	DFT-QPSK	L	Inner_1RB_Right	24.34	25.81	30.00	PASS
N66	15	30	DFT-QPSK	L	Outer_Full	23.65	25.12	30.00	PASS
N66	15	30	DFT-16QAM	L	Inner_1RB_Left	23.48	24.95	30.00	PASS
N66	15	30	DFT-16QAM	L	Inner_1RB_Right	23.38	24.85	30.00	PASS
N66	15	30	DFT-16QAM	L	Outer_Full	22.63	24.10	30.00	PASS
N66	15	30	DFT-64QAM	L	Inner_1RB_Left	22.36	23.83	30.00	PASS
N66	15	30	DFT-64QAM	L	Inner_1RB_Right	22.17	23.64	30.00	PASS
N66	15	30	DFT-64QAM	L	Outer_Full	22.26	23.73	30.00	PASS
N66	15	30	DFT-256QAM	L	Inner_1RB_Left	19.81	21.28	30.00	PASS
N66	15	30	DFT-256QAM	L	Inner_1RB_Right	19.54	21.01	30.00	PASS
N66	15	30	DFT-256QAM	L	Outer_Full	20.15	21.62	30.00	PASS
N66	15	30	DFT-PI2BPSK	M	Inner_1RB_Left	24.56	26.03	30.00	PASS
N66	15	30	DFT-PI2BPSK	M	Inner_1RB_Right	24.34	25.81	30.00	PASS
N66	15	30	DFT-PI2BPSK	M	Outer_Full	24.08	25.55	30.00	PASS
N66	15	30	DFT-QPSK	M	Inner_1RB_Left	24.40	25.87	30.00	PASS
N66	15	30	DFT-QPSK	M	Inner_1RB_Right	24.18	25.65	30.00	PASS
N66	15	30	DFT-QPSK	M	Outer_Full	23.63	25.10	30.00	PASS
N66	15	30	DFT-16QAM	M	Inner_1RB_Left	23.43	24.90	30.00	PASS
N66	15	30	DFT-16QAM	M	Inner_1RB_Right	23.25	24.72	30.00	PASS
N66	15	30	DFT-16QAM	M	Outer_Full	22.56	24.03	30.00	PASS
N66	15	30	DFT-64QAM	M	Inner_1RB_Left	22.22	23.69	30.00	PASS
N66	15	30	DFT-64QAM	M	Inner_1RB_Right	22.06	23.53	30.00	PASS
N66	15	30	DFT-64QAM	M	Outer_Full	22.08	23.55	30.00	PASS
N66	15	30	DFT-256QAM	M	Inner_1RB_Left	19.69	21.16	30.00	PASS
N66	15	30	DFT-256QAM	M	Inner_1RB_Right	19.33	20.80	30.00	PASS
N66	15	30	DFT-256QAM	M	Outer_Full	20.10	21.57	30.00	PASS
N66	15	30	DFT-PI2BPSK	H	Inner_1RB_Left	24.30	25.77	30.00	PASS
N66	15	30	DFT-PI2BPSK	H	Inner_1RB_Right	24.25	25.72	30.00	PASS
N66	15	30	DFT-PI2BPSK	H	Outer_Full	23.95	25.42	30.00	PASS
N66	15	30	DFT-QPSK	H	Inner_1RB_Left	24.26	25.73	30.00	PASS
N66	15	30	DFT-QPSK	H	Inner_1RB_Right	24.14	25.61	30.00	PASS
N66	15	30	DFT-QPSK	H	Outer_Full	23.46	24.93	30.00	PASS
N66	15	30	DFT-16QAM	H	Inner_1RB_Left	23.26	24.73	30.00	PASS
N66	15	30	DFT-16QAM	H	Inner_1RB_Right	23.21	24.68	30.00	PASS
N66	15	30	DFT-16QAM	H	Outer_Full	22.36	23.83	30.00	PASS
N66	15	30	DFT-64QAM	H	Inner_1RB_Left	22.02	23.49	30.00	PASS
N66	15	30	DFT-64QAM	H	Inner_1RB_Right	21.97	23.44	30.00	PASS
N66	15	30	DFT-64QAM	H	Outer_Full	21.90	23.37	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWA2309000114RG02

Rev.: 01

Page: 8 of 86

N66	15	30	DFT-256QAM	H	Inner_1RB_Left	19.56	21.03	30.00	PASS
N66	15	30	DFT-256QAM	H	Inner_1RB_Right	19.32	20.79	30.00	PASS
N66	15	30	DFT-256QAM	H	Outer_Full	19.84	21.31	30.00	PASS
N66	15	40	DFT-PI2BPSK	L	Inner_1RB_Left	24.53	26.00	30.00	PASS
N66	15	40	DFT-PI2BPSK	L	Inner_1RB_Right	24.45	25.92	30.00	PASS
N66	15	40	DFT-PI2BPSK	L	Outer_Full	24.07	25.54	30.00	PASS
N66	15	40	DFT-QPSK	L	Inner_1RB_Left	24.48	25.95	30.00	PASS
N66	15	40	DFT-QPSK	L	Inner_1RB_Right	24.29	25.76	30.00	PASS
N66	15	40	DFT-QPSK	L	Outer_Full	23.64	25.11	30.00	PASS
N66	15	40	DFT-16QAM	L	Inner_1RB_Left	23.43	24.90	30.00	PASS
N66	15	40	DFT-16QAM	L	Inner_1RB_Right	23.34	24.81	30.00	PASS
N66	15	40	DFT-16QAM	L	Outer_Full	22.68	24.15	30.00	PASS
N66	15	40	DFT-64QAM	L	Inner_1RB_Left	22.23	23.70	30.00	PASS
N66	15	40	DFT-64QAM	L	Inner_1RB_Right	22.12	23.59	30.00	PASS
N66	15	40	DFT-64QAM	L	Outer_Full	22.20	23.67	30.00	PASS
N66	15	40	DFT-256QAM	L	Inner_1RB_Left	19.74	21.21	30.00	PASS
N66	15	40	DFT-256QAM	L	Inner_1RB_Right	19.50	20.97	30.00	PASS
N66	15	40	DFT-256QAM	L	Outer_Full	20.15	21.62	30.00	PASS
N66	15	40	DFT-PI2BPSK	M	Inner_1RB_Left	24.51	25.98	30.00	PASS
N66	15	40	DFT-PI2BPSK	M	Inner_1RB_Right	24.35	25.82	30.00	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	24.02	25.49	30.00	PASS
N66	15	40	DFT-QPSK	M	Inner_1RB_Left	24.36	25.83	30.00	PASS
N66	15	40	DFT-QPSK	M	Inner_1RB_Right	24.22	25.69	30.00	PASS
N66	15	40	DFT-QPSK	M	Outer_Full	24.03	25.50	30.00	PASS
N66	15	40	DFT-16QAM	M	Inner_1RB_Left	23.47	24.94	30.00	PASS
N66	15	40	DFT-16QAM	M	Inner_1RB_Right	23.40	24.87	30.00	PASS
N66	15	40	DFT-16QAM	M	Outer_Full	22.62	24.09	30.00	PASS
N66	15	40	DFT-64QAM	M	Inner_1RB_Left	22.23	23.70	30.00	PASS
N66	15	40	DFT-64QAM	M	Inner_1RB_Right	22.04	23.51	30.00	PASS
N66	15	40	DFT-64QAM	M	Outer_Full	22.11	23.58	30.00	PASS
N66	15	40	DFT-256QAM	M	Inner_1RB_Left	19.72	21.19	30.00	PASS
N66	15	40	DFT-256QAM	M	Inner_1RB_Right	19.52	20.99	30.00	PASS
N66	15	40	DFT-256QAM	M	Outer_Full	20.09	21.56	30.00	PASS
N66	15	40	DFT-PI2BPSK	H	Inner_1RB_Left	24.50	25.97	30.00	PASS
N66	15	40	DFT-PI2BPSK	H	Inner_1RB_Right	24.34	25.81	30.00	PASS
N66	15	40	DFT-PI2BPSK	H	Outer_Full	23.91	25.38	30.00	PASS
N66	15	40	DFT-QPSK	H	Inner_1RB_Left	24.29	25.76	30.00	PASS
N66	15	40	DFT-QPSK	H	Inner_1RB_Right	24.15	25.62	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com





Report No.: SEWA2309000114RG02

Rev.: 01

Page: 9 of 86

N66	15	40	DFT-QPSK	H	Outer_Full	23.44	24.91	30.00	PASS
N66	15	40	DFT-16QAM	H	Inner_1RB_Left	23.41	24.88	30.00	PASS
N66	15	40	DFT-16QAM	H	Inner_1RB_Right	23.29	24.76	30.00	PASS
N66	15	40	DFT-16QAM	H	Outer_Full	22.45	23.92	30.00	PASS
N66	15	40	DFT-64QAM	H	Inner_1RB_Left	22.20	23.67	30.00	PASS
N66	15	40	DFT-64QAM	H	Inner_1RB_Right	21.99	23.46	30.00	PASS
N66	15	40	DFT-64QAM	H	Outer_Full	21.98	23.45	30.00	PASS
N66	15	40	DFT-256QAM	H	Inner_1RB_Left	19.74	21.21	30.00	PASS
N66	15	40	DFT-256QAM	H	Inner_1RB_Right	19.44	20.91	30.00	PASS
N66	15	40	DFT-256QAM	H	Outer_Full	20.00	21.47	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

## Peak-to-Average Ratio for SA

### Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	DutyCycle	Factor	Result	Limit	Verdict
N66	15	40	DFT-256QAM	L	Outer_Full	100%	0.00	9.13	≤13	PASS
N66	15	40	CP-256QAM	L	Outer_Full	100%	0.00	9.53	≤13	PASS
N66	15	40	DFT-256QAM	M	Outer_Full	100%	0.00	8.82	≤13	PASS
N66	15	40	CP-256QAM	M	Outer_Full	100%	0.00	9.37	≤13	PASS
N66	15	40	DFT-256QAM	H	Outer_Full	100%	0.00	9.09	≤13	PASS
N66	15	40	CP-256QAM	H	Outer_Full	100%	0.00	9.83	≤13	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.  
 Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn  
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com