

Report No.: SEWA2309000114RG02

Rev.: 01

Page: 41 of 45

Test Band = SA Band 70 BW 10M_ TM1 Test Channel = Low Channel

Final Data List											
NO	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3391.18	50.80	-111.74	-60.94	-13.00	47.94	263	286	Horizontal		
2	5086.77 48.33 -107.03 -58		-58.70	-13.00	45.70	251	249	Horizontal			
3	6782.36	49.18	-102.06	-52.88	-13.00	39.88	174	360	Horizontal		
4	8477.95 45.23		-96.79	-51.56	-13.00	38.56	186	359	Horizontal		
5	10173.54 43.74 -93.19 -49.45		-49.45	-13.00	36.45	254	161	Horizontal			
6	11796.75 52.44 -91.76		-39.32	-13.00	26.32	188	211	Horizontal			

Final	Final Data List											
NO	Frequency	Reading	Factor	Level	Limit	Limit Margin H		Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3391.18	50.76	-111.74	-60.98	-13.00	47.98	263	3	Vertical			
2	5086.77 50.59 -107.03 -56.44 -1		-13.00	43.44	254	179	Vertical					
3	6782.36	49.61	-102.06	-52.45	-13.00	39.45	174	114	Vertical			
4	8477.95	46.22	-96.79	-50.57	-13.00	37.57	152	204	Vertical			
5	10173.54	43.50	-93.19	-49.69	-13.00	36.69	263	338	Vertical			
6	11796.75	54.04	-91.76	-37.72	-13.00	24.72	241	227	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: SEWA2309000114RG02

Rev.: 01 Page: 42 of 45

Test Band = SA Band 70 BW 10M_ TM1 Test Channel = Mid Channel

Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Margin	Height	Angle	Dolority		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3396.18	52.08	-111.75	-59.67	-13.00	46.67	263	139	Horizontal		
2	5094.27	5094.27 49.86 -106.98 -57.12 -13.00 44.12 25		251	3	Horizontal					
3	6792.36 49.60 -102.04 -52.44 -13.00 39.		39.44	142	126	Horizontal					
4	8490.45 45.09 -96.7		-96.75	-51.66	-13.00	38.66	284	359	Horizontal		
5	10188.54 43.04 -93.13 -50.09		-13.00	37.09	265	302	Horizontal				
6	11796.75 52.53 -91.76		-39.23	-13.00	26.23	241	14	Horizontal			

Final Data List											
NO	Frequency	Reading	Factor	Level	Limit	Limit Margin Heig		Angle	Dolority		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3396.18	50.50	-111.75	-61.25	-13.00	48.25	263	360	Vertical		
2	5094.27 50.62 -106.98 -56.36 -13.00		43.36	251	360	Vertical					
3	6792.36	48.61	-102.04	-53.43	-13.00	40.43	148	201	Vertical		
4	8490.45	45.09	-96.75	-51.66	-13.00	38.66	265	189	Vertical		
5	10188.54	43.57	-93.13	-49.56	-13.00	36.56	241	360	Vertical		
6	11796.75	54.50	-91.76	-37.26	-13.00	24.26	177	28	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: SEWA2309000114RG02

Rev.: 01 Page: 43 of 45

Test Band = SA Band 70 BW 10M_ TM1 Test Channel = High Channel

Final	Final Data List										
NO.	Frequency	Reading	Factor	Level	Limit	Margin Height		Angle	Polority		
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3401.18	50.22	-111.75	-61.53	-13.00	48.53	263	355	Horizontal		
2	5101.77	5101.77 49.30 -106.95 -57.65 -13.00 44.65		44.65	241	274	Horizontal				
3	6802.36	50.02	-102.01	-51.99	-13.00	38.99	178	287	Horizontal		
4	8502.95	45.83	-96.73	-50.90	-13.00	37.90	265	185	Horizontal		
5	10203.54 43.92 -93.10 -49.18		-49.18	-13.00	36.18	284	25	Horizontal			
6	11796.75 51.03 -91.76		-91.76	-40.73	-13.00	27.73	177	25	Horizontal		

Final	Final Data List											
NO.	Frequency	Reading	Factor	Level	Limit	Limit Margin He		Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3401.18	50.63	-111.75	-61.12	-13.00	48.12	163	226	Vertical			
2	5101.77	51.18	-106.95	-55.77	-13.00	42.77	254	3	Vertical			
3	6802.36	49.31	-102.01	-52.70	-13.00	39.70	175	14	Vertical			
4	8502.95	45.24	-96.73	-51.49	-13.00	38.49	263	177	Vertical			
5	10203.54	44.83	-93.10	-48.27	-13.00	35.27	322	338	Vertical			
6	11796.75	55.14	-91.76	-36.62	-13.00	23.62	142	226	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SEWA2309000114RG02

Rev.: 01

Page: 44 of 45

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

	Voltage												
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltag e	Temperatur e	Deviation(Hz)	Deviation (ppm)	Verdic t			
N70	15	15	DFT- PI2BPSK	М	Outer_Full	VH	NT	3.800000	0.002232	PASS			
N70	15	15	DFT- PI2BPSK	М	Outer_Full	VN	NT	3.500000	0.002056	PASS			
N70	15	15	DFT- PI2BPSK	М	Outer_Full	VL	NT	5.600000	0.003289	PASS			
N70	15	15	CP-QPSK	М	Outer_Full	VH	NT	0.800000	0.000470	PASS			
N70	15	15	CP-QPSK	М	Outer_Full	VN	NT	-1.600000	-0.000940	PASS			
N70	15	15	CP-QPSK	М	Outer_Full	VL	NT	-1.000000	-0.000587	PASS			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thitp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SEWA2309000114RG02

Rev.: 01 Page: 45 of 45

Frequency Error VS. Temperature

					Tempera	ature				
Band	scs	Bandwidth	Modulation	Channel	RB Config	Voltag e	Temperatur e	Deviation(Hz)	Deviation (ppm)	Verdic t
N70	15	15	DFT- PI2BPSK	М	Outer_Full	NV	-30	7.400000	0.004347	PASS
N70	15	15	DFT- PI2BPSK	М	Outer_Full	NV	-20	4.400000	0.002584	PASS
N70	15	15	DFT- PI2BPSK	М	Outer_Full	NV	-10	5.000000	0.002937	PASS
N70	15	15	DFT- PI2BPSK	М	Outer_Full	NV	0	1.500000	0.000881	PASS
N70	15	15	DFT- PI2BPSK	М	Outer_Full	NV	10	4.800000	0.002819	PASS
N70	15	15	DFT- PI2BPSK	М	Outer_Full	NV	20	3.600000	0.002115	PASS
N70	15	15	DFT- PI2BPSK	М	Outer_Full	NV	30	7.900000	0.004640	PASS
N70	15	15	DFT- PI2BPSK	М	Outer_Full	NV	40	1.400000	0.000822	PASS
N70	15	15	DFT- PI2BPSK	М	Outer_Full	NV	50	1.700000	0.000999	PASS
N70	15	15	CP-QPSK	М	Outer_Full	NV	-30	-1.300000	-0.000764	PASS
N70	15	15	CP-QPSK	M	Outer_Full	NV	-20	4.200000	0.002467	PASS
N70	15	15	CP-QPSK	М	Outer_Full	NV	-10	-2.100000	-0.001233	PASS
N70	15	15	CP-QPSK	М	Outer_Full	NV	0	-0.800000	-0.000470	PASS
N70	15	15	CP-QPSK	М	Outer_Full	NV	10	-2.500000	-0.001468	PASS
N70	15	15	CP-QPSK	М	Outer_Full	NV	20	-2.700000	-0.001586	PASS
N70	15	15	CP-QPSK	М	Outer_Full	NV	30	-0.900000	-0.000529	PASS
N70	15	15	CP-QPSK	М	Outer_Full	NV	40	-2.000000	-0.001175	PASS
N70	15	15	CP-QPSK	М	Outer_Full	NV	50	-4.800000	-0.002819	PASS

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com