FCC/ISED E-Label Information

A. Information to be displayed

• The information that will be displayed on the e-label and information that will remain in the user manual is shown below:

Information	on E-label	In Manual
FCC ID number/ISED Certification number	Yes	Yes
FCC logo	Yes	Yes
15.19 statement ("This device complies with part 15 of the FCC Rules.	No	Yes
Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.")		

Images of the e-label screen are provided below:

r EM061K-GL and AX211D2W and T77H747	M/N: TP00160AL FCC ID: 2AJN7-TP00160AL, IC: 21863-TP00160AL Contains FCC ID: PD9AX211D2, IC: 1000M-AX211D2 Contains FCC ID: MCLT77H747, IC: 2878D-T77H747
<image/> <text></text>	M/N: TP00160AL FCC ID: 2AJN7-TP00160AL, IC: 21863-TP00160AL Contains FCC ID: PD9AX211D2, IC: 1000M-AX211D2 Contains FCC ID: MCLT77H747, IC: 2878D-T77H747 Image: CRB-XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Press Enter to exit and restart your computer	

B	. Access to the required information on the	e-label
1.	Users must be able to access the regulatory	The actual steps are:
	information without requiring special access	To access the e-label information in the
	codes or permissions, and in all cases the	device, do on of the following:
	information must be accessible in no more than	• Restart the computer. When the logo screen is
	three steps from a product's main or home	displayed, press F9.
	menu.	 Restart the computer. When the logo screen is
		displayed, press Enter or tap the prompt to
		enter the Startup Interrupt menu. Then press
		F9 or tap the Regulatory Information option.
		The E-label screen is displayed.
		No special access codes or permissions are
		required to go through the above steps beyond
		entering a user-defined password to protect
		against unauthorized access to the device.
2.	Instructions must be provided with the product	The information to the user is provided in the
	at the time of purchase, in the user manual,	user manual.
	operating instructions, packaging material, quick	
	guide pamphlet, etc. Alternatively, a product-	
	related website is permitted, if a reference (URL)	
	to obtain the website information is provided at	
	the time of purchase in the user manual,	
	operating instructions, packaging material, quick	
	guide pamphlet, etc.	
3.	Products must not require special accessories or	The devices do not require special code, accessories
	supplemental plug-ins (e.g., the installation of a	or supplemental plug-ins to access the information.
	SIM/USIM card) to access the information.	
	Access to regulatory information must be	
	provided without special codes, accessories, or	
	permissions beyond the normal security	
	protection to unlock the screen, sign-in page, or	
	overall product access.	
4.	The FCC ID, warning statements, or other	Yes, it is clearly legible without the aid of
	information must be displayed electronically in a	magnification.
	manner that is clearly legible without the aid of	
	magnification.	
5.	Both regulatory information and dedicated	Yes, it is secured and the user cannot modify it.
	exclusive application(s) or script(s) must be	
	secured and implemented in a factory-set-	
	unalterable format. The regulatory information	
	must be capable of being retrieved and	
	displayed locally, and under the control of the	
	end user in possession of the product. The	
	method must be secure, such that the	
	application or script ensures that the regulatory	
	information correctly displayed.	

B. Access to the required information on the e-label

C. Labeling for Importation and Purchasing

The FCC logo, FCC ID, IC ID and model number are
present on the product packaging.

<E-label screen>

To access the E-label screen, do one of the following:

- Restart the computer. When the logo screen is displayed, press F9. The E-label screen is displayed.
- Restart the computer. When the logo screen is displayed, press Enter or tap the prompt to enter the Startup Interrupt menu. Then press F9 or tap the Regulatory Information option. The E-label screen is displayed.



