

Page 1 of 194

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H. PART 24 SUBPART E and PART 27 SUBPART C REQUIREMENT

OF

Product Name: Smart Phone

Brand Name: Nokia

Model No.: TA-1007

Model Difference: N/A

FCC ID: **2AJOTTA-1007**

Report No.: ER/2017/60114

Issue Date: Jul. 17, 2017

FCC Rule Part: 2,22H & 24E & 27C

HMD Global Oy Prepared for:

Karaportti 2, 02610 Espoo, Finland

SGS Taiwan Ltd.

Electronics & Communication Laboratory

Prepared by: No.134, Wu Kung Road, New Taipei Industrial

Park, Wuku District, New Taipei City, Taiwan

24803





Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Page 2 of 194

VERIFICATION OF COMPLIANCE

HMD Global Ov Applicant:

Karaportti 2, 02610 Espoo, Finland

Smart Phone Product Name:

Nokia **Brand Name:**

TA-1007 Model No.:

Model Difference: N/A

2AJOTTA-1007 FCC ID:

ER/2017/60114 File Number:

Jun. 24, 2017 ~ Jul. 04, 2017 Date of test:

Date of EUT Received: Jun. 24, 2017

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-D-2010 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Marcus Iseng	Date:	Jul. 16, 2017
Prepared By:	Marcus Tseng/Engineer Violetta Tang	Date:	Jul. 16, 2017
Approved By:	Violetta Tang / Clerk Jim Chang / Asst. Manager	Date:	Jul. 16, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relearning to the sample(s) tested and such sample(s) are retained for 90 days only. Fex page 18 for the sample(s) tested and such sample(s) are retained for 90 days only. Fex page 18 for page 18 document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 3 of 194

Revision History

Report Number	Revision	Description	Issue Date
ER/2017/60114	Rev.00	Initial creation of document	Jul. 16, 2017

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 4 of 194

Contents

1.	GENERAL PRODUCT INFORMATION	5
2.	SYSTEM TEST CONFIGURATION	11
3.	SUMMARY OF TEST RESULTS	16
4.	DESCRIPTION OF TEST MODES	17
5.	MEASUREMENT UNCERTAINTY	22
6.	RF CONDUCTED OUTPUT POWER MEASUREMENT	23
7.	EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWE	R
	MEASUREMENT	32
8.	OCCUPIED BANDWIDTH MEASUREMEN T	52
9.	OUT OF BAND EMISSION AT ANTENNA TERMINALS	76
10.	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	120
11.	FREQUENCY STABILITY MEASUREMENT	167
12.	PEAK TO AVERAGE RATIO	176
РН	OTOGRAPHS OF SET UP	189
РΗ	OTOGRAPHS OF FUT	194

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 5 of 194

1. GENERAL PRODUCT INFORMATION

Product Description

General:

	Conoral			
Product Name:	Smart Phone			
Brand Name:	Nokia			
Model No.:	TA-1007			
Model difference:	N/A			
Hardware Version:	870			
Software Version:	V0.140			
USB Cable:	Model No.: CUBB01M-FA010-DH, Supplier: Nokia			
Headset	Model No.: WH-108, Supplier: Nokia			
	3.85Vdc from Rechargeable Li-polymer Battery or 5V from AC/DC Adapter			
Power Supply:	Battery:	Model No.: HE338, Supplier: Nokia		
	Adapter: Model No.: FC0102, Supplier: Nokia			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 6 of 194

GSM / WCDMA / LTE:

GOWI / WCDWA / LIL			Datad
	Operating Frequency	Rated Power	
	GSM/GPRS 850 824.2 MHz- 848.8 MHz		33dBm
	EDGE 850	824.2 MHz– 848.8 MHz	27dBm
	GSM/GPRS 1900	1850.2MHz – 1909.8MHz	30dBm
	EDGE 1900	1850.2MHz – 1909.8MHz	26dBm
	WCDMA/HSUPA/HSDPA /HSPA+ Band II	1852.4MHz – 1907.6MHz	23.5dBm
	WCDMA/HSUPA/HSDPA /HSPA+ Band V	826.4MHz - 846.6MHz	24dBm
Cellular Phone	LTE-Band 5 (1.4MHz)	824.7MHz – 848.3MHz	23dBm
Standards Fre-	LTE-Band 5 (3MHz)	825.5MHz – 847.5MHz	23dBm
quency Range and Power	LTE-Band 5 (5MHz)	826.5MHz – 846.5MHz	23dBm
	LTE-Band 5 (10MHz)	829.0MHz – 844.0MHz	23dBm
	LTE-Band 7 (5MHz)	2502.5MHz – 2567.5MHz	23dBm
	LTE-Band 7 (10MHz)	2505.0MHz – 2565.0MHz	23dBm
	LTE-Band 7 (15MHz)	2507.5MHz – 2562.5MHz	23dBm
	LTE-Band 7 (20MHz)	2510.0MHz – 2560MHz	23dBm
	LTE-Band 38 (5MHz)	2572.5MHz – 2617.5MHz	23dBm
	LTE-Band 38 (10MHz)	2575MHz – 2615MHz	23dBm
	LTE-Band 38 (15MHz)	2577.5MHz – 2612.5MHz	23dBm
	LTE-Band 38 (20MHz)	2580MHz – 2610MHz	23dBm
IMEI:	356038080015894		

t (886-2) 2299-3279


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號





Type of Emission:

Frequency Band	Type of Emission:
GSM 850	245KGXW
GPRS 850	244KGXW
EDGE 850	246KG7W
GSM 1900	245KGXW
GPRS 1900	247KGXW
EDGE 1900	249KG7W
WCDMA Band II	4M16F9W
HSDPA Band II	4M17F9W
HSUPA Band II	4M16F9W
WCDMA Band V	4M15F9W
HSDPA Band V	4M15F9W
HSUPA Band V	4M15F9W

LTE Band	BW (MHz)	Modulation	Type of Emission
LTE Band 5	1.4MHz	QPSK	1M10G7D
LTE Band 5	1.4MHz	16QAM	1M10D7W
LTE Band 5	3MHz	QPSK	2M71G7D
LTE Band 5	3MHz	16QAM	2M71D7W
LTE Band 5	5MHz	QPSK	4M52G7D
LTE Band 5	5MHz	16QAM	4M51D7W
LTE Band 5	10MHz	QPSK	9M03G7D
LTE Band 5	10MHz	16QAM	8M98D7W
LTE Band 7	5MHz	QPSK	4M52G7D
LTE Band 7	5MHz	16QAM	4M51D7W
LTE Band 7	10MHz	QPSK	9M00G7D
LTE Band 7	10MHz	16QAM	8M97D7W
LTE Band 7	15MHz	QPSK	13M5G7D
LTE Band 7	15MHz	16QAM	13M5D7W
LTE Band 7	20MHz	QPSK	18M0G7D
LTE Band 7	20MHz	16QAM	18M0D7W
LTE Band 38	5MHz	QPSK	4M53G7D
LTE Band 38	5MHz	16QAM	4M52D7W
LTE Band 38	10MHz	QPSK	8M99G7D
LTE Band 38	10MHz	16QAM	8M97D7W
LTE Band 38	15MHz	QPSK	13M5G7D
LTE Band 38	15MHz	16QAM	13M5D7W
LTE Band 38	20MHz	QPSK	18M0G7D
LTE Band 38	20MHz	16QAM	17M9D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sgs.com



Page 8 of 194

Max ERP/EIRP Power Measurement Result:

	T	I	
	dBm		W
GSM 850	15.64	ERP	0.037
GPRS 850	19.15	ERP	0.082
EDGE 850	16.94	ERP	0.049
GSM 1900	23.49	EIRP	0.223
GPRS 1900	26.14	EIRP	0.411
EDGE 1900	24.95	EIRP	0.313
WCDMA Band II	21.10	EIRP	0.129
HSDPA Band II	24.69	EIRP	0.294
HSUPA Band II	22.56	EIRP	0.180
WCDMA Band V	10.48	ERP	0.011
HSDPA Band V	12.26	ERP	0.017
HSUPA Band V	11.63	ERP	0.015

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司





	dBm		W
LTE-Band 5 (Bandwidth 1.4MHz) QPSK	15.54	ERP	0.036
LTE-Band 5 (Bandwidth 1.4MHz) 16QAM	15.60	ERP	0.036
LTE-Band 5 (Bandwidth 3MHz) QPSK	15.48	ERP	0.035
LTE-Band 5 (Bandwidth 3MHz) 16QAM	15.65	ERP	0.037
LTE-Band 5 (Bandwidth 5MHz) QPSK	15.52	ERP	0.036
LTE-Band 5 (Bandwidth 5MHz) 16QAM	16.04	ERP	0.040
LTE-Band 5 (Bandwidth 10MHz) QPSK	15.24	ERP	0.033
LTE-Band 5 (Bandwidth 10MHz) 16QAM	15.89	ERP	0.039
LTE-Band 7 (Bandwidth 5MHz) QPSK	20.79	EIRP	0.120
LTE-Band 7 (Bandwidth 5MHz) 16QAM	21.01	EIRP	0.126
LTE-Band 7 (Bandwidth 10MHz) QPSK	23.67	EIRP	0.233
LTE-Band 7 (Bandwidth 10MHz) 16QAM	23.10	EIRP	0.204
LTE-Band 7 (Bandwidth 15MHz) QPSK	21.32	EIRP	0.136
LTE-Band 7 (Bandwidth 15MHz) 16QAM	22.40	EIRP	0.174
LTE-Band 7 (Bandwidth 20MHz) QPSK	20.77	EIRP	0.119
LTE-Band 7 (Bandwidth 20MHz) 16QAM	20.63	EIRP	0.116
LTE-Band 38 (Bandwidth 5MHz) QPSK	24.10	EIRP	0.257
LTE-Band 38 (Bandwidth 5MHz) 16QAM	21.05	EIRP	0.127
LTE-Band 38 (Bandwidth 10MHz) QPSK	20.98	EIRP	0.125
LTE-Band 38 (Bandwidth 10MHz) 16QAM	20.87	EIRP	0.122
LTE-Band 38 (Bandwidth 15MHz) QPSK	20.79	EIRP	0.120
LTE-Band 38 (Bandwidth 15MHz) 16QAM	20.35	EIRP	0.108
LTE-Band 38 (Bandwidth 20MHz) QPSK	20.80	EIRP	0.120
LTE-Band 38 (Bandwidth 20MHz) 16QAM	20.60	EIRP	0.115

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 10 of 194

1.2 **Test Methodology of Applied Standards**

FCC 47 CFR Part 2, 22, 24, 27

ANSI / TIA / EIA 603-D-2010

KDB971168 D01 Power Meas license Digital System

KDB941225 of the Output power Procedure of (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note: If test items have been performed and record as per the above standards.

1.3 **Test Facility**

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan. (TAF code 0513)

FCC Registration Numbers are: 509634

Special Accessories

No special accessories were used during testing.

1.5 **Equipment Modifications**

There were no modifications incorporated into the EUT.

1.6 Referencing test data across separate equipment authorization

The test data in PCE test report (ER/2017/ 60102) under original FCC ID: 2AJOTTA-1029 are **fully** referred for the FCC ID: 2AJOTTA-1007 in this test report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

除非方角说明,近報告路术性對例或之樣而具實,同時起樣而性殊留別だ。本报告本歷本之可書面評明,不可能放展者。
This document is issueed by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 11 of 194

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured TIA/EIA 603C, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max, emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 12 of 194

2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Following shows an offset computation example with cable loss 1 dB for low band and 1 for high band with 10 dB attenuator and 3.2 splitter.

Low Band: Offset = RF cable loss (dB)+ attenuation factor(dB) =0.6+10=10.6(dB)

High Band: Offset = RF cable loss (dB)+ attenuation factor(dB) =0.8+10=10.8(dB)

2.5. Final Amplifier Voltage and Current Information:

Test Mode	DC voltage (V)	DC current (mA)
GSM 850	3.85Vdc	318
GSM1900	3.85Vdc	216
GPRS 850	3.85Vdc	329
GPRS 1900	3.85Vdc	226
EDGE 850	3.85Vdc	344
EDGE 1900	3.85Vdc	229
WCDMA B2	3.85Vdc	351
WCDMA B5	3.85Vdc	314
HSUPA B2	3.85Vdc	219
HSUPA B5	3.85Vdc	238
HSDPA B2	3.85Vdc	337
HSDPA B5	3.85Vdc	358

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sgs.com



Page 13 of 194

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 5_1.4M QPSK	3.85Vdc	550
LTE Band 5_1.4M 16QAM	3.85Vdc	494
LTE Band 5_3M QPSK	3.85Vdc	523
LTE Band 5_3M 16QAM	3.85Vdc	494
LTE Band 5_5M QPSK	3.85Vdc	550
LTE Band 5_5M 16QAM	3.85Vdc	504
LTE Band 5_10M QPSK	3.85Vdc	534
LTE Band 5_10M 16QAM	3.85Vdc	485

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 7_5M QPSK	3.85Vdc	743
LTE Band 7_5M 16QAM	3.85Vdc	665
LTE Band 7_10M QPSK	3.85Vdc	755
LTE Band 7_10M 16QAM	3.85Vdc	650
LTE Band 7_15M QPSK	3.85Vdc	754
LTE Band 7_15M 16QAM	3.85Vdc	667
LTE Band 7_20M QPSK	3.85Vdc	728
LTE Band 7_20M 16QAM	3.85Vdc	649

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sgs.com



Page 14 of 194

Test Mode	DC voltage (V)	DC current (mA)
LTE Band 38_5M QPSK	3.85 Vdc	335
LTE Band 38_5M 16QAM	3.85 Vdc	291
LTE Band 38_10M QPSK	3.85 Vdc	314
LTE Band 38_10M 16QAM	3.85 Vdc	277
LTE Band 38_15M QPSK	3.85 Vdc	316
LTE Band 38_15M 16QAM	3.85 Vdc	281
LTE Band 38_20M QPSK	3.85 Vdc	305
LTE Band 38_20M 16QAM	3.85 Vdc	276


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 15 of 194

2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Table 2-1 Equipment Used in

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Communication Tester	R&S	CMU200	102189	shielded	Un-shielded
2.	Universal Radio Communication Tester	Anritsu	MT8820C	6200307563	shielded	Un-shielded
3.	DC Power Supply	HP	E3640A	KR93300208	N/A	Unshielded
4.	Headset	Nokia	WH-108	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非分有說明,此報告結末性對測試之樣品負責,同時此樣品性保留別大。本報告本經本公司者四計引,不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page 16 of 194

3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a) §22.913(a)(5) GSM 850 and band 5 §24.232(c) GSM 1900 and band 2 §27.50(h)(2) band 7 and 38	ERP/ EIRP measurement	Compliant
§2.1049(h)	99% & 26dB Occuupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a) §27.53(g) §27.50(c)(5) §27.53(h)(3) §27.53(m)(4) (6)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
\$2.1053 \$22.917(a) \$24.238(a) \$27.50(c)(5) \$27.53(g) \$27.53(h)(3) \$27.53(m)(4)	Field Strength of Spurious Radiation	Compliant
§24.232(d) §27.53(d) (5)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54	Frequency Stability	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 17 of 194

4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION and Wireless charging Cover
GSM/GPRS/EDGE 850	E2-plan	E2-plan
GSM/GPRS/EDGE 1900	E2-plan	E2-plan
WCDMA/HSPA Band II	E2-plan	E2-plan
WCDMA/HSPA Band IV	E2-plan	E2-plan
WCDMA/HSPA Band V	E2-plan	E2-plan
LTE Band 5	E2-plan	E2-plan
LTE Band 7	H-plan	H-plan
LTE Band 38	H-plan	H-plan

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品貨保留則大。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 18 of 194

GSM/GPRS/EDGE MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
EIRP	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
FREQUENCY STABILITY	128 to 251	190	GPRS 850
	512 to 810	661	GPRS 1900
OCCUPIED BANDWIDTH	128 to 251	190	GSM/GPRS/EDGE 850
	512 to 810	661	GSM/GPRS/EDGE 1900
PEAK TO AVERAGE RATIO	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
BAND EDGE	128 to 251	128, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 810	GSM/GPRS/EDGE 1900
CONDCUDETED EMISSION	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
RADIATED EMISSION	128 to 251	128, 190, 251	GPRS 850
	512 to 810	512, 661, 810	GPRS 1900

WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
EIRP	9262 to 9538	9262, 9400, 9583	WCDMA/HSPA Band II
FREQUENCY	4132 to 4233	4183	WCDMA Band II
STABILITY	9262 to 9538	9400	WCDMA Band V
OCCUPIED	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band II
BANDWIDTH	9262 to 9538	9262, 9400, 9583	WCDMA/HSPA Band V
PEAK TO AVERAGE	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band II
RATIO	9262 to 9538	9262, 9400, 9583	WCDMA/HSPA Band V
BAND EDGE	4132 to 4233	4132, 4233	WCDMA Band II
BAND EDGE	9262 to 9538	9262, 9583	WCDMA Band V
CONDCUDETED	4132 to 4233	4132, 4183, 4233	WCDMA Band II
EMISSION	9262 to 9538	9262, 9400, 9583	WCDMA Band V
RADIATED EMISSION	4132 to 4233	4132, 4183, 4233	HSDPA Band II
RADIATED EMISSION	9262 to 9538	9262, 9400, 9583	HSDPA Band V

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 19 of 194

LTE Band 5 MODE

LIE Band 5 MODE					
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
ERP	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
ERF	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	20450 to 20600		10MHz	QPSK,	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK, 16QAM	Full RB
OCCUPIED	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM	Full RB
BANDWIDTH	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	16QAM	Full RB
PEAK TO AV-	20415 to 20635	20415, 20525, 20635	3MHz	16QAM	Full RB
ERAGE RATIO	20425 to 20625	20425, 20525, 20625	5MHz	16QAM	Full RB
	20450 to 20600	20450, 20525, 20600	10MHz	16QAM	Full RB
	20470 to 20643	20470, 20643	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
DAND EDGE	20415 to 20635	20415, 20635	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	20425 to 20625	20425, 20625	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	20450 to 20600	20450, 20600	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	20470 to 20643	20470, 20525, 20643	1.4MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED EMISSION	20415 to 20635	20415, 20525, 20635	3MHz	QPSK,	1 RB, 0 RB Offest
	20425 to 20625	20425, 20525, 20625	5MHz	QPSK,	1 RB, 0 RB Offest
		20450, 20525, 20600		QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	20425 to 20625	20425, 20525, 20625	5MHz	16QAM	1 RB/ 0 RB Offest

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page 20 of 194

LTE Band 7 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
LIDD	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
EIRP	20850 to 21375	20850, 21100, 21375	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20800 to 21400	21100	10MHz	QPSK,	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	Full RB
OCCUPIED	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM	Full RB
BANDWIDTH	20850 to 21375	20850, 21100, 21375	15MHz	QPSK, 16QAM	Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	16QAM	Full RB
PEAK TO AV-	20800 to 21400	20800, 21100, 21400	10MHz	16QAM	Full RB
ERAGE RATIO	20850 to 21375	20850, 21100, 21375	15MHz	16QAM	Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	16QAM	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
BAND EDGE / EMISSION	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
MASK	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB, 0 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	20775 to 21425	20775, 21100, 21425	10MHz	QPSK,	1 RB, 49 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 21 of 194

LTE Band 38 MODE

LIL Balla 00 IIIO	LIE Ballu 36 MODE					
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION		
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest	
5100	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest	
EIRP	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest	
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest	
FREQUENCY STABILITY	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK,	Full RB	
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM	Full RB	
OCCUPIED	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK, 16QAM	Full RB	
BANDWIDTH	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK, 16QAM	Full RB	
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK, 16QAM	Full RB	
	37775 to 38225	37775, 38000, 38225	5MHz	16QAM	Full RB	
PEAK TO AV-	37800 to 38200	37800 , 38000, 38200	10MHz	16QAM	Full RB	
ERAGE RATIO	37825 to 38175	37825 , 38000, 38175	15MHz	16QAM	Full RB	
	37850 to 38150	37850 , 38000, 38150	20MHz	16QAM	Full RB	
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB	
BAND EDGE /	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB	
EMISSION MASK	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB	
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB	
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK,	1 RB, 0 RB Offest	
CONDCUDETED EMISSION	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK,	1 RB, 0 RB Offest	
	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK,	1 RB, 0 RB Offest	
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK,	1 RB, 0 RB Offest	
RADIATED EMISSION	37775 to 38225	37775, 38000, 38225	5MHz	QPSK,	1 RB, 0 RB Offest	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 22 of 194

5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.10 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB
99% Occupied Bandwidth	+/- 5.19 Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.70 dB
Peak to Average Ratio	+/- 0.70 dB
Frequency Stability vs. Temperature	+/- 5.19 Hz
Frequency Stability vs. Voltage	+/- 5.19 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

Measurement uncertainty (Polarization : Vertical)	9kHz – 30MHz: +/- 2.87 dB	
	30MHz - 180MHz: +/- 3.37dB	
	180MHz -417MHz: +/- 3.19dB	
	0.417GHz-1GHz: +/- 3.19dB	
	1GHz - 18GHz: +/- 4.04dB	
	18GHz - 40GHz: +/- 4.04dB	

Measurement uncertainty (Polarization : Horizontal)	9kHz – 30MHz: +/- 2.87 dB
	30MHz - 167MHz: +/- 4.22dB
	167MHz -500MHz: +/- 3.44dB
	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prospected to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 23 of 194

6. RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCD-MA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 24 of 194

6.4. Measurement Equipment Used

Conduc	ted Emission (m	neasured at a	antenna port)	Test Site	
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017
EXA Spectrum Analyz- er	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HU- BER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2017	02/10/2018
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

6.5. Measurement Result

RF Conducted Output Power

GSM/GPRS/EDGE (GMSK; 8-PSK) Result:

EUT Mode	Frequency (MHz)	СН	Average Burst Power (1DN 1UP) Class 8 (dBm)
0014	824.2	128	33.27
GSM 850	836.6	190	33.53
	848.8	251	33.23
CCM	1850.2	512	29.80
GSM 1900	1880.0	661	30.08
	1909.8	810	30.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prospected to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 25 of 194

EUT Mode	Frequency (MHz)	СН	Average Burst Power (1DN 1UP) Class 8 (dBm)	Average Burst Power (1DN 2UP) Class 10 (dBm)	Average Burst Power (1DN 3UP) Class 12 (dBm)	Average Burst Power (1DN 4UP) Class 12 (dBm)
0000	824.2	128	33.27	28.62	27.67	26.32
GPRS 850	836.6	190	33.53	28.78	27.05	25.68
000	848.8	251	33.23	28.88	26.80	25.36
0000	1850.2	512	29.80	27.87	26.69	25.31
GPRS 1900	1880.0	661	30.08	27.83	25.96	24.55
1500	1909.8	810	30.64	28.33	26.00	24.62
	824.2	128	25.98	25.16	23.71	22.07
EDGE 850	836.6	190	25.94	25.12	23.57	22.04
000	848.8	251	25.93	25.13	23.54	22.05
	1850.2	512	25.27	24.22	22.84	21.38
EDGE 1900	1880.0	661	25.31	24.25	22.81	21.29
1300	1909.8	810	25.68	24.44	23.24	21.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 26 of 194

WCDMA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results:

EUT M	ode	WCDMA Band II	HSDPA Band II	HSUPA Band II	
Frequency	requency CH		Avg. Power	Avg. Power	
(MHz)		(dBm)	(dBm)	(dBm)	
1852.4	9262	23.47	22.32	21.94	
		_0	22:02		
1880.0	9400	23.43	22.38	22.06	

EUT M	ode	WCDMA Band V	HSDPA Band V	HSUPA Band V	
Frequency	ency CH Avg.		Avg. Power	Avg. Power	
(MHz)		(dBm)	(dBm)	(dBm)	
826.4	4132	24.21	23.09	22.88	
836.6	4183	24.07	23.00	22.60	
846.6	4233	24.34	23.07	22.19	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writer approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 27 of 194

LTE Result: LTE Band 5

	LTE	Band 5	_Uplink	frequenc	y band :	824 to 8	49 MHz			
			Conducted power(dBm)							
BW	RB	RB		QPSK			16QAM			
(MHz)		Offset	Channe	Channe	Channe	Channe	Channe	Channe		
(IVITIZ)	SIZE	Oliset	I (Low)	I (Mid)	I (High)	I (Low)	I (Mid)	I (High)		
			20407	20525	20643	20407	20525	20643		
	1	0	23.26	23.36	23.45	22.29	22.12	22.64		
1.4	1	5	23.13	23.30	23.38	22.11	22.27	22.42		
1.4	3	2	23.41	23.45	23.41	22.23	22.33	22.73		
	6	0	22.40	22.51	22.54	21.32	21.28	21.35		

	LTE Band 5_Uplink frequency band : 824 to 849 MHz										
				Co	nducted p	ower(dBi	n)				
DW	BW RB (MHz) Size	RB		QPSK			16QAM				
		Offset	Channel	Channel	Channel	Channel	Channel	Channe			
(IVITZ)		e Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	I (High)			
			20415	20525	20635	20415	20525	20635			
	1	0	23.30	23.45	23.53	22.73	22.95	22.47			
3	1	14	23.24	23.45	23.37	22.16	22.34	22.07			
J	8	4	22.21	22.36	22.52	21.30	21.55	21.62			
	15	0	22.20	22.37	22.52	21.17	21.38	21.55			

	LTE	Band 5	_Uplink	frequenc	cy band :	824 to 8	49 MHz		
			Conducted power(dBm)						
BW	RB	RB		QPSK			16QAM		
(MHz)	Size	Offset	Channe	Channe	Channe	Channe	Channe	Channe	
(IVII IZ)	(IVIDZ) SIZE	.e Oliset	I (Low)	I (Mid)	I (High)	I (Low)	I (Mid)	I (High)	
			20425	20525	20625	20425	20525	20625	
	1	0	23.38	23.70	23.62	22.86	22.96	22.80	
5	1	24	23.49	23.51	23.43	22.73	22.27	22.94	
5	12	6	22.23	22.41	22.54	21.24	21.16	21.54	
	25	0	22.31	22.40	22.61	21.27	21.27	21.66	

	LTE	E Band	5_Uplink	frequenc	y band :	824 to 84	9 MHz				
				Conducted power(dBm)							
BW	RB	RB		QPSK			16QAM				
		Offset	Channel	Channel	Channel	Channel	Channel	Channe			
(IVII IZ)		Size Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	I (High)			
			20450	20525	20600	20450	20525	20600			
	1	0	23.18	23.55	23.51	22.32	22.98	22.84			
10	1	49	23.23	23.52	23.40	22.49	22.51	22.12			
10	25	12	22.62	22.52	22.60	21.42	21.64	21.71			
	50	0	22.53	22.51	22.65	21.47	21.39	21.41			

LTE Band 7

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz											
				Conducted power(dBm)								
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channe	Channe	Channe	Channe	Channe	Channe				
(IVITZ) SIZE	3126	Oliset	I (Low)	I (Mid)	I (High)	I (Low)	I (Mid)	I (High)				
			20775	21100	21425	20775	21100	21425				
	1	0	22.74	22.46	22.87	21.82	21.82	21.90				
5	1	24	22.75	22.53	22.95	21.65	21.51	21.63				
J	12	6	21.58	21.60	21.96	20.69	20.50	20.98				
	25	0	21.65	21.59	21.82	20.98	20.55	20.84				

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz											
			Conducted power(dBm)									
BW	RB	RB		QPSK			16QAM					
(MHz	(MHz Size Offset		Channel	Channel	Channel	Channel	Channel	Channel				
)		Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			20800	21100	21400	20800	21100	21400				
	1	0	22.77	22.69	22.92	21.79	21.68	21.63				
10	1	49	22.80	22.72	22.81	21.66	21.87	21.82				
10	25	12	21.62	21.56	21.94	20.77	20.54	20.98				
	50	0	21.53	21.58	21.92	20.54	20.52	20.95				

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz										
			Conducted power(dBm)								
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channe	Channe	Channe	Channe	Channe	Channe			
(IVII IZ)	SIZE	ize Oliset	I (Low)	I (Mid)	I (High)	I (Low)	I (Mid)	I (High)			
			20825	21100	21375	20825	21100	21375			
	1	0	22.92	22.54	22.79	21.94	21.46	21.82			
15	1	74	22.83	22.60	22.95	21.84	21.48	21.95			
13	36	19	21.78	21.44	21.89	20.42	20.44	20.95			
	75	0	21.65	21.49	21.94	20.54	20.50	20.92			

	LTI	Band	7_Uplink	frequen	cy band :	2500 to 2	570 MHz		
				С	onducted	power(dB	m)		
BW	RB	RB		QPSK			16QAM el Channel Channel (Mid) (High) 21100 21350 21.36 21.88 21.64 21.85		
(MHz	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel	
)		Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	
			20850	21100	21350	20850	21100	21350	
	1	0	22.65	22.58	22.81	21.79	21.36	21.88	
20	1	99	22.60	22.55	22.95	21.79	21.64	21.85	
20	50	25	21.47	21.50	21.96	20.50	20.39	20.83	
	100	0	21.49	21.56	21.95	20.61	20.52	20.79	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page 28 of 194

LTE Band 38

	LTE B	and 38	_Uplink f	requenc	y band :	2570 to 2	2620 MH	Z	
			Conducted power(dBm)						
BW	RB	RB		QPSK			16QAM ne Channe Channe w) I (Mid) I (High) 75 38000 38225 3 22.87 22.67 6 22.82 22.47 0 21.87 21.40		
(MHz)	Size	Offset	Channe	Channe	Channe	Channe	Channe	Channe	
(IVITZ)	SIZE	Oliset	I (Low)	I (Mid)	I (High)	I (Low)	I (Mid)	I (High)	
			37775	38000	38225	37775	38000	38225	
	1	0	23.46	23.72	23.39	22.73	22.87	22.67	
5	1	24	23.50	23.61	23.24	22.66	22.82	22.47	
J	12	6	22.58	22.64	22.46	21.80	21.87	21.40	
	25	0	22.65	22.79	22.38	21.89	21.94	21.49	

	LTE	E Band 38	3_Uplink f	requency	band : 257	70 to 2620	MHz		
				C	onducted	power(dBr	n)		
BW	RB	RB	QPSK 16Q					М	
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel	
		Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	
			37800	38000	38200	37800	38000	38200	
	1	0	23.42	23.84	23.49	22.85	22.99	22.75	
10	1	49	23.63	23.60	23.49	22.87	22.58	22.47	
10	25	12	22.73	22.91	22.64	21.99	21.95	21.90	
	50	0	22.76	22.84	22.55	21.79	21.80	21.64	

	LTE Band 38_Uplink frequency band : 2570 to 2620 MHz												
				Co	nducted	power(dE	Bm)						
BW	RB	RB		QPSK			dBm) 16QAM ne Channe Channe v) I (Mid) I (High) 5 38000 38175 0 22.83 22.96 3 22.79 22.39 2 21.60 21.65						
(MHz)	Size	Offset	Channe	Channe	Channe	Channe	Channe	Channe					
(IVII IZ)	Size	Oliset	I (Low)	I (Mid)	I (High)	I (Low)	I (Mid)	I (High)					
			37825	38000	38175	37825	38000	38175					
	1	0	23.82	23.81	23.72	23.00	22.83	22.96					
15	1	74	23.87	23.57	23.39	22.93	22.79	22.39					
10	36	19	22.90	22.82	22.60	21.52	21.60	21.65					
	75	0	22.93	22.77	22.60	21.61	21.68	21.57					

	LTE	E Band 38	_Uplink f	requency	band : 257	70 to 2620	MHz			
				C	onducted	power(dBr	n)			
BW (MHz)	RB	RB		QPSK		16QAM				
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel		
	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			37850	38000	38150	37850	38000	38150		
	1	0	23.63	23.89	23.69	22.87	22.98	22.89		
20	1	99	23.50	23.34	23.31	22.79	22.74	22.28		
20	50	25	22.78	22.91	22.69	21.86	21.95	21.70		
	100	0	22.75	22.86	22.67	21.96	21.77	21.65		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sgs.com



Page 29 of 194

HSDPA Release 6 MODE:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βς	β _d	β _d (SF)	β _c /β _d	β _{HS} (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests.

Results:

Mode	Sub-test	Avg. Power (dBm) Channel itation (dBm)		Power Class 3 Lim-	Comments		
		9262	9400	9538	itation (dbin)	1	
	1	22.32	22.38	22.02	20.3dBm - 25.7dBm	Pass	
HSDPA	2	21.9	21.98	21.60	20.3dBm - 25.7dBm	Pass	
(B2)	3	21.93	22.03	21.64	19.8dBm – 25.7dBm	Pass	
	4	21.95	22.06	21.70	19.8dBm – 25.7dBm	Pass	

Mode	Sub-test	_	Power (d Channel	Bm)	Power Class 3 Lim-	Comments	
		4132	4183	4233	itation (dBm)		
	1	23.09	23.00	23.07	20.3dBm - 25.7dBm	Pass	
HSDPA	2	22.61	22.39	22.57	20.3dBm – 25.7dBm	Pass	
(B5)	3	22.61	22.39	22.56	19.8dBm – 25.7dBm	Pass	
	4	22.60	22.38	22.56	19.8dBm – 25.7dBm	Pass	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角就明、近報告路术性質測域之樣品具質「同時配帳品性保留別元、本語生本學本文の音曲計明、不可能放復製 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page 30 of 194

HSPA (HSDPA & HSUPA) Release 6 MODE

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing **HSPA SUB-TEST Setting**

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	βε	βа	β _d (SF)	βс/βа	βнѕ	βес	βed	β _{ed} (SF)	β _{ed} (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β _{ed} 1: 47/15 β _{ed} 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Results:

Mode	Sub-test	_	Power (d Channel	IBm)	Power Class 3 Lim-	Comments
		9262	9400	9538	itation (dBm)	
	1	21.94	22.06	22.18	18.8dBm – 25.7dBm	Pass
	2	21.03	20.98	20.74	16.8dBm – 25.7dBm	Pass
HSUPA(B2)	3	20.88	20.57	20.92	17.8dBm – 25.7dBm	Pass
	4	21.77	21.46	21.61	16.8dBm – 25.7dBm	Pass
	5	22.4	22.5	22	18.8dBm – 25.7dBm	Pass

Mode	Sub-test	_	Power (d Channel	lBm)	Power Class 3 Lim- itation (dBm)	Comments
		4132	4183	4233	itation (ubin)	
	1	22.88	22.60	22.19	18.8dBm – 25.7dBm	Pass
	2	21.57	21.87	21.76	16.8dBm – 25.7dBm	Pass
HSUPA(B5)	3	21.52	21.49	21.39	17.8dBm – 25.7dBm	Pass
	4	21.89	22.18	22.14	16.8dBm – 25.7dBm	Pass
	5	22.90	22.80	22.8	18.8dBm – 25.7dBm	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角就明、近報告路术性質測域之樣品具質「同時配帳品性保留別元、本語生本學本文の音曲計明、不可能放復製 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 31 of 194

Minimum Communications Power Measurement

PCS 1900 band

PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	29.8	27.95	26.15	24.15	22.25	20.3	18.31	16.37	14.36

PCL	9	10	11	12	13	14	15
Output power (dBm)	12.41	10.42	8.22	6.07	3.96	1.86	-0.06

Note: The EUT output power was controlled by simulator. Set Communication Tester MT8820C PCL as above, and get the mobile phone output power reading.

WCDMA/HSDPA/HSUPA band II, V

The EUT output power was controlled by simulator. Set Communication Tester MT8820C function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 15 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方角就明、近報告路术性質測域之樣品具質「同時配帳品性保留別元、本語生本學本文の音曲計明、不可能放復製 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 32 of 194

7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER MEASUREMENT

7.1. Standard Applicable

According to FCC §2.1046


FCC 22.913(a) Mobile station is limited to 7W ERP.

FCC 24.232(c) Mobile and portable stations are limited to 2 W EIRP.

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2 W EIRP

7.2. Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below1000MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279


Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s). Respect to the sample(s) tested and such sample(s). Respect to the sample(s) tested and such sample(s). Respect to the sample(s) tested and such sample(s) teste document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






(B) Radiated Power Test Set-UP Frequency Over 1 GHz



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 34 of 194

7.3. Measurement Procedure

- The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
- 3. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated
- 4. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power level of S.G.
- 6. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 7. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 8. Spectrum setting:
 - (1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.
 - (2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW ≈ 1~5% of the span, not to exceed 1 MHz

Set $VBW = 3 \times RBW$;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt integration time (ex. Point = 601points, then sweet time = $601*10^-3 = 6$ s.

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level;

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 35 of 194

7.4. Measurement Equipment Used

ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.			
EMI Test Receiver	R&S	ESCI7	100760	05/11/2017	05/10/2018			
Spectrum Analyzer	Agilent	E4446A	MY51100003	04/25/2017	04/24/2018			
Loop Antenna	ETS-Lindgren	6502	148045	09/20/2016	09/19/2017			
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/19/2016	12/18/2017			
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/01/2016	07/31/2017			
Pre-Amplifier	Agilent	8447D	2944A07676	01/05/2017	01/04/2018			
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/05/2017	01/04/2018			
Turn Table	HD	DT420	N/A	N.C.R	N.C.R			
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R			
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R			
Low Loss Cable	Huber Suhner	966_RX	9	01/05/2017	01/04/2018			
3m Site NSA	SGS	966 chamber	N/A	07/01/2017	06/30/2018			
Low Loss Cable	Huber Suhner	966 TX	1	01/05/2017	01/04/2018			
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2016	12/11/2017			
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/05/2017	01/04/2018			
EMI Test Receiver	R&S	ESCI7	100760	05/11/2017	05/10/2018			
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2017	02/10/2018			
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 36 of 194

7.5. Measurement Result: (Peak) –using option of peak measurement

	EUT	Measurement						
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
GSM 850	824.2	128	V	7.52	3.31	-2.92	7.74	38.45
			Н	6.67	3.31	-2.92	15.36	38.45
	836.6	190	V	7.14	3.29	-2.96	7.68	38.45
			Н	6.57	3.29	-2.96	14.61	38.45
	848.8	251	V	7.46	3.27	-3.00	1.78	38.45
			Н	6.97	3.27	-3.00	15.64	38.45
GPRS 850	824.2	128	V	7.52	3.31	-2.92	10.02	38.45
			Н	6.67	3.31	-2.92	19.15	38.45
	836.6	190	V	7.15	3.29	-2.96	10.31	38.45
			Н	6.57	3.29	-2.96	17.88	38.45
	848.8	251	V	7.47	3.27	-3.00	9.27	38.45
			Н	6.97	3.27	-3.00	17.93	38.45
EDGE 850	824.2	128	V	7.51	3.31	-2.92	9.13	38.45
			Н	6.67	3.31	-2.92	16.94	38.45
	836.6	190	V	7.14	3.29	-2.96	8.93	38.45
			Н	6.57	3.29	-2.96	15.44	38.45
	848.8	251	V	7.46	3.27	-3.00	6.88	38.45
			Н	6.97	3.27	-3.00	16.02	38.45

Remark: (1) The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prospected to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page 37 of 194

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1850.2	512	V	0.51	9.94	-4.46	17.93	33.00
	1850.2	512	Н	0.91	9.94	-4.46	20.18	33.00
GSM 1900	1880.0	661	V	0.55	10.03	-4.51	17.74	33.00
GSW 1900	1000.0	001	Н	1.10	10.03	-4.51	23.49	33.00
	1909.8	810	V	0.45	10.13	-4.55	14.89	33.00
	1909.6	010	Н	0.96	10.13	-4.55	22.33	33.00
	1050.0	E40	V	0.51	9.94	-4.46	21.35	33.00
	1850.2	512	Н	0.91	9.94	-4.46	23.73	33.00
GPRS 1900	1880.0	664	V	0.55	10.03	-4.51	19.72	33.00
GPRS 1900	1000.0	661	Н	1.10	10.03	-4.51	26.14	dBm 33.00
	1000.0	040	V	0.45	10.13	-4.55	19.47	33.00
	1909.8	810	Н	0.96	10.13	-4.55	26.04	33.00
	4050.0	E40	V	0.51	9.94	-4.46	19.15	33.00
	1850.2	512	Н	0.91	9.94	-4.46	21.72	33.00
EDOE 4000	4000.0	004	V	0.55	10.03	-4.51	19.18	33.00
EDGE 1900	1880.0	661	Н	1.10	10.03	-4.51	24.95	33.00
	1000.0	010	V	0.45	10.13	-4.55	18.25	14.89 33.00 22.33 33.00 21.35 33.00 23.73 33.00 19.72 33.00 26.14 33.00 19.47 33.00 26.04 33.00 19.15 33.00 21.72 33.00 19.18 33.00 24.95 33.00 18.25 33.00
	1909.8	810	Н	0.96	10.13	-4.55	24.25	33.00

(1) The RBW, VBW of SPA for frequency RBW=300K, VBW=1MHz Remark: 1)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prospected to the fullset event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Page 38 of 194

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1852.4	9262	V	0.51	9.95	-4.46	12.71	33.00
	1002.4	9202	Н	0.92	9.95	-4.46	20.39	33.00
WCDMA B2	1880.0	9400	V	0.55	10.03	-4.51	16.54	33.00
WCDIVIA 62	1000.0	9400	Н	1.10	10.04	-4.51	21.10	33.00
	1007.0	9538	V	0.46	10.12	-4.55	12.67	33.00
	1907.6	9556	Н	0.97	10.12	-4.55	19.18	33.00
	1852.4	0262	V	0.51	9.95	-4.46	17.23	33.00
	1002.4	9262	Н	0.92	9.95	-4.46	24.69	33.00
HSDPA B2	1880.0	9400	V	0.55	10.03	-4.51	17.56	33.00
HOUPA BZ	1000.0	9400	Н	1.09	10.03	-4.51	23.36	m dBm 71 33.00 89 33.00 64 33.00 67 33.00 68 33.00 68 33.00 66 33.00 66 33.00 65 33.00 65 33.00 66 33.00 66 33.00 67 33.00 68 33.00 69 33.00 69 33.00 69 33.00 69 33.00 69 33.00 69 33.00 69 33.00 69 33.00
	1007.0	0520	V	0.46	10.12	-4.55	16.44	3m dBm 71 33.00 39 33.00 54 33.00 67 33.00 18 33.00 23 33.00 56 33.00 34 33.00 33.00 33.00 95 33.00 90 33.00 53 33.00 15 33.00 39 33.00 39 33.00
	1907.6	9538	Н	0.97	10.12	-4.55	22.95	33.00
	1050.4	0000	V	0.51	9.95	-4.46	13.90	33.00
	1852.4	9262	Н	0.92	9.95	-4.46	22.53	33.00
LICUDA DO	1000.0	0400	V	0.55	10.03	-4.51	17.15	33.00
HSUPA B2	1880.0	9400	Н	1.09	10.03	-4.51	22.56	33.00
	1007.6	0520	V	0.46	10.12	-4.55	14.39	33.00 33.00 33.00 33.00 33.00 33.00 33.00 33.00 33.00 33.00 33.00 33.00 33.00 33.00
	1907.6	9538	Н	0.97	10.12	-4.55	20.54	33.00

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 5MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 39 of 194

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	826.4	4132	V	7.57	3.30	-2.93	4.28	38.45
	020.4	4132	Н	6.73	3.30	-2.93	10.48	38.45
WCDMA B5	836.6	1100	V	7.14	3.29	-2.96	1.88	38.45
WCDIVIA 65	030.0	4183	Н	6.57	3.29	-2.96	9.22	38.45
	0.40.0	4000	V	7.20	3.27	-3.00	0.64	38.45
	846.6	4233	Н	6.78	3.27	-3.00	9.02	38.45
	000.4	4400	V	7.56	3.30	-2.93	5.63	38.45
	826.4	4132	Н	6.74	3.30	-2.93	12.26	38.45
HSDPA B5	836.6	4183	V	7.13	3.29	-2.96	3.50	38.45
HODPA BO	030.0	4103	Н	6.59	3.29	-2.96	10.22	38.45
	0.40.0	4000	V	7.16	3.27	-3.00	2.62	38.45
	846.6	4233	Н	6.74	3.27	-3.00	10.44	38.45
	000.4	4400	V	7.56	3.30	-2.93	4.90	38.45
	826.4	4132	Н	6.75	3.30	-2.93	11.63	38.45
LICLIDA DE	926.6	4183	V	7.18	3.29	-2.96	3.09	38.45
HSUPA B5	836.6	4103	Н	6.56	3.29	-2.96	9.78	38.45
	846.6	4233	V	7.10	3.27	-3.00	1.40	38.45
	040.0	4233	Н	6.79	3.27	-3.00	9.68	38.45

Remark:

(1) The RBW, VBW of SPA for frequency RBW= 5MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WukungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 40 of 194

	EUT				Measur	ement		Limit dBm 38.45 38.45 38.45 38.45 38.45				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit				
	MHz		V/H	dBm	dBi	dB	dBm	dBm				
	824.7	20407	V	11.59	3.30	-2.93	11.97	38.45				
BAND 5	024.7	20407	Н	14.02	3.30	-2.93	14.39	38.45				
BW: 1.4M	836.5	20525	V	12.40	3.29	-2.96	12.73	38.45				
QPSK	030.3	20020	Н	15.21	3.29	-2.96	15.54	38.45				
RB: 1,0	848.3	20643	V	9.75	3.27	-2.99	10.03	38.45				
	040.5	20040	Н	12.30	3.27	-2.99	12.58	38.45				
	824.7	20407	V	11.40	3.31	-2.92	11.78	38.45				
BAND 5	024.1	20407	Н	13.79	3.31	-2.92	14.17	38.45				
BW: 1.4M QPSK	836.5	20525	V	11.85	3.29	-2.96	12.18	38.45				
	000.0	20020	Н	14.55	3.29	-2.96	14.88	38.45				
RB: 1,5	848.3	20643	V	9.32	3.27	-3.00	9.59	38.45				
	040.0	20043	Н	11.78	3.27	-3.00	12.05	38.45				
	824.7	20407	V	12.20	3.30	-2.93	12.57	38.45				
BAND 5	02-1.7	20401	Н	14.62	3.30	-2.93	15.00	38.45				
BW: 1.4M	836.5	20525	V	12.58	3.29	-2.96	12.92	38.45				
16QAM	000.0	20020	Н	15.27	3.29	-2.96	15.60	38.45				
RB: 1,0	848.3	20643	V	10.52	3.27	-2.99	10.80	38.45				
	0.0.0	20010	Н	12.45	3.27	-2.99	12.73	38.45				
	824.7	20407	V	12.13	3.31	-2.92	12.51	38.45				
BAND 5 BW: 1.4M 16QAM RB: 1,5 824.7 836.5 836.5	20101	Н	14.44	3.31	-2.92	14.83	38.45					
	836.5	20407 20525 20643 20407 20525 20643 20407 20525 20643 20407 20525 20643	V	12.47	3.29	-2.96	12.80	38.45				
	000.0	20020	Н	15.13	3.29	-2.96	15.46	38.45				
	848.3	20643	V	10.27	3.27	-3.00	10.55	38.45				
	2.3.0		Н	12.62	3.27	-3.00	12.90	38.45				

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prospected to the fullset event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279



Page 41 of 194

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	825.5	20415	V	10.65	3.30	-2.93	11.02	38.45
BAND 5	023.3	20413	Н	14.33	3.30	-2.93	14.70	38.45
BW: 3M	836.5	20525	V	11.72	3.29	-2.95	12.06	38.45
QPSK	030.5	20020	Н	15.14	3.29	-2.95	15.48	38.45
RB: 1,0	847.5	20635	V	8.89	3.28	-2.99	9.17	38.45
	047.0	20000	Н	11.78	3.28	-2.99	12.07	38.45
	825.5	20415	V	10.72	3.30	-2.93	11.10	38.45
BAND 5	AND 5	20410	Н	14.22	3.30	-2.93	14.60	38.45
BW: 3M QPSK	836.5	20525	V	11.15	3.29	-2.96	11.48	38.45
	000.0	20525 -	Н	14.50	3.29	-2.96	14.83	38.45
RB: 1,14	847.5	20635	V	9.32	3.27	-3.00	9.60	38.45
	0 11 10	20033	Н	11.59	3.27	-3.00	11.86	38.45
	825.5	20415	V	11.27	3.30	-2.93	11.65	38.45
BAND 5	020.0		Н	14.96	3.30	-2.93	15.33	38.45
BW: 3M	836.5	20525	V	11.93	3.29	-2.95	12.26	38.45
16QAM	000.0		Н	15.32	3.29	-2.96	15.65	38.45
RB: 1,0	847.5	20635	V	9.60	3.28	-2.99	9.89	38.45
			Н	12.38	3.28	-2.99	12.67	38.45
	825.5	20415	V	11.44	3.30	-2.93	11.82	38.45
BAND 5 BW: 3M 836 16QAM 88: 1.14	- 7.0		Н	14.90	3.30	-2.93	15.28	38.45
	836.5	20525	V	11.66	3.29	-2.96	11.99	38.45
			Н	14.84	3.29	-2.96	15.17	38.45
	847.5	20635	V	10.11	3.27	-3.00	10.39 12.77	38.45
			Н	12.49	3.27	-3.00	12.11	38.45

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 42 of 194

	EUT				Measur	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	826.5	20425	V	10.24	3.30	-2.93	10.61	38.45
BAND 5	020.5	20423	Н	15.03	3.30	-2.93	15.41	38.45
BW: 5M	836.5	20525	V	11.45	3.29	-2.95	11.79	38.45
QPSK	030.3	20020	Н	15.18	3.29	-2.95	15.52	38.45
RB: 1,0	846.5	20625	V	9.81	3.28	-2.98	10.11	38.45
	040.0	20020	Н	12.71	3.28	-2.98	13.01	38.45
B 4 1 1 5 5	826.5	20425	V	10.95	3.30	-2.93	11.32	38.45
BAND 5	D 5	20420	Н	14.63	3.30	-2.93	15.00	38.45
BW: 5M QPSK	836.5	20425 - 20525 - 20625 -	V	10.36	3.29	-2.97	10.68	38.45
	000.0		Н	13.81	3.29	-2.96	14.13	38.45
RB: 1,24	846.5	20625	V	9.83	3.27	-3.00	10.11	38.45
	0 10.0	20023	Н	12.66	3.27	-3.00	12.94	38.45
	826.5	20425	V	10.92	3.30	-2.93	11.29	38.45
BAND 5	020.0	20120	Н	15.53	3.30	-2.93	Cable Loss EIRP Limit dB dBm dBm -2.93 10.61 38.45 -2.93 15.41 38.45 -2.95 11.79 38.45 -2.95 15.52 38.45 -2.98 10.11 38.45 -2.93 13.01 38.45 -2.93 15.00 38.45 -2.97 10.68 38.45 -2.96 14.13 38.45 -3.00 10.11 38.45 -2.93 11.29 38.45 -2.93 15.90 38.45 -2.93 15.90 38.45 -2.95 12.71 38.45 -2.95 16.04 38.45 -2.98 13.21 38.45 -2.98 13.21 38.45 -2.93 11.87 38.45 -2.93 15.76 38.45 -2.96 11.82 38.45 -2.96 15.04 38.45	38.45
BW: 5M	836.5	20525	V	12.36	3.29	-2.95		
16QAM			Н	15.70	3.29	-2.95		
RB: 1,0	846.5	20625	V	10.12	3.28	-2.98		
			Н	12.92	3.28	-2.98	13.21	
	826.5	20425	V	11.50	3.30	-2.93		
BAND 5 BW: 5M 16QAM RB: 1.24			Н	15.39	3.30	-2.93		
	836.5	20525	V	11.49	3.29	-2.96		
		- 5	Н	14.72	3.29	-2.96		
	846.5 20625	V	10.88	3.27	-3.00			
			Н	13.52	3.27	-3.00	13.80	38.45

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prospected to the fullset event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 43 of 194

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	829.0	20450	V	10.96	3.30	-2.93	11.33	38.45
BAND 5	029.0	20430	Н	14.87	3.30	-2.93	15.24	38.45
BW: 10M	836.5	20525	V	11.54	3.30	-2.94	11.89	38.45
QPSK	030.3	20020	Н	14.68	3.30	-2.94	15.03	38.45
RB: 1,0	844.0	20600	V	10.21	3.29	-2.97	10.53	38.45
	044.0	20000	Н	13.50	3.29	-2.97	13.82	38.45
	829.0	20450	V	11.82	3.29	-2.95	12.17	38.45
BAND 5	BAND 5	20400	Н	14.34	3.29	-2.95	14.69	38.45
BW: 10M QPSK	836.5	20525	V	9.45	3.28	-2.97	9.76	38.45
	000.0	20525	Н	12.78	3.28	-2.98	13.08	38.45
RB: 1,49	844.0	20600	V	9.64	3.27	-3.00	9.92	38.45
	011.0	20000	Н	12.43	3.27	-3.00	12.71	38.45
	829.0	20450	V	11.62	3.30	-2.93	12.00	38.45
BAND 5	020.0	20 100	Н	15.44	3.30	-2.93	15.81	38.45
BW: 10M	836.5	20525	V	12.38	3.30	-2.94	12.73	38.45
16QAM	000.0	20020	Н	15.54	3.30	-2.94	15.89	38.45
RB: 1,0	844.0	20600	V	10.88	3.29	-2.97	11.20	38.45
	01110	20000	Н	14.18	3.29	-2.97	14.50	38.45
	829.0	20450	V	12.57	3.29	-2.95	12.92	38.45
BAND 5 BW: 10M 16QAM RB: 1,49	5_3.0	_0.00	Н	15.41	3.29	-2.95	15.75	38.45
	836.5	20525	V	10.06	3.28	-2.97	10.37	38.45
			Н	13.42	3.28	-2.97	13.73	38.45
	844.0	20600	V	10.64	3.27	-3.00	10.92	38.45
	- 113		Н	13.50	3.27	-3.00	13.78	38.45

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 44 of 194

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2502.5	20775	V	8.24	10.90	-5.25	13.89	33.01
BAND 7	2302.3	20113	Н	14.64	10.90	-5.25	20.28	33.01
BW: 5M	2535.0	21100	V	9.16	10.94	-5.30	14.80	33.01
QPSK	2333.0	21100	Н	15.15	10.94	-5.30	20.79	33.01
RB: 1,0	2567.5	21425	V	7.95	10.98	-5.34	13.60	33.01
	2307.5	21720	Н	14.71	10.98	-5.34	20.35	33.01
	2502.5	20775	V	8.84	10.90	-5.26	14.49	33.01
BAND 7 BW: 5M QPSK	2002.0	20110	Н	15.04	10.90	-5.26	20.69	33.01
	2535 O	21100	V	9.04	10.95	-5.31	14.68	33.01
	2000.0	21100	Н	15.02	10.95	-5.31	20.66	33.01
RB: 1,24	2567.5	21425	V	7.31	10.99	-5.34	12.96	33.01
	2007.0	21425	Н	14.32	10.99	-5.34	19.97	33.01
	2502.5	20775	V	8.32	10.90	-5.26	13.96	33.01
BAND 7	2002.0	20110	Н	14.57	10.90	-5.25	20.22	33.01
BW: 5M	2535.0	21100	V	8.90	10.94	-5.30	14.54	33.01
16QAM			Н	15.37	10.94	-5.30	21.01	33.01
RB: 1,0	2567.5	21425	V	7.79	10.98	-5.34	13.44	33.01
			Н	14.69	10.98	-5.34	20.34	33.01
	2502.5	20775	V	9.09	10.90	-5.26	14.73	33.01
BAND 7 BW: 5M 16QAM RB: 1,24			Н	14.95	10.90	-5.26	20.60	33.01
	2535.0	21100	V	9.13	10.95	-5.31	14.77	33.01
			Н	14.95	10.95	-5.31	20.59	33.01
	2567.5	21425	V	7.21	10.99	-5.34	12.86	33.01
			Н	14.40	10.99	-5.34	20.05	33.01

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prospected to the fullset event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 45 of 194

	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2505.0	20800	V	8.97	10.90	-5.26	14.62	33.01
BAND 7	2303.0	20000	Н	17.64	10.90	-5.26	23.29	33.01
BW: 10M	2535.0	21100	V	9.74	10.94	-5.29	15.38	33.01
QPSK	2333.0	21100	Н	15.58	10.94	-5.29	21.22	33.01
RB: 1,0	2565.0	21400	V	9.09	10.98	-5.34	14.73	33.01
	2303.0	21400	Н	15.14	10.98	-5.34	20.78	33.01
BANIS -	2505.0	20800	V	9.59	10.91	-5.26	15.24	33.01
BAND 7	BAND 7	20000	Н	18.02	10.91	-5.26	23.67	33.01
BW: 10M QPSK	2535.0	21100	V	9.04	10.95	-5.31	14.68	33.01
	2000.0	21100	Н	14.89	10.95	-5.31	20.53	33.01
RB: 1,49	2565.0	21400	V	7.21	10.99	-5.34	12.86	33.01
	2000.0	21400	Н	13.45	10.99	-5.34	19.10	33.01
	2505.0	20800	V	8.82	10.90	-5.26	14.46	33.01
BAND 7	2000.0	20000	Н	17.45	10.90	-5.25	23.10	33.01
BW: 10M	2535.0	21100	V	9.57	10.94	-5.29	15.21	33.01
16QAM	2000.0	21100	Н	15.08	10.94	-5.29	20.73	33.01
RB: 1,0	2565.0	21400	V	9.76	10.98	-5.34	15.39	33.01
	2000.0		Н	15.50	10.98	-5.34	21.14	33.01
	2505.0	20800	V	9.17	10.91	-5.26	14.82	33.01
BAND 7 BW: 10M 16QAM RB: 1,49	2000.0		Н	15.84	10.91	-5.26	21.49	33.01
	2535.0	21100	V	9.18	10.95	-5.31	14.81	33.01
			Н	14.31	10.95	-5.31	19.94	33.01
	2565.0	21400	V	7.35	10.99	-5.34	13.00	33.01
			Н	13.60	10.99	-5.34	19.25	33.01

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prospected to the fullset event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 46 of 194

	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2507.5	20825	V	9.08	10.90	-5.26	14.73	33.01
BAND 7	2307.3	20023	Н	14.18	10.90	-5.25	19.82	33.01
BW: 15M	2535.0	21100	V	9.84	10.94	-5.29	15.48	33.01
QPSK	2333.0	21100	Н	14.97	10.94	-5.29	20.61	33.01
RB: 1,0	2562.5	21375	V	9.78	10.97	-5.34	15.41	33.01
	2302.3	21070	Н	15.69	10.97	-5.34	21.32	33.01
DAND 7	2507.5	20825	V	9.88	10.92	-5.27	15.53	33.01
BAND 7	AND 7	20020	Н	15.14	10.92	-5.27	20.79	33.01
BW: 15M QPSK	2535.0	21100	V	9.06	10.95	-5.32	14.70	33.01
	2000.0	21100	Н	14.15	10.95	-5.32	19.78	33.01
RB: 1,74	2562.5	21375	V	6.86	10.99	-5.34	12.51	33.01
	2002.0	21373	Н	13.01	10.99	-5.34	18.65	33.01
	2507.5	20825	V	8.96	10.90	-5.25	14.61	33.01
BAND 7	2001.0		Н	14.01	10.90	-5.26	19.66	33.01
BW: 15M	2535.0	21100	V	9.58	10.94	-5.29	15.22	33.01
16QAM			Н	14.78	10.93	-5.29	20.42	33.01
RB: 1,0	2562.5	21375	V	10.08	10.97	-5.34	15.71	33.01
			Н	16.77	10.97	-5.34	22.40	33.01
	2507.5	20825	V	9.74	10.92	-5.27	15.39	33.01
BAND 7 BW: 15M 16QAM PR: 1.74			Н	15.04	10.92	-5.27	20.69	33.01
	2535.0	21100	V	8.83	10.95	-5.32	14.47	33.01
			Н	14.01	10.95	-5.32	19.64	33.01
	2562.5	21375	V	6.94	10.99	-5.34	12.59	33.01
			Н	15.71	10.99	-5.34	21.36	33.01

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page 47 of 194

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2510.0	20850	V	8.45	10.90	-5.26	14.10	33.01
BAND 7	2510.0	20000	Н	13.95	10.90	-5.26	19.60	33.01
BW: 20M	2535.0	21100	V	5.56	10.93	-5.29	11.21	33.01
QPSK	2333.0	21100	Н	14.81	10.93	-5.29	20.46	33.01
RB: 1,0	2560.0	21350	V	9.13	10.96	-5.33	14.76	33.01
	2300.0	21000	Н	15.08	10.96	-5.33	20.71	33.01
	2510.0	20850	V	5.67	10.92	-5.27	11.32	33.01
BAND 7	2010.0	20030	Н	15.12	10.92	-5.27	20.77	33.01
BW: 20M QPSK	2535.0	21100	V	4.83	10.95	-5.32	10.46	33.01
	2333.0	21100	Н	13.89	10.95	-5.32	19.53	33.01
RB: 1,99	2560.0	21350	V	6.31	10.99	-5.34	11.96	33.01
	2300.0	21330	Н	12.85	10.99	-5.34	18.49	33.01
	2510.0	20850	V	5.71	10.90	-5.25	11.35	33.01
BAND 7	2510.0	20030	Н	13.87	10.90	-5.26	19.52	33.01
BW: 20M	2535.0	21100	V	5.51	10.93	-5.29	11.16	33.01
16QAM	2000.0	21100	Н	14.66	10.93	-5.29	20.30	33.01
RB: 1,0	2560.0	21350	V	9.21	10.96	-5.33	14.84	33.01
	2000.0	21000	Н	14.93	10.96	-5.33	20.56	33.01
	2510.0	20850	V	5.18	10.92	-5.27	10.83	33.01
BAND 7 BW: 20M 16QAM RB: 1,99	2010.0	20000	Н	14.98	10.92	-5.27	20.63	33.01
	2535 0	21100	V	4.76	10.95	-5.32	10.39	33.01
	2000.0	21100	Н	13.48	10.96	-5.32	19.12	33.01
	2560.0	21350	V	6.53	10.99	-5.34	12.18	33.01
	_000.0	300	Н	13.01	10.99	-5.34	18.66	33.01

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page 48 of 194

	EUT				Measur	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2572.5	37775	V	9.15	10.99	-5.34	14.81	33.01
BAND 38	2012.0	31113	Н	18.44	10.99	-5.34	24.10	33.01
BW: 5M	2595.0	38000	V	10.70	11.02	-5.34	16.37	33.01
QPSK	2333.0	30000	Н	15.83	11.02	-5.34	21.51	33.01
RB: 1,0	2617.5	38225	V	9.19	11.05	-5.37	14.87	33.01
	2017.5	30223	Н	14.14	11.05	-5.37	19.82	33.01
	2572.5	37775	V	10.09	10.99	-5.34	15.74	33.01
BAND 38	BAND 38	31113	Н	14.41	10.99	-5.34	20.07	33.01
BW: 5M QPSK	2595.0	38000	V	10.53	11.02	-5.35	16.21	33.01
	2555.0	30000	Н	15.42	11.02	-5.35	21.09	33.01
RB: 1,24	2617.5	38225	V	9.90	11.05	-5.37	15.59	33.01
	2017.0	30223	Н	14.07	11.05	-5.37	19.75	33.01
	2572.5	37775	V	8.59	10.99	-5.34	14.24	33.01
BAND 38	2012.0	01110	Н	13.48	10.99	-5.34	19.14	33.01
BW: 5M	2595.0	38000	V	10.72	11.02	-5.34	16.39	33.01
16QAM	2000.0	00000	Н	15.37	11.02	-5.34	21.05	33.01
RB: 1,0	2617.5	38225	V	8.79	11.05	-5.37	14.48	33.01
	201110	00220	Н	13.61	11.05	-5.37	19.29	33.01
	2572.5	37775	V	9.63	10.99	-5.34	15.29	33.01
BAND 38	20.2.0	33	Н	14.31	10.99	-5.34	19.97	33.01
BW: 5M 16QAM RB: 1,24	2595.0	38000	V	10.44	11.02	-5.35	16.11	33.01
			Н	15.19	11.02	-5.35	20.87	33.01
	2617.5	2617.5 38225	V	9.20	11.05	-5.37	14.88	33.01
	_577.0		Н	13.74	11.05	-5.37	19.42	33.01

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prospected to the fullset event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 49 of 194

	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2575.0	37800	V	9.30	10.99	-5.34	14.96	33.01
BAND 38	2373.0	37000	Н	13.47	10.99	-5.34	19.12	33.01
BW: 10M	2595.0	38000	V	10.60	11.02	-5.34	16.27	33.01
QPSK	2000.0	30000	Н	15.22	11.02	-5.34	20.90	33.01
RB: 1,0	2615.0	38200	V	9.35	11.04	-5.36	15.03	33.01
	2010.0	30200	Н	14.26	11.04	-5.36	19.94	33.01
BAND 38 BW: 10M QPSK RB: 1,49	2575.0	37800	V	10.83	11.00	-5.34	16.49	33.01
	2070.0	07000	Н	15.31	11.00	-5.34	20.98	33.01
	2595.0	38000	V	10.54	11.03	-5.35	16.22	33.01
		30000	Н	15.02	11.03	-5.35	20.70	33.01
	2615.0 38	38200	V	9.65	11.05	-5.37	15.33	33.01
		00200	Н	14.19	11.05	-5.37	19.87	33.01
	2575.0	37800	V	8.94	10.99	-5.34	14.59	33.01
BAND 38	2070.0		Н	13.52	10.99	-5.34	19.18	33.01
BW: 10M	2595.0	38000	V	10.59	11.02	-5.34	16.27	33.01
16QAM	2000.0	00000	Н	15.19	11.02	-5.34	20.87	33.01
RB: 1,0	2615.0	38200	V	8.65	11.04	-5.36	14.33	33.01
	2010.0	00200	Н	13.40	11.04	-5.36	19.08	33.01
	2575.0	37800	V	10.22	11.00	-5.34	15.89	33.01
BAND 38 BW: 10M	20.0.0	0.000	Н	14.81	11.00	-5.34	20.47	33.01
	2595.0	38000	V	10.24	11.03	-5.35	15.91	33.01
16QAM			Н	14.78	11.03	-5.35	20.46	33.01
RB: 1,49	2615.0	38200	V	9.10	11.05	-5.37	14.78	33.01
			Н	13.62	11.05	-5.37	19.30	33.01

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 50 of 194

	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2577.5	37825	V	8.73	10.99	-5.34	14.39	33.01
BAND 38	2011.0	37023	Н	13.22	10.99	-5.34	18.87	33.01
BW: 15M	2595.0	38000	V	10.50	11.02	-5.34	16.18	33.01
QPSK	2393.0	30000	Н	14.98	11.02	-5.34	20.66	33.01
RB: 1,0	2612.5	38175	V	9.21	11.04	-5.36	14.89	33.01
	2012.5	38175	Н	13.73	11.04	-5.36	19.41	33.01
BAND 38 BW: 15M QPSK	2577.5	37825	V	10.78	11.01	-5.34	16.45	33.01
	2011.0	3/023	Н	15.12	11.01	-5.34	20.79	33.01
	2595.0	38000	V	10.11	11.03	-5.35	15.79	33.01
			Н	14.29	11.03	-5.35	19.97	33.01
RB: 1,74	2612.5	38175	V	9.10	11.05	-5.37	14.78	33.01
	2012.0	00110	Н	13.35	11.05	-5.37	19.04	33.01
	2577.5	37825	V	8.78	10.99	-5.34	14.43	33.01
BAND 38	2011.0		Н	13.03	10.99	-5.34	18.69	33.01
BW: 15M	2595.0	38000	V	10.25	11.02	-5.34	15.92	33.01
16QAM	2000.0	00000	Н	14.33	11.02	-5.34	20.01	33.01
RB: 1,0	2612.5	38175	V	9.06	11.04	-5.36	14.74	33.01
	2012.0	00170	Н	13.60	11.04	-5.36	19.28	33.01
	2577.5	37825	V	10.46	11.01	-5.34	16.12	33.01
BAND 38	2011.0	0,020	Н	14.68	11.01	-5.34	20.35	33.01
BW: 15M	2595.0	38000	V	9.96	11.03	-5.35	15.64	33.01
16QAM	2000.0		Н	14.34	11.03	-5.35	20.02	33.01
RB: 1,74	2612.5	38175	V	9.00	11.05	-5.37	14.68	33.01
	20.2.0	300	Н	13.28	11.05	-5.37	18.96	33.01

The RBW, VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

t (886-2) 2299-3279

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prospected to the fullset event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 51 of 194

	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2580	37850	V	8.93	10.99	-5.34	14.59	33.01
BAND 38	2300	37030	Н	13.24	10.99	-5.34	18.90	33.01
BW: 20M	2595	38000	V	10.80	11.01	-5.34	16.47	33.01
QPSK RB: 1,0	2333	30000	Н	15.13	11.01	-5.34	20.80	33.01
	2610	38150	V	10.18	11.03	-5.35	15.86	33.01
	2010	38150	Н	14.60	11.03	-5.35	20.28	33.01
BAND 38	2580	37850	V	10.87	11.01	-5.34	16.54	33.01
	2500	07000	Н	15.10	11.01	-5.34	20.77	33.01
	2595	38000	V	9.84	11.03	-5.35	15.52	33.01
			Н	14.22	11.03	-5.35	19.90	33.01
RB: 1,99	2610	38150	V	9.15	11.05	-5.37	14.83	33.01
	2010	00.00	Н	13.43	11.05	-5.37	19.11	33.01
	2580	37850	V	8.95	10.99	-5.34	14.60	33.01
BAND 38	2000	07000	Н	13.18	10.99	-5.34	18.83	33.01
BW: 20M	2595	38000	V	10.29	11.01	-5.34	15.96	33.01
16QAM	2000	00000	Н	14.93	11.01	-5.34	20.60	33.01
RB: 1,0	2610	38150	V	10.22	11.03	-5.35	15.90	33.01
		00.00	Н	14.50	11.03	-5.35	20.18	33.01
	2580	37850	V	10.60	11.01	-5.34	16.27	33.01
BAND 38		2.000	Н	14.88	11.01	-5.34	20.56	33.01
BW: 20M	2595	38000	V	9.67	11.03	-5.35	15.35	33.01
16QAM			Н	14.06	11.03	-5.35	19.74	33.01
RB: 1,99	2610	38150	V	9.03	11.05	-5.37	14.71	33.01
			Н	13.26	11.05	-5.37	18.94	33.01

The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 52 of 194

8. OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2. Test Set-up



8.3. Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about $1\% \sim 5\%$ of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= $1\% \sim 5\%$, VBW= 3 RBW, with span > 2* Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 53 of 194

8.4. Measurement Equipment Used

Conduc	ted Emission (m	neasured at a	antenna port)	Test Site	
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017
EXA Spectrum Analyz- er	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HU- BER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2017	02/10/2018
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 54 of 194

8.5. Measurement Result

_								
			99%	99%	99%	26 dB	26 dB	26 dB
F	BW	BW	BW	BW	BW	BW		
	Freq. (MHz)	CH	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)
	(IVIITIZ)		GSM	GPRS	EDGE	GSM	GPRS	EDGE
			850	850	850	850	850	850
	824.2	128	0.24348	0.24318	0.24626	0.3222	0.3205	0.3132
	836.6	190	0.24486	0.24155	0.24204	0.3522	0.3160	0.3113
	848.8	251	0.24270	0.24415	0.24087	0.3193	0.3164	0.3153

Freq. (MHz)	СН	99% BW (MHz) GSM 1900	99% BW (MHz) GPRS 1900	99% BW (MHz) EDGE 1900	26 dB BW (MHz) GSM 1900	26 dB BW (MHz) GPRS 1900	26 dB BW (MHz) EDGE 1900
1850.2	512	0.24376	0.24678	0.24740	0.3210	0.3180	0.3031
1880.0	661	0.24470	0.24521	0.24627	0.3203	0.3186	0.3229
1909.8	810	0.24350	0.24491	0.24918	0.3180	0.3191	0.3215

Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)
		WCDMA	HSDPA	HSUPA	WCDMA	HSDPA	HSUPA
		II	II	I		II	
1850.20	9262	4.1591	4.1654	4.1478	0.4718	0.4721	0.4736
1880.00	9400	4.1544	4.1548	4.1513	0.4716	0.4723	0.4717
1909.80	9538	4.1461	4.1560	4.1568	0.4713	0.4743	0.4709

	99%	99%	99%	26 dB	26 dB	26 dB	
From		BW	BW	BW	BW	BW	BW
Freq.	CH	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)
(MHz)		WCDMA	HSDPA	HSUPA	WCDMA	HSDPA	HSUPA
		V	V	V	V	V	V
826.40	4132	4.1349	4.1410	4.1338	0.4692	0.4714	0.4705
836.60	4183	4.1510	4.1517	4.1464	0.4701	0.4690	0.4713
846.60	4233	4.1493	4.1396	4.1510	0.4699	0.4712	0.4709

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 55 of 194

·	LTE BAN	D 5 Chann	el bandwid	th: 1.4MH	Z				
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM				
824.7	20407	1.0977	1.1014	1.297	1.291				
836.5	20525	1.0982	1.0999	1.294	1.300				
848.3	20643	1.0979	1.0991	1.296	1.293				

	LTE BAND 5 Channel bandwidth: 3MHz									
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)					
		QPSK	16QAM	QPSK	16QAM					
825.5	20415	2.6985	2.7025	2.982	2.984					
836.5	20525	2.7043	2.7056	2.978	2.991					
847.5	20635	2.7052	2.7079	2.991	2.998					

	LTE BAI	ND 5 Chani	nel bandwid	dth: 5MHz					
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)				
		QPSK	16QAM	QPSK	16QAM				
826.5	20425	4.5075	4.5124	5.037	4.999				
836.5	20525	4.5188	4.5139	5.068	5.043				
846.5	20625	4.5165	4.5095	5.058	5.008				

	LTE BAN	ID 5 Chann	el bandwid	th: 10MHz	7
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)
		QPSK	16QAM	QPSK	16QAM
829.0	20450	9.0012	8.9472	9.906	9.816
836.5	20525	9.0312	8.9758	9.938	9.830
844.0	20600	8.9847	8.9481	9.903	9.854

LTE BAND 7 Channel bandwidth: 5MHz						
		99%	99%	26 dB	26 dB	
Freq.	CII	BW	BW	BW	BW	
(MHz)	СН	(MHz)	(MHz)	(MHz)	(MHz)	
		QPSK	16QAM	QPSK	16QAM	
2502.5	20775	4.5095	4.5145	5.047	5.057	
2535.0	21100	4.5165	4.5143	5.071	5.038	
2567.5	21425	4.5174	4.5099	5.067	5.042	

LTE BAND 7 Channel bandwidth: 10MHz						
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	BW BW	26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM	
2505.0	20800	9.0000	8.9707	9.890	9.807	
2535.0	21100	9.0040	8.9671	9.964	9.897	
2565.0	21400	8.9959	8.9498	9.953	9.885	

LTE BAND 7 Channel bandwidth: 15MHz						
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM	
2507.5	20825	13.479	13.488	14.88	14.93	
2535.0	21100	13.503	13.471	14.74	14.76	
2562.5	21375	13.475	13.467	14.63	14.63	

LTE BAND 7 Channel bandwidth: 20MHz						
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	BW	26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM	
2510.0	20850	17.950	17.989	19.42	19.53	
2535.0	21100	17.944	17.966	19.52	19.49	
2560.0	21350	17.911	17.935	19.51	19.56	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 56 of 194

LTE BAND 38 Channel bandwidth: 5MHz						
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM	
2752.5	37775	4.5266	4.5134	5.360	5.056	
2595.0	38000	4.5185	4.5076	5.309	4.989	
2617.5	38225	4.5188	4.5158	5.458	5.011	

LTE BAND 38 Channel bandwidth: 10MHz						
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM	
2575.0	37800	8.9871	8.9594	9.895	9.769	
2595.0	38000	8.9554	8.9541	9.734	9.764	
2615.0	38200	8.9604	8.9686	9.758	9.873	

LTE BAND 38 Channel bandwidth: 15MHz						
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM	
2577.5	37825	13.487	13.500	15.57	14.98	
2595.0	38000	13.460	13.505	15.65	15.23	
2612.5	38175	13.473	13.489	15.70	14.95	

LTE BAND 38 Channel bandwidth: 20MHz						
Freq. (MHz)	СН	99% BW (MHz)	99% BW (MHz)	26 dB BW (MHz)	26 dB BW (MHz)	
		QPSK	16QAM	QPSK	16QAM	
2580.0	37850	17.940	17.947	20.18	19.64	
2595.0	38000	17.903	17.920	20.56	19.79	
2610.0	38150	17.895	17.943	19.88	19.68	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tailwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

100.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 57 of 194

99% & 26dB Bandwidth Test Data (Detector Peak)


GSM_850MHz_LowCH128-824.2

GSM_850MHz_HighCH251-848.8



GSM_850MHz_MidCH190-836.6

GPRS_850MHz_LowCH128-824.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

xy be proceeded to the fallost externed to the fallo

台灣檢驗科技股份有限公司

f (886-2) 2298-0488






GPRS_850MHz_MidCH190-836.6

EDGE_850MHz_MidCH190-836.6



GPRS_850MHz_HighCH251-848.8

EDGE_850MHz_HighCH251-848.8



EDGE 850MHz LowCH128-824.2

GSM 1900MHz LowCH512-1850.2




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

নি দিন্দ্ৰ প্ৰতিষ্ঠান বিষয়ে বিষয় বিষ Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279






GSM_1900MHz_MidCH661-1880

GPRS_1900MHz_MidCH661-1880



GSM_1900MHz_HighCH810-1909.8

GPRS_1900MHz_HighCH810-1909.8



GPRS 1900MHz LowCH512-1850.2

EDGE 1900MHz LowCH512-1850.2




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

নি দিন্দ্ৰ প্ৰতিষ্ঠান বিষয়ে বিষয় বিষ Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






EDGE_1900MHz_MidCH661-1880

WCDMA_B2_MidCH9400-1880



EDGE_1900MHz_HighCH810-1909.8

WCDMA_B2_HighCH9538-1907.6



WCDMA B2 LowCH9262-1852.4

HSDPA B2 LowCH9262-1852.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

নি দিন্দ্ৰ প্ৰতিষ্ঠান বিষয়ে বিষয় বিষ Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488


t (886-2) 2299-3279






HSDPA_B2_MidCH9400-1880

HSUPA_B2_MidCH9400-1880




HSDPA_B2_HighCH9538-1907.6

HSUPA_B2_HighCH9538-1907.6



HSUPA B2 LowCH9262-1852.4

WCDMA B5 LowCH4132-826.4




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279






WCDMA_B5_MidCH4183-836.6

HSDPA_B5_MidCH4183-836.6




WCDMA_B5_HighCH4233-846.6

HSDPA_B5_HighCH4233-846.6



HSDPA B5 LowCH4132-826.4

HSUPA B5 LowCH4132-826.4




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279







HSUPA_B5_MidCH4183-836.6



HSUPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






Band5 1.4MHz_QPSK 6 0_LowCH20407-824.7

Band5 1.4MHz_16-QAM 6 0_LowCH20407-824.7




Band5 1.4MHz QPSK 6 0 MidCH20525-836.5

Band5 1.4MHz_16-QAM 6 0_MidCH20525-836.5



Band5 1.4MHz QPSK 6 0 HighCH20643-848.3

Band5 1.4MHz 16-QAM 6 0 HighCH20643-848.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New TaipeiIndustrial Park, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com






Band5 3MHz_QPSK 15 0_LowCH20415-825.5

Band5 3MHz_16-QAM 15 0_LowCH20415-825.5




Band5 3MHz QPSK 15 0 MidCH20525-836.5

Band5 3MHz_16-QAM 15 0_MidCH20525-836.5



Band5 3MHz QPSK 15 0 HighCH20635-847.5

Band5 3MHz 16-QAM 15 0 HighCH20635-847.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com






Band5 5MHz_QPSK 25 0_LowCH20425-826.5

Band5 5MHz_16-QAM 25 0_LowCH20425-826.5




Band5 5MHz QPSK 25 0 MidCH20525-836.5

Band5 5MHz_16-QAM 25 0_MidCH20525-836.5



Band5 5MHz QPSK 25 0 HighCH20625-846.5

Band5 5MHz 16-QAM 25 0 HighCH20625-846.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New TaipeiIndustrial Park, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279






Band5 10MHz_QPSK 50 0_LowCH20450-829

Band5 10MHz_16-QAM 50 0_LowCH20450-829




Band5 10MHz QPSK 50 0 MidCH20525-836.5

Band5 10MHz 16-QAM 50 0 MidCH20525-836.5



Band5 10MHz QPSK 50 0 HighCH20600-844

Band5 10MHz 16-QAM 50 0 HighCH20600-844




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279






Band7 5MHz_QPSK 25 0_LowCH20775-2502.5

Band7 5MHz_16-QAM 25 0_LowCH20775-2502.5




Band7 5MHz QPSK 25 0 MidCH21100-2535

Band7 5MHz_16-QAM 25 0_MidCH21100-2535



Band7 5MHz QPSK 25 0 HighCH21425-2567.5

Band7 5MHz 16-QAM 25 0 HighCH21425-2567.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279






Band7 10MHz_QPSK 50 0_LowCH20800-2505

Band7 10MHz_16-QAM 50 0_LowCH20800-2505




Band7 10MHz_QPSK 50 0_MidCH21100-2535

Band7 10MHz_16-QAM 50 0_MidCH21100-2535



Band7 10MHz QPSK 50 0 HighCH21400-2565

Band7 10MHz 16-QAM 50 0 HighCH21400-2565




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279






Band7 15MHz_QPSK 75 0_Low CH20825-2507.5

Band7 15MHz_16-QAM 75 0_LowCH20825-2507.5




Band7 15MHz QPSK 75 0 Mid CH21100-2535

Band7 15MHz_16-QAM 75 0_MidCH20175-1732.5



Band7 15MHz QPSK 75 0 High CH21375-2562.5

Band7 15MHz 16-QAM 75 0 HighCH21375-2562.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279






Band7 20MHz_QPSK 100 0_LowCH20850-2510

Band7 20MHz_16-QAM 100 0_LowCH20850-2510




Band7 20MHz QPSK 100 0 MidCH21100-2535

Band7 20MHz 16-QAM 100 0 MidCH21100-2535



Band7 20MHz QPSK 100 0 HighCH21350-2560

Band7 20MHz 16-QAM 100 0 HighCH21350-2560




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New TaipeiIndustrial Park, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279






Band38 5MHz_QPSK 25 0_LowCH37775-2572.5

Band38 5MHz_16-QAM 25 0_LowCH37775-2572.5




Band38 5MHz_QPSK 25 0_MidCH38000-2595

Band38 5MHz_16-QAM 25 0_MidCH38000-2595



Band38 5MHz QPSK 25 0 HighCH38225-2617.5

Band38 5MHz 16-QAM 25 0 HighCH38225-2617.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, New TaipeiIndustrial Park, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sgs.com






Band38 10MHz_QPSK 50 0_LowCH37800-2575

Band38 10MHz_16-QAM 50 0_LowCH37800-2575




Band38 10MHz QPSK 50 0 MidCH38000-2595

Band38 10MHz 16-QAM 50 0 MidCH38000-2595



Band38 10MHz QPSK 50 0 HighCH38200-2615

Band38 10MHz 16-QAM 50 0 HighCH38200-2615




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279






Band38 15MHz_QPSK 75 0_LowCH37825-2577.5

Band38 15MHz_16-QAM 75 0_LowCH37825-2577.5




Band38 15MHz QPSK 75 0 MidCH38000-2595

Band38 15MHz 16-QAM 75 0 MidCH38000-2595



Band38 15MHz_QPSK 75 0_HighCH38175-2612.5

Band38 15MHz 16-QAM 75 0 HighCH38175-2612.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sgs.com






Band38 20MHz_QPSK 100 0_LowCH37850-2580

Band38 20MHz_16-QAM 100 0_LowCH37850-2580




Band38 20MHz QPSK 100 0 MidCH38000-2595

Band38 20MHz 16-QAM 100 0 MidCH38000-2595



Band38 20MHz QPSK 100 0 HighCH38150-2610

Band38 20MHz 16-QAM 100 0 HighCH38150-2610



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Report No.: ER/2017/60114

Page 76 of 194

9. OUT OF BAND EMISSION AT ANTENNA TERMINALS

9.1. Standard Applicable

FCC §22.917(a), §24.238(a), §27.53(h), *Out of band emissions*. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

FCC §27.53(c) (5) & FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h) (3)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service And Se

SGS Taiwan Ltd. No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2017/60114

Page 77 of 194

FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279





9.2. Test SET-UP



9.3. Measurement Procedure

Conducted Emission

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. Set RBW = 1MHz & VBW = 1MHz on Spectrum.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Band Edge

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The band edge of low and high channels for the highest RF powers was measured. Setting RBW ≥ 1% EBW.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: ER/2017/60114

Page 79 of 194

9.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017
EXA Spectrum Analyz- er	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HU- BER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2017	02/10/2018
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

9.5. Measurement Result:


Refer to next pages.

NOTE: The occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlargely and offenders may be prospected to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


f (886-2) 2298-0488






Out of Band Emission Low_GSM_850MHz_LowCH128-824.2

Out of Band Emission Low_GSM_850MHz_HighCH251-848.8



Out of Band Emission Low_GSM_850MHz_MidCH190-836.6

Out of Band Emission Low_GPRS_850MHz_LowCH128-824.2



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior writen approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the fullest content of the full or defined are more to respect the fall the full of the content of document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488



Report No.: ER/2017/60114 Page 81 of 194


Out of Band Emission Low_GPRS_850MHz_MidCH190-836.6

Out of Band Emission Low_EDGE_850MHz_MidCH190-836.6



Out of Band Emission Low_GPRS_850MHz_HighCH251-848.8

Out of Band Emission Low_EDGE_850MHz_HighCH251-848.8



Out of Band Emission Low_EDGE_850MHz_LowCH128-824.2

Out of Band Emission High_GSM_850MHz_LowCH128-824.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488



Report No.: ER/2017/60114 Page 82 of 194


Out of Band Emission High_GSM_850MHz_MidCH190-836.6

Out of Band Emission High_GPRS_850MHz_MidCH190-836.6




Out of Band Emission High_GSM_850MHz_HighCH251-848.8

Out of Band Emission High_GPRS_850MHz_HighCH251-848.8



Out of Band Emission High_GPRS_850MHz_LowCH128-824.2

Out of Band Emission High_EDGE_850MHz_LowCH128-824.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


f (886-2) 2298-0488



Report No.: ER/2017/60114 Page 83 of 194


Out of Band Emission High_EDGE_850MHz_MidCH190-836.6

Out of Band Emission Low_GSM_1900MHz_MidCH661-1880




Out of Band Emission High_EDGE_850MHz_HighCH251-848.8

Out of Band Emission Low_GSM_1900MHz_HighCH810-1909.8



Out of Band Emission Low_GSM_1900MHz_LowCH512-1850.2

Out of Band Emission Low_GPRS_1900MHz_LowCH512-1850.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488



Report No.: ER/2017/60114 Page 84 of 194


Out of Band Emission Low_GPRS_1900MHz_MidCH661-1880

Out of Band Emission Low_EDGE_1900MHz_MidCH661-1880




Out of Band Emission Low_GPRS_1900MHz_HighCH810-1909.8

Out of Band Emission Low_EDGE_1900MHz_HighCH810-1909.8



Out of Band Emission Low_EDGE_1900MHz_LowCH512-1850.2

Out of Band Emission High_GSM_1900MHz_LowCH512-1850.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488



Report No.: ER/2017/60114 Page 85 of 194


Out of Band Emission High_GSM_1900MHz_MidCH661-1880

Out of Band Emission High_GPRS_1900MHz_MidCH661-1880




Out of Band Emission High_GSM_1900MHz_HighCH810-1909.8

Out of Band Emission High_GPRS_1900MHz_HighCH810-1909.8



Out of Band Emission High_GPRS_1900MHz_LowCH512-1850.2

Out of Band Emission High_EDGE_1900MHz_LowCH512-1850.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2017/60114 Page 86 of 194

Out of Band Emission High_EDGE_1900MHz_MidCH661-1880

Out of Band Emission Low_WCDMA_B2_MidCH9400-1880




Out of Band Emission High_EDGE_1900MHz_HighCH810-1909.8

Out of Band Emission Low_WCDMA_B2_HighCH9538-1907.6



Out of Band Emission Low_WCDMA_B2_LowCH9262-1852.4

Out of Band Emission High_WCDMA_B2_LowCH9262-1852.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488



Report No.: ER/2017/60114 Page 87 of 194


Out of Band Emission Low_WCDMA_B2_MidCH9400-1880

Out of Band Emission Low_WCDMA_B5_MidCH4183-836.6




Out of Band Emission Low_WCDMA_B2_HighCH9538-1907.6

Out of Band Emission Low_WCDMA_B5_HighCH4233-846.6



Out of Band Emission Low_WCDMA_B5_LowCH4132-826.4

Out of Band Emission High_WCDMA_B5_LowCH4132-826.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488






Out of Band Emission High_WCDMA_B5_MidCH4183-836.6



Out of Band Emission High_WCDMA_B5_HighCH4233-846.6



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯夭。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and the full test of the law. and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2017/60114 Page 89 of 194

Out of Band Emission Low_Band5 1.4MHz_QPSK 1 0_LowCH20407-824.7

Out of Band Emission Low_Band5 3MHz_QPSK 1 0_LowCH20415-825.5




Out of Band Emission Low Band5 1.4MHz QPSK 1.0 MidCH20525-836.5

Out of Band Emission Low Band5 3MHz QPSK 1 0 MidCH20525-836.5



Out of Band Emission Low_Band5 1.4MHz_QPSK 1 0_HighCH20643-848.3

Out of Band Emission Low_Band5 3MHz_QPSK 1 0_HighCH20635-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279


Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2017/60114 Page 90 of 194


Out of Band Emission Low_Band5 5MHz_QPSK 1 0_LowCH20425-826.5

Out of Band Emission Low_Band5 10MHz_QPSK 1 0_LowCH20450-829




Out of Band Emission Low Band5 5MHz QPSK 1 0 MidCH20525-836.5

Out of Band Emission Low_Band5 10MHz_QPSK 1 0_MidCH20525-836.5



Out of Band Emission Low_Band5 5MHz_QPSK 1 0_HighCH20625-846.5

Out of Band Emission Low_Band5 10MHz_QPSK 1 0_HighCH20600-844



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279


f (886-2) 2298-0488



Report No.: ER/2017/60114 Page 91 of 194


Out of Band Emission High_Band5 1.4MHz_QPSK 1 0_LowCH20407-824.7

Out of Band Emission High_Band5 3MHz_QPSK 1 0_LowCH20415-825.5




Out of Band Emission High_Band5 1.4MHz_QPSK 1 0_MidCH20525-836.5

Out of Band Emission High_Band5 3MHz_QPSK 1 0_MidCH20525-836.5



Out of Band Emission High_Band5 1.4MHz_QPSK 1 0_HighCH20643-848.3

Out of Band Emission High_Band5 3MHz_QPSK 1 0_HighCH20635-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2017/60114 Page 92 of 194


Out of Band Emission High_Band5 5MHz_QPSK 1 0_LowCH20425-826.5

Out of Band Emission High_Band5 10MHz_QPSK 1 0_LowCH20450-829




Out of Band Emission High_Band5 5MHz_QPSK 1 0_MidCH20525-836.5

Out of Band Emission High_Band5 10MHz_QPSK 1 0_MidCH20525-836.5



Out of Band Emission High_Band5 5MHz_QPSK 1 0_HighCH20625-846.5

Out of Band Emission High_Band5 10MHz_QPSK 1 0_HighCH20600-844



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2017/60114 Page 93 of 194


Out of Band Emission Low_Band7 5MHz_QPSK 1 0_LowCH20775-2502.5

Out of Band Emission Low_Band7 10MHz_QPSK 1 0_LowCH20800-2505




Out of Band Emission Low Band7 5MHz QPSK 1 0 MidCH21100-2535

Out of Band Emission Low_Band7 10MHz_QPSK 1 0_MidCH21100-2535



Out of Band Emission Low_Band7 5MHz_QPSK 1 0_HighCH21425-2567.5

Out of Band Emission Low_Band7 10MHz_QPSK 1 0_HighCH21400-2565



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488



Report No.: ER/2017/60114 Page 94 of 194


Out of Band Emission Low_Band7 15MHz_QPSK 1 0_LowCH20825-2507.5

Out of Band Emission Low_Band7 20MHz_QPSK 1 0_LowCH20850-2510




Out of Band Emission Low_Band7 15MHz_QPSK 1 0_MidCH20175-1732.5

Out of Band Emission Low Band7 20MHz QPSK 1 0 MidCH21100-2535



Out of Band Emission Low_Band7 15MHz_QPSK 1 0_HighCH21375-2562.5

Out of Band Emission Low_Band7 20MHz_QPSK 1 0_HighCH21350-2560



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488






Out of Band Emission High_Band7 5MHz_QPSK 1 0_LowCH20775-2502.5

Out of Band Emission High_Band7 10MHz_QPSK 1 0_LowCH20800-2505




Out of Band Emission High_Band7 5MHz_QPSK 1 0_MidCH21100-2535

Out of Band Emission High_Band7 10MHz_QPSK 1 0_MidCH21100-2535



Out of Band Emission High_Band7 5MHz_QPSK 1 0_HighCH21425-2567.5

Out of Band Emission High_Band7 10MHz_QPSK 1 0_HighCH21400-2565



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2017/60114 Page 96 of 194


Out of Band Emission High_Band7 15MHz_QPSK 1 0_LowCH20825-2507.5

Out of Band Emission High_Band7 20MHz_QPSK 1 0_LowCH20850-2510




Out of Band Emission High_Band7 15MHz_QPSK 1 0_MidCH20175-1732.5

Out of Band Emission High_Band7 20MHz_QPSK 1 0_MidCH21100-2535



Out of Band Emission High_Band7 15MHz_QPSK 1 0_HighCH21375-2562.5

Out of Band Emission High_Band7 20MHz_QPSK 1 0_HighCH21350-2560




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279


f (886-2) 2298-0488






Out of Band Emission Low_Band38 5MHz_QPSK 1 0_LowCH37775-2572.5

Out of Band Emission Low_Band38 10MHz_QPSK 1 0_LowCH37800-2575




Out of Band Emission Low Band38 5MHz QPSK 1 0 MidCH38000-2595

Out of Band Emission Low Band38 10MHz QPSK 1 0 MidCH38000-2595



Out of Band Emission Low_Band38 5MHz_QPSK 1 0_HighCH38225-2617.5

Out of Band Emission Low_Band38 10MHz_QPSK 1 0_HighCH38200-2615



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2017/60114 Page 98 of 194


Out of Band Emission Low_Band38 15MHz_QPSK 1 0_LowCH37825-2577.5

Out of Band Emission Low_Band38 20MHz_QPSK 1 0_LowCH37850-2580




Out of Band Emission Low_Band38 15MHz_QPSK 1 0_MidCH38000-2595

Out of Band Emission Low Band38 20MHz QPSK 1 0 MidCH38000-2595



Out of Band Emission Low_Band38 15MHz_QPSK 1 0_HighCH38175-2612.5

Out of Band Emission Low_Band38 20MHz_QPSK 1 0_HighCH38150-2610




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司


t (886-2) 2299-3279 f (886-2) 2298-0488






Out of Band Emission High_Band38 5MHz_QPSK 1 0_LowCH37775-2572.5

Out of Band Emission High_Band38 10MHz_QPSK 1 0_LowCH37800-2575




Out of Band Emission High_Band38 5MHz_QPSK 1 0_MidCH38000-2595

Out of Band Emission High_Band38 10MHz_QPSK 1 0_MidCH38000-2595



Out of Band Emission High_Band38 5MHz_QPSK 1 0_HighCH38225-2617.5

Out of Band Emission High_Band38 10MHz_QPSK 1 0_HighCH38200-2615



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


t (886-2) 2299-3279




Report No.: ER/2017/60114 Page 100 of 194

Out of Band Emission High_Band38 15MHz_QPSK 1 0_LowCH37825-2577.5

Out of Band Emission High_Band38 20MHz_QPSK 1 0_LowCH37850-2580




Out of Band Emission High_Band38 15MHz_QPSK 1 0_MidCH38000-2595




Out of Band Emission High_Band38 15MHz_QPSK 1 0_HighCH38175-2612.5

Out of Band Emission High_Band38 20MHz_QPSK 1 0_MidCH38000-2595



Out of Band Emission High_Band38 20MHz_QPSK 1 0_HighCH38150-2610



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Fix f a right in the state of the sample state of the sam and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488