

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 22 SUBPART H, PART 24 SUBPART E and PART 27 SUBPART **B, C & SUBPART L REQUIREMENT**

CLASS II PC REPORT OF **Product Name:** Smart Phone **Brand Name:** Nokia Model No.: **TA-1035** Model Difference: N/A FCC ID: 2AJOTTA-1035 ER/2017/90151 Report No.: **Issue Date:** Oct. 13, 2017 FCC Rule Part: 2, 22H & 24E & 27B, C & L **Prepared for: HMD Global Oy** Karaportti 2, 02610 Espoo, Finland SGS Taiwan Ltd. **Prepared by: Electronics & Communication Laboratory** No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803



g Laboratory 0513

Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

WeifS of all weights and the results and set of the formation of the set of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



VERIFICATION OF COMPLIANCE

Applicant:	HMD Global Oy Karaportti 2, 02610 Espoo, Finland
Product Name:	Smart Phone
Brand Name:	Nokia
Model No.:	TA-1035
Model Difference:	N/A
FCC ID:	2AJOTTA-1035
File Number:	ER/2017/90151
Date of test:	Jul. 03, 2017 ~ Jul. 06, 2017 Aug, 10, 2017 (LTE Band 5) Oct. 03, 2017 (RSE Spot Check)
Date of EUT Received:	Jul. 24, 2017

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in TIA/EIA-603-E-2016 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	louis Chen	Date:	Oct. 13, 2017
Prepared By:	Louis Chen / Engineer Allen Tsai	Date:	Oct. 13, 2017
Approved By:	Allen Tsai / Engineer Jim Chang		Oct. 13, 2017
	lim Oberen / Acet Menerer		

Jim Chang / Asst. Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. This document are not be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Revision History

Report Number	Revision	Description	Issue Date
ER/2017/90151	Rev.00	Initial creation of document	Oct. 13, 2017



Contents

1.	GENERAL PRODUCT INFORMATION	5
2.	SYSTEM TEST CONFIGURATION	11
3.	SUMMARY OF TEST RESULTS	15
4.	DESCRIPTION OF TEST MODES	16
5.	MEASUREMENT UNCERTAINTY	25
6.	RF CONDUCTED OUTPUT POWER MEASUREMENT	26
7.	EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED	
	POWER MEASUREMENT	39
8.	OCCUPIED BANDWIDTH MEASUREMENT	79
9.	OUT OF BAND EMISSION AT ANTENNA TERMINALS	124
10.	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	217
11.	FREQUENCY STABILITY MEASUREMENT	293
12.	PEAK TO AVERAGE RATIO	301
13.	RSE ASSESSMENT FOR C2PC	330



1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

Product Name:	Smart Phone		
Brand Name:	Nokia		
Model No.:	TA-1035		
Model difference:	N/A		
Hardware Version:	680		
Software Version:	V0.37C		
USB Cable:	Model No.: CUBB01M-FA010-DH, Supplier: Nokia		
Headset:	Model No.: WH-108, Supplier: Nokia		
	3.85Vdc from Rechargeable Li-polymer Battery or 5 V from AC/DC Adapter		
Power Supply:	Battery: Model No.:HE338, Supplier: Nokia		
	Adapter: Model No.: FC0102, Supplier: Nokia		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



GSM / WCDMA / LTE:

	Operating Frequency			
	GSM/GPRS 850	824.2 MHz- 848.8 MHz		
	EDGE 850	824.2 MHz- 848.8 MHz		
	GSM/GPRS 1900	1850.2MHz – 1909.8MHz		
	EDGE 1900	1850.2MHz – 1909.8MHz		
	WCDMA / HSPA+ Band II	1852.4MHz – 1907.6MHz		
	WCDMA / HSPA+ Band IV	1712.4MHz – 1752.6MHz		
	WCDMA / HSPA+ Band V	826.4MHz - 846.6MHz		
	LTE-Band 2 (1.4MHz)	1850.7MHz- 1909.3MHz		
	LTE-Band 2 (3MHz)	1851.5MHz – 1908.5MHz		
	LTE-Band 2 (5MHz)	1852.5MHz – 1907.5MHz		
	LTE-Band 2 (10MHz)	1855.0MHz – 1905.0MHz		
	LTE-Band 2 (15MHz)	1857.5MHz – 1902.5MHz		
	LTE-Band 2 (20MHz)	1860.0MHz – 1900.0MHz		
	LTE-Band 4 (1.4MHz)	1710.7MHz- 1754.3MHz		
Cellular Phone	LTE-Band 4 (3MHz)	1711.5MHz – 1753.5MHz		
Standards Fre-	LTE-Band 4 (5MHz)	1712.5MHz – 1752.5MHz		
quency Range and	LTE-Band 4 (10MHz)	1715MHz – 1750MHz		
Power	LTE-Band 4 (15MHz)	1717.5MHz – 1747.5MHz		
	LTE-Band 4 (20MHz)	1720MHz – 1745MHz		
	LTE-Band 5 (1.4MHz)	824.7MHz – 848.3MHz		
	LTE-Band 5 (3MHz)	825.5MHz – 847.5MHz		
	LTE-Band 5 (5MHz)	826.5MHz – 846.5MHz		
	LTE-Band 5 (10MHz)	829.0MHz – 844.0MHz		
	LTE-Band 7 (Bandwidth 5MHz)	2502.5MHz – 2567.5MHz		
	LTE-Band 7 (Bandwidth 10MHz)	2505.0MHz – 2565.0MHz		
	LTE-Band 7 (Bandwidth 15MHz)	2507.5MHz – 2562.5MHz		
	LTE-Band 7 (Bandwidth 20MHz)	2510.0MHz – 2560MHz		
	LTE-Band 12 (1.4MHz)	699.7MHz- 715.3MHz		
	LTE-Band 12 (3MHz)	700.5MHz – 714.5MHz		
	LTE-Band 12 (5MHz)	701.5MHz – 713.5MHz		
	LTE-Band 12 (10MHz)	704.0MHz – 711.0MHz		
	LTE-Band 17 (5MHz)	706.5MHz – 713.5MHz		
	LTE-Band 17 (10MHz)	709.0MHz –711.0MHz		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號



:

Cellular Phone Standards Fre-	Operating Frequency			
	LTE-Band 38 (Bandwidth 5MHz)	2572.5MHz – 2617.5MHz		
quency Range and	LTE-Band 38 (Bandwidth 10MHz)	2575MHz – 2615MHz		
Power	LTE-Band 38 (Bandwidth 15MHz)	2577.5MHz – 2612.5MHz		
	LTE-Band 38 (Bandwidth 20MHz)	2580MHz – 2610MHz		
IMEI	356041080008117, 356041080008109			



Max ERP/EIRP Power Measurement Result:

	dBm		W	Type of Emission
GSM 850	15.65	ERP	0.037	243KGXW
GPRS 850	19.15	ERP	0.082	245KGXW
EDGE 850	16.95	ERP	0.050	245KG7W
GSM 1900	22.44	EIRP	0.175	246KGXW
GPRS 1900	26.29	EIRP	0.426	240KGXW
EDGE 1900	24.72	EIRP	0.296	249KG7W
WCDMA Band II	21.53	EIRP	0.142	4M16F9W
HSDPA Band II	25.33	EIRP	0.341	4M16F9W
HSUPA Band II	23.08	EIRP	0.203	4M16F9W
WCDMA Band IV	21.52	EIRP	0.142	4M15F9W
HSDPA Band IV	24.31	EIRP	0.270	4M16F9W
HSUPA Band IV	22.83	EIRP	0.192	4M16F9W
WCDMA Band V	10.72	ERP	0.012	4M13F9W
HSDPA Band V	12.44	ERP	0.018	4M15F9W
HSUPA Band V	11.71	ERP	0.015	4M13F9W
LTE-Band 2 (Bandwidth 1.4MHz) QPSK	18.87	EIRP	0.077	1M10G7D
LTE-Band 2 (Bandwidth 1.4MHz) 16QAM	19.06	EIRP	0.081	1M10D7W
LTE-Band 2 (Bandwidth 3MHz) QPSK	19.23	EIRP	0.084	2M70G7D
LTE-Band 2 (Bandwidth 3MHz) 16QAM	19.33	EIRP	0.086	2M71D7W
LTE-Band 2 (Bandwidth 5MHz) QPSK	19.17	EIRP	0.083	4M51G7D
LTE-Band 2 (Bandwidth 5MHz) 16QAM	19.18	EIRP	0.083	4M51D7W
LTE-Band 2 (Bandwidth 10MHz) QPSK	19.63	EIRP	0.092	9M02G7D
LTE-Band 2 (Bandwidth 10MHz) 16QAM	19.01	EIRP	0.080	8M96D7W
LTE-Band 2 (Bandwidth 15MHz) QPSK	19.34	EIRP	0.086	13M5G7D
LTE-Band 2 (Bandwidth 15MHz) 16QAM	19.62	EIRP	0.092	13M5D7W
LTE-Band 2 (Bandwidth 20MHz) QPSK	19.60	EIRP	0.091	18M0G7D
LTE-Band 2 (Bandwidth 20MHz) 16QAM	19.55	EIRP	0.090	18M0D7W
LTE-Band 4 (Bandwidth 1.4MHz) QPSK	18.87	EIRP	0.077	1M10G7D
LTE-Band 4 (Bandwidth 1.4MHz) 16QAM	19.06	EIRP	0.081	1M10D7W
LTE-Band 4 (Bandwidth 3MHz) QPSK	19.23	EIRP	0.084	2M71G7D
LTE-Band 4 (Bandwidth 3MHz) 16QAM	19.33	EIRP	0.086	2M71D7W
LTE-Band 4 (Bandwidth 5MHz) QPSK	19.17	EIRP	0.083	4M51G7D
LTE-Band 4 (Bandwidth 5MHz) 16QAM	19.18	EIRP	0.083	4M51D7W
LTE-Band 4 (Bandwidth 10MHz) QPSK	19.63	EIRP	0.092	9M01G7D
LTE-Band 4 (Bandwidth 10MHz) 16QAM	19.01	EIRP	0.080	8M96D7W
LTE-Band 4 (Bandwidth 15MHz) QPSK	19.34	EIRP	0.086	13M5G7D
LTE-Band 4 (Bandwidth 15MHz) 16QAM	19.62	EIRP	0.092	13M5D7W
LTE-Band 4 (Bandwidth 20MHz) QPSK	19.60	EIRP	0.091	18M0G7D
LTE-Band 4 (Bandwidth 20MHz) 16QAM	19.55	EIRP	0.090	18M0D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別夭。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



	dBm		W	Type of Emission
LTE-Band 5 (Bandwidth 1.4MHz) QPSK	15.62	ERP	0.036	1M10G7D
LTE-Band 5 (Bandwidth 1.4MHz) 16QAM	15.21	ERP	0.033	1M10D7W
LTE-Band 5 (Bandwidth 3MHz) QPSK	15.42	ERP	0.035	2M70G7D
LTE-Band 5 (Bandwidth 3MHz) 16QAM	15.48	ERP	0.035	2M70D7W
LTE-Band 5 (Bandwidth 5MHz) QPSK	15.21	ERP	0.033	4M51G7D
LTE-Band 5 (Bandwidth 5MHz) 16QAM	16.18	ERP	0.041	4M51D7W
LTE-Band 5 (Bandwidth 10MHz) QPSK	14.94	ERP	0.031	9M01G7D
LTE-Band 5 (Bandwidth 10MHz) 16QAM	15.89	ERP	0.039	8M97D7W
LTE-Band 7 (Bandwidth 5MHz) QPSK	22.11	EIRP	0.163	4M53G7D
LTE-Band 7 (Bandwidth 5MHz) 16QAM	21.98	EIRP	0.158	4M52D7W
LTE-Band 7 (Bandwidth 10MHz) QPSK	22.52	EIRP	0.179	9M01G7D
LTE-Band 7 (Bandwidth 10MHz) 16QAM	22.44	EIRP	0.175	8M96D7W
LTE-Band 7 (Bandwidth 15MHz) QPSK	22.36	EIRP	0.172	13M5G7D
LTE-Band 7 (Bandwidth 15MHz) 16QAM	22.80	EIRP	0.191	13M5D7W
LTE-Band 7 (Bandwidth 20MHz) QPSK	22.60	EIRP	0.182	17M9G7D
LTE-Band 7 (Bandwidth 20MHz) 16QAM	22.11	EIRP	0.163	18M0D7W
LTE-Band 12 (Bandwidth 1.4MHz) QPSK	14.97	ERP	0.031	1M10G7D
LTE-Band 12 (Bandwidth 1.4MHz) 16QAM	14.77	ERP	0.030	1M10D7W
LTE-Band 12 (Bandwidth 3MHz) QPSK	15.12	ERP	0.033	2M70G7D
LTE-Band 12 (Bandwidth 3MHz) 16QAM	14.75	ERP	0.030	2M70D7W
LTE-Band 12 (Bandwidth 5MHz) QPSK	14.70	ERP	0.030	4M52G7D
LTE-Band 12 (Bandwidth 5MHz) 16QAM	14.56	ERP	0.029	4M52D7W
LTE-Band 12 (Bandwidth 10MHz) QPSK	14.88	ERP	0.031	9M03G7D
LTE-Band 12 (Bandwidth 10MHz) 16QAM	14.70	ERP	0.030	8M95D7W
LTE-Band 17 (Bandwidth 5MHz) QPSK	16.44	ERP	0.044	4M52G7D
LTE-Band 17 (Bandwidth 5MHz) 16QAM	16.51	ERP	0.045	4M59D7W
LTE-Band 17 (Bandwidth 10MHz) QPSK	16.00	ERP	0.040	9M10G7D
LTE-Band 17 (Bandwidth 10MHz) 16QAM	15.60	ERP	0.036	9M12D7W
LTE-Band 38 (Bandwidth 5MHz) QPSK	28.36	EIRP	0.685	4M21G7D
LTE-Band 38 (Bandwidth 5MHz) 16QAM	27.89	EIRP	0.615	4M51D7W
LTE-Band 38 (Bandwidth 10MHz) QPSK	28.39	EIRP	0.690	8M99G7D
LTE-Band 38 (Bandwidth 10MHz) 16QAM	27.63	EIRP	0.579	8M98D7W
LTE-Band 38 (Bandwidth 15MHz) QPSK	28.02	EIRP	0.634	13M5G7D
LTE-Band 38 (Bandwidth 15MHz) 16QAM	27.66	EIRP	0.583	13M5D7W
LTE-Band 38 (Bandwidth 20MHz) QPSK	26.58	EIRP	0.455	18M0G7D
LTE-Band 38 (Bandwidth 20MHz) 16QAM	26.35	EIRP	0.432	18M0D7W



1.2. Test Methodology of Applied Standards

FCC 47 CFR Part 2, 22, 24, 27

ANSI / TIA / EIA 603-E-2016

KDB971168 D01 Power Meas license Digital System

KDB941225 of the Output power Procedure of (SAR Measurement Procedures for 3G

Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

1.3. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan. (TAF code 0513)

FCC Registration Numbers are: 509634

1.4. Special Accessories

No special accessories were used during testing.

1.5. Equipment Modifications

There were no modifications incorporated into the EUT.

1.6. Class II Permissive Change

This report includes test data that fully referred from the original authorization FCC ID: 2AJOTTA-1035. Grant Date: 08/07/2017 and 09/05/2017. Exhibition: PCE Test report ER-2017-60078 and ER-2017-60078-01.

RSE spot check data has been included in this report to apply for C2PC as an attestation that the modification does not impact compliance.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅係留90天。本報告未經本公司書面許可,不可部份複製。



2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured TIA/EIA 603-E-2016, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured TIA/EIA 603-E-2016, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the re-ceiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the rela-tive positions of this hand-held transmitter (EUT) was rotated through three orthog-onal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example with cable loss 1 dB for low band and 1 for high band with 10 dB attenuator and 3.2 splitter.

Low Band: Offset = RF cable loss (dB) + attenuation factor(dB) =3.8+10=13.8(dB)

High Band: Offset = RF cable loss (dB) + attenuation factor(dB) =4+10=14(dB)

2.5. Final Amplifier Voltage and Current Information:

Test mode	DC voltage (V)	DC current (mA)
GSM 850	3.8	316
GSM 1900	3.8	206
GPRS 850	3.8	325
GPRS 1900	3.8	222
EDGE 850	3.8	337
EDGE 1900	3.8	207
WCDMA B2	3.8	332
WCDMA B4	3.8	206
WCDMA B5	3.8	325
HSUPA B2	3.8	226
HSUPA B4	3.8	343
HSUPA B5	3.8	231
HSDPA B2	3.8	333
HSDPA B4	3.8	239
HSDPA B5	3.8	348

LTE Band 2

Test mode	DC voltage (V)	DC current (mA)
LTE Band 2_1.4M QPSK	3.8	729
LTE Band 2_1.4M 16QAM	3.8	641
LTE Band 2_3M QPSK	3.8	736
LTE Band 2_3M 16QAM	3.8	658
LTE Band 2_5M QPSK	3.8	736
LTE Band 2_5M 16QAM	3.8	664
LTE Band 2_10M QPSK	3.8	720
LTE Band 2_10M 16QAM	3.8	651
LTE Band 2_15M QPSK	3.8	732
LTE Band 2_15M 16QAM	3.8	660
LTE Band 2_20M QPSK	3.8	708
LTE Band 2_20M 16QAM	3.8	640

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



LTE Band 4

Test mode	DC voltage (V)	DC current (mA)
LTE Band 4_1.4M QPSK	3.8	656
LTE Band 4_1.4M 16QAM	3.8	605
LTE Band 4_3M QPSK	3.8	660
LTE Band 4_3M 16QAM	3.8	615
LTE Band 4_5M QPSK	3.8	641
LTE Band 4_5M 16QAM	3.8	588
LTE Band 4_10M QPSK	3.8	639
LTE Band 4_10M 16QAM	3.8	608
LTE Band 4_15M QPSK	3.8	628
LTE Band 4_15M 16QAM	3.8	579
LTE Band 4_20M QPSK	3.8	635
LTE Band 4_20M 16QAM	3.8	594

LTE Band 5

Test mode	DC voltage (V)	DC current (mA)
LTE Band 5_1.4M QPSK	3.85	719
LTE Band 5_1.4M 16QAM	3.85	678
LTE Band 5_3M QPSK	3.85	733
LTE Band 5_3M 16QAM	3.85	654
LTE Band 5_5M QPSK	3.85	759
LTE Band 5_5M 16QAM	3.85	681
LTE Band 5_10M QPSK	3.85	724
LTE Band 5_10M 16QAM	3.85	692

LTE Band 7

Test mode	DC	DC
	voltage	current
	(V)	(mA)
LTE Band 7_5M QPSK	3.8	732
LTE Band 7_5M 16QAM	3.8	655
LTE Band 7_10M QPSK	3.8	741
LTE Band 7_10M 16QAM	3.8	633
LTE Band 7_15M QPSK	3.8	771
LTE Band 7_15M 16QAM	3.8	665
LTE Band 7_20M QPSK	3.8	711
LTE Band 7_20M 16QAM	3.8	671

I TF Band 12

Test mode	DC voltage (V)	DC current (mA)
LTE Band 12_1.4M QPSK	3.8	462
LTE Band 12_1.4M 16QAM	3.8	431
LTE Band 12_3M QPSK	3.8	486
LTE Band 12_3M 16QAM	3.8	448
LTE Band 12_5M QPSK	3.8	474
LTE Band 12_5M 16QAM	3.8	444
LTE Band 12_10M QPSK	3.8	458
LTE Band 12_10M 16QAM	3.8	419

LTE Band 17

Test mode	DC	DC
	voltage	current
	(V)	(mA)
LTE Band 17_5M QPSK	3.8	28
LTE Band 17_5M 16QAM	3.8	402
LTE Band 17_10M QPSK	3.8	449
LTE Band 17_10M 16QAM	3.8	414

LTE Band 38

Test mode	DC	DC
	voltage	current
	(V)	(mA)
LTE Band 38_5M QPSK	3.8	349
LTE Band 38_5M 16QAM	3.8	301
LTE Band 38_10M QPSK	3.8	322
LTE Band 38_10M 16QAM	3.8	289
LTE Band 38_15M QPSK	3.8	311
LTE Band 38_15M 16QAM	3.8	294
LTE Band 38_20M QPSK	3.8	317
LTE Band 38_20M 16QAM	3.8	288



2.6. Configuration of Tested System







Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)



Remote Side



Table 2-1 Equipment Used in

ltem	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Communication Tester	R&S	CMU200	102189	shielded	Un-shielded
2.	Universal Radio Communication Tester	Anritsu	MT8820C	6200307563	shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document and offenders may here produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may he prosecuted to the fully extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046	RF Power Output	Compliant
§2.1046(a) §22.913(a)(2) §24.232(c) §27.50(c)(9)(10) §27.50(d)(4) §27.50(h)(2)	ERP/ EIRP measure- ment	Compliant
§2.1049(h)	99% & 26dB Oc- cuupied Bandwidth	Compliant
§2.1051 §22.917(a) §24.238(a) §27.53(g) §27.53(h) §27.53(m)(4)(6)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
§2.1053 §22.917(a) §24.238(a) §27.53(g) §27.53(h) §27.53(m)	Field Strength of Spu- rious Radiation	Compliant
§24.232(d) §27.50(b)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54	Frequency Stability	Compliant



4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION and Wireless charging Cover
GSM/GPRS/EDGE 850	E2-plan	E2-plan
GSM/GPRS/EDGE 1900	H-plan	H-plan
WCDMA/HSPA Band II	H-plan	H-plan
WCDMA/HSPA Band IV	H-plan	H-plan
WCDMA/HSPA Band V	E2-plan	E2-plan
LTE Band 2	H-plan	H-plan
LTE Band 4	H-plan	H-plan
LTE Band 5	E2-plan	E2-plan
LTE Band 7	H-plan	H-plan
LTE Band 12	E2-plan	E2-plan
LTE Band 17	E2-plan	E2-plan
LTE Band 38	H-plan	H-plan



GSM/GPRS/EDGE MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
EIRP	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
FREQUENCY STABILITY	128 to 251	190	GPRS 850
	512 to 810	661	GPRS 1900
OCCUPIED BANDWIDTH	128 to 251	190	GSM/GPRS/EDGE 850
	512 to 810	661	GSM/GPRS/EDGE 1900
PEAK TO AVERAGE RATIO	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
BAND EDGE	128 to 251	128, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 810	GSM/GPRS/EDGE 1900
CONDCUDETED EMISSION	128 to 251	128, 190, 251	GSM/GPRS/EDGE 850
	512 to 810	512, 661, 810	GSM/GPRS/EDGE 1900
RADIATED EMISSION	128 to 251	128, 190, 251	GSM 850
	512 to 810	512, 661, 810	GPRS 1900

WCDMA/HSPA MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	MODE
ERP	4132 to 4233	4132, 4183, 4233	WCDMA/HSPA Band V
EIRP	9262 to 9538 1312 to 1513	9262, 9400, 9583 1312, 1413, 1513	WCDMA/HSPA Band II WCDMA/HSPA Band IV
FREQUENCY STABILITY	4132 to 4233 1312 to 1513 9262 to 9538	4183 1413 9400	WCDMA Band II WCDMA Band IV WCDMA Band V
OCCUPIED BANDWIDTH	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA/HSPA Band II WCDMA/HSPA Band IV WCDMA/HSPA Band V
PEAK TO AVERAGE RATIO	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA/HSPA Band II WCDMA/HSPA Band IV WCDMA/HSPA Band V
BAND EDGE	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4233 1312, 1513 9262, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
CONDCUDETED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	WCDMA Band II WCDMA Band IV WCDMA Band V
RADIATED EMISSION	4132 to 4233 1312 to 1513 9262 to 9538	4132, 4183, 4233 1312, 1413, 1513 9262, 9400, 9583	HSDPA Band II HSUPA Band IV WCDMA Band V

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. documents in subcarrier cannot be reproduced provident of the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號

台灣檢驗科技股份有限公司



LTE Band 2 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE	
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest	
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest	
	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest	
EIRP	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest	
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest	
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest	
FREQUENCY STABILITY	18650 to 19150	18900	10MHz	QPSK,	Full RB	
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK, 16QAM	Full RB	
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK, 16QAM	Full RB	
OCCUPIED	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	Full RB	
BANDWIDTH	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	Full RB	
Brand Wild III	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	Full RB	
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	Full RB	
	18607 to 19193	18607, 18900, 19193	1.4MHz	16QAM	Full RB	
	18615 to 19185	18615, 18900, 19185	3MHz	16QAM	Full RB	
PEAK TO AV-	18625 to 19175	18625, 18900, 19175	5MHz	16QAM	Full RB	
ERAGE RATIO	18650 to 19150	18650, 18900, 19150	10MHz	16QAM	Full RB	
	18675 to 19125	18675, 18900, 19125	15MHz	16QAM	Full RB	
	18700 to 19100	18700, 18900, 19100	20MHz	16QAM	Full RB	
	18607 to 19193	18607, 19193	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB	
	18615 to 19185	18615, 19185	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB	
BAND EDGE	18625 to 19175	18625, 19175	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB	
DANDEDOL	18650 to 19150	18650, 19150	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB	
	18675 to 19125	18675, 19125	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB	
	18700 to 19100	18700, 19100	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB	
	18607 to 19193	18607, 18900, 19193	1.4MHz	QPSK,	1 RB, 0 RB Offest	
	18615 to 19185	18615, 18900, 19185	3MHz	QPSK,	1 RB, 0 RB Offest	
CONDCUDETED	18625 to 19175	18625, 18900, 19175	5MHz	QPSK,	1 RB, 0 RB Offest	
EMISSION	18650 to 19150	18650, 18900, 19150	10MHz	QPSK,	1 RB, 0 RB Offest	
	18675 to 19125	18675, 18900, 19125	15MHz	QPSK,	1 RB, 0 RB Offest	
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK,	1 RB, 0 RB Offest	
RADIATED EMISSION	18625 to 19175	18625, 18900, 19175	5MHz	QPSK	1 RB, 0 RB Offest	



LTE Band 4 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	1 DD/0 5 DD Offeet
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest 1 RB/ 0,14 RB Offest
			5MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
EIRP	19975 to 20375	19975, 20175, 20375		,	,
	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
EDEOUENOV	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20000 to 20350	20175	10MHz	QPSK,	Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK, 16QAM	Full RB
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK, 16QAM	Full RB
OCCUPIED	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	16QAM	Full RB
	19965 to 22385	19965, 20175, 22385	3MHz	16QAM	Full RB
PEAK TO AV-	19975 to 20375	19975, 20175, 20375	5MHz	16QAM	Full RB
ERAGE RATIO	20000 to 20350	20000, 20175, 20350	10MHz	16QAM	Full RB
	20025 to 20325	20025, 20175, 20325	15MHz	16QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	16QAM	Full RB
	19957 to 19393	19957, 19393	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
	19965 to 22385	19965, 22385	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	19975 to 20375	19975, 20375	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
DANDEDGE	20000 to 20350	20000, 20350	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	20025 to 20325	20025, 20325	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	20050 to 20300	20050, 20300	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
	19957 to 19393	19957, 20175, 19393	1.4MHz	QPSK,	1 RB, 0 RB Offest
	19965 to 22385	19965, 20175, 22385	3MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	19975 to 20375	19975, 20175, 20375	5MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	20000 to 20350	20000, 20175, 20350	10MHz	QPSK,	1 RB, 0 RB Offest
	20025 to 20325	20025, 20175, 20325	15MHz	QPSK,	1 RB, 0 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	19965 to 22385	19965, 20175, 22385	3MHz	16QAM,	1 RB, 0 RB Offest



LTE Band 5 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE	
	20407 to 20643	20407, 20525, 20643	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest	
ERP	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest	
	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest	
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest	
FREQUENCY STABILITY	20450 to 20600 20525 10MHz		QPSK,	Full RB		
	20407 to 20643	20407, 20525, 20643	1.4MHz	QPSK, 16QAM	Full RB	
OCCUPIED	20415 to 20635	20415, 20525, 20635	3MHz	QPSK, 16QAM	Full RB	
BANDWIDTH	20425 to 20625	20425, 20525, 20625	5MHz	QPSK, 16QAM	Full RB	
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK, 16QAM	Full RB	
	20407 to 20643	20407, 20525, 20643	1.4MHz	16QAM	Full RB	
PEAK TO AV-	20415 to 20635	20415, 20525, 20635	3MHz	16QAM	Full RB	
ERAGE RATIO	20425 to 20625	20425, 20525, 20625	5MHz	16QAM	Full RB	
	20450 to 20600	20450, 20525, 20600	10MHz	16QAM	Full RB	
	20407 to 20643	20407, 20643	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB	
	20415 to 20635	20415, 20635	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB	
BAND EDGE	20425 to 20625	20425, 20625	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB	
	20450 to 20600	20450, 20600	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB	
	20407 to 20643	20407, 20525, 20643	1.4MHz	QPSK,	1 RB, 0 RB Offest	
CONDCUDETED	20415 to 20635	20415, 20525, 20635	3MHz	QPSK,	1 RB, 0 RB Offest	
EMISSION	20425 to 20625	20425, 20525, 20625	5MHz	QPSK,	1 RB, 0 RB Offest	
	20450 to 20600	20450, 20525, 20600	10MHz	QPSK,	1 RB, 0 RB Offest	
RADIATED EMISSION	20425 to 20625	20425, 20525, 20625	5MHz	16QAM	1 RB/ 0 RB Offest	



LTE Band 7 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
EIRP	20800 to 21400	20800, 21100, 21400	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
LIKF		20850, 21100, 21375	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20800 to 21400	21100	10MHz	QPSK,	Full RB
		20775, 21100, 21425	5MHz	QPSK, 16QAM	Full RB
OCCUPIED		20800, 21100, 21400	10MHz	QPSK, 16QAM	Full RB
BANDWIDTH		20850, 21100, 21375	15MHz	QPSK, 16QAM	Full RB
		20850, 21100, 21350	20MHz	QPSK, 16QAM	Full RB
		20775, 21100, 21425	5MHz	16QAM	Full RB
PEAK TO AV-		20800, 21100, 21400	10MHz	16QAM	Full RB
ERAGE RATIO		20850, 21100, 21375	15MHz	16QAM	Full RB
	20850 to 21350	20850, 21100, 21350	20MHz	16QAM	Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
BAND EDGE	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	20850 to 21350	20850, 21100, 21350	20MHz QPSK,		1 RB/ 0,99 RB Offest Full RB
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB, 0 RB Offest
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB, 0 RB Offest
	20775 to 21425	20775, 21100, 21425	5MHz	QPSK,	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
EMISSION	20800 to 21400	20800, 21100, 21400	10MHz	QPSK,	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
MASK	20850 to 21375	20850, 21100, 21375	15MHz	QPSK,	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	20850 to 21350	20850, 21100, 21350	20MHz	QPSK,	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset



LTE Band 12 MODE

TEST ITEM	AVAILABLE CHANNEL	CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	1 RB/ 0,5 RB Offest
ERP	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	1 RB/ 0,14 RB Offest
	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23060 to 23130	23095	10MHz	QPSK,	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK, 16QAM	Full RB
OCCUPIED	23025 to 23165	23025, 23095, 23165	3MHz	QPSK, 16QAM	Full RB
BANDWIDTH	23035 to 23155	23035, 23095, 23155	5MHz	QPSK, 16QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK, 16QAM	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	16QAM	Full RB
PEAK TO AV-	23025 to 23165	23025, 23095, 23165	3MHz	16QAM	Full RB
ERAGE RATIO	23035 to 23155	23035, 23095, 23155	5MHz	16QAM	Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	16QAM	Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK,	1 RB/ 0,5 RB Offes Full RB
	23025 to 23165	23025, 23095, 23165	3MHz	QPSK,	1 RB/ 0,14 RB Offest Full RB
BAND EDGE	23035 to 23155	23035, 23095, 23155	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
	23017 to 23173	23017, 23095, 23173	1.4MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	23025 to 23165	23025, 23095, 23165	3MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	23035 to 23155	23035, 23095, 23155	5MHz	QPSK,	1 RB, 0 RB Offest
	23060 to 23130	23060, 23095, 23130	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	23035 to 23155	23035, 23095, 23155	5MHz	16QAM	1 RB, 24 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留別夭。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



LTE Band 17 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE				
ERP	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest				
ENF	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest				
FREQUENCY STABILITY	23780 to 23800	23790	10MHz	QPSK,	Full RB				
OCCUPIED	23755 to 23825	23755, 23790, 23825	5MHz	QPSK, 16QAM	Full RB				
BANDWIDTH	23780 to 23800	23780, 23790, 23800	10MHz	QPSK, 16QAM	Full RB				
PEAK TO AV-	23755 to 23825	23755, 23790, 23825	5MHz	16QAM	Full RB				
ERAGE RATIO	23780 to 23800	23780, 23790, 23800	10MHz	16QAM	Full RB				
BAND EDGE	23755 to 23825	23755, 23825	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB				
BAND EDGE	23780 to 23800	23780, 23800	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB				
CONDCUDETED	23755 to 23825	23755, 23790, 23825	5MHz	QPSK,	1 RB, 0 RB Offest				
EMISSION	23780 to 23800	23780, 23790, 23800	10MHz	QPSK,	1 RB, 0 RB Offest				
RADIATED EMISSION	23755 to 23825	23755, 23790, 23825	5MHz	16QAM	1 RB, 0 RB Offest				



LTE Band 38 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	37800 to 38200	37800, 38000, 38200	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
EIRP	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY		37800 , 38000, 38200	10MHz	QPSK,	Full RB
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK, 16QAM	Full RB
OCCUPIED	37800 to 38200	37800, 38000, 38200	10MHz	QPSK, 16QAM	Full RB
BANDWIDTH	37825 to 38175	37825, 38000, 38175	15MHz	QPSK, 16QAM	Full RB
	37850 to 38150	37850, 38000, 38150	20MHz	QPSK, 16QAM	Full RB
	37775 to 38225	37775, 38000, 38225	5MHz	16QAM	Full RB
PEAK TO AV-	37800 to 38200	37800, 38000, 38200	10MHz	16QAM	Full RB
ERAGE RATIO	37825 to 38175	37825 , 38000, 38175	15MHz	16QAM	Full RB
	37850 to 38150	37850 , 38000, 38150	20MHz	16QAM	Full RB
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
DAND EDGE	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	37800 to 38200	37800, 38000, 38200	10MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK,	1 RB, 0 RB Offest
	37850 to 38150	37850, 38000, 38150	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMISSION	37775 to 38225	37775, 38000, 38225	5MHz	QPSK,	1 RB, 0 RB Offest
	37775 to 38225	37775, 38000, 38225	5MHz	QPSK,	1 RB/ 0,24 RB Offest 25 RB/ 0 Offset
EMISSION MASK	37800 to 38200	37800 , 38000, 38200	10MHz	QPSK,	1 RB/ 0,49 RB Offest 50 RB/ 0 Offset
	37825 to 38175	37825 , 38000, 38175	15MHz	QPSK,	1 RB/ 0,74 RB Offest 75 RB/ 0 Offset
	37850 to 38150	37850 , 38000, 38150	20MHz	QPSK,	1 RB/ 0,99 RB Offest 100 RB/ 0 Offset



5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.10 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB
99% Occupied Bandwidth	+/- 5.19 Hz
Out of Band Emissions at Antenna	+/- 0.70 dB
Terminals and Band Edge	
Peak to Average Ratio	+/- 0.70 dB
Frequency Stability vs. Temperature	+/- 5.19 Hz
Frequency Stability vs. Voltage	+/- 5.19 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB		
	30MHz - 180MHz: +/- 3.37dB		
Measurement uncertainty (Polarization : Vertical)	180MHz -417MHz: +/- 3.19dB		
	0.417GHz-1GHz: +/- 3.19dB		
	1GHz - 18GHz: +/- 4.04dB		
	18GHz - 40GHz: +/- 4.04dB		

	9kHz – 30MHz: +/- 2.87 dB
Macaurament uncertainty	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty (Polarization : Horizontal)	167MHz -500MHz: +/- 3.44dB
	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.




6. RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCD-MA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



6.4. Measurement Equipment Used

Conduc	Conducted Emission (measured at antenna port) Test Site										
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.						
TYPE		NUMBER	NUMBER	CAL.							
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017						
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017						
EXA Spectrum Ana- lyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018						
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018						
Coaxial Cable	HU- BER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018						
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018						
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018						
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017						
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018						
Radio Communication Analyzer	R&S	CMU200	102189	02/10/2017	02/09/2018						
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018						

6.5. Measurement Result

RF Conducted Output Power

GSM/GPRS/EDGE (GMSK; 8-PSK) Result:

EUT Mode	Freq. (MHz)	СН	Avg. Power (dBm)
GSM 850	824.2	128	33.54
	836.6	190	33.67
	848.8	251	33.63
GSM 1900	1850.2	512	30.07
	1880.0	661	30.44
1700	1909.8	810	30.82



EUT Mode	Frequency (MHz)	СН	Average Burst Power (1DN 1UP) Class 8 (dBm)	Average Burst Power (1DN 2UP) Class 10 (dBm)	Average Burst Power (1DN 3UP) Class 12 (dBm)	Average Burst Power (1DN 4UP) Class 12 (dBm)
CDDC	824.2	128	33.54	29.18	28.21	26.93
GPRS 850	836.6	190	33.67	29.31	28.33	26.82
030	848.8	251	33.63	29.07	28.31	26.92
CDDC	1850.2	512	30.07	27.99	26.87	25.61
GPRS 1900	1880.0	661	30.44	28.44	26.75	25.46
1700	1909.8	810	30.82	28.5	26.88	25.54
FDOF	824.2	128	26.98	25.95	24.88	23.46
EDGE 850	836.6	190	26.89	25.91	24.25	23.04
030	848.8	251	26.84	25.88	24.25	22.95
	1850.2	512	25.66	25.14	23.92	22.42
EDGE 1900	1880.0	661	26.04	25.34	23.68	22.29
1700	1909.8	810	26.24	25.47	23.7	22.41

WCDMA MODE:

The following tests were completed according to the test requirements outlined in section 5.2 of the 3GPP TS34.121-1 V8.4.0 specification. The EUT supports power Class 3, which has a nominal maximum output power of 24 dBm (+1.7/-3.7). RMC 12.2kps is used for this testing.

Results:

Avg. Power (dBm) Mode Band II Channel			Avg. Power (dBm) Band IV Channel			Avg. Power (dBm) Bnad V Channel			
	9262	9400	9538	1312	1413	1513	4132	4183	4233
WCDMA	23.43	23.05	22.91	24.30	24.32	24.24	24.54	24.55	24.63
HSDPA	22.35	22.06	21.87	23.16	23.14	23.31	23.40	23.30	23.45
HSUPA	22.42	21.70	21.26	23.01	23.11	23.14	23.33	23.23	23.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



LTE Result

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
				Сс	onducted	power(dB	m)					
BW (MHz)	RB	RB		QPSK			16QAM					
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
	SIZE	Unser	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			18607	18900	19193	18607	18900	19193				
	1	0	23.18	22.89	22.77	21.98	22.37	21.52				
1.4	1	5	23.23	23.02	22.64	22.39	21.48	22.04				
1.4	3	2	23.34	22.99	22.67	22.42	22.10	22.10				
	6	0	22.26	21.92	21.67	21.21	20.69	20.58				

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
			Conducted power(dBm)									
BW (MHz)	RB	RB		QPSK			16QAM					
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(IVIFIZ)	SIZE	Unser	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			18625	18900	19175	18625	18900	19175				
	1	0	23.19	22.93	22.63	22.29	22.49	21.71				
5	1	24	23.18	22.89	22.87	22.14	21.83	22.25				
5	12	6	22.21	21.88	21.65	21.21	20.84	20.61				
	25	0	22.18	21.86	21.68	21.16	20.84	20.80				

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz											
				Сс	onducted	power(dB	m)					
BW (MHz)	RB	RB		QPSK			16QAM					
	Size	Offset	Channel	Channel	Channel	Channel	Channel	M el Channel (High)) 19125 22.12 21.95				
	OIZE	Unser	(Low)	(Mid)	(High)	(Low)	(Mid)	nel Channel d) (High) 00 19125 7 22.12				
	Size		18675	18900	19125	18675	18900	19125				
	1	0	23.26	22.89	22.77	22.50	21.87	22.12				
15	1	74	23.09	22.83	22.85	22.47	22.03	21.95				
15	36	19	22.19	21.86	21.74	21.27	20.84	20.71				
	75	0	22.16	21.85	21.78	21.32	20.90	20.73				

	LTE E	Band 2_U	lplink fre	quency b	and : 185	i0 to 1910) MHz			
	RB RB Size Offse			Conducted power(dBm)						
BW (MHz)		DD		QPSK			16QAM	QAM annel Channel Mid) (High) 3900 19185 2.09 22.14 1.87 21.46 1.02 20.99		
			Channel	Channel	Channel	Channel	Channel	Channel		
		Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			18615	18900	19185	18615	18900	19185		
	1	0	22.93	22.88	22.64	22.04	22.09	22.14		
3	1	14	23.18	22.89	22.74	22.17	21.87	21.46		
5	8	4	22.22	21.89	21.77	21.27	21.02	20.99		
	15	0	22.13	21.88	21.65	21.17	20.87	20.84		

	LTE E	Band 2_U	plink free	quency b	and : 185	i0 to 1910) MHz			
			Conducted power(dBm)							
BW (MHz)	RB RB	RB		QPSK			16QAM	6QAM hannel Channel (Mid) (High) 8900 19150 21.70 21.76 22.41 21.99 21.14 20.67		
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel		
	SIZE	de Onset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			18650	18900	19150	18650	18900	19150		
	1	0	23.09	22.91	22.60	22.37	21.70	21.76		
10	1	49	23.40	22.94	22.85	22.45	22.41	21.99		
10	25	12	22.20	21.96	21.81	21.30	21.14	20.67		
	50	0	22.22	21.95	21.77	21.39	20.96	20.73		

	LTE E	Band 2_U	Iplink fre	quency b	and : 185	50 to 1910) MHz				
				Conducted power(dBm)							
BW (MHz)	RB	RB		QPSK			16QAM	AM nel Channel d) (High) 00 19100 0 22.05 6 22.21 4 20.61			
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
		Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			18700	18900	19100	18700	18900	19100			
	1	0	23.41	22.89	22.87	22.48	21.90	22.05			
20	1	99	22.99	22.84	22.50	21.29	22.06	22.21			
20	50	25	22.22	21.84	21.71	21.09	20.94	20.61			
	100	0	22.05	21.78	21.74	21.17	20.90	20.63			



	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz										
			Conducted power(dBm)								
BW (MHz)	RB	RB		QPSK			16QAM	1 el Channel (High)			
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
	OIZE	Unser	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			19957	20175	20393	19957	20175	20393			
	1	0	22.96	22.91	22.99	22.07	22.06	22.36			
1.4	1	5	22.90	22.81	22.98	22.06	21.67	22.44			
1.4	3	2	23.02	23.02	23.04	21.90	21.80	22.12			
	6	0	22.06	22.09	22.16	20.85	20.85	20.92			

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
			Conducted power(dBm)									
BW (MHz)	RB	RB		QPSK		(16QAM					
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
			(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			19965	20175	20385	19965	20175	20385				
	1	0	23.28	23.00	23.06	22.50	22.53	22.74				
3	1	14	23.20	22.88	23.12	22.18	22.01	22.23				
5	8	4	22.07	22.08	22.14	20.81	20.86	21.28				
	15	0	21.98	22.08	22.07	20.99	21.23	21.35				

	LTE E	Band 4_	Uplink fr	equency	band : 17	710 to 17	55 MHz			
				Conducted power(dBm)						
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel		
(11112)	SIZE	Unser	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)		
			19975	20175	20375	19975	20175	20375		
	1	0	23.13	22.96	22.89	21.98	22.73	22.46		
5	1	24	23.09	22.91	23.07	22.38	22.31	22.67		
5	12	6	22.00	21.94	22.15	21.11	20.97	21.10		
	25	0	22.08	21.98	22.07	21.32	21.03	21.28		

	LTE	Band 4_L	Jplink free	quency ba	and : 1710	to 1755 I	MHz		
			Conducted power(dBm)						
BW (MHz)	RB	RB		QPSK			16QAM		
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel	
	SIZE	Unset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	
			20000	20175	20350	20000	20175	20350	
	1	0	23.09	22.92	23.12	21.81	21.89	22.52	
10	1	49	23.24	22.72	22.99	22.66	21.83	22.16	
10	25	12	22.22	22.09	22.14	21.20	21.25	21.08	
	50	0	22.07	22.05	22.04	21.17	21.05	21.12	

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz										
			Conducted power(dBm)								
BW (MHz)	RB	RB		QPSK			16QAM	M nel Channel (High) 75 20325 4 22.24 2 22.17 3 21.16			
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(11112)	SIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20025	20175	20325	20025	20175	20325			
	1	0	23.11	23.15	23.05	22.49	22.74	22.24			
15	1	74	23.15	22.81	23.05	22.44	21.92	22.17			
10	36	19	22.23	21.98	22.12	21.26	21.03	21.16			
	75	0	22.31	22.01	22.14	21.17	21.13	21.09			

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz										
				C	onducted	power(dBr	n) 16QAM Channel Channel (Mid) (High) 20175 20300 22.38 22.12				
BW (MHz)	RB	RB		QPSK			16QAM				
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
		Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20050	20175	20300	20050	20175	20300			
	1	0	22.93	23.14	23.06	22.56	22.38	22.12			
20	1	99	22.92	22.83	22.82	22.05	21.58	22.12			
20	50	25	22.16	22.01	22.18	21.09	20.99	21.07			
	100	0	22.08	22.07	22.06	21.10	21.10	21.12			



	LTE Band 5_Uplink frequency band : 824 to 849 MHz										
				Сс	onducted	power(dB	m)	M lel Channel) (High) 5 20643) 22.57 7 22.77 7 21.97			
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	el Channel Channel				
(11112)	0120	ize Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20407	20525	20643	20407	20525	20643			
	1	0	23.12	23.03	23.30	22.51	21.89	22.57			
1.4	1	5	23.15	23.22	23.19	22.12	22.37	22.77			
1.4	3	2	22.81	22.90	22.83	21.82	21.97	21.97			
	6	0	22.27	22.17	22.14	20.93	20.86	21.08			

	LTE Band 5_Uplink frequency band : 824 to 849 MHz										
			Conducted power(dBm)								
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	annel Channel Chann				
(11112)	SIZE	Unser	(Low)	(Mid)	(High)	(Low)	v) (Mid) (Hig	(High)			
			20425	20525	20625	20425	20525	20625			
	1	0	23.05	23.18	23.19	22.34	22.39	22.69			
5	1	24	23.32	23.42	23.45	22.29	22.19	22.59			
5	12	6	22.28	22.21	22.23	21.28	21.06	21.23			
	25	0	22.36	22.24	22.29	21.38	21.25	21.36			

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz										
				Conducted power(dBm)							
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(1011 12)	SIZE	Uliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20775	21100	21425	20775	21100	21425			
	1	0	22.50	22.38	22.59	21.38	21.54	21.92			
5	1	24	22.44	22.51	22.45	21.73	21.48	21.83			
5	12	6	21.46	21.27	21.60	20.32	20.33	20.52			
	25	0	21.37	21.31	21.53	20.33	20.28	20.46			

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz										
			Conducted power(dBm)								
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(11112)	SIZE	Unser	(Low)	(Mid)	(High)	(Low)	(Mid) (Hi	(High)			
			20825	21100	21375	20825	21100	21375			
	1	0	22.47	22.44	22.42	21.51	21.64	21.30			
15	1	74	22.41	22.25	22.45	21.63	20.94	21.38			
15	36	19	21.26	21.31	21.50	20.32	20.20	20.44			
	75	0	21.33	21.28	21.46	20.25	20.26	20.51			

· · · · · · · · · · · · · · · · · · ·											
	L	TE Band	5_Uplink	frequency	band : 82	4 to 849 N	IHz				
				Conducted power(dBm)							
BW	RB	RB		16QAM							
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(11112)	Size	Unser	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20415	20525	20635	20415	20525	20635			
	1	0	23.41	23.18	23.50	22.48	22.55	22.77			
3	1	14	23.38	23.37	23.50	22.51	22.46	22.45			
5	8	4	22.27	22.16	22.33	20.95	21.12	21.26			
	15	0	22.29	22.13	22.36	21.03	21.18	21.21			

	L	TE Band	5_Uplink	frequency	band : 82	4 to 849 N	lHz		
			Conducted power(dBm)						
BW	RB	RB		QPSK	SK 16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel	
(11112)	SIZE	oize Olisei	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	
			20450	20525	20600	20450	20525	20600	
	1	0	23.27	23.33	23.34	22.47	22.81	22.73	
10	1	49	22.98	23.05	23.17	22.24	22.14	22.33	
10	25	12	22.39	22.18	22.42	21.33	21.24	21.55	
	50	0	22.38	22.17	22.31	21.35	21.08	21.16	

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz										
			Conducted power(dBm)								
BW (MHz)	RB	RB		QPSK			16QAM				
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(1011 12)	SIZE	Uliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20800	21100	21400	20800	21100	21400			
	1	0	22.52	22.33	22.35	21.71	21.80	21.93			
10	1	49	22.37	22.50	22.60	21.39	21.60	21.70			
	25	12	21.36	21.32	21.62	20.60	20.28	20.50			
	50	0	21.44	21.31	21.58	20.30	20.18	20.49			

	LTE Band 7_Uplink frequency band : 2500 to 2570 MHz										
				C	Conducted	power(dBn	n)				
BW	RB	RB		QPSK			16QAM				
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(1011 12)	Size	Unser	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			20850	21100	21350	20850	21100	21350			
	1	0	22.41	22.88	22.90	21.80	21.67	21.52			
20	1	99	22.38	22.62	22.73	21.82	21.39	21.56			
20	50	25	21.64	21.62	21.87	20.72	20.78	20.93			
	100	0	21.69	21.61	21.98	20.69	20.70	20.85			



	LTE Band 12_Uplink frequency band : 699 to 716 MHz											
			Conducted power(dBm)									
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(11112)	OIZE	Unser	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			23017	23095	23173	23017	23095	23173				
	1	0	23.50	23.49	23.88	22.08	22.78	22.91				
1.4	1	5	23.51	23.36	23.83	22.39	22.84	22.97				
1.4	3	2	23.47	23.35	23.87	22.20	22.45	22.98				
	6	0	22.43	22.54	22.76	21.07	21.40	21.49				

	LTE Band 12_Uplink frequency band : 699 to 716 MHz										
				C	onducted	power(dBn	ו)				
BW (MHz)	RB	RB		QPSK			16QAM				
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel			
(101112)	UIZE	Oliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)			
			23025	23095	23165	23025	23095	23165			
	1	0	23.44	23.65	23.92	22.40	22.74	22.92			
3	1	14	23.42	23.47	23.95	22.71	22.60	22.91			
	8	4	22.40	22.52	22.85	21.11	21.56	21.67			
	15	0	22.30	22.59	22.68	21.60	21.64	21.66			

	LTE Band 12_Uplink frequency band : 699 to 716 MHz											
			Conducted power(dBm)									
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
(1011 12)	OIZE	e Onsei	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			23035	23095	23155	23035	23095	23155				
	1	0	23.15	23.52	23.63	22.61	22.92	22.86				
5	1	24	23.67	23.66	23.75	22.93	22.71	22.93				
5	12	6	22.56	22.51	22.69	21.17	21.54	21.92				
	25	0	22.52	22.54	22.76	21.40	21.52	21.76				

	LTE Band 12_Uplink frequency band : 699 to 716 MHz											
				C	onducted	power(dBn	n)					
BW (MHz)	RB	RB		QPSK			16QAM					
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel				
	SIZE	Olisei	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			23060	23095	23130	23060	23095	23130				
	1	0	23.37	23.25	23.73	22.08	22.85	22.40				
10	1	49	23.51	23.36	23.99	22.25	22.57	22.97				
10	25	12	22.50	22.52	22.77	21.50	21.47	21.98				
	50	0	22.53	22.52	22.71	21.50	21.57	21.87				

	LTE Band 17_Uplink frequency band : 704 to 716 MHz												
			Conducted power(dBm)										
BW (MHz)	RB	RB		QPSK			16QAM						
	Size	Offset	Channel	Channel	Channel	Channel	Channel	Channel					
(11112)	JIZU	UIISCI	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)					
			23755	23790	23825	23755	23790	23825					
	1	0	23.67	23.65	23.96	22.41	22.94	22.91					
5	1	24	23.79	23.81	23.95	22.85	22.92	22.63					
5	12	6	22.74	22.70	22.91	21.54	21.64	21.85					
	25	0	22.81	22.80	22.88	21.65	21.85	21.84					

		LTE Ba	nd 17_Uplin	k frequency	band : 704 to	o 716 MHz						
			Conducted power(dBm)									
D\//	RB	RB		QPSK			16QAM					
BW (MHz)	Size	Offset	Channel (Low) 23780	Channel (Mid) 23790	Channel (High) 23800	Channel (Low) 23780	Channel (Mid) 23790	Channel (High) 23800				
	1	0	23.64	23.68	23.75	22.83	22.42	22.94				
10	1	49	23.98	23.94	23.95	22.92	22.93	22.95				
10	25	12	22.79	22.70	22.80	21.66	21.93	21.74				
	50	0	22.73	22.85	22.86	21.80	21.70	21.74				



Report No.: ER/2017/90151 Page 33 of 357

	LTE Band 38_Uplink frequency band : 2570 to 2620 MHz											
				Conducted power (dBm)								
BW	RB	RB		QPSK			16QAM					
(MHz)	Size	Offset	СН	СН	СН	СН	СН	СН				
	JIZC	Uliset	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			37775	38000	38225	37775	38000	38225				
	1	0	23.31	23.59	23.39	22.57	22.90	22.85				
5	1	24	23.40	23.53	23.21	22.68	22.83	22.32				
5	12	6	22.57	22.66	22.41	21.69	21.82	21.38				
	25	0	22.69	22.74	22.51	21.79	21.91	21.45				

		LTE Ban	d 38_Uplink	frequency b	and : 2570 to	o 2620 MHz						
			Conducted power (dBm)									
BW	RB	RB		QPSK			16QAM					
ылл (MHz)	Size	Offset	СН	СН	СН	СН	СН	СН				
	JIZC	UISEL	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			37800	38000	38200	37800	38000	38200				
	1	0	23.39	23.71	23.45	22.81	22.63	22.60				
10	1	49	23.43	23.48	23.37	22.45	22.81	22.41				
10	25	12	22.78	22.81	22.49	21.66	21.86	21.68				
	50	0	22.51	22.89	22.46	21.64	21.79	21.68				

		LTE Band	d 38_Uplink	k frequency	/ band : 25	70 to 2620	MHz	
)				
DW	RB	RB		QPSK				
BW (MHz)	Size	Offset	СН	СН	СН	СН	СН	СН
(IVITIZ)	SIZE	Ulisel	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
			37825	38000	38175	37825	38000	38175
	1	0	23.46	23.84	23.71	22.60	22.93	22.94
15	1	74	23.65	23.84	23.41	22.82	22.84	22.34
10	36	19	22.66	22.86	22.59	21.72	21.81	21.72
	75	0	22.73	22.75	22.67	21.54	21.61	21.53

		LTE Ban	d 38_Uplink	frequency b	and : 2570 to	o 2620 MHz						
			Conducted power (dBm)									
BW (MHz)	RB	חח		QPSK			16QAM					
	Size	RB Offset	CH	СН	СН	СН	СН	СН				
	Size	Ulisel	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)				
			37850	38000	38150	37850	38000	38150				
	1	0	23.46	23.85	23.70	22.85	22.96	22.92				
20	1	99	23.47	23.39	23.26	22.70	22.76	22.34				
20	50	25	22.76	22.90	22.71	21.87	21.83	21.68				
	100	0	22.83	22.74	22.66	21.73	21.76	21.61				



HSDPA Release 6 MODE:

The following 4 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C10.1.4 & C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing.

HSDPA SUB-TEST Setting

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH(FOR HSDPA)

Sub-test	βc	βd	β _d (SF)			CM (dB) (Note 3)	MPR (dB) (Note 3)	RMC (Kbps)
1	2/15	15/15	64	2/15	4/15	0.0	0.0	12.2
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0	12.2
3	15/15	8/15	64	15/8	30/15	1.5	0.5	12.2
4	15/15	4/15	64	15/4	30/15	1.5	0.5	12.2

Note: The recommended HSDPA MPRs are implemented as per following sub-tests. Results:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Mode	Sub test	Avg	. Power (d Channel	lBm)	Pow Limita	Result		
	1651	9262	9400	9538			(ubiii)	
	1	22.35	22.06	21.87	20.3	~	25.7	Pass
HSDPA	2	21.83	21.57	21.47	20.3	~	25.7	Pass
Ш	3	21.98	21.73	21.44	19.8	~	25.7	Pass
	4	21.97	21.71	21.43	19.8	~	25.7	Pass

Mode	Sub test	Avg	. Power (d Channel	IBm)	Pow Limita	Result		
	1651	1312	1413	1513				
	1	23.16	23.14	23.31	20.3	~	25.7	Pass
HSDPA	2	22.73	22.61	22.80	20.3	~	25.7	Pass
IV	3	22.77	22.75	22.83	19.8	۲	25.7	Pass
	4	22.66	22.75	22.95	19.8	~	25.7	Pass

Mode	Sub test	Avg	. Power (d Channel	IBm)	Pow Limita	Result		
	1631	4132	4183	4233				
	1	23.40	23.30	23.45	20.3	~	25.7	Pass
HSDPA	2	23.21	23.12	23.17	20.3	~	25.7	Pass
V	3	23.14	23.13	23.06	19.8	~	25.7	Pass
	4	23.14	23.13	23.06	19.8	~	25.7	Pass



HSPA (HSDPA & HSUPA) Release 6 MODE

The following 5 Sub-Tests were completed according to the test requirements outlined in section 5.2A of the 3GPP TS34.121-1 V8.4.0 specification. All TX RMS power requirements for Power Class 3 were met according to table 5.2AA.5 and 5.2B.5 All UE channels and power ratio's are set according to table C11.1.3 in the 3GPP TS34.121-1 V8.4.0. RMC 12.2kps is used for this testing **HSPA SUB-TEST Setting**

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH(FOR HSUPA)

Sub- test	βc	βa	β _d (SF)	βc/βd	βнs	ßec	βed	β _{ed} (SF)	β _{ed} (Code s)	CM (dB)	MPR (dB)	AG Index	E-TFCI	RMC (Kbps)
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/22 5	1309/225	4	1	1.0	0.0	20	75	12.2
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67	12.2
3	15/15	9/15	64	15/9	30/15	30/15	β _{ed} 1: 47/15 β _{ed} 2: 47/15	4 4	2	2.0	1.0	15	92	12.2
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71	12.2
5	15/15 (Note 4)	15/15 (Note 4)	64	15/15 (Note 4)	30/15	24/15	134/15	4	1	1.0	0.0	21	81	12.2

Note: The recommended HSUPA MPRs are implemented as per following sub-tests.

Results:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this

document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Mode Sub test		Avg	. Power (d Channel	IBm)	-	ass 3 (dBm)	Result		
	1631	9262	9400	9538		Limitation (dBm)			
	1	22.42	21.70	21.26	18.8	~	25.7	Pass	
	2	21.44	21.02	20.85	16.8	~	25.7	Pass	
HSUPA II	3	21.08	21.05	20.96	17.8	~	25.7	Pass	
	4	21.56	21.01	20.96	16.8 ~ 25.7		Pass		
	5	22.40	21.90	21.70	18.8	18.8 ~ 25.7			

Mode Sub test		Avg	. Power (d Channel	lBm)	Pow	Result		
	1631	1312	1413	1513	Limitation (dBm)			
	1	23.01	23.11	23.14	20.3	~	25.7	Pass
	2	22.51	22.54	22.73	20.3	~	25.7	Pass
HSDPA IV	3	23.14	23.08	23.04	19.8	~	25.7	Pass
1.	4	23.02	23.03	23.18	19.8	~	25.7	Pass
	5	23.10	23.12	23.19	19.8	~	25.7	Pass

Mode	Sub test	Avg		ass 3 (dBm)	Result			
	1631	4132	4183	4233	Limitation (dBm)			
	1	23.33	23.23	23.28	18.8	2	25.7	Pass
	2	23.03	23.01	23.03	16.8	~	25.7	Pass
HSUPA V	3	23.25	23.15	23.29	17.8	~	25.7	Pass
· ·	4	23.36	23.21	23.33	16.8	2	25.7	Pass
	5	23.39	23.27	23.34	16.8	~	25.7	Pass



Minimum Communications Power Measurement PCS 1900 band

PCL	0	1	2	3	4	5	6	7	8
Output power (dBm)	30.7	28.7	25.9	23.7	22.4	19.6	17.4	15.6	13.3

PCL	9	10	11	12	13	14	15
Output power (dBm)	10.9	9.4	7.3	4.5	2.7	1.5	-0.1

Note: The EUT output power was controlled by simulator. Set Communication Tester MT8820C PCL as above, and get the mobile phone output power reading

WCDMA/HSDPA/HSUPA band II, IV, V

The EUT output power was controlled by simulator. Set Communication Tester MT8820C function key "UE Power Control" and enter max rated power 24dBm. The EUT is going to be set to max output power to 24dBm. Then record the read (see page 15 for measurement data). The min. power was measures by a function key "minimum power" then record the read. It is -52.3dBm. The power variation can be 0.1dB step by setting.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER MEASUREMENT

7.1. Standard Applicable

According to FCC §2.1046

FCC 22.913(a) Mobile station is limited to 7W ERP.

FCC 24.232(c) Mobile and portable stations are limited to 2 W EIRP.


FCC 27.50(c) (10) Portable stations (hand-held devices) is limited to 3 watts ERP.

FCC 27.50(d)(4) Fixed, mobile, and portable (hand-held) stations are limited to 1W EIRP.

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2 W EIRP

7.2. Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below1000MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Chiefs Sofiel wise stated the results shown in this test report reterion only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責, 同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134號



Radiated Power Test Set-UP Frequency Over 1 GHz (B)



(C) Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7.3. Measurement Procedure

- The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
- 3. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated
- 4. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power level of S.G.
- 6. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 7. EIRP = S.G. output (dBm) + Antenna Gain (dBi) Cable Loss (dB)
- 8. Spectrum setting:

(1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.

(2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW ≈ 1~5% of the span, not to exceed 1 MHz

Set VBW = 3 x RBW;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt integration time (ex. Point = 601 points, then sweet time = $601*10^{-3}$ = 6s.

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level:

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7.4. Measurement Equipment Used

ERP, I	EIRP MEASUREM		ENT List 966	Chamber	
EQUIPMENT TYPE	MFR	MODEL	SERIAL	LAST CAL.	CAL DUE.
		NUMBER	NUMBER		
EMI Test Receiver	R&S	ESCI7	100760	05/11/2017	05/10/2018
Spectrum Analyzer	Agilent	E4446A	MY51100003	04/25/2017	04/24/2018
Loop Antenna	ETS-Lindgren	6502	148045	09/20/2016	09/19/2017
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/19/2016	12/18/2017
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/01/2016	07/31/2017
Pre-Amplifier	Agilent	8447D	2944A07676	01/05/2017	01/04/2018
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/05/2017	01/04/2018
Turn Table	HD	DT420	N/A	N.C.R	N.C.R
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R
Low Loss Cable	Huber Suhner	966_RX	9	01/05/2017	01/04/2018
3m Site NSA	SGS	966 chamber	N/A	07/01/2017	06/30/2018
Low Loss Cable	Huber Suhner	966 TX	1	01/05/2017	01/04/2018
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2016	12/11/2017
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/05/2017	01/04/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/10/2017	02/09/2018
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018

Note: The measurement was taken place with the long duration of the time, and additional equipment list as shown above indicate those equipment of which has been subject to undertake the calibration in intermediate period of time of the measurement.

ERP, I	ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber										
EQUIPMENT TYPE	MFR	MODEL	SERIAL	LAST CAL.	CAL DUE.						
		NUMBER	NUMBER								
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/04/2017	08/03/2018						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and diffenders may he prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.



		-		-	-			
	EUT				Measur			
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	824.2	128	V	7.38	3.31	-2.92	7.76	38.45
	024.2	120	Н	14.99	3.31	-2.92	15.37	38.45
GSM	836.6	190	V	7.41	3.29	-2.96	7.74	38.45
850	030.0	190	Н	14.33	3.29	-2.96	14.65	38.45
	848.8	251	V	1.54	3.27	-3.00	1.80	38.45
	040.0	201	Н	15.39	3.27	-3.00	15.65	38.45
	824.2	128	V	9.68	3.31	-2.92	10.06	38.45
	024.2	120	Н	18.77	3.31	-2.92	19.15	38.45
GPRS	836.6	190	V	10.01	3.29	-2.96	10.34	38.45
850	050.0	190	Н	17.56	3.29	-2.96	17.88	38.45
	848.8	251	V	9.05	3.27	-3.00	9.32	38.45
	040.0	201	Н	17.70	3.27	-3.00	17.96	38.45
	824.2	128	V	8.79	3.31	-2.92	9.18	38.45
	024.2	120	Н	16.57	3.31	-2.92	16.95	38.45
EDGE	836.6	190	V	8.65	3.29	-2.96	8.97	38.45
850	030.0	190	Н	15.16	3.29	-2.96	15.48	38.45
	848.8	054	V	6.73	3.27	-3.00	6.99	38.45
	040.0	251	Н	15.82	3.27	-3.00	16.08	38.45

7.5. Measurement Result: (Peak) - using option of peak measurement

Remark: The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz



	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	1850.2	512	V	12.97	9.94	-4.46	18.45	33.00
	1030.2	512	Н	15.92	9.94	-4.46	21.40	33.00
GSM	1880.0	661	V	14.44	10.03	-4.51	19.97	33.00
1900	1000.0	001	Н	16.58	10.03	-4.51	22.10	33.00
	1909.8	810	V	14.07	10.13	-4.55	19.65	33.00
	1909.0	010	Н	16.86	10.13	-4.55	22.44	33.00
	1850.2	512	V	15.86	9.94	-4.46	21.34	33.00
	1030.2	512	Н	20.81	9.94	-4.46	26.29	33.00
GPRS	1880.0	661	V	17.93	10.03	-4.51	23.45	33.00
1900	1000.0	001	Н	20.70	10.03	-4.51	26.22	33.00
	1909.8	810	V	17.75	10.13	-4.55	23.33	33.00
	1909.0	010	Н	20.20	10.13	-4.55	25.78	33.00
	1850.2	512	V	14.43	9.94	-4.46	19.91	33.00
	1030.2	512	Н	19.07	9.94	-4.46	24.55	33.00
EDGE	1880.0	661	V	16.28	10.03	-4.51	21.81	33.00
1900	1000.0	001	Н	18.94	10.03	-4.51	24.47	33.00
	1909.8		V	15.70	10.13	-4.55	21.27	33.00
	1909.0	810	Н	19.15	10.13	-4.55	24.72	33.00

Remark: The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz



	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	1850.2	512	V	12.97	9.94	-4.46	18.45	33.00
	1000.2	512	Н	15.92	9.94	-4.46	21.40	33.00
GSM	1880.0	661	V	14.44	10.03	-4.51	19.97	33.00
1900	1000.0	001	Н	16.58	10.03	-4.51	22.10	33.00
	1909.8	810	V	14.07	10.13	-4.55	19.65	33.00
	1909.0	010	Н	16.86	10.13	-4.55	22.44	33.00
	1850.2	512	V	15.86	9.94	-4.46	21.34	33.00
	1000.2	512	Н	20.81	9.94	-4.46	26.29	33.00
GPRS	1880.0	661	V	17.93	10.03	-4.51	23.45	33.00
1900	1000.0	001	Н	20.70	10.03	-4.51	26.22	33.00
	1909.8	810	V	17.75	10.13	-4.55	23.33	33.00
	1909.0	010	Н	20.20	10.13	-4.55	25.78	33.00
	1850.2	512	V	14.43	9.94	-4.46	19.91	33.00
	1000.2	512	Н	19.07	9.94	-4.46	24.55	33.00
EDGE	1880.0	661	V	16.28	10.03	-4.51	21.81	33.00
1900	1000.0	001	Н	18.94	10.03	-4.51	24.47	33.00
	1909.8 810 -	V	15.70	10.13	-4.55	21.27	33.00	
	1909.0	010	Н	19.15	10.13	-4.55	24.72	33.00

Remark: The RBW, VBW of SPA for frequency RBW=300 KHz, VBW=1MHz



	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	1852.4	9262	V	7.68	9.94	-4.46	13.16	33.00
	1002.4	9202	Н	16.05	9.95	-4.46	21.53	33.00
WCDMA	1880.0	9400	V	12.17	10.03	-4.51	17.69	33.00
Band II	1000.0	9400	Н	15.92	10.03	-4.51	21.45	33.00
	1907.6	9538	V	7.45	10.12	-4.55	13.02	33.00
	1907.0	9000	Н	14.31	10.12	-4.55	19.88	33.00
	1852.4	9262	V	12.81	9.94	-4.46	18.29	33.00
	1002.4	3202	Н	19.84	9.95	-4.46	25.33	33.00
HSDPA	1880.0	9400	V	13.48	10.04	-4.51	19.01	33.00
Band II	1000.0	9400	Н	18.51	10.04	-4.51	24.04	33.00
	1907.6	9538	V	11.82	10.12	-4.55	17.39	33.00
	1907.0	9000	Н	18.48	10.12	-4.55	24.05	33.00
	1852.4	9262	V	9.37	9.95	-4.46	14.85	33.00
	1002.4	9202	Н	17.60	9.94	-4.46	23.08	33.00
HSUPA	1880.0	9400	V	11.75	10.03	-4.51	17.27	33.00
Band II	1000.0	9400	Н	17.39	10.04	-4.51	22.92	33.00
	1907.6	9538	V	9.01	10.12	-4.55	14.58	33.00
	1907.0	9000	Н	15.17	10.12	-4.55	20.74	33.00

Remark: The RBW, VBW of SPA for frequency RBW=5 MHz, VBW=8 MHz




	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	1712.4	1312	V	10.17	9.48	-4.31	15.35	30.00
	1712.4	1312	Н	15.57	9.48	-4.31	20.74	30.00
WCDMA	1732.6	1413	V	11.17	9.55	-4.31	16.41	30.00
Band IV	1732.0	1415	Н	16.28	9.55	-4.31	21.52	30.00
	1752.6	1513	V	9.06	9.62	-4.34	14.34	30.00
	1752.0	1515	Н	14.57	9.62	-4.34	19.85	30.00
	1712.4	1312	V	12.93	9.48	-4.31	18.11	30.00
	1712.4	1012	Н	19.14	9.48	-4.31	24.31	30.00
HSDPA	1732.6	1/12	V	13.16	9.55	-4.31	18.40	30.00
Band IV	1752.0	1413	Н	16.80	9.55	-4.31	22.04	30.00
	1752.6	1513	V	10.48	9.62	-4.34	15.77	30.00
	1752.0	1515	Н	16.20	9.62	-4.34	21.49	30.00
	1712.4	1312	V	11.28	9.48	-4.31	16.45	30.00
	1712.4	1312	Н	17.65	9.48	-4.31	22.83	30.00
HSUPA	1732.6	1413	V	11.77	9.55	-4.31	17.01	30.00
Band IV	1732.0	1413	Н	16.26	9.55	-4.31	21.51	30.00
	1752.6	1513	V	10.10	9.62	-4.34	15.38	30.00
	1702.0	1515	Н	15.15	9.62	-4.34	20.43	30.00

Remark: The RBW, VBW of SPA for frequency RBW=5 MHz, VBW=8 MHz



	EUT				Measur	ement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBd	dB	dBm	dBm
	826.4	4132	V	4.02	3.30	-2.93	4.39	38.45
	020.4	4132	Н	10.35	3.30	-2.93	10.72	38.45
WCDMA Band V	836.6	4183	V	2.04	3.29	-2.97	2.36	38.45
	030.0	4103	Н	9.34	3.29	-2.96	9.66	38.45
	846.6	4233	V	0.38	3.27	-3.00	0.66	38.45
	040.0	4233	Н	9.15	3.27	-3.00	9.43	38.45
	826.4	4132	V	5.48	3.30	-2.93	5.85	38.45
	020.4	4132	Н	12.07	3.30	-2.93	12.44	38.45
HSDPA	836.6	4183	V	3.31	3.29	-2.96	3.64	38.45
Band V	030.0	4105	Н	10.44	3.29	-2.96	10.77	38.45
	846.6	4233	V	2.37	3.27	-3.00	2.65	38.45
	040.0	4200	Н	10.58	3.27	-3.00	10.85	38.45
	826.4	4132	V	4.63	3.30	-2.93	5.01	38.45
	020.4	4152	Н	11.33	3.30	-2.93	11.71	38.45
HSUPA	836.6	4183	V	2.93	3.29	-2.96	3.26	38.45
Band V	030.0	4103	Н	9.54	3.29	-2.96	9.87	38.45
F	846.6	4233	V	1.49	3.27	-3.00	1.76	38.45
	040.0	4200	Н	9.88	3.27	-3.00	10.15	38.45

Remark: The RBW, VBW of SPA for frequency RBW=5 MHz, VBW=8 MHz





	EUT				Measur	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1050 7	19607	V	11.09	9.94	-4.46	16.57	33.01
BAND 2	1850.7	18607	Н	11.99	9.95	-4.46	17.47	33.01
BW: 1.4M	1880.0	18900	V	9.32	10.03	-4.51	14.84	33.01
QPSK	1000.0	10900	Н	13.35	10.03	-4.51	18.87	33.01
RB: 1,0	1909.3	19193	V	3.51	10.12	-4.55	9.08	33.01
	1909.0	19190	Н	8.66	10.12	-4.55	14.23	33.01
	1850.7	18607	V	11.09	9.94	-4.46	16.57	33.01
BAND 2		10007	Н	11.98	9.94	-4.46	17.46	33.01
BW: 1.4M QPSK	1880.0	18900	V	9.26	10.03	-4.51	14.78	33.01
	1000.0	10300	Н	13.31	10.03	-4.51	18.84	33.01
RB: 1,5	1909.3	19193	V	3.22	10.12	-4.55	8.80	33.01
	1000.0	19190	Н	8.43	10.12	-4.55	14.00	33.01
	1850.7	18607	V	11.17	9.94	-4.46	16.65	33.01
BAND 2	1000.1	10001	Н	12.12	9.94	-4.46	17.61	33.01
BW: 1.4M	1880.0	18900	V	9.14	10.03	-4.51	14.66	33.01
16QAM	1000.0	10000	Н	13.30	10.03	-4.51	18.83	33.01
RB: 1,0	1909.3	19193	V	3.48	10.12	-4.55	9.05	33.01
			Н	8.61	10.12	-4.55	14.19	33.01
	1850.7	18607	V	11.12	9.94	-4.46	16.60	33.01
BAND 2			Н	11.87	9.94	-4.46	17.35	33.01
BW: 1.4M 16QAM RB: 1,5	1880.0	18900	V	8.93	10.03	-4.51	14.46	33.01
			Н	13.54	10.03	-4.51	19.06	33.01
	1909.3	3 19193 -	V	3.19	10.12	-4.55	8.77	33.01
			Н	8.28	10.12	-4.55	13.85	33.01



	EUT				Measur	rement		dBm 33.01 33.01 33.01 33.01					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit					
	MHz		V/H	dBm	dBi	dB	dBm	dBm					
	1851.5	18615	V	11.61	9.95	-4.46	17.09	33.01					
BAND 2	1001.0	10015	Н	11.89	9.95	-4.46	17.38	33.01					
BW: 3M	1880.0	18900	V	10.49	10.03	-4.50	16.01	33.01					
QPSK	1000.0	10900	Н	13.71	10.03	-4.50	19.23	33.01					
RB: 1,0	1908.5	19185	V	5.91	10.11	-4.55	11.48	33.01					
	1900.0	19100	Н	9.96	10.11	-4.55	15.53	33.01					
	1851.5	18615	V	11.28	9.94	-4.46	16.76	33.01					
BAND 2	BAND 2	10010	Н	12.02	9.94	-4.46	17.50	33.01					
BW: 3M QPSK	1880.0	18900	V	10.19	10.03	-4.51	15.72	33.01					
	1000.0	10300	Н	13.24	10.03	-4.51	18.77	33.01					
RB: 1,14	1908.5	19185	V	4.60	10.12	-4.55	10.18	33.01					
	1000.0	19100	Н	9.01	10.12	-4.55	14.58	33.01					
	1851.5	18615	V	11.47	9.95	-4.46	16.96	33.01					
BAND 2	1001.0	10010	Н	11.82	9.94	-4.46	17.30	33.01					
BW: 3M	1880.0	18900	V	10.41	10.02	-4.50	15.93	33.01					
16QAM	1000.0	10000	Н	13.81	10.02	-4.50	19.33	33.01					
RB: 1,0	1908.5	19185	V	5.94	10.11	-4.54	11.51	33.01					
	1000.0	10100	Н	10.18	10.11	-4.55	15.75	33.01					
	1851.5	18615	V	11.28	9.94	-4.46	16.77	33.01					
BAND 2 BW: 3M 16QAM RB: 1,14	1001.0	10010	Н	11.75	9.94	-4.46	17.23	33.01					
	1880.0	18900	V	10.08	10.03	-4.51	15.60	33.01					
		10000	Н	13.10	10.03	-4.51	18.62	33.01					
	1908.5	19185	V	4.53	10.12	-4.55	10.10	33.01					
	100010	10100	Н	8.97	10.12	-4.55	14.55	33.01					



	EUT				Measur	rement		Limit dBm 33.01 33.01 33.01 33.01 33.01 33.01 33.01 33.01 33.01 33.01				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit				
	MHz		V/H	dBm	dBi	dB	dBm	dBm				
	1852.5	18625	V	11.49	9.95	-4.46	16.97	33.01				
BAND 2	1002.0	10025	Н	11.81	9.95	-4.46	17.30	33.01				
BW: 5M	1880.0	18900	V	10.14	10.02	-4.50	15.66	33.01				
QPSK	1000.0	10900	Н	13.66	10.02	-4.50	19.17	33.01				
RB: 1,0	1907.5	19175	V	6.96	10.11	-4.54	12.52	33.01				
	1907.5	19175	Н	10.85	10.11	-4.54	16.42	33.01				
	1852.5	18625	V	10.64	9.95	-4.46	16.13	33.01				
BAND 2	ND 2	10020	Н	11.71	9.95	-4.46	17.19	33.01				
BW: 5M QPSK RB: 1,24	1880.0	18900	V	9.80	10.04	-4.51	15.32	33.01				
	1000.0	10000	Н	12.87	10.04	-4.51	18.40	33.01				
	1907.5	19175	V	4.30	10.12	-4.55	9.87	33.01				
	1007.0	19170	Н	9.00	10.12	-4.55	14.58	33.01				
	1852.5	18625	V	11.26	9.95	-4.46	16.74	33.01				
BAND 2	1002.0	10020	Н	11.67	9.94	-4.46	17.15	33.01				
BW: 5M	1880.0	18900	V	10.28	10.02	-4.50	15.80	33.01				
16QAM	1000.0	10000	Н	13.66	10.02	-4.50	19.18	33.01				
RB: 1,0	1907.5	19175	V	6.65	10.11	-4.54	12.22	33.01				
	100110	10110	Н	10.62	10.11	-4.54	16.19	33.01				
	1852.5	18625	V	10.50	9.95	-4.46	15.98	33.01				
BAND 2 BW: 5M 16QAM RB: 1,24			Н	11.63	9.95	-4.46	17.11	33.01				
	1880.0	18900	V	9.76	10.04	-4.51	15.29	33.01				
			Н	12.82	10.04	-4.51	18.34	33.01				
	1907.5	19175	V	4.30	10.12	-4.55	9.88	33.01				
			Н	8.87	10.12	-4.55	14.45	33.01				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

www.tw.sqs.com



	EUT				Measu	rement		dBm 6 33.01 1 33.01 4 33.01 3 33.01 2 33.01 1 33.01 2 33.01 3 33.01 3 33.01 3 33.01 3 33.01 3 33.01				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit				
	MHz		V/H	dBm	dBi	dB	dBm	dBm				
	1855.0	18650	V	11.38	9.95	-4.46	16.86	33.01				
BAND 2	1055.0	10030	Н	11.82	9.95	-4.46	17.31	33.01				
BW: 10M	1880.0	18900	V	10.73	10.01	-4.50	16.24	33.01				
QPSK	1000.0	10900	Н	14.11	10.01	-4.50	19.63	33.01				
RB: 1,0	1905.0	19150	V	8.16	10.09	-4.54	13.72	33.01				
	1303.0	10100	Н	11.66	10.09	-4.54	17.21	33.01				
	1855.0	18650	V	9.84	9.96	-4.47	15.33	33.01				
BAND 2	1000.0	10000	Н	12.09	9.96	-4.47	17.58	33.01				
BW: 10M QPSK	1880.0	18900	V	9.20	10.04	-4.51	14.73	33.01				
	1000.0	10000	Н	12.07	10.04	-4.51	17.60	33.01				
RB: 1,49	1905.0	19150	V	4.34	10.12	-4.55	9.92	33.01				
	1000.0	19120	Н	8.93	10.12	-4.55	14.50	33.01				
	1855.0	18650	V	11.26	9.95	-4.46	16.74	33.01				
BAND 2	1000.0	10000	Н	11.79	9.95	-4.46	17.27	33.01				
BW: 10M	1880.0	18900	V	10.00	10.02	-4.50	15.52	33.01				
16QAM	100010	10000	Н	13.49	10.02	-4.50	19.01	33.01				
RB: 1,0	1905.0	19150	V	8.38	10.09	-4.54	13.93	33.01				
			Н	11.52	10.09	-4.54	17.08	33.01				
	1855.0	18650	V	9.74	9.96	-4.47	15.23	33.01				
BAND 2 BW: 10M 16QAM RB: 1,49			Н	12.05	9.96	-4.47	17.54	33.01				
	1880.0	18900	V	9.28	10.04	-4.51	14.81	33.01				
			Н	12.35	10.04	-4.51	17.88	33.01				
	1905.0	19150	V	4.35	10.12	-4.55	9.93	33.01				
			Н	9.00	10.12	-4.55	14.57	33.01				



	EUT				Measu	rement	EIRPLimitdBmdBm16.9633.0117.2233.0117.2433.0115.8433.0119.3433.0112.9433.0116.6433.0115.5233.0115.5233.0113.8533.0116.7933.019.8933.0114.5133.01				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit			
	MHz		V/H	dBm	dBi	dB	dBm	dBm			
	1857.5	18675	V	11.48	9.94	-4.46	16.96	33.01			
BAND 2	1057.5	10075	Н	11.74	9.94	-4.46	17.22	33.01			
BW: 15M	1880.0	18900	V	10.33	10.01	-4.50	15.84	33.01			
QPSK	1000.0	10900	Н	13.83	10.01	-4.50	19.34	33.01			
RB: 1,0	1902.5	19125	V	7.39	10.08	-4.53	12.94	33.01			
	1302.5	19120	Н	11.09	10.08	-4.53	16.64	33.01			
	1857.5	18675	V	10.02	9.98	-4.48	15.52	33.01			
BAND 2	BAND 2	10070	Н	13.14	9.98	-4.48	18.63	33.01			
BW: 15M	1880.0	18900	V	8.32	10.05	-4.52	13.85	33.01			
QPSK	1000.0	10000	Н	11.25	10.05	-4.52	16.79	33.01			
RB: 1,74	1902.5	19125	V	4.31	10.12	-4.55	9.89	33.01			
	1002.0	19125	Н	8.94	10.12	-4.55	14.51	33.01			
	1857.5	18675	V	11.03	9.94	-4.46	16.51	33.01			
BAND 2	1007.0	10070	Н	11.71	9.95	-4.46	17.20	33.01			
BW: 15M	1880.0	18900	V	10.22	10.01	-4.50	15.73	33.01			
16QAM	100010	10000	Н	14.11	10.01	-4.50	19.62	33.01			
RB: 1,0	1902.5	19125	V	7.44	10.08	-4.53	12.99	33.01			
			Н	11.02	10.08	-4.53	16.57	33.01			
	1857.5	18675	V	9.94	9.98	-4.48	15.44	33.01			
BAND 2			Н	12.94	9.98	-4.48	18.44	33.01			
BW: 15M 16QAM RB: 1,74	1880.0	18900	V	8.28	10.05	-4.52	13.82	33.01			
			Н	11.46	10.05	-4.52	16.99	33.01			
	1902.5	19125	V	4.22	10.12	-4.55	9.79	33.01			
			Н	8.89	10.12	-4.55	14.47	33.01			



	EUT				Measu	rement		dBm B3 33.01 14 33.01 14 33.01 14 33.01 150 33.01 17 33.01 17 33.01 17 33.01 17 33.01 17 33.01 18 33.01 19 33.01 54 33.01 54 33.01 55 33.01 52 33.01 51 33.01				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit				
	MHz		V/H	dBm	dBi	dB	dBm	dBm				
	1860.0	18700	V	11.34	9.95	-4.46	16.83	33.01				
BAND 2	1000.0	10700	Н	11.66	9.95	-4.46	17.14	33.01				
BW: 20M	1880.0	18000	V	10.37	10.00	-4.49	15.88	33.01				
QPSK	1000.0	10900	Н	14.09	10.00	-4.49	19.60	33.01				
RB: 1,0	1900.0	10100	V	7.63	10.07	-4.52	13.17	33.01				
	1900.0	19100	Н	10.73	10.07	-4.52	16.27	33.01				
	1860.0	18700	V	10.52	9.99	-4.49	16.02	33.01				
BAND 2	1000.0	10700	Н	13.98	9.99	-4.49	19.49	33.01				
BW: 20M	1880.0	18900	V	8.00	10.06	-4.52	13.54	33.01				
QPSK	1000.0	10300	Н	10.92	10.06	-4.52	16.45	33.01				
RB: 1,99	1900.0	19100	V	4.48	10.12	-4.55	10.05	33.01				
	1000.0	19100	Н	9.05	10.12	-4.55	14.62	33.01				
	1860.0	18700	V	11.12	9.95	-4.46	16.61	33.01				
BAND 2	1000.0	10/00	Н	12.13	9.94	-4.46	17.61	33.01				
BW: 20M	1880.0	18900	V	9.76	10.00	-4.49	15.27	33.01				
16QAM	1000.0	10000	Н	14.04	10.00	-4.49	19.55	33.01				
RB: 1,0	1900.0	19100	V	7.61	10.07	-4.52	13.16	33.01				
	100010	10100	Н	10.67	10.07	-4.52	16.21	33.01				
	1860.0	18700	V	10.29	9.99	-4.49	15.80	33.01				
BAND 2			Н	13.81	9.99	-4.49	19.32	33.01				
BW: 20M 16QAM RB: 1,99	1880.0	CH 18700 18900 19100 18700 18900 19100 18900 18900 18700 18900 18900 19100	V	7.82	10.06	-4.52	13.36	33.01				
			Н	11.13	10.06	-4.52	16.66	33.01				
	1900.0	19100	V	4.39	10.12	-4.55	9.96	33.01				
			Н	8.95	10.12	-4.55	14.52	33.01				



	EUT				Measu	rement		30.00				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit				
	MHz		V/H	dBm	dBi	dB	dBm	dBm				
	1710.7	19957	V	11.09	9.94	-4.46	16.57	30.00				
BAND 4	1710.7	19907	Н	11.99	9.95	-4.46	17.47	30.00				
BW: 1.4M	1732.5	20175	V	9.32	10.03	-4.51	14.84	30.00				
QPSK	1752.5	20175	Н	13.35	10.03	-4.51	18.87	30.00				
RB: 1,0	1754.3	20303	V	3.51	10.12	-4.55	9.08	30.00				
	1754.5	20393	Н	8.66	10.12	-4.55	14.23	30.00				
	1710.7	10057	V	11.09	9.94	-4.46	16.57	30.00				
BAND 4 BW: 1.4M QPSK	1710.7	19957	Н	11.98	9.94	-4.46	17.46	30.00				
	1732.5	20175	V	9.26	10.03	-4.51	14.78	30.00				
	1752.5	20175	Н	13.31	10.03	-4.51	18.84	30.00				
RB: 1,5	1754.3	20202	V	3.22	10.12	-4.55	8.80	30.00				
	1754.5	20393	Н	8.43	10.12	-4.55	14.00	30.00				
	1710.7	10057	V	11.17	9.94	-4.46	16.65	30.00				
BAND 4	1710.7	19907	Н	12.12	9.94	-4.46	17.61	30.00				
BW: 1.4M	1732.5	20175	V	9.14	10.03	-4.51	14.66	30.00				
16QAM	1752.5	20175	Н	13.30	10.03	-4.51	18.83	30.00				
RB: 1,0	1754.3	20303	V	3.48	10.12	-4.55	9.05	30.00				
	1754.5	20090	Н	8.61	10.12	-4.55	14.19	30.00				
	1710.7	19957	V	11.12	9.94	-4.46	16.60	30.00				
BAND 4	1710.7	10001	Н	11.87	9.94	-4.46	17.35	30.00				
BW: 1.4M 16QAM RB: 1,5	1732.5	20175	V	8.93	10.03	-4.51	14.46	30.00				
	1702.0	20175 20393 19957 20175 20393 19957 20175 20393 19957 20175 20175 20393	Н	13.54	10.03	-4.51	19.06	30.00				
	1754.3	20303	V	3.19	10.12	-4.55	8.77	30.00				
	1707.0	20000	Н	8.28	10.12	-4.55	13.85	30.00				



	EUT				Measu	rement		dBm 09 30.00 38 30.00 01 30.00 23 30.00 48 30.00 53 30.00 76 30.00 72 30.00 77 30.00 18 30.00 58 30.00				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit				
	MHz		V/H	dBm	dBi	dB	dBm	dBm				
	1711.5	10065	V	11.61	9.95	-4.46	17.09	30.00				
BAND 4	1711.5	19900	Н	11.89	9.95	-4.46	17.38	30.00				
BW: 3M	1732.5	20175	V	10.49	10.03	-4.50	16.01	30.00				
QPSK	1752.5	20175	Н	13.71	10.03	-4.50	19.23	30.00				
RB: 1,0	1753.5	20385	V	5.91	10.11	-4.55	11.48	30.00				
	1700.0	20000	Н	9.96	10.11	-4.55	15.53	30.00				
	1711.5	19965	V	11.28	9.94	-4.46	16.76	30.00				
BAND 4	1711.0	10000	Н	12.02	9.94	-4.46	17.50	30.00				
BW: 3M	1732.5	20175	V	10.19	10.03	-4.51	15.72	30.00				
QPSK	1102.0	20170	Н	13.24	10.03	-4.51	18.77	30.00				
RB: 1,14	1753.5	20385	V	4.60	10.12	-4.55	10.18	30.00				
	1700.0	20385	Н	9.01	10.12	-4.55	14.58	30.00				
	1711.5	19965	V	11.47	9.95	-4.46	16.96	30.00				
BAND 4		10000	Н	11.82	9.94	-4.46	17.30	30.00				
BW: 3M	1732.5	CH 19965 20175 20385 19965 20175 20385 19965 20175 20385 19965 20175 20385	V	10.41	10.02	-4.50	15.93	30.00				
16QAM	1102.0	20110	Н	13.81	10.02	-4.50	19.33	30.00				
RB: 1,0	1753.5	20385	V	5.94	10.11	-4.54	11.51	30.00				
			Н	10.18	10.11	-4.55	15.75	30.00				
	1711.5	19965	V	11.28	9.94	-4.46	16.77	30.00				
BAND 4			Н	11.75	9.94	-4.46	17.23	30.00				
BW: 3M 16QAM RB: 1,14	1732.5	20175	V	10.08	10.03	-4.51	15.60	30.00				
			Н	13.10	10.03	-4.51	18.62	30.00				
	1753.5	20385	V	4.53	10.12	-4.55	10.10	30.00				
			Н	8.97	10.12	-4.55	14.55	30.00				



	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1712.5	19975	V	11.49	9.95	-4.46	16.97	30.00
BAND 4	1712.0	19915	Н	11.81	9.95	-4.46	17.30	30.00
BW: 5M	1732.5	20175	V	10.14	10.02	-4.50	15.66	30.00
QPSK	1702.0	20175	Н	13.66	10.02	-4.50	19.17	30.00
RB: 1,0	1752.5	20375	V	6.96	10.11	-4.54	12.52	30.00
	1102.0	20010	Н	10.85	10.11	-4.54	16.42	30.00
	1712.5	19975	V	10.64	9.95	-4.46	16.13	30.00
BAND 4	BAND 4	10070	Н	11.71	9.95	-4.46	17.19	30.00
BW: 5M QPSK	1732.5	20175	V	9.80	10.04	-4.51	15.32	30.00
	1102.0	20110	Н	12.87	10.04	-4.51	18.40	30.00
RB: 1,24	1752.5	20375	V	4.30	10.12	-4.55	9.87	30.00
	1102.0	20375	Н	9.00	10.12	-4.55	14.58	30.00
	1712.5	19975	V	11.26	9.95	-4.46	16.74	30.00
BAND 4		10010	Н	11.67	9.94	-4.46	17.15	30.00
BW: 5M	1732.5	20175	V	10.28	10.02	-4.50	15.80	30.00
16QAM			Н	13.66	10.02	-4.50	19.18	30.00
RB: 1,0	1752.5	20375	V	6.65	10.11	-4.54	12.22	30.00
			Н	10.62	10.11	-4.54	16.19	30.00
	1712.5	19975	V	10.50	9.95	-4.46	15.98	30.00
BAND 4			Н	11.63	9.95	-4.46	17.11	30.00
BW: 5M 16QAM RB: 1,24	1732.5	20175	V	9.76	10.04	-4.51	15.29	30.00
			Н	12.82	10.04	-4.51	18.34	30.00
	1752.5	20375	V	4.30	10.12	-4.55	9.88	30.00
	-		Н	8.87	10.12	-4.55	14.45	30.00



	EUT				Measu	rement		dBm 6 30.00 1 30.00 4 30.00 3 30.00 2 30.00 3 30.00 3 30.00 3 30.00 3 30.00 3 30.00 3 30.00 3 30.00 3 30.00 3 30.00 2 30.00 2 30.00 2 30.00 2 30.00				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit				
	MHz		V/H	dBm	dBi	dB	dBm	dBm				
	1715.0	20000	V	11.38	9.95	-4.46	16.86	30.00				
BAND 4	1710.0	20000	Н	11.82	9.95	-4.46	17.31	30.00				
BW: 10M	1732.5	20175	V	10.73	10.01	-4.50	16.24	30.00				
QPSK	1752.5	20175	Н	14.11	10.01	-4.50	19.63	30.00				
RB: 1,0	1750.0	20350	V	8.16	10.09	-4.54	13.72	30.00				
	1730.0	20000	Н	11.66	10.09	-4.54	17.21	30.00				
	1715.0	20000	V	9.84	9.96	-4.47	15.33	30.00				
BAND 4	1713.0	20000	Н	12.09	9.96	-4.47	17.58	30.00				
BW: 10M	1732.5	20175	V	9.20	10.04	-4.51	14.73	30.00				
QPSK	1752.5	20175	Н	12.07	10.04	-4.51	17.60	30.00				
RB: 1,49	1750.0	20350	V	4.34	10.12	-4.55	9.92	30.00				
	1750.0	20350	Н	8.93	10.12	-4.55	14.50	30.00				
	1715.0	20000	V	11.26	9.95	-4.46	16.74	30.00				
BAND 4	1713.0	20000	Н	11.79	9.95	-4.46	17.27	30.00				
BW: 10M	1732.5	20175	V	10.00	10.02	-4.50	15.52	30.00				
16QAM	1702.0	20170	Н	13.49	10.02	-4.50	19.01	30.00				
RB: 1,0	1750.0	20350	V	8.38	10.09	-4.54	13.93	30.00				
	1700.0	20000	Н	11.52	10.09	-4.54	17.08	30.00				
	1715.0	20000	V	9.74	9.96	-4.47	15.23	30.00				
BAND 4	1710.0	20000	Н	12.05	9.96	-4.47	17.54	30.00				
BW: 10M 16QAM RB: 1,49	1732.5	20175	V	9.28	10.04	-4.51	14.81	30.00				
	1102.0	20110	Н	12.35	10.04	-4.51	17.88	30.00				
	1750.0	20350	V	4.35	10.12	-4.55	9.93	30.00				
	1700.0	20000	Н	9.00	10.12	-4.55	14.57	30.00				



	EUT			Measurement S.G. Antenna Cable EIRP Limit Output Gain dBs dBm dBm dBm dBm dBi dB dBm dBm dBm 11.48 9.94 -4.46 16.96 30.00 11.74 9.94 -4.46 17.22 30.00 10.33 10.01 -4.50 15.84 30.00					
Operation Band	Fundamental Frequency	СН	Antenna Pol.				EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
	1717.5	20025	V	11.48	9.94	-4.46	16.96	30.00	
BAND 4	1717.5	20025	Н	11.74	9.94	-4.46	17.22	30.00	
BW: 15M	1732.5	20175	V	10.33	10.01	-4.50	15.84	30.00	
QPSK	1732.5	20175	Н	13.83	10.01	-4.50	19.34	30.00	
RB: 1,0	1747.5	20325	V	7.39	10.08	-4.53	12.94	30.00	
	1747.5	20323	Н	11.09	10.08	-4.53	16.64	30.00	
	1717.5	20025	V	10.02	9.98	-4.48	15.52	30.00	
BAND 4	BAND 4	20025	Н	13.14	9.98	-4.48	18.63	30.00	
BW: 15M	1732.5	20175	V	8.32	10.05	-4.52	13.85	30.00	
QPSK	1702.0	20110	Н	11.25	10.05	-4.52	16.79	30.00	
RB: 1,74	1747.5	20325	V	4.31	10.12	-4.55	9.89	30.00	
	11 11.0	20325	Н	8.94	10.12	-4.55	14.51	30.00	
	1717.5	20025	V	11.03	9.94	-4.46	16.51	30.00	
BAND 4		20020	Н	11.71	9.95	-4.46	17.20	30.00	
BW: 15M	1732.5	20175	V	10.22	10.01	-4.50	15.73	30.00	
16QAM		20110	Н	14.11	10.01	-4.50	19.62	30.00	
RB: 1,0	1747.5	CH 20025 20175 20325 20025 20175 20325 20175 20325 20025 20175 20325	V	7.44	10.08	-4.53	12.99	30.00	
			Н	11.02	10.08	-4.53	16.57	30.00	
	1717.5	20025	V	9.94	9.98	-4.48	15.44	30.00	
BAND 4 BW: 15M 16QAM RB: 1,74			Н	12.94	9.98	-4.48	18.44	30.00	
	1732.5	20175	V	8.28	10.05	-4.52	13.82	30.00	
			Н	11.46	10.05	-4.52	16.99	30.00	
	1747.5	20325	V	4.22	10.12	-4.55	9.79	30.00	
			Н	8.89	10.12	-4.55	14.47	30.00	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this documents is unlawful and offenders may he prosecuted to the fullest extent of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law

www.tw.sgs.com



	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1720.0	20050	V	11.34	9.95	-4.46	16.83	30.00
BAND 4	1720.0	20030	Н	11.66	9.95	-4.46	17.14	30.00
BW: 20M	1732.5	20175	V	10.37	10.00	-4.49	15.88	30.00
QPSK	1752.5	20175	Н	14.09	10.00	-4.49	19.60	30.00
RB: 1,0	1745.0	20300	V	7.63	10.07	-4.52	13.17	30.00
	1743.0	20000	Н	10.73	10.07	-4.52	16.27	30.00
	1720.0	20050	V	10.52	9.99	-4.49	16.02	30.00
BAND 4	1720.0	20000	Н	13.98	9.99	-4.49	19.49	30.00
BW: 20M QPSK	1732 5	20175	V	8.00	10.06	-4.52	13.54	30.00
	1702.0	20170	Н	10.92	10.06	-4.52	16.45	30.00
RB: 1,99	1745.0	20300	V	4.48	10.12	-4.55	10.05	30.00
	17-10:0	20300	Н	9.05	10.12	-4.55	14.62	30.00
	1720.0	20050	V	11.12	9.95	-4.46	16.61	30.00
BAND 4	1720.0	20000	Н	12.13	9.94	-4.46	17.61	30.00
BW: 20M	1732.5	20175	V	9.76	10.00	-4.49	15.27	30.00
16QAM	1102.0	20110	Н	14.04	10.00	-4.49	19.55	30.00
RB: 1,0	1745.0	20300	V	7.61	10.07	-4.52	13.16	30.00
	11 1010	20000	Н	10.67	10.07	-4.52	16.21	30.00
	1720.0	20050	V	10.29	9.99	-4.49	15.80	30.00
BAND 4	BAND 4		Н	13.81	9.99	-4.49	19.32	30.00
BW: 20M 16QAM RB: 1,99	1732.5	20175	V	7.82	10.06	-4.52	13.36	30.00
			Н	11.13	10.06	-4.52	16.66	30.00
	1745.0	20300	V	4.39	10.12	-4.55	9.96	30.00
			Н	8.95	10.12	-4.55	14.52	30.00



	EUT				Measu	rement		Limit dBm 38.45 38.45 38.45 38.45 38.45 38.45					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit					
	MHz		V/H	dBm	dBi	dB	dBm	dBm					
	824.7	20407	V	10.90	3.30	-2.93	11.27	38.45					
BAND 5	024.7	20407	Н	14.08	3.30	-2.93	14.45	38.45					
BW: 1.4M	836.5	20525	V	11.73	3.29	-2.96	12.06	38.45					
QPSK	030.3	20020	Н	15.29	3.29	-2.96	15.62	38.45					
RB: 1,0	848.3	20643	V	9.50	3.27	-2.99	9.78	38.45					
	040.0	20043	Н	11.55	3.27	-2.99	11.83	38.45					
	824.7	20407	V	10.97	3.31	-2.92	11.36	38.45					
BAND 5	024.7	20407	Н	13.90	3.31	-2.92	14.29	38.45					
BW: 1.4M	BW: 1.4M 836.5	20525	V	11.72	3.29	-2.96	12.05	38.45					
QPSK		20020	Н	13.84	3.29	-2.96	14.17	38.45					
RB: 1,5	848.3	20643	V	8.64	3.27	-3.00	8.91	38.45					
	040.0	20043	Н	11.77	3.27	-3.00	12.04	38.45					
	824.7	20407	V	11.95	1.95 3.30 -2.93 12.32	12.32	38.45						
BAND 5	02	20107	Н	14.07	3.30	-2.93	14.44	38.45					
BW: 1.4M	836.5	20525	V	12.13	3.29	-2.96	12.46	38.45					
16QAM	000.0	20020	Н	14.88	3.29	-2.96	15.21	38.45					
RB: 1,0	848.3	20643	V	10.45	3.27	-2.99	10.73	38.45					
	0 10.0	20010	Н	12.01	3.27	-2.99	12.29	38.45					
	824.7	20407	V	11.65	3.31	-2.92	12.04	38.45					
BAND 5	AND 5 824.7 2040	20107	Н	14.14	3.31	-2.92	14.53	38.45					
BW: 1.4M 16QAM RB: 1,5	836.5	20525	V	11.81	3.29	-2.96	12.14	38.45					
	000.0	20020	Н	14.68	3.29	-2.96	15.01	38.45					
	848.3	20643	V	10.11	3.27	-3.00	10.38	38.45					
	0.0.0	20070	Н	12.23	3.27	-3.00	12.50	38.45					



	EUT				Measu	rement		BmdBm1.0038.451.2538.451.6338.455.4238.45.7138.451.8538.45					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit					
	MHz		V/H	dBm	dBi	dB	dBm	dBm					
	825.5	20415	V	10.63	3.30	-2.93	11.00	38.45					
BAND 5	823.3	20415	Н	13.88	3.30	-2.93	14.25	38.45					
BW: 3M	836.5	20525	V	11.29	3.29	-2.95	11.63	38.45					
QPSK	630.5	20525	Н	15.08	3.29	-2.95	15.42	38.45					
RB: 1,0	847.5	20635	V	8.42	3.28	-2.99	8.71	38.45					
	047.5	20033	Н	11.56	3.28	-2.99	11.85	38.45					
	825.5	20415	V	9.98	3.30	-2.93	10.35	38.45					
BAND 5	020.0	20413	Н	13.62	3.30	-2.93	13.99	38.45					
BW: 3M	836.5	20525	V	10.57	3.29	-2.96	10.90	38.45					
QPSK	000.0	20020	Н	14.68	3.29	-2.96	10.90 15.01 9.14 11.81	38.45					
RB: 1,14	847.5	20635	V	8.87	3.27	-3.00	9.14	38.45					
	0.140	20000	Н	11.54	3.27	-3.00	11.81	38.45					
	825.5	20415	V	11.26	3.30	-2.93	11.63	38.45					
BAND 5	020.0	20410	Н	14.67	3.30	-2.93	15.04	38.45					
BW: 3M	836.5	20525	V	12.00	3.29	-2.95	12.34	38.45					
16QAM	000.0	20020	Н	15.15	3.29	-2.96	15.48	38.45					
RB: 1,0	847.5	20635	V	9.75	3.28	-2.99	10.04	38.45					
	01110	20000	Н	12.27	3.28	-2.99	12.56	38.45					
	825.5	20415	V	11.56	3.30	-2.93	11.93	38.45					
BAND 5	BAND 5		Н	14.15	3.30	-2.93	14.52	38.45					
BW: 3M 16QAM RB: 1,14	836.5	20525	V	11.38	3.29	-2.96	11.71	38.45					
			Н	14.59	3.29	-2.96	14.92	38.45					
	847.5	20635	V	9.54	3.27	-3.00	9.81	38.45					
	0.110		Н	11.80	3.27	-3.00	12.07	38.45					



	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	826.5	20425	V	10.10	3.30	-2.93	10.47	38.45
BAND 5	020.3	20423	Н	14.84	3.30	-2.93	15.21	38.45
BW: 5M	836.5	20525	V	11.24	3.29	-2.95	11.58	38.45
QPSK	030.3	20323	Н	14.63	3.29	-2.95	14.97	38.45
RB: 1,0	846.5	20625	V	9.77	3.28	-2.98	10.07	38.45
	040.5	20023	Н	12.88	3.28	-2.98	13.18	38.45
	826.5	20425	V	11.08	3.30	-2.93	11.45	38.45
BAND 5	020.0	20423	Н	14.59	3.30	-2.93	14.96	38.45
BW: 5M QPSK	836.5	20525	V	9.78	3.29	-2.97	10.10	38.45
	000.0	20525	Н	13.18	3.29	-2.96	13.51	38.45
RB: 1,24	846.5	20625	V	9.39	3.27	-3.00	9.66	38.45
	0+0.0	20025	Н	12.32	3.27	-3.00	12.59	38.45
	826.5	20425	V	11.04	3.30	-2.93	11.41	38.45
BAND 5	020.0	20420	Н	14.78	3.30	-2.93	15.15	38.45
BW: 5M	836.5	20525	V	11.88	3.29	-2.95	12.22	38.45
16QAM	000.0	20020	Н	15.84	3.29	-2.95	16.18	38.45
RB: 1,0	846.5	20625	V	9.61	3.28	-2.98	9.91	38.45
	0 10.0	20020	Н	12.99	3.28	-2.98	13.29	38.45
	826.5	20425	V	10.77	3.30	-2.93	11.14	38.45
BAND 5	BAND 5	20,20	Н	14.64	3.30	-2.93	15.01	38.45
BW: 5M 16QAM RB: 1,24	836.5	20525	V	11.39	3.29	-2.96	11.72	38.45
		20020	Н	14.59	3.29	-2.96	14.92	38.45
	846.5	20625	V	10.15	3.27	-3.00	10.42	38.45
	0.010	20020	Н	13.49	3.27	-3.00	13.76	38.45



	EUT				Measu	rement		38.45 38.45 38.45 38.45 38.45 38.45					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit					
	MHz		V/H	dBm	dBi	dB	dBm	dBm					
	829.0	20450	V	10.55	3.30	-2.93	10.92	38.45					
BAND 5	029.0	20430	Н	14.26	3.30	-2.93	14.63	38.45					
BW: 10M	836.5	20525	V	11.36	3.30	-2.94	11.72	38.45					
QPSK	030.3	20323	Н	14.58	3.30	-2.94	14.94	38.45					
RB: 1,0	844.0	20600	V	10.40	3.29	-2.97	10.72	38.45					
	044.0	20000	Н	12.77	3.29	-2.97	13.09	38.45					
	829.0	20450	V	11.10	3.29	-2.95	11.44	38.45					
BAND 5	023.0	20400	Н	13.67	3.29	-2.95	14.01	38.45					
BW: 10M QPSK	836.5	20525	V	9.06	3.28	-2.97	9.37	38.45					
	000.0	20525	Н	12.53	3.28	-2.98	12.83	38.45					
RB: 1,49	844.0	20600	V	9.33	3.27	-3.00	9.60	38.45					
	044.0	20000	Н	12.14	3.27	-3.00	12.41	38.45					
	829.0	20450	V	11.62	3.30	-2.93	12.00	38.45					
BAND 5	020.0	20400	Н	15.44	3.30	-2.93	15.81	38.45					
BW: 10M	836.5	20525	V	12.38	3.30	-2.94	12.73	38.45					
16QAM	000.0	20020	Н	15.54	3.30	-2.94	15.89	38.45					
RB: 1,0	844.0	20600	V	10.88	3.29	-2.97	11.20	38.45					
	011.0	20000	Н	14.18	3.29	-2.97	14.50	38.45					
	829.0	20450	V	12.63	3.29	-2.95	12.97	38.45					
BAND 5	BAND 5	20100	Н	14.97	3.29	-2.95	15.31	38.45					
BW: 10M 16QAM RB: 1,49	836.5	20525	V	9.49	3.28	-2.97	9.80	38.45					
		20020	Н	12.86	3.28	-2.97	13.17	38.45					
	844.0	20600	V	10.56	3.27	-3.00	10.83	38.45					
	01110	20000	Н	12.92	3.27	-3.00	13.19	38.45					



	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2502.5	20775	V	7.79	10.90	-5.26	13.44	33.01
BAND 7	2002.0	20115	Н	15.58	10.90	-5.25	21.22	33.01
BW: 5M	2535.0	21100	V	9.72	10.94	-5.30	15.36	33.01
QPSK	2000.0	21100	Н	15.34	10.94	-5.30	20.98	33.01
RB: 1,0	2567.5	21425	V	5.73	10.98	-5.34	11.37	33.01
	2307.3	21423	Н	13.83	10.98	-5.34	19.47	33.01
	2502.5	20775	V	8.67	10.90	-5.26	14.31	33.01
BAND 7	2002.0	20110	Н	16.47	10.90	-5.26	22.11	33.01
BW: 5M	2535.0	21100	V	9.64	10.95	-5.31	15.28	33.01
QPSK RB: 1,24	2000.0	21100	Н	15.67	10.95	-5.31	21.31	33.01
	2567.5	21425	V	4.98	10.99	-5.34	10.63	33.01
	2007.0	21425	Н	13.08	10.99	-5.34	18.73	33.01
	2502.5	20775	V	7.62	10.90	-5.25	13.26	33.01
BAND 7	2002.0	20110	Н	15.42	10.90	-5.25	21.07	33.01
BW: 5M	2535.0	21100	V	9.80	10.94	-5.30	15.44	33.01
16QAM	2000.0	21100	Н	15.26	10.94	-5.30	20.90	33.01
RB: 1,0	2567.5	21425	V	5.94	10.98	-5.34	11.58	33.01
	2007.0	21120	Н	14.01	10.98	-5.34	19.66	33.01
	2502 5	20775	V	8.60	10.90	-5.26	14.25	33.01
BAND 7	2502.5 20775	Н	16.33	10.90	-5.26	21.98	33.01	
16QAM	2535.0	21100	V	9.55	10.95	-5.31	15.19	33.01
		2.100	Н	15.49	10.95	-5.31	21.13	33.01
	2567.5	21425	V	5.15	10.99	-5.34	10.80	33.01
		0	Н	13.28	10.99	-5.34	18.93	33.01



	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2505.0	20800	V	7.54	10.90	-5.26	13.19	33.01
BAND 7	2000.0	20000	Н	15.46	10.90	-5.26	21.11	33.01
BW: 10M	2525.0	21100	V	9.45	10.94	-5.29	15.10	33.01
QPSK	2535.0	21100	Н	15.26	10.94	-5.29	20.91	33.01
RB: 1,0	2565.0	21400	V	7.25	10.98	-5.34	12.89	33.01
	2000.0	21400	Н	15.50	10.98	-5.34	21.13	33.01
	2505.0	20800	V	8.30	10.91	-5.26	13.95	33.01
BAND 7	2505.0	20600	Н	16.87	10.91	-5.26	22.52	33.01
BW: 10M	2535.0	21100	V	9.43	10.95	-5.31	15.07	33.01
QPSK	2000.0	21100	Н	15.86	10.95	-5.31	21.50	33.01
RB: 1,49	2565.0	21400	V	4.81	10.99	-5.34	10.46	33.01
	2000.0	21400	Н	13.05	10.99	-5.34	18.70	33.01
	2505.0	20800	V	7.49	10.90	-5.26	13.14	33.01
BAND 7	2303.0	20000	Н	15.44	10.90	-5.26	21.09	33.01
BW: 10M	2535.0	21100	V	9.26	10.94	-5.29	14.91	33.01
16QAM	2000.0	21100	Н	15.31	10.94	-5.29	20.96	33.01
RB: 1,0	2565.0	21400	V	7.40	10.98	-5.34	13.04	33.01
	2000.0	21400	Н	15.70	10.98	-5.34	21.34	33.01
	2505.0	20800	V	8.36	10.91	-5.26	14.01	33.01
BAND 7	2000.0	20000	Н	16.79	10.91	-5.26	22.44	33.01
BW: 10M	2535.0	21100	V	9.10	10.95	-5.31	14.74	33.01
16QAM	2000.0	21100	Н	15.58	10.95	-5.31	21.22	33.01
RB: 1,49	2565.0	21400	V	5.01	10.99	-5.34	10.66	33.01
	2000.0	21400	Н	13.23	10.99	-5.34	18.88	33.01
	The RBW, VBV	V of SPA f	for freque	ncy RBW	/= 8MHz ,	VBW= 8	MHz	



	EUT				Measu	rement		m dBm 22 33.01 27 33.01 81 33.01 81 33.01 28 33.01 41 33.01 18 33.01 18 33.01 18 33.01 18 33.01 19 33.01 19 33.01 46 33.01 54 33.01 15 33.01			
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP				
	MHz		V/H	dBm	dBi	dB	dBm	dBm			
	2507.5	20825	V	7.57	10.90	-5.26	13.22	33.01			
BAND 7	2001.0	20020	Н	15.42	10.90	-5.25	21.07	33.01			
BW: 15M	2535.0	21100	V	9.17	10.93	-5.29	14.81	33.01			
QPSK	2000.0	21100	Н	15.43	10.94	-5.29	21.08	33.01			
RB: 1,0	2562.5	21375	V	8.78	10.97	-5.34	14.41	33.01			
	2002.0	21010	Н	16.55	10.97	-5.34	22.18	33.01			
	2507.5	20825	V	8.11	10.92	-5.27	13.76	33.01			
BAND 7	2007.0		Н	16.71	10.92	-5.27	22.36	33.01			
BW: 15M	2535.0	21100	V	9.33	10.95	-5.32	14.97	33.01			
QPSK	2000.0	21100	Н	16.15	10.95	-5.32	21.79	33.01			
RB: 1,74	2562.5	21375	V	4.82	10.99	-5.34	10.46	33.01			
	2002.0	21375	Н	12.99	10.99	-5.34	18.64	33.01			
	2507.5	20825	V	7.50	10.90	-5.25	13.15	33.01			
BAND 7	2001.0	20020	Н	15.53	10.90	-5.25	21.17	33.01			
BW: 15M	2535.0	21100	V	9.08	10.93	-5.29	14.73	33.01			
16QAM	200010	21100	Н	15.31	10.93	-5.29	20.96	33.01			
RB: 1,0	2562.5	21375	V	9.04	10.97	-5.34	14.67	33.01			
	2002.0	21070	Н	16.41	10.97	-5.34	22.04	33.01			
	2507.5	20825	V	7.91	10.92	-5.27	13.56	33.01			
BAND 7	BAND 7		Н	17.15	10.92	-5.27	22.80	33.01			
BW: 15M 16QAM RB: 1,74	2535.0	21100	V	9.09	10.95	-5.32	14.73	33.01			
			Н	16.12	10.95	-5.32	21.76	33.01			
	2562.5	21375	V	4.95	10.99	-5.34	10.60	33.01			
		2.070	Н	13.20	10.99	-5.34	18.85	33.01			



	EUT				Measu	rement		Limit dBm 33.01		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
	2510.0	20850	V	7.56	10.90	-5.25	13.21	33.01		
BAND 7	2310.0	20030	Н	15.40	10.90	-5.26	21.05	33.01		
BW: 20M	2535.0	21100	V	8.84	10.93	-5.29	14.49	33.01		
QPSK	2000.0	21100	Н	15.43	10.93	-5.29	21.08	33.01		
RB: 1,0	2560.0	21350	V	9.41	10.96	-5.33	15.04	33.01		
	2000.0	21000	Н	16.97	10.96	-5.33	22.60	33.01		
	2510.0	20850	V	8.02	10.92	-5.27	13.67	33.01		
BAND 7	2010.0	20000	Н	16.05	10.92	-5.27	21.70	33.01		
BW: 20M	2535.0	21100	V	9.48	10.95	-5.32	15.11	33.01		
QPSK RB: 1,99	2000.0	21100	Н	16.40	10.95	-5.32	22.03	33.01		
	2560.0	21350	V	4.65	10.99	-5.34	10.30	33.01		
	2000.0	21350	Н	12.98	10.99	-5.34	18.63	33.01		
	2510.0	20850	V	7.37	10.90	-5.26	13.01	33.01		
BAND 7	2010.0	20000	Н	15.66	10.90	-5.25	21.31	33.01		
BW: 20M	2535.0	21100	V	8.73	10.93	-5.29	14.38	33.01		
16QAM	2000.0	21100	Н	15.37	10.93	-5.29	21.02	33.01		
RB: 1,0	2560.0	21350	V	8.88	10.96	-5.33	14.51	33.01		
	2000.0	21000	Н	16.48	10.96	-5.33	22.11	33.01		
	2510.0	20850	V	7.91	10.92	-5.27	13.56	33.01		
BAND 7	BAND 7		Н	15.95	10.92	-5.27	21.60	33.01		
BW: 20M 16QAM RB: 1,99	2535.0	21100	V	9.15	10.96	-5.32	14.79	33.01		
			Н	16.24	10.96	-5.32	21.88	33.01		
	2560.0	21350	V	4.88	10.99	-5.34	10.53	33.01		
		2.000	Н	13.19	10.99	-5.34	18.84	33.01		



	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	699.7	23017	V	8.60	3.08	-2.96	8.72	24.77
BAND 12	099.7	23017	Н	14.51	3.08	-2.96	14.63	24.77
BW: 1.4M	707.5	23095	V	6.38	3.09	-3.04	6.44	24.77
QPSK	101.5	23093	Н	13.35	3.09	-3.04	13.41	24.77
RB: 1,0	715.3	23173	V	5.10	3.11	-3.06	5.15	24.77
	710.0	23175	Н	13.62	3.11	-3.06	13.67	24.77
	699.7	23017	V	8.90	3.08	-2.96	9.02	24.77
BAND 12	033.1	23017	Н	14.85	3.08	-2.96	14.97	24.77
BW: 1.4M QPSK	707.5	23095	V	6.59	3.09	-3.04	6.64	24.77
	101.5	23093	Н	13.68	3.09	-3.04	13.74	24.77
RB: 1,5	715.3	23173	V	4.96	3.11	-3.06	5.01	24.77
	715.5	23173	Н	13.69	3.11	-3.06	13.74	24.77
	699.7	23017	V	8.10	3.08	-2.96	8.22	24.77
BAND 12	099.1	20017	Н	14.13	3.08	-2.96	14.25	24.77
BW: 1.4M	707.5	23095	V	6.10	3.09	-3.04	6.16	24.77
16QAM	101.5	20000	Н	13.15	3.09	-3.04	13.21	24.77
RB: 1,0	715.3	23173	V	5.14	3.11	-3.06	5.18	24.77
	710.0	20170	Н	13.68	3.11	-3.06	13.73	24.77
	699.7	23017	V	8.29	3.08	-2.96	8.41	24.77
BAND 12 BW: 1.4M 16QAM RB: 1,5	000.1	20011	Н	14.64	3.08	-2.96	14.77	24.77
	707.5	23095	V	6.32	3.10	-3.04	6.38	24.77
	101.0	20000	Н	13.26	3.09	-3.04	13.32	24.77
	715.3	715.3 23173	V	4.62	3.11	-3.06	4.67	24.77
	110.0	20110	Н	13.54	3.11	-3.06	13.59	24.77



	EUT				Measu	rement		Limit dBm 24.77 24.77 24.77 24.77 24.77 24.77 24.77 24.77 24.77 24.77 24.77 24.77 24.77 24.77 24.77			
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit			
	MHz		V/H	dBm	dBi	dB	dBm	dBm			
	700.5	23025	V	8.71	3.08	-2.96	8.84	24.77			
BAND 12	700.5	23025	Н	14.81	3.08	-2.96	14.93	24.77			
BW: 3M	707.5	23095	V	6.08	3.09	-3.03	6.14	24.77			
QPSK	101.5	23095	Н	13.22	3.09	-3.03	13.27	24.77			
RB: 1,0	714.5	23165	V	6.10	3.11	-3.06	6.15	24.77			
	714.5	20100	Н	14.32	3.11	-3.06	14.36	24.77			
	700.5	23025	V	8.55	3.08	-2.98	8.65	24.77			
BAND 12	700.5	23025	Н	15.01	3.08	-2.98	15.12	24.77			
QPSK	707.5	23095	V	6.63	3.10	-3.04	6.69	24.77			
	101.5	23095	Н	14.04	3.10	-3.04	14.09	24.77			
RB: 1,14	714.5	23165	V	4.92	3.11	-3.06	4.96	24.77			
	714.5	23103	Н	13.68	3.11	-3.06	13.73	24.77			
	700.5	23025	V	8.25	3.08	-2.98	8.35	24.77			
BAND 12	700.0	20020	Н	14.36	3.08	-2.99	14.46	24.77			
BW: 3M	707.5	23095	V	5.88	3.09	-3.03	5.93	24.77			
16QAM	101.0	20000	Н	12.92	3.09	-3.03	12.97	24.77			
RB: 1,0	714.5	23165	V	5.78	3.11	-3.06	5.83	24.77			
	714.0	20100	Н	14.47	3.11	-3.06	14.52	24.77			
	700.5	23025	V	8.27	3.08	-2.98	8.37	24.77			
BAND 12	BAND 12 700.5	20020	Н	14.64	3.08	-2.97	14.75	24.77			
BW: 3M 16QAM RB: 1,14	707.5	23095	V	6.40	3.10	-3.04	6.45	24.77			
		20000	Н	13.71	3.10	-3.04	13.76	24.77			
	714.5	23165	V	4.67	3.11	-3.06	4.72	24.77			
		20100	Н	13.59	3.11	-3.06	13.64	24.77			



	EUT				Measu	rement		Limit dBm 24.77 24.77 24.77 24.77				
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP					
	MHz		V/H	dBm	dBi	dB	dBm					
	701.5	23035	V	8.58	3.08	-2.96	8.71	24.77				
BAND 12			Н	14.53	3.08	-2.96	14.65	24.77				
BW: 5M	707.5	23095	V	6.08	3.09	-3.03	6.13	24.77				
QPSK	101.0	20000	Н	13.08	3.09	-3.03	13.14	24.77				
RB: 1,0	713.5	23155	V	6.82	3.10	-3.05	6.88	24.77				
	710.0	20100	Н	14.64	3.10	-3.05	14.70	24.77				
	701.5	23035	V	7.02	3.09	-3.01	7.10	24.77				
BAND 12	701.5	20000	Н	13.64	3.09	-3.01	13.72	24.77				
BW: 5M	707.5	23095	V	6.82	3.10	-3.04	6.88	24.77				
QPSK RB: 1,24	101.5	20090	Н	14.56	3.10	-3.05	14.62	24.77				
	713.5	23155	V	4.81	3.11	-3.06	4.85	24.77				
	713.5	23155	Н	13.77	3.11	-3.06	13.81	24.77				
	701.5	23035	V	8.44	3.08	-2.96	8.56	24.77				
BAND 12	701.5	20000	Н	14.23	3.08	-2.97	14.35	24.77				
BW: 5M	707.5	23095	V	6.13	3.09	-3.03	6.18	24.77				
16QAM	101.5	20090	Н	12.99	3.09	-3.03	13.05	24.77				
RB: 1,0	713.5	23155	V	6.62	3.10	-3.05	6.67	24.77				
	713.5	20100	Н	14.51	3.10	-3.05	14.56	24.77				
	701 5	23035	V	6.91	3.09	-3.01	6.99	24.77				
BAND 12	BAND 12 701.5	20000	Н	13.54	3.09	-3.01	13.61	24.77				
BW: 5M 16QAM RB: 1,24	707.5	23095	V	6.31	3.10	-3.04	6.36	24.77				
	101.5	20030	Н	13.98	3.10	-3.05	14.03	24.77				
	713.5	23155	V	4.76	3.11	-3.06	4.81	24.77				
	110.0	20100	Н	13.59	3.11	-3.06	13.64	24.77				



EUT			Measurement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
BAND 12 BW: 10M QPSK RB: 1,0	704.0	23060	V	8.54	3.08	-2.96	8.66	24.77
			Н	14.76	3.08	-2.96	14.88	24.77
	707.5	23095	V	7.38	3.08	-3.00	7.47	24.77
			Н	13.97	3.08	-3.00	14.05	24.77
	711.0	23130	V	6.23	3.09	-3.04	6.28	24.77
			Н	13.30	3.09	-3.04	13.35	24.77
BAND 12 BW: 10M QPSK RB: 1,49	704.0	23060	V	6.58	3.10	-3.04	6.63	24.77
			Н	13.94	3.10	-3.04	14.00	24.77
	707.5	23095	V	6.59	3.10	-3.05	6.64	24.77
			Н	14.71	3.10	-3.05	14.76	24.77
	711.0	23130	V	4.88	3.11	-3.06	4.93	24.77
			Н	13.63	3.11	-3.06	13.68	24.77
BAND 12 BW: 10M 16QAM RB: 1,0	704.0	23060	V	8.49	3.08	-2.96	8.61	24.77
			Н	14.58	3.08	-2.96	14.70	24.77
	707.5	23095	V	7.06	3.08	-3.00	7.15	24.77
			Н	13.80	3.08	-3.00	13.89	24.77
	711.0	23130	V	6.10	3.09	-3.04	6.15	24.77
			Н	12.97	3.09	-3.04	13.03	24.77
BAND 12 BW: 10M 16QAM RB: 1,49	704.0	23060	V	6.45	3.10	-3.04	6.50	24.77
			Н	13.86	3.10	-3.04	13.91	24.77
	707.5	23095	V	6.23	3.10	-3.05	6.28	24.77
			Н	14.32	3.10	-3.05	14.37	24.77
	711.0	23130	V	4.68	3.11	-3.06	4.72	24.77
			Н	13.59	3.11	-3.06	13.64	24.77



	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	706.5	23755	V	9.76	3.09	-3.04	9.82	24.77
BAND 17	700.5	20100	Н	14.31	3.09	-3.03	14.37	24.77
BW: 5M	710.0	23790	V	10.64	3.09	-3.04	10.70	24.77
QPSK	710.0	20190	Н	15.38	3.09	-3.04	15.43	24.77
RB: 1,0	713.5	23825	V	11.34	3.10	-3.05	11.39	24.77
	710.0	20020	Н	16.18	3.10	-3.05	16.23	24.77
	706.5	23755	V	10.68	3.10	-3.04	10.74	24.77
BAND 17	700.5	20100	Н	15.49	3.10	-3.04	15.54	24.77
BW: 5M	710.0	23790	V	11.31	3.10	-3.05	11.36	24.77
QPSK	710.0	20100	Н	16.39	3.10	-3.05	16.44	24.77
RB: 1,24	713 5	23825	V	9.67	3.11	-3.06	9.72	24.77
	24 713.5	20020	Н	15.34	3.11	-3.06	15.39	24.77
	706.5	23755	V	9.84	3.09	-3.03	9.90	24.77
BAND 17	700.0	20100	Н	14.27	3.09	-3.04	14.33	24.77
BW: 5M	710.0	23790	V	10.65	3.09	-3.04	10.70	24.77
16QAM	710.0	20100	Н	15.29	3.09	-3.04	15.34	24.77
RB: 1,0	713.5	23825	V	11.58	3.10	-3.05	11.64	24.77
	710.0	20020	Н	16.30	3.10	-3.05	16.36	24.77
	706 5	23755	V	10.72	3.10	-3.04	10.78	24.77
BAND 17		20100	Н	15.20	3.10	-3.04	15.26	24.77
BW: 5M	- /10.0	23790	V	11.14	3.10	-3.05	11.19	24.77
16QAM		20700	Н	16.46	3.10	-3.05	16.51	24.77
RB: 1,24	713.5	23825	V	9.49	3.11	-3.06	9.54	24.77
	1.0.0	20020	Н	15.11	3.11	-3.06	15.16	24.77



	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	709.0	23780	V	9.82	3.09	-3.03	9.88	24.77
BAND 17	709.0	23700	Н	14.19	3.09	-3.03	14.25	24.77
BW: 10M	710.0	23790	V	10.07	3.09	-3.03	10.12	24.77
QPSK	710.0	23790	Н	14.56	3.09	-3.03	14.62	24.77
RB: 1,0	711.0	23800	V	10.14	3.09	-3.04	10.20	24.77
	711.0	20000	Н	14.79	3.09	-3.04	14.84	24.77
	709.0	23780	V	10.62	3.11	-3.06	10.67	24.77
BAND 17	700.0	20100	Н	15.95	3.11	-3.06	16.00	24.77
BW: 10M	710.0	23790	V	10.06	3.11	-3.06	10.11	24.77
QPSK	710.0	20100	Н	15.37	3.11	-3.06	15.42	24.77
RB-1/0	711.0	23800	V	9.63	3.11	-3.06	9.68	24.77
	711.0	20000	Н	15.18	3.11	-3.06	15.23	24.77
	709.0	23780	V	9.65	3.09	-3.03	9.70	24.77
BAND 17			Н	14.16	3.09	-3.03	14.22	24.77
BW: 10M	710.0	23790	V	10.04	3.09	-3.03	10.09	24.77
16QAM			Н	14.63	3.09	-3.03	14.69	24.77
RB: 1,0	711.0	23800	V	10.16	3.09	-3.04	10.22	24.77
			Н	14.74	3.09	-3.04	14.79	24.77
	709.0	23780	V	10.62	3.11	-3.06	10.67	24.77
BAND 17			H	15.55	3.11	-3.06	15.60	24.77
BW: 10M	/10.0	23790	V	10.07	3.11	-3.06	10.12	24.77
16QAM			H	15.37	3.11	-3.06	15.42	24.77
RB: 1,49	711.0	23800	V	9.70	3.11	-3.06	9.75	24.77
			Н	15.35	3.11	-3.06	15.40	24.77



	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	0570 F	07775	V	11.34	10.99	-5.34	17.00	33.00
BAND 38	2572.5	37775	Н	20.29	10.99	-5.34	25.94	33.00
BW: 5M	0505.0	22000	V	13.71	11.02	-5.34	19.39	33.00
QPSK	2595.0	38000	Н	22.69	11.02	-5.34	28.36	33.00
RB: 1,0	0017 F	20225	V	12.10	11.05	-5.37	17.78	33.00
	2617.5	38225	Н	21.56	11.05	-5.37	27.24	33.00
	2570 F	37775	V	12.59	10.99	-5.34	18.24	33.00
BAND 38	2572.5	3///5	Н	22.06	11.00	-5.34	27.72	33.00
BW: 5M	2595.0	38000	V	13.32	11.02	-5.35	19.00	33.00
QPSK	2090.0	30000	Н	21.96	11.02	-5.35	27.64	33.00
RB: 1,24	2617.5	38225	V	12.49	11.05	-5.37	18.18	33.00
	2017.5	30225	Н	21.71	11.05	-5.37	27.39	33.00
	2572.5	37775	V	11.15	10.99	-5.34	16.81	33.00
BAND 38	2012.0	51115	Н	20.21	10.99	-5.34	25.86	33.00
BW: 5M	2595.0	38000	V	13.28	11.02	-5.34	18.96	33.00
16QAM	2393.0	38000	Н	22.21	11.02	-5.34	27.89	33.00
RB: 1,0	2617.5	38225	V	12.05	11.05	-5.37	17.73	33.00
	2017.5	30223	Н	20.89	11.05	-5.37	26.57	33.00
	2572.5	37775	V	12.49	10.99	-5.34	18.15	33.00
BAND 38	2012.0	51115	Н	21.14	10.99	-5.34	26.80	33.00
BW: 5M	2595.0	38000	V	13.35	11.02	-5.35	19.03	33.00
16QAM	2000.0	30000	Н	21.32	11.02	-5.35	27.00	33.00
RB: 1,24	2617.5	38225	V	12.42	11.05	-5.37	18.10	33.00
	2017.0	00220	Н	20.72	11.05	-5.37	26.40	33.00
	The RBW,VBV	l of SPA f	or freque	ncy RBV	/= 8MHz ,	VBW= 8	MHz	



	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2575.0	37800	V	12.56	10.99	-5.34	18.21	33.00
BAND 38	2373.0	57000	Н	20.72	10.99	-5.34	26.37	33.00
BW: 10M	2595.0	38000	V	14.13	11.02	-5.34	19.81	33.00
QPSK	2000.0	30000	Н	22.24	11.02	-5.34	27.92	33.00
RB: 1,0	2615.0	38200	V	13.04	11.04	-5.36	18.72	33.00
	2010.0	00200	Н	21.15	11.04	-5.36	26.83	33.00
	2575.0	37800	V	14.98	11.00	-5.34	20.64	33.00
BAND 38	2010.0	57000	Н	22.73	11.00	-5.34	28.39	33.00
BW: 10M	2595.0	38000	V	13.64	11.03	-5.35	19.32	33.00
QPSK	2000.0	30000	Н	21.21	11.03	-5.35	26.88	33.00
RB-149	2615.0	38200	V	13.47	11.05	-5.37	19.15	33.00
	. 9 2615.0	30200	Н	21.52	11.05	-5.37	27.20	33.00
	2575.0	37800	V	12.15	10.99	-5.34	17.81	33.00
BAND 38	2070.0	0/000	Н	19.93	10.99	-5.34	25.58	33.00
BW: 10M	2595.0	38000	V	14.34	11.02	-5.34	20.02	33.00
16QAM	2000.0	00000	Н	21.82	11.02	-5.34	27.49	33.00
RB: 1,0	2615.0	38200	V	12.01	11.04	-5.36	17.70	33.00
	2010.0	00200	Н	20.18	11.04	-5.36	25.86	33.00
	2575.0	37800	V	14.06	11.00	-5.34	19.72	33.00
BAND 38	201010	0,000	Н	21.97	11.00	-5.34	27.63	33.00
BW: 10M	2595.0	38000	V	13.15	11.03	-5.35	18.83	33.00
16QAM	2000.0		Н	21.03	11.03	-5.35	26.71	33.00
RB: 1,49	2615.0	38200	V	12.52	11.05	-5.37	18.20	33.00
		00200	Н	20.84	11.05	-5.37	26.53	33.00



	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2575.0	37800	V	12.40	10.99	-5.34	18.05	33.00
BAND 38	2373.0	57000	Н	20.14	10.99	-5.34	25.79	33.00
BW: 15M	2595.0	38000	V	14.47	11.02	-5.34	20.14	33.00
QPSK	2000.0	30000	Н	22.10	11.02	-5.34	27.77	33.00
RB: 1,0	2615.0	38200	V	12.49	11.04	-5.36	18.17	33.00
	2013.0	30200	Н	20.42	11.04	-5.36	26.10	33.00
	2575.0	37800	V	14.51	11.01	-5.34	20.18	33.00
BAND 38	2010.0	37000	Н	22.35	11.01	-5.34	28.02	33.00
BW: 15M	2595.0	38000	V	13.24	11.03	-5.35	18.92	33.00
QPSK	2000.0	00000	Н	20.75	11.03	-5.35	26.43	33.00
RB: 1,74	2615.0	38200	V	12.71	11.05	-5.37	18.39	33.00
	2615.0	00200	Н	20.78	11.05	-5.37	26.46	33.00
	2575.0	37800	V	12.33	10.99	-5.34	17.99	33.00
BAND 38	2010.0	0/000	Н	20.10	10.99	-5.34	25.75	33.00
BW: 15M	2595.0	38000	V	14.18	11.02	-5.34	19.86	33.00
16QAM	2000.0	00000	Н	21.80	11.02	-5.34	27.48	33.00
RB: 1,0	2615.0	38200	V	12.45	11.04	-5.36	18.13	33.00
	2010.0	00200	Н	20.28	11.04	-5.36	25.96	33.00
	2575.0	37800	V	14.19	11.01	-5.34	19.85	33.00
BAND 38	2010.0	0,000	Н	22.00	11.01	-5.34	27.66	33.00
BW: 15M	2595.0		V	13.15	11.03	-5.35	18.82	33.00
16QAM	2000.0	38000	Н	20.66	11.03	-5.35	26.34	33.00
RB: 1,74	2615.0	38200	V	12.58	11.05	-5.37	18.26	33.00
			Н	20.55	11.05	-5.37	26.23	33.00



	EUT				Measu	rement		
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	2580.0	37850	V	12.48	10.99	-5.34	18.13	33.00
BAND 38	2300.0	37030	Н	18.86	10.99	-5.34	24.51	33.00
BW: 20M	2595.0	38000	V	14.64	11.01	-5.34	20.31	33.00
QPSK	2393.0	00000	Н	20.91	11.01	-5.34	26.58	33.00
RB: 1,0	2610.0	38150	V	13.26	11.03	-5.35	18.94	33.00
	2010.0	30130	Н	19.19	11.03	-5.35	24.87	33.00
	2580.0	37850	V	14.73	11.01	-5.34	20.40	33.00
BAND 38	2000.0	37000	Н	20.75	11.01	-5.34	26.43	33.00
BW: 20M	2595.0	38000	V	12.83	11.03	-5.35	18.51	33.00
QPSK	2000.0	00000	Н	12.70	11.03	-5.35	18.37	33.00
RB: 1,74	2610.0	38150	V	19.15	11.03	-5.35	24.83	33.00
	,74 2610.0	00100	Н	19.40	11.05	-5.37	25.08	33.00
	2580.0	37850	V	12.33	10.99	-5.34	17.98	33.00
BAND 38	2000.0	07000	Н	18.72	10.99	-5.34	24.37	33.00
BW: 20M	2595.0	38000	V	14.44	11.01	-5.34	20.11	33.00
16QAM	2000.0		Н	20.68	11.01	-5.34	26.35	33.00
RB: 1,0	2610.0	38150	V	13.07	11.03	-5.35	18.74	33.00
			Н	19.13	11.03	-5.35	24.80	33.00
	2580.0	37850	V	14.21	11.01	-5.34	19.88	33.00
BAND 38		0.000	Н	20.39	11.01	-5.34	26.07	33.00
BW: 20M	2595.0		V	12.55	11.03	-5.35	18.23	33.00
16QAM		38000	Н	18.95	11.03	-5.35	24.63	33.00
RB: 1,74	2610.0	38150	V	12.35	11.05	-5.37	18.03	33.00
			Н	19.03	11.05	-5.37	24.71	33.00




8. OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2. Test Set-up



8.3. Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about $1\% \sim 5\%$ of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= $1\% \sim 5\%$, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非 是 去 投租, 开 提供 建碱 建调试 之 择 只 备 素,同時世 样 只 微保 应 的 手 。 太 提 生 差 恢 太 司 孝 五 姓 可 , 太 可 部 公 造 劑 。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms</u> and <u>conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms</u> <u>e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



8.4. Measurement Equipment Used

Conduc	ted Emission (m	neasured at a	antenna port)	Test Site	
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
EXA Spectrum Ana- lyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018
Coaxial Cable	HU- BER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018
Radio Communication Analyzer	R&S	CMU200	102189	02/10/2017	02/09/2018
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018



8.5. Measurement Result

Erog		9	9% BW (MH)	<u>z)</u>	26 dB BW (MHz)			
Freq. (MHz)	СН	GSM 850	GPRS 850	EDGE 850	GPRS 850	GPRS 850	EDGE 850	
824.2	128	0.24340	0.24477	0.24512	0.31770	0.32020	0.30470	
836.6	190	0.24623	0.24835	0.24474	0.32000	0.31620	0.31800	
848.8	251	0.24202	0.24835	0.24765	0.31180	0.31650	0.32230	

Erog		9	9% BW (MH	<u>z)</u>	26 dB BW (MHz)			
Freq. (MHz)	СН	GSM 1900	GPRS 1900	EDGE 1900	GSM 1900	GPRS 1900	EDGE 1900	
1850.2	512	0.24590	0.24045	0.24874	0.31610	0.31390	0.32020	
1880.0	661	0.24384	0.24181	0.24071	0.31210	0.31910	0.31490	
1909.8	810	0.24845	0.24374	0.24642	3.22100	0.31500	0.31880	

Freq.		9	9% BW (MH	<u>z)</u>	26 dB BW (MHz)			
(MHz)	СН	WCDMA II	HSDPA II	HSUPA II	WCDMA II	HSDPA II	HSUPA II	
1850.20	9262	4.1554	4.1572	4.1586	4.7230	4.7230	4.7320	
1880.00	9400	4.1622	4.1669	4.1561	4.7180	4.7470	4.7190	
1909.80	9538	4.1438	4.1493	4.1430	4.7130	4.7170	4.7300	

Erog		9	9% BW (MH:	z)	26 dB BW (MHz)			
Freq. (MHz)	СН	WCDMA IV	HSDPA IV	HSUPA IV	WCDMA IV	HSDPA IV	HSUPA IV	
1712.40	1312	4.1491	4.1638	4.1562	4.6920	4.7080	4.7070	
1732.60	1413	4.1412	4.1510	4.1622	4.6950	4.7080	4.7020	
1752.60	1513	4.1444	4.1609	4.1648	4.6860	4.7060	4.7140	

Erog		9	9% BW (MH)	z)	26 dB BW (MHz)			
Freq. (MHz)	СН	WCDMA	HSDPA	HSUPA	WCDMA	HSDPA	HSUPA	
(11112)		V	V	V	V	V	V	
826.40	4132	4.1329	4.1502	4.1347	4.7100	4.6870	4.7050	
836.60	4183	4.1432	4.1535	4.1430	4.6900	4.7130	4.7000	
846.60	4233	4.1450	4.1413	4.1509	4.7070	4.7100	4.6950	



LTE BAND 2 Channel bandwidth: 1.4MHz								
Freq.	СН	99% BV	V (MHz)	26 dB B	SW (MHz)			
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM			
1850.7	18607	1.0959	1.1016	1.285	1.289			
1880.0	18900	1.0996	1.0996	1.305	1.287			
1909.3	19193	1.0996	1.0996	1.297	1.298			

LTE BAND 2 Channel bandwidth: 3MHz								
Freq. (MHz)	СН	99% BV	V (MHz)	26 dB E	BW (MHz)			
(MHz)	CH	QPSK	16QAM	QPSK	16QAM			
1851.5	18615	2.7014	2.7042	2.986	3.003			
1880.0	18900	2.7034	2.7058	2.979	3.003			
1908.5	19185	2.7028	2.7050	2.982	2.993			

LTE BAND 2 Channel bandwidth: 5MHz								
Freq.	СН	99% BV	V (MHz)	26 dB E	SW (MHz)			
(MHz)	СП	QPSK	16QAM	QPSK	16QAM			
1852.5	18625	4.5123	4.5124	5.059	5.049			
1880.0	18900	4.5047	4.5106	5.025	5.015			
1907.5	19175	4.5093	4.5091	5.052	5.038			

LTE BAND 2 Channel bandwidth: 10MHz								
Freq.			V (MHz)		· /			
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM			
1855.0	18650	8.9843	8.9586	9.894	9.844			
1880.0	18900	9.0240	8.9553	9.928	9.807			
1905.0	19150	8.9802	8.9428	9.908	9.762			

LTE BAND 2 Channel bandwidth: 15MHz								
Freq.	СН	99% BV	V (MHz)	26 dB B	SW (MHz)			
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM			
1857.5	18675	13.482	13.466	14.80	14.84			
1880.0	18900	13.504	13.490	14.73	14.78			
1902.5	19125	13.494	13.477	14.73	14.83			

LTE BAND 2 Channel bandwidth: 20MHz								
Freq.	СН	99% BV	V (MHz)	26 dB E	3W (MHz)			
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM			
1860.0	18700	17.893	17.941	19.46	19.48			
1880.0	18900	17.952	17.993	19.52	19.41			
1900.0	19100	17.951	17.993	19.56	19.41			



LTE BAND 4 Channel bandwidth: 1.4MHz								
Freq. (MHz)	СН	99% BV	V (MHz)	26 dB E	BW (MHz)			
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM			
1710.7	19957	1.0978	1.1018	1.289	1.296			
1732.5	20175	1.0982	1.1016	1.289	1.287			
1754.3	20393	1.0982	1.1011	1.286	1.303			

LTE BAND 4 Channel bandwidth: 3MHz								
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)			
(MHz)	СН	QPSK	16QAM	QPSK	16QAM			
1711.5	19965	2.6993	2.7065	2.994	3.002			
1732.5	20175	2.7050	2.7049	3.003	2.997			
1753.5	20385	2.7022	2.7026	2.988	2.999			

LTE BAND 4 Channel bandwidth: 5MHz								
Freq. (MHz)	СЦ		N (MHz)		· /			
(MHz)	СП	QPSK	16QAM	QPSK	16QAM			
1712.5	19957	4.5108	4.5090	5.033	5.007			
1732.5	20175	4.5055	4.5071	5.049	5.012			
1752.5	20375	4.5104	4.5110	5.046	5.011			

LTE BAND 4 Channel bandwidth: 15MHz								
Freq. (MHz)	сц		V (MHz)					
(MHz)	СН	QPSK	16QAM	QPSK	16QAM			
1717.5	20025	13.502	13.478	14.72	14.79			
1732.5	20175	13.498	13.475	14.75	14.86			
1747.5	20325	13.504	13.486	14.83	14.89			

848.3

20643

1.0976

17	14.89	14.83	13.486	13.504	20325	1747.5
				-		
	ЛНz	dth: 1.4N	nel bandwi	D 5 Chanı	te ban	Ľ
F	3W (MHz)	26 dB E	N (MHz)	99% B∖	СН	Freq.
()	16QAM	QPSK	16QAM	QPSK	СП	(MHz)
8	1.288	1.291	1.0987	1.0967	20407	824.7
8	1.293	1.290	1.0982	1.0956	20525	836.5

1.0986

1.291

1.295

LTE BAND 4 Channel bandwidth: 10MHz								
Freq.	СН	99% BV	V (MHz)	26 dB B	W (MHz)			
(MHz)	СН	QPSK	16QAM	QPSK	16QAM			
1715.0	20000	9.0084	8.9548	9.928	9.857			
1732.5	20175	8.9987	8.9569	9.908	9.858			
1750.0	20350	8.9911	8.9534	9.885	9.826			

LTE BAND 4 Channel bandwidth: 20MHz								
Freq. (MHz)	Freq. CH 99% BW (MHz)		V (MHz)	26 dB B	W (MHz)			
(MHz)	СН	QPSK	16QAM	QPSK	16QAM			
1720.0	20050	17.937	17.942	19.57	19.54			
1732.5	20175	17.923	17.930	19.50	19.50			
1745.0	20300	17.980	17.992	19.58	19.54			

LTE BAND 5 Channel bandwidth: 3MHz								
Freq.	СН	99% BV	V (MHz)	26 dB E	BW (MHz)			
(MHz)	СП	QPSK	16QAM	QPSK	16QAM			
825.5	20415	2.6994	2.6978	2.979	2.999			
836.5	20525	2.6997	2.6997	2.973	2.992			
847.5	20635	2.6893	2.6963	2.923	2.930			

LTE BAND 5 Channel bandwidth: 5MHz							
Freq.	СН	99% BV	V (MHz)	26 dB E	BW (MHz)		
(MHz)	СП	QPSK	16QAM	QPSK	16QAM		
826.5	20425	4.5035	4.4998	5.037	5.041		
836.5	20525	4.5097	4.5059	5.029	5.036		
846.5	20625	4.4971	4.5016	4.874	5.032		

LTE BAND 5 Channel bandwidth: 10MHz								
Freq.			V (MHz)	26 dB E	BW (MHz)			
(MHz)	СН	QPSK	16QAM	QPSK	16QAM			
829.0	20450	8.9917	8.9431	9.895	9.842			
836.5	20525	9.0069	8.9686	9.938	9.809			
844.0	20600	8.9962	8.9643	9.888	9.839			



LTE BAND 7 Channel bandwidth: 5MHz								
Freq.	СН	99% BV	V (MHz)	26 dB E	SW (MHz)			
(MHz)	СП	QPSK	16QAM	QPSK	16QAM			
2502.5	20775	4.5159	4.5150	5.059	5.035			
2535.0	21100	4.5156	4.5131	5.059	5.038			
2567.5	21425	4.5266	4.5104	5.144	5.034			

LTE BAND 7 Channel bandwidth: 10MHz							
Freq. (MHz)	СН	99% BW (MHz)		26 dB BW (MHz)			
(MHz)	СП	QPSK	16QAM	QPSK	16QAM		
2505.0	20800	9.0022	8.9572	9.945	9.882		
2535.0	21100	9.0083	8.9647	9.913	9.856		
2565.0	21400	9.0064	8.9544	9.958	9.841		

LTE BAND 7 Channel bandwidth: 15MHz								
Freq.	СН	99% BV	V (MHz)	26 dB E	SW (MHz)			
(MHz)	СН	QPSK	16QAM	QPSK	16QAM			
2507.5	20825	13.501	13.484	14.84	14.78			
2535.0	21100	13.491	13.469	14.84	14.84			
2562.5	21375	13.494	13.476	14.82	14.83			

LTE BAND 12 Channel bandwidth: 1.4MHz								
Freq.	СН	99% BV	V (MHz)	26 dB E	SW (MHz)			
(MHz)	СП	QPSK	16QAM	QPSK	16QAM			
699.7	23017	1.1013	1.0998	1.256	1.286			
707.5	23095	1.0963	1.1004	1.290	1.291			
715.3	23173	1.0972	1.1024	1.294	1.293			

LTE BAND 7 Channel bandwidth: 20MHz								
Freq.	СН	99% BV	W (MHz)	26 dB B	W (MHz)			
(MHz)	СН	QPSK	16QAM	QPSK	16QAM			
2510.0	20850	17.936	17.989	19.59	19.59			
2535.0	21100	17.947	17.959	19.47	19.50			
2560.0	21350	17.900	17.966	19.49	19.53			

LTE BAND 12 Channel bandwidth: 3MHz								
Freq.	СН	99% BV	V (MHz)	26 dB E	BW (MHz)			
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM			
700.5	23025	2.6987	2.7048	2.987	3.014			
707.5	23095	2.6832	2.7000	2.899	2.926			
714.5	23165	2.7047	2.6985	2.992	2.919			

LTE BAND 12 Channel bandwidth: 5MHz							
Freq. (MHz)	СН	99% BV	V (MHz)	26 dB E	BW (MHz)		
(MHz)	СН	QPSK	16QAM	QPSK	16QAM		
701.5	23035	4.5181	4.5147	5.069	5.051		
707.5	23095	4.5012	4.5117	4.915	5.026		
713.5	23155	4.5083	4.5165	4.889	5.052		

LTE BAND 12 Channel bandwidth: 10MHz								
Freq.	СН	99% BV	V (MHz)	26 dB E	BW (MHz)			
(MHz)	СН	QPSK	16QAM	QPSK	16QAM			
704.0	23060	9.0295	8.9495	9.949	9.555			
707.5	23095	8.9686	8.9508	9.546	9.817			
711.0	23130	9.0014	8.9410	9.887	9.834			

LTE BAND 17 Channel bandwidth: 5MHz							
Freq. (MHz)	СН	99% BW (MHz)		26 dB BW (MHz)			
(MHz)		QPSK	16QAM	QPSK	16QAM		
706.5	23755	4.5180	4.5908	4.958	4.829		
710.0	23790	4.5088	4.5129	5.063	5.024		
713.5	23825	4.5211	4.5148	5.077	5.025		

LTE BAND 17 Channel bandwidth: 10MHz							
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)			
(MHz)		QPSK	16QAM	QPSK	16QAM		
709.0	23780	9.0852	9.1227	9.517	9.655		
710.0	23790	9.1035	8.9459	9.527	9.776		
711.0	23780	8.9921	8.9518	9.894	9.817		



LTE BAND 38 Channel bandwidth: 5MHz							
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)			
(MHz)		QPSK	16QAM	QPSK	16QAM		
2572.5	37775	4.5239	4.5141	5.387	5.060		
2595.0	38000	4.5214	4.5128	5.368	5.027		
2617.5	38225	4.5201	4.5119	5.470	5.042		


LTE BAND 38 Channel bandwidth: 10MHz							
Freq.		99% BW (MHz)		26 dB BW (MHz)			
(MHz)		QPSK	16QAM	QPSK	16QAM		
2575.0	37800	8.9725	8.9626	10.069	9.813		
2595.0	38000	8.9864	8.9622	10.033	9.939		
2615.0	38200	8.9704	8.9821	9.928	10.121		

Г								
	LTE BAND 38 Channel bandwidth: 15MHz							
ſ	Freq.	(H	99% BW (MHz)		26 dB BW (MHz)			
	(MHz)		QPSK	16QAM	QPSK	16QAM		
I	2577.5	37825	13.495	13.521	15.41	15.44		
ſ	2595.0	38000	13.493	13.512	15.61	15.37		
l	2612.5	38175	13.501	13.491	15.67	14.77		

LTE BAND 38 Channel bandwidth: 20MHz							
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)			
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM		
2580.0	37850	17.959	17.970	21.17	19.48		
2595.0	38000	17.952	17.910	20.42	19.48		
2610.0	38150	17.931	17.924	19.84	19.55		



GSM_850MHz_LowCH128-824.2




GPRS 850MHz LowCH128-824.2 enter Freg 824,200000 MH Center Freq: 824.2 Trig: Free Run lo Device: BTS Ref Offset 13.8 dB Ref 40.00 dBm Center Fre 824.20 enter 824.2 MHz Res BW 10 kHz Span 1.5 MH weep 14.4 m CF Step #VBW 30 kHz 41 2 dB Occupied Bandy Total Pour 244.77 kHz Freq Offse -1.120 kHz Transmit Freq Error 99.00 % **OBW Powe** B Bandy 320.2 kHz x dB -26.00 dB


GSM 850MHz MidCH190-836.6




GPRS 850MHz MidCH190-836.6



GSM_850MHz_HighCH251-848.8



GPRS_850MHz_HighCH251-848.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Where Stated the tools a state to the state and tools tools to be and tools and tool documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: ER/2017/90151 Page 87 of 357

EDGE 850MHz LowCH128-824.2




GSM 1900MHz LowCH512-1850.2




EDGE 850MHz MidCH190-836.6



GSM 1900MHz MidCH661-1880



EDGE 850MHz HighCH251-848.8



GSM_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Where Stated the tools a state to the state and tools tools to be and tools and tool documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com




Report No.: ER/2017/90151 Page 88 of 357

GPRS 1900MHz LowCH512-1850.2






GPRS_1900MHz_MidCH661-1880




EDGE 1900MHz MidCH661-1880



GPRS 1900MHz HighCH810-1909.8



EDGE_1900MHz_HighCH810-1909.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Where Stated the tools a state to the state and tools tools to be and tools and tool documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488



Report No.: ER/2017/90151 Page 89 of 357

WCDMA_B2_LowCH9262-1852.4







WCDMA B2 MidCH9400-1880




HSDPA B2 MidCH9400-1880



WCDMA B2 HighCH9538-1907.6



HSDPA B2 HighCH9538-1907.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Where Stated the tools a state to the state and tools tools to be and tools and tool documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488



HSUPA_B2_LowCH9262-1852.4







HSUPA B2 MidCH9400-1880




WCDMA B4 MidCH1413-1732.6



HSUPA B2 HighCH9538-1907.6



WCDMA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Where Stated the tools a state to the state and tools tools to be and tools and tool documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279



HSDPA_B4_LowCH1312-1712.4




HSUPA B4 LowCH1312-1712.4




HSDPA B4 MidCH1413-1732.6



HSUPA B4 MidCH1413-1732.6





HSDPA B4 HighCH1513-1752.6

HSUPA B4 HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Where Stated the tools a state to the state and tools tools to be and tools and tool documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488




WCDMA_B5_LowCH4132-826.4





WCDMA B5 MidCH4183-836.6




HSDPA B5 MidCH4183-836.6



WCDMA B5 HighCH4233-846.6



HSDPA B5 HighCH4233-846.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Where Stated the tools a state to the state and tools tools to be and tools and tool documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488




HSUPA_B5_LowCH4132-826.4



HSUPA B5 MidCH4183-836.6

Band2_1_4MHz_QPSK_6_0_LowCH18607-1850.7



Band2 1 4MHz QPSK 6 0 MidCH18900-1880




Radio Std: None AvgiHold: 50 Radio Device: BTS Ref Offset 14 dB Ref 30.00 dBn Center Fre enter 1.88 GHz Res BW 30 kHz Span 3 MH veep 3.2 m CF Ste 300.000 ki #VBW 91 kH Occupied Bandwidt 30.9 dBn Total Powe 1.0996 MHz Freq Offs 99.00 % mit Freq Err -1.672 kHz OBW P x dB Bandwidth 1.305 MHz x dB -26.00 dB



HSUPA B5 HighCH4233-846.6

Band2 1 4MHz QPSK 6 0 HighCH19193-1909.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Where Stated the tools a state to the state and tools tools to be and tools and tool documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Band2 1 4MHz 16QAM 6 0 LowCH18607-1850.7




Band2_3MHz_QPSK_15_0_LowCH18615-1851.5 Radio Std: None ter Freq 1.851500000 GHz Center Freq: 1.85150 Trig: Free Run tio Device: BT! Ref Offset 14 dB Ref 30.00 dBn Center Fre enter 1.852 GHz Res BW 62 kHz Span 6 MH ep 1.533 m CF St #VBW 180 kHz SWe 31.7 dBr Occupied Bandwidth Total Por 2.7014 MHz Freq Offse 1.644 kHz Transmit Freq Error 99.00 % OBW Pow B Band 2.985 MHz -26.00 dB x dB

Band2_1_4MHz_16QAM_6_0_MidCH189000-1880




Band2_3MHz_QPSK_15_0_MidCH18900-1880



Band2_1_4MHz_16QAM_6_0_HighCH19193-1909.3



Band2_3MHz_QPSK_15_0_HighCH19185-1908.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279

```
www.tw.sgs.com
```




Band2_3MHz_16QAM_15_0_LowCH18615-1851.5






Band2_3MHz_16QAM_15_0_MidCH18900-1880




Band2_5MHz_QPSK_25_0_MidCH18900-1880



Band2_3MHz_16QAM_15_0_HighCH19185-1908.5



Band2_5MHz_QPSK_25_0_HighCH19175-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

```
www.tw.sgs.com
```




Band2_5MHz_16QAM_25_0_LowCH18625-1852.5






Band2_5MHz_16QAM_25_0_MidCH18900-1880



Band2_10MHz_QPSK_50_0_MidCH18900-1880



Band2_5MHz_16QAM_25_0_HighCH19175-1907.5



Band2_10MHz_QPSK_50_0_HighCH19150-1905



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Band2_10MHz_16QAM_50_0_LowCH18650-1855






Band2_10MHz_16QAM_50_0_MidCH18900-1880



Band2_15MHz_QPSK_75_0_MidCH18900-1880



Band2_10MHz_16QAM_50_0_HighCH19150-1905



Band2_15MHz_QPSK_75_0_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Band2_15MHz_16QAM_75_0_LowCH18675-1857.5






Band2_15MHz_16QAM_75_0_MidCH18900-1880




Band2_20MHz_QPSK_100_0_MidCH18900-1880



Band2_15MHz_16QAM_75_0_HighCH19125-1902.5



Band2_20MHz_QPSK_100_0_HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Band2_20MHz_16QAM_100_0_LowCH18700-1860




Band4_1_4MHz_QPSK_6_0_LowCH19957-1710.7 Radio Std: None ter Freq 1.710700000 GHz Center Freq: 1,7107 Trig: Free Run tio Device: BT! Ref Offset 14 dB Ref 30.00 dBm Center Fre 1.710700000 GH enter 1.711 GHz Res BW 30 kHz Span 3 MH weep 3.2 m CF St #VBW 91 kHz S 31.1 dBr Occupied Bandwidth Total Pou 1.0978 MHz Freq Offse -1.421 kHz Transmit Freq Error 99.00 % **OBW Powe** B Band 1.289 MHz -26.00 dB x dB

Band2_20MHz_16QAM_100_0_MidCH18900-1880



Band4_1_4MHz_QPSK_6_0_MidCH20175-1732.5



Band2_20MHz_16QAM_100_0_HighCH19100-1900



Band4_1_4MHz_QPSK_6_0_HighCH20393-1754.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Band4_1_4MHz_16QAM_6_0_LowCH19957-1710.7




ter Freq 1.711500000 GHz Center Freq: 1.71150 Trig: Free Run tio Device: BT! Ref Offset 14 dB Ref 30.00 dBn Center Fre 1.711500000 GH enter 1.712 GHz Res BW 62 kHz Span 6 MH ep 1.533 m CF St #VBW 180 kHz SW 31.4 dBr Occupied Bandwidth otal Pou 2.6993 MHz Freq Offse 1.063 kHz Transmit Freq Error 99.00 % OBW Pow B Band 2.994 MHz -26.00 dB x dB

Band4_3MHz_QPSK_15_0_LowCH19965-1711.5

Band4_1_4MHz_16QAM_6_0_MidCH20175-1732.5




Band4_3MHz_QPSK_15_0_MidCH20175-1732.5





Band4_1_4MHz_16QAM_6_0_HighCH20393-1754.3

Band4_3MHz_QPSK_15_0_HighCH20385-1753.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488




Band4_3MHz_16QAM_15_0_LowCH19965-1711.5




Radio Std: None ter Freq 1.712500000 GHz Center Freq: 1.7125 Trig: Free Run dio Device: BT Ref Offset 14 dB Ref 30.00 dBn Center Fre 1.712500000 GH enter 1.713 GHz Res BW 100 kHz Span 10 MH Sweep 1 n CF St #VBW 300 kHz 31.7 dB Occupied Bandwidth Total Pour 4.5108 MHz Freq Offse 3.257 kHz Transmit Freq Error 99.00 % OBW Pow B Bandy 5.033 MHz -26.00 dB x dB

Band4_5MHz_QPSK_25_0_LowCH19975-1712.5

Band4_3MHz_16QAM_15_0_MidCH20175-1732.5




Band4_5MHz_QPSK_25_0_MidCH20175-1732.5



Fred 1,753500000 GH 00 GHz Ref Offset 14 dB Ref 30.00 dBr Center Fre enter 1.754 GHz Res BW 62 kHz CF Ste Span 6 MH ep 1.533 m #VBW 180 kHz SW Total Powe 30.6 dBm Occupied Bandwidth 2.7026 MHz Freq Offs 2.341 kHz 99.00 % Transmit Freq Error **OBW Power** 2.999 MHz x dB -26.00 dB x dB Bandwidth

Band4_3MHz_16QAM_15_0_HighCH20385-1753.5 Band4_5MHz_QPSK_25_0_HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com




Band4_5MHz_16QAM_25_0_LowCH19975-1712.5






Band4_5MHz_16QAM_25_0_MidCH20175-1732.5



Band4_10MHz_QPSK_50_0_MidCH20175-1732.5



Band4_5MHz_16QAM_25_0_HighCH20375-1752.5



Band4_10MHz_QPSK_50_0_HighCH20350-1750



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488




Band4_10MHz_16QAM_50_0_LowCH20000-1715




Radio Std: None ter Freq 1.717500000 GHz Center Freq: 1.71750 Trig: Free Run tio Device: BT! Ref Offset 14 dB Ref 30.00 dBm Center Fre 1.717500000 GH enter 1.718 GHz Res BW 300 kHz Span 30 MH Sweep 1 m CF St #VBW 910 kHz 31.6 dB Occupied Bandwidth otal Pou 13,502 MHz Freq Offse 40.269 kHz Transmit Freq Error 99.00 % OBW Pow B Band 14.72 MHz -26.00 dB x dB

Band4_15MHz_QPSK_75_0_LowCH20025-1717.5

Band4_10MHz_16QAM_50_0_MidCH20175-1732.5



Band4_15MHz_QPSK_75_0_MidCH20175-1732.5



Band4_10MHz_16QAM_50_0_HighCH20350-1750



Band4_15MHz_QPSK_75_0_HighCH20325-1747.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Band4_15MHz_16QAM_75_0_LowCH20025-1717.5



Augustus - Occused BW Augustus - Occused BW


Band4_20MHz_QPSK_100_0_LowCH20050-1720



Band4_15MHz_16QAM_75_0_MidCH20175-1732.5




Band4_20MHz_QPSK_100_0_MidCH20175-1732.5



Band4_15MHz_16QAM_75_0_HighCH20325-1747.5



Band4_20MHz_QPSK_100_0_HighCH20300-1745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Band4_20MHz_16QAM_100_0_LowCH20050-1720




Band5_1_4MHz_QPSK_6_0_LowCH20407-824.7 ter Freq 824,700000 MHz Center Freq: 824.700 Trig: Free Run 00 MHz Ref Offset 13.8 dB Ref 30.00 dBm Center Fre 824.700000 MH enter 824.7 MHz Res BW 30 kHz Span 3 MH weep 3.2 m CF Ste #VBW 91 kHz 30.9 dB Occupied Band Total Pou 1.0967 MHz Freq Offse -2.119 kHz Transmit Freq Erro 99.00 % % of OBW P 1.291 MHz 26.00 dB x dB


Band4_20MHz_16QAM_100_0_MidCH20175-1732.5




Band5_1_4MHz_QPSK_6_0_MidCH20525-836.5



Band4_20MHz_16QAM_100_0_HighCH20300-1745



Band5_1_4MHz_QPSK_6_0_HighCH20643-848.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Band5_1_4MHz_16QAM_6_0_LowCH20407-824.7





Band5_1_4MHz_16QAM_6_0_MidCH20525-836.5




Band5_3MHz_QPSK_15_0_MidCH20525-836.5



Band5_1_4MHz_16QAM_6_0_HighCH20643-848.3



Band5_3MHz_QPSK_15_0_HighCH20635-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sgs.com




Band5_3MHz_16QAM_15_0_LowCH20415-825.5




Band5_5MHz_QPSK_25_0_LowCH20425-826.5 er Freg 826,500000 MHz Center Freq: 826.50 Trig: Free Run Ref Offset 13.8 dB Ref 30.00 dBm Center Fre 826 500000 N enter 826.5 MHz Res BW 100 kHz Span 10 MH Sweep 5 m CF Ste #VBW 300 kHz 31.4 dB otal Por Occupied Band 4.5035 MHz Freq Offse -3.406 kHz Transmit Freq Erro 99.00 % % of OBW F 5.037 MHz 26.00 dB x dB

Band5_3MHz_16QAM_15_0_MidCH20525-836.5




Band5_5MHz_QPSK_25_0_MidCH20525-836.5



Band5 3MHz 16QAM 15 0 HighCH20635-847.5



Band5 5MHz QPSK_25_0_HighCH20625-846.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Where Stated the tools a state to the state and tools tools to be and tools and tool documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com




Band5_5MHz_16QAM_25_0_LowCH20425-826.5




Band5_10MHz_QPSK_50_0_LowCH20450-829 ter Freq 829.000000 MHz Center Freq: 829.00 Trig: Free Run Ref Offset 13.8 dB Ref 30.00 dBm Center Fre 829.000000 N enter 829 MHz Res BW 200 kHz Span 20 MH Sweep 1 m CF Ste #VBW 620 kHz 31.8 dB Occupied Band Total Pour 8.9917 MHz Freq Offse 17.557 kHz Transmit Freq Erro 99.00 % % of OBW F 9.895 MHz 26.00 dB x dB

Band5_5MHz_16QAM_25_0_MidCH20525-836.5



Band5_10MHz_QPSK_50_0_MidCH20525-836.5



Band5 5MHz 16QAM 25 0 HighCH20625-846.5



Band5 10MHz QPSK_50_0_HighCH20600-844



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Where Stated the tools a state to the state and tools tools to be and tools and tool documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Band5_10MHz_16QAM_50_0_LowCH20450-829




Band7_5MHz_QPSK_25_0_LowCH20775-2502.5 Radio Std: None ter Freq 2.502500000 GHz Center Freq. 2,502 Trig: Free Run tio Device: BT! Ref Offset 14.2 dB Ref 30.00 dBm Center Fre 2.502500000 GI enter 2.503 GHz Res BW 100 kHz Span 10 Mi Sweep 1 n CFS #VBW 300 kHz 31.5 dB Occupied Bandwidth Total Po 4.5159 MHz Freq Offse 2.711 kHz Transmit Freq Error 99.00 % OBW Pow 5.059 MHz -26.00 dB x dB

Band5_10MHz_16QAM_50_0_MidCH20525-836.5



Band7_5MHz_QPSK_25_0_MidCH21100-2535



Band5_10MHz_16QAM_50_0_HighCH20600-844



Band7_5MHz_QPSK_25_0_HighCH21425-2567.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488




Band7_5MHz_16QAM_25_0_LowCH20775-2502.5



Band7_10MHz_QPSK_50_0_LowCH20800-2505 Radio Std: None ter Freq 2.505000000 GHz Center Freq: 2,500 Trig: Free Run lo Device: BT Ref Offset 14.2 dB Ref 30.00 dBm Center Fre 2.5 enter 2.505 GHz Res BW 200 kHz Span 20 MH Sweep 1 m CF St #VBW 620 kHz 31.6 dB Occupied Bandwidth Total Pour 9.0022 MHz Freq Offse 17.351 kHz Transmit Freq Error 99.00 % OBW Pow B Band 9.945 MHz -26.00 dB x dB

Band7_5MHz_16QAM_25_0_MidCH21100-2535



Band7_10MHz_QPSK_50_0_MidCH21100-2535



Band7_5MHz_16QAM_25_0_HighCH21425-2567.5



Band7_10MHz_QPSK_50_0_HighCH21400-2565



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Band7_10MHz_16QAM_50_0_LowCH20800-2505




Band7_15MHz_QPSK_75_0_LowCH20825-2507.5 Radio Std: None ter Freq 2.507500000 GHz Center Freq: 2,50750 Trig: Free Run dio Device: BT Ref Offset 14.2 dB Ref 30.00 dBm Center Fre 2.507500000 GH enter 2.508 GHz Res BW 300 kHz Span 30 MH Sweep 1 m CF St #VBW 910 kHz 31.5 dB Occupied Bandwidth Total Pou 13.501 MHz Freq Offse 27.142 kHz Transmit Freq Error 99.00 % OBW Pow B Band 14.84 MHz -26.00 dB x dB

Band7_10MHz_16QAM_50_0_MidCH21100-2535




Band7_15MHz_QPSK_75_0_MidCH21100-2535



Band7_10MHz_16QAM_50_0_HighCH21400-2565



Band7_15MHz_QPSK_75_0_HighCH21375-2562.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Band7_15MHz_16QAM_75_0_LowCH20825-2507.5




Band7_20MHz_QPSK_100_0_LowCH20850-2510 Radio Std: None ter Freq 2.510000000 GHz Center Freq: 2,510 Trig: Free Run Io Device: BT Ref Offset 14.2 dB Ref 30.00 dBm Center Fre 2.510 enter 2.51 GHz Res BW 390 kHz Span 40 MH Sweep 1 m CF St #VBW 1.2 MHz 31.5 dB Occupied Bandwidth otal Pour 17.936 MHz Freq Offse 34.776 kHz Transmit Freq Error 99.00 % OBW Pow B Band 19.59 MHz -26.00 dB x dB


Band7_15MHz_16QAM_75_0_MidCH21100-2535




Band7_20MHz_QPSK_100_0_MidCH21100-2535



Band7_15MHz_16QAM_75_0_HighCH21375-2562.5



Band7_20MHz_QPSK_100_0_HighCH21350-2560



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Band7_20MHz_16QAM_100_0_LowCH20850-2510




Radio Std: None ter Freq 699,700000 MHz Center Freq: 639.700 00 MHz Avg|Hold: 50/50 dio Device: BT Ref Offset 13.8 dB Ref 30.00 dBm Center Fre 699.70 000 MH manna enter 699.7 MHz Res BW 30 kHz Span 3 MH weep 3.2 m CF St #VBW 91 kHz S 31.8 dBr Occupied Bandwidth Total Pou 1.1013 MHz Freq Offse -4.566 kHz Transmit Freq Error 99.00 % OBW Pow B Band 1.256 MHz -26.00 dB x dB

Band12_1_4MHz_QPSK_6_0_LowCH23017-699.7

Band7_20MHz_16QAM_100_0_MidCH21100-2535




Band12_1_4MHz_QPSK_6_0_MidCH23095-707.5



Band7_20MHz_16QAM_100_0_HighCH21350-2560



Band12_1_4MHz_QPSK_6_0_HighCH23173-715.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488




Band12_1_4MHz_16QAM_6_0_LowCH23017-699.7




Band12_3MHz_QPSK_15_0_LowCH23025-700.5 Radio Std: None ter Freg 700,500000 MHz Center Freq: 700.50 Trig: Free Run 0 MHz Avg|Hold: 50/50 Io Device: BT Ref Offset 13.8 dB Ref 30.00 dBm Center Fre Center 700.5 MHz Res BW 62 kHz Span 6 MH ep 1.533 m CF St #VBW 180 kHz SWe 31.4 dB Occupied Bandwidth Total Po 2.6987 MHz Freq Offse Transmit Freq Error -630 Hz 99.00 % OBW Pow B Band 2.987 MHz -26.00 dB x dB

Band12_1_4MHz_16QAM_6_0_MidCH23095-707.5



Band12_3MHz_QPSK_15_0_MidCH23095-707.5



Fred 715 300000 MHz Ref Offset 13.8 c Center Fre CF Ste enter 715.3 MHz Res BW 30 kHz Span 3 MH #VBW 91 kHz SV Total Powe 30.1 dBm Occupied Bandwidth 1.1024 MHz Freq Offs 4.466 kHz 99.00 % Transmit Freq Error **OBW Powe** 1.293 MHz x dB -26.00 dB x dB Bandwidth

Band12 1 4MHz 16QAM 6 0 HighCH23173-715.3

Band12_3MHz_QPSK_15_0_HighCH23165-714.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Band12_3MHz_16QAM_15_0_LowCH23025-700.5




Radio Std: None ter Freg 701,500000 MHz Center Freq: 701.50 Trig: Free Run AvgiHold: 50/50 tio Device: BT! Ref Offset 13.8 dB Ref 30.00 dBm Center Fre 701.50 enter 701.5 MHz Res BW 100 kHz Span 10 MH Sweep 1 n CF St #VBW 300 kHz 31.7 dB Occupied Bandwidth Total Pou 4.5181 MHz Freq Offse 2.959 kHz Transmit Freq Error 99.00 % OBW Pow B Band 5.069 MHz -26.00 dB x dB

Band12_5MHz_QPSK_25_0_LowCH23035-701.5

Band12_3MHz_16QAM_15_0_MidCH23095-707.5




Band12_5MHz_QPSK_25_0_MidCH23095-707.5



Band12_3MHz_16QAM_15_0_HighCH23165-714.5



Band12_5MHz_QPSK_25_0_HighCH23155-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

```
www.tw.sgs.com
```



Band12_5MHz_16QAM_25_0_LowCH23035-701.5



Radio Std: None Center Freq: 704.00 Trig: Free Run ter Freq 704.000000 MHz 00 MHz AvgiHold: 50/50 lo Device: BT Ref Offset 13.8 dB Ref 30.00 dBm Center Fre enter 704 MHz Res BW 200 kHz Span 20 Mi Sweep 1 n CF St #VBW 620 kHz 31.9 dB Occupied Bandwidth Total Pour 9.0295 MHz Freq Offse 20.875 kHz Transmit Freq Erro 99.00 % OBW Pow B Bandy 9.949 MHz -26.00 dB x dB

Band12_10MHz_QPSK_50_0_LowCH23060-704

Band12_5MHz_16QAM_25_0_MidCH23095-707.5



Band12_10MHz_QPSK_50_0_MidCH23095-707.5



Band12_5MHz_16QAM_25_0_HighCH23155-713.5



Band12_10MHz_QPSK_50_0_HighCH23130-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Band12_10MHz_16QAM_50_0_LowCH23060-704




Radio Std: None ter Freg 706,500000 MHz Center Freq: 706.50 Trig: Free Run tio Device: BT! Ref Offset 13.8 dB Ref 30.00 dBm Center Fre enter 706.5 MHz Res BW 100 kHz Span 10 MH Sweep 1 n CF St #VBW 300 kHz 31.6 dB Occupied Bandwidth Total Pour 4.5180 MHz Freq Offse 2.144 kHz Transmit Freq Error 99.00 % OBW Pow B Band 4.958 MHz -26.00 dB x dB

Band17_5MHz_QPSK_25_0_LowCH23755-706.5


Band12_10MHz_16QAM_50_0_MidCH23095-707.5



Band17_5MHz_QPSK_25_0_MidCH23790-710



Band12_10MHz_16QAM_50_0_HighCH23130-711



Band17_5MHz_QPSK_25_0_HighCH23825-713.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

```
www.tw.sgs.com
```




Band17_5MHz_16QAM_25_0_LowCH23755-706.5




Band17_10MHz_QPSK_50_0_LowCH23780-709 Radio Std: None ter Freq 709.000000 MHz Center Freq: 703.0 Trig: Free Run Io Device: BT Ref Offset 13.8 dB Ref 30.00 dBm Center Fre enter 709 MHz Res BW 200 kHz Span 20 Mi Sweep 1 n CF St #VBW 620 kHz 32 3 dB Occupied Bandwidth Total Pour 9.0852 MHz Freq Offse 72.471 kHz Transmit Freq Error 99.00 % OBW Pow B Band 9.516 MHz -26.00 dB x dB

Band17 5MHz 16QAM 25 0 MidCH23790-710



Band17 10MHz QPSK 50 0 MidCH23790-710



Band17 5MHz 16QAM 25 0 HighCH23825-713.5



Band17 10MHz QPSK 50 0 HighCH23800-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Where Stated the tools a state to the state and tools tools to be and tools and tool documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488




Band17_10MHz_16QAM_50_0_LowCH23780-709




Radio Std: None ter Freq 2.572500000 GHz Center Freq. 2,5725 Trig: Free Run tio Device: BT! Ref Offset 14.2 dB Ref 30.00 dBm Center Fre 2.572500000 GH enter 2.573 GHz Res BW 100 kHz Span 10 Mi Sweep 1 n CF St #VBW 300 kHz 31.0 dB Occupied Bandwidth otal Po 4.5239 MHz Freq Offse -1.326 kHz Transmit Freq Error 99.00 % OBW Pow 5.387 MHz -26.00 dB x dB

Band38_5MHz_QPSK_25_0_LowCH37775-2572.5

Band17_10MHz_16QAM_50_0_MidCH23790-710




Band38_5MHz_QPSK_25_0_MidCH38000-2595



Band17_10MHz_16QAM_50_0_HighCH23800-711



Band38_5MHz_QPSK_25_0_HighCH38225-2617.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Band38_5MHz_16QAM_25_0_LowCH37775-2572.5




Radio Std: None nter Freg 2.575000000 GHz Center Freq. 2,5750 Trig: Free Run tio Device: BT! Ref Offset 14.2 dB Ref 30.00 dBm Center Fre 2.5750 Center 2.575 GHz Res BW 200 kHz Span 20 MH Sweep 1 m CF St #VBW 620 kHz 31.1 dB Occupied Bandwidth otal Po 8.9725 MHz Freq Offse 19.819 kHz Transmit Freq Error 99.00 % OBW Pow B Band 10.07 MHz -26.00 dB x dB

Band38_10MHz_QPSK_50_0_LowCH37800-2575

Band38_5MHz_16QAM_25_0_MidCH38000-2595



Band38_10MHz_QPSK_50_0_MidCH38000-2595





Band38_5MHz_16QAM_25_0_HighCH38225-2617.5

Band38_10MHz_QPSK_50_0_HighCH38200-2615



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

```
www.tw.sgs.com
```




Band38_10MHz_16QAM_50_0_LowCH37800-2575




Band38_15MHz_QPSK_75_0_LowCH37825-2577.5 Radio Std: None ter Freq 2.577500000 GHz Center Freq: 2,577500000 GHz Trig: Free Run Avg|Hold: 50/50 dio Device: BT Ref Offset 14.2 dB Ref 30.00 dBm Center Fre 2.577500000 GH Munimuman enter 2.578 GHz Res BW 300 kHz Span 30 MH Sweep 1 m CF Ste #VBW 910 kHz 31.2 dB Occupied Bandwidth Total Pou 13.495 MHz Freq Offse 30.608 kHz Transmit Freq Error 99.00 % OBW Pow B Bandy 15.41 MHz -26.00 dB x dB

Band38_10MHz_16QAM_50_0_MidCH38000-2595




Band38_15MHz_QPSK_75_0_MidCH38000-2595



Band38_10MHz_16QAM_50_0_HighCH38200-2615



Band38_15MHz_QPSK_75_0_HighCH38175-2612.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Band38_15MHz_16QAM_75_0_LowCH37825-2577.5



Radio Std: None nter Freg 2.580000000 GHz Center Freq: 2.5 Trig: Free Run tio Device: BT! Ref Offset 14.2 dB Ref 30.00 dBm Center Fre Within Walker Martin enter 2.58 GHz Res BW 390 kHz Span 40 MH Sweep 1 m CF Ste #VBW 1.2 MHz 31.1 dB Occupied Bandwidth Total Pour 17.959 MHz Freq Offse 43.735 kHz Transmit Freq Error 99.00 % OBW Pow B Bandy 21.17 MHz -26.00 dB x dB


Band38_20MHz_QPSK_100_0_LowCH37850-2580

Band38_15MHz_16QAM_75_0_MidCH38000-2595



Band38_20MHz_QPSK_100_0_MidCH38000-2595





#VBW 910 kHz

x dB

Total Powe

OBW Powe

2.613 GHz 3W 300 kHz

Transmit Freq Error

x dB Bandwidth


Occupied Bandwidth

13.491 MHz

-24.983 kHz

14.77 MHz

Band38_15MHz_16QAM_75_0_HighCH38175-2612.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

30.4 dBr

99.00 %

-26.00 dB

Span 30 MH Sweep 1 m

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CF Ste

Freq Offs

3.0


SGS Taiwan Ltd. ┃No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Band38_20MHz_16QAM_100_0_LowCH37850-2580



Band38_20MHz_16QAM_100_0_HighCH38150-2610 Radio Std: None enter Freq 2.610000000 GHz Center Frec Trig: Free B Io Device: BT Ref Offset 14.2 dB Ref 30.00 dBm Center Free 2.610 enter 2.61 GHz Res BW 390 kHz Span 40 MH Sweep 1 m CFS #VBW 1.2 MHz 30.7 dBr Occupied Bandwidth Total Pow 17.924 MHz Freq Offse -55.440 kHz Transmit Freq Error **OBW** Power 99.00 % B Bandy 19.55 MHz x dB -26.00 dB

Band38 20MHz 16QAM 100 0 MidCH38000-2595

RL RI SIG DC Center Freq 2.59500000	Trig: I	Trig: Free Run Avg/Hold: 50/50			
O dB/div Ref 30.00 dB					
100	formation	tilang at the second	-		Center Freq 2.595000000 GHz
20 0.0 0.0	/		Widow	a layed stranger and ward	
40.0 0.0 0.0					
Center 2.595 GHz #Res BW 390 kHz #		VBW 1.2 MHz		Span 40 MHz Sweep 1 ms	CF Step 4.000000 MH
Occupied Bandwidth		Total Power	30.	2 dBm	Auto Man Freq Offset 0 Hz
1 Transmit Freq Error	7.910 MHz 18.162 kHz	OBW Power	99.00 %		
x dB Bandwidth	19.48 MHz	x dB	-26	.00 dB	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the features integrate to this test report feiter only to the sample(s) tested and such sample(s) tested and sample(sample(sa prosecuted to the fullest extent of the law.

t (886-2) 2299-3279 台灣檢驗科技股份有限公司 f (886-2) 2298-0488 www.tw.sqs.com



9. OUT OF BAND EMISSION AT ANTENNA TERMINALS

9.1. Standard Applicable

FCC §22.917(a), §24.238(a), §27.53(g)(h), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

§27.53 (m) (4) shall not be less than 55 +10log(mean output power in watt) dBc below the mean power output outside a license's frequency block (-25dBm).

FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P) dB$ on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P) dB$ on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in § 27.53(m)(6). In addition, the attenuation factor shall not be less that $43 + 10 \log (P) dB$ on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

9.2. Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



9.3. Measurement Procedure

Conducted Emission

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. Set RBW = 1MHz & VBW = 1MHz on Spectrum.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Band Edge

- 1. To connect Antenna Port of EUT to Spectrum.
- The band edge of low and high channels for the highest RF powers was measured. Setting RBW ≥ 1% EBW.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



9.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018				
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018				
Coaxial Cable	HUBER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018				
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018				
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017				
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018				
Radio Communication Analyzer	R&S	CMU200	102189	02/10/2017	02/09/2018				
Radio Communication Analyer	Anritsu	MT8820C	6201465317	01/03/2017	01/02/2018				

9.5. Measurement Result:

Refer to next pages.


NOTE: The occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms_e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and diffenders may he prosecuted to the fullest event of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: ER/2017/90151 Page 128 of 357

MASK Band 7_5M_QPSK_LOW_RB1,0




Band 7_5M_QPSK_LOW_RB1,24




Band 7_5M_QPSK_LOW_RB25,0



Band 7_5M_QPSK_MID_RB1,0



Band 7_5M_QPSK_MID_RB1,24



Band 7_5M_QPSK_MID_RB25,0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sqs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488