

FCC RF Test Report

APPLICANT	:	HMD global Oy
EQUIPMENT	:	Mobile Phone
BRAND NAME	:	Nokia
MODEL NAME	:	TA-1183
FCC ID	:	2AJOTTA-1183
STANDARD	:	47 CFR Part 2, 22(H), 27M
CLASSIFICATION	:	Licensed Non-Broadcast Transmitter Held toEar(TNE)

This is a data re-used report which is only valid together with the original test report. We, Sporton International (Kunshan) Inc., would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International (Kunshan) Inc., the test report shall not be reproduced except in full.

Journes Huang

Approved by: James Huang / Manager

TESTING NVLAP LAB CODE 600155-0

Sporton International (Kunshan) Inc. No. 1098, Pengxi North Road, Kunshan Economic Development Zone, Jiangsu Province 215335, China



TABLE OF CONTENTS

1	GEN	GENERAL DESCRIPTION		
	1.1	Applicant	4	
	1.2	Manufacturer	4	
	1.3	Product Feature of Equipment Under Test	4	
	1.4	Product Specification of Equipment Under Test	4	
	1.5	Modification of EUT	4	
	1.6	Re-use of Measured Data	5	

APPENDIX A. REFERENCE REPORT



REVISION HISTORY

REPORT NO.	PORT NO. VERSION DESCRIPTION		ISSUED DATE
FG930509-05B	Rev. 01	Initial issue of report	May 17, 2019



1 General Description

1.1 Applicant

HMD global Oy

Bertel Jungin aukio 9, 02600 Espoo, Finland

1.2 Manufacturer

HMD global Oy

Bertel Jungin aukio 9, 02600 Espoo, Finland

1.3 Product Feature of Equipment Under Test

Product Feature			
Equipment	Mobile Phone		
Brand Name	Nokia		
Model Name	TA-1183		
FCC ID	2AJOTTA-1183		
EUT supports Radios application	WCDMA/HSPA/DC-HSDPA/HSPA+/LTE WLAN 2.4GHz 802.11b/g/n HT20 Bluetooth BR / EDR / LE FM Receiver and GNSS		
HW Version	DVT_0.2		
SW Version	00WW_0_095		
EUT Stage	Identical Prototype		

Remark: The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

1.4 Product Specification of Equipment Under Test

Standards-related Product Specification			
Tx Frequency	LTE Band 5 : 824.7 MHz ~ 848.3 MHz		
TXTrequency	LTE Band 41 : 2537.5 MHz ~ 2652.5 MHz		
By Frequency	LTE Band 5 : 869.7 MHz ~ 893.3 MHz		
Rx Frequency	LTE Band 41 : 2537.5 MHz ~ 2652.5 MHz		
Antenna Type	Loop Antenna		
Type of Modulation	QPSK / 16QAM / 64QAM		

1.5 Modification of EUT

No modifications are made to the EUT during all test items.



1.6 Re-use of Measured Data

1.6.1 Introduction Section

This application re-uses data collected on a similar device. The subject device of this application (Model: TA-1183, FCC ID: 2AJOTTA-1183) is electrically identical to the reference device (Model: TA-1188, FCC ID: 2AJOTTA-1188) for the portions of the circuitry corresponding to the data being re-used, as treated by KDB Publication 484596 D01.

1.6.2 Difference Section

For details concerning the similarity with respect to component placement, mechanical/electrical design etc., please refer to the Product Equality Declaration.

The re-used RF data includes the following bands provided in Appendix A (Sporton RF Report No. FG930509B for the reference device Model: TA-1188, FCC ID: 2AJOTTA-1188).

1.6.3 Reference detail Section:

Equipment Class	Reference FCC ID	Folder Test	Report Title/Section	
	2AJOTTA-1188	Part22H.27M	All sections applicable	
PCE (LTE)		(FG930509B)		

1.6.4 Spot Check Verification Data Section

In order to confirm hardware similarity of the subject device with the reference device, spot check measurements were performed on the subject device for the following test items, the test result were consistent with FCC ID: 2AJOTTA-1188.

Assertions concerning the similarity of these devices are based on representations by the applicant. The applicant accepts full responsibility for the validity of the similarity claim, and for the determination that verification test data are sufficient to support it.

Test Item	Mode	2AJOTTA-1188 Worst Result	2AJOTTA-1183 Worst Result	Difference (dB)
Radiated Spurious	LTE Band 5	-55.83	-51.93	3.9
Emission (dBm)	LTE Band 41	-39.34	-40.38	1.04



Appendix A. Reference Report

Please refer to Sporton report number FG930509B which is issued separately.