

$P_{Mea}$  is the field strength recorded from the instrument.

The measurement results are obtained as described below:

Result=  $P_{Mea}$  + Cable Loss + Antenna Factor

Where:

$P_{Mea}$  field strength recorded from the instrument

### Average Measurement results

#### GFSK Ch 0

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17998.0         | 47.1                              | -25.5           | 46.7                  | 25.9                          | 54                   | 6.9         | V                  |
| 17966.0         | 46.9                              | -25.5           | 46.7                  | 25.7                          | 54                   | 7.1         | V                  |
| 17982.0         | 46.9                              | -25.5           | 46.7                  | 25.7                          | 54                   | 7.1         | V                  |
| 17939.5         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17942.0         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 2355.3          | 42.6                              | -20.1           | 28.0                  | 34.6                          | 54                   | 11.4        | H                  |

#### GFSK Ch 39

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17944.5         | 47.0                              | -25.5           | 46.7                  | 25.8                          | 54                   | 7.0         | V                  |
| 17961.0         | 46.9                              | -25.5           | 46.7                  | 25.7                          | 54                   | 7.1         | V                  |
| 17974.5         | 46.9                              | -25.5           | 46.7                  | 25.7                          | 54                   | 7.1         | V                  |
| 17969.0         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17971.0         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17972.0         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |

#### GFSK Ch 78

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17984.0         | 47.2                              | -25.5           | 46.7                  | 26.0                          | 54                   | 6.8         | V                  |
| 17969.5         | 47.1                              | -25.5           | 46.7                  | 25.9                          | 54                   | 6.9         | V                  |
| 17969.0         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17974.0         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17978.0         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 2497.7          | 42.8                              | -20.0           | 28.3                  | 34.5                          | 54                   | 11.2        | V                  |

**$\pi/4$  DQPSK Ch 0**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17951.0         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17983.0         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17943.0         | 46.7                              | -25.5           | 46.7                  | 25.5                          | 54                   | 7.3         | V                  |
| 17952.5         | 46.7                              | -25.5           | 46.7                  | 25.5                          | 54                   | 7.3         | V                  |
| 17973.0         | 46.7                              | -25.5           | 46.7                  | 25.5                          | 54                   | 7.3         | V                  |
| 2385.1          | 42.8                              | -20.0           | 28.1                  | 34.8                          | 54                   | 11.2        | V                  |

 **$\pi/4$  DQPSK Ch 39**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17942.0         | 47.1                              | -25.5           | 46.7                  | 25.9                          | 54                   | 6.9         | V                  |
| 17993.5         | 47.1                              | -25.5           | 46.7                  | 25.9                          | 54                   | 6.9         | V                  |
| 17973.5         | 46.9                              | -25.5           | 46.7                  | 25.7                          | 54                   | 7.1         | V                  |
| 17989.5         | 46.9                              | -25.5           | 46.7                  | 25.7                          | 54                   | 7.1         | V                  |
| 17994.5         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17953.5         | 46.7                              | -25.5           | 46.7                  | 25.5                          | 54                   | 7.3         | V                  |

 **$\pi/4$  DQPSK Ch 78**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17964.5         | 47.1                              | -25.5           | 46.7                  | 25.9                          | 54                   | 6.9         | V                  |
| 17991.0         | 47.0                              | -25.5           | 46.7                  | 25.8                          | 54                   | 7.0         | V                  |
| 17958.5         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17976.5         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17946.5         | 46.7                              | -25.5           | 46.7                  | 25.5                          | 54                   | 7.3         | V                  |
| 2498.0          | 42.8                              | -20.0           | 28.4                  | 34.4                          | 54                   | 11.2        | H                  |

**8DPSK Ch 0**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17958.5         | 47.0                              | -25.5           | 46.7                  | 25.8                          | 54                   | 7.0         | V                  |
| 17982.5         | 47.0                              | -25.5           | 46.7                  | 25.8                          | 54                   | 7.0         | V                  |
| 17958.0         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17992.0         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17998.5         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 2385.5          | 42.7                              | -20.0           | 28.1                  | 34.7                          | 54                   | 11.3        | H                  |

**8DPSK Ch 39**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17940.5         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17979.0         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17960.0         | 46.7                              | -25.5           | 46.7                  | 25.5                          | 54                   | 7.3         | V                  |
| 17974.5         | 46.7                              | -25.5           | 46.7                  | 25.5                          | 54                   | 7.3         | V                  |
| 17978.5         | 46.7                              | -25.5           | 46.7                  | 25.5                          | 54                   | 7.3         | V                  |
| 17982.0         | 46.7                              | -25.5           | 46.7                  | 25.5                          | 54                   | 7.3         | V                  |

**8DPSK Ch 78**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17967.5         | 46.9                              | -25.5           | 46.7                  | 25.7                          | 54                   | 7.1         | V                  |
| 17984.0         | 46.9                              | -25.5           | 46.7                  | 25.7                          | 54                   | 7.1         | V                  |
| 17947.5         | 46.8                              | -25.5           | 46.7                  | 25.6                          | 54                   | 7.2         | V                  |
| 17976.0         | 46.7                              | -25.5           | 46.7                  | 25.5                          | 54                   | 7.3         | V                  |
| 17976.5         | 46.7                              | -25.5           | 46.7                  | 25.5                          | 54                   | 7.3         | V                  |
| 2496.8          | 42.7                              | -20.0           | 28.3                  | 34.4                          | 54                   | 11.3        | H                  |

**Peak Measurement results**
**GFSK Ch 0**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17966.0         | 58.2                              | -25.5           | 46.7                  | 37.0                          | 74                   | 15.8        | V                  |
| 17989.0         | 58.1                              | -25.5           | 46.7                  | 36.9                          | 74                   | 15.9        | V                  |
| 17936.5         | 57.5                              | -25.5           | 46.7                  | 36.3                          | 74                   | 16.5        | V                  |
| 17938.5         | 57.4                              | -25.5           | 46.7                  | 36.2                          | 74                   | 16.6        | V                  |
| 17962.0         | 57.3                              | -25.5           | 46.7                  | 36.1                          | 74                   | 16.7        | V                  |
| 2310.9          | 56.0                              | -20.1           | 27.9                  | 48.1                          | 74                   | 18.0        | V                  |

**GFSK Ch 39**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17958.0         | 58.1                              | -25.5           | 46.7                  | 36.9                          | 74                   | 15.9        | V                  |
| 17978.5         | 58.0                              | -25.5           | 46.7                  | 36.8                          | 74                   | 16.0        | V                  |
| 17935.5         | 57.8                              | -25.5           | 46.7                  | 36.6                          | 74                   | 16.2        | V                  |
| 17975.0         | 57.8                              | -25.5           | 46.7                  | 36.6                          | 74                   | 16.2        | V                  |
| 17857.0         | 57.6                              | -25.5           | 46.7                  | 36.4                          | 74                   | 16.4        | V                  |
| 17910.0         | 57.5                              | -25.5           | 46.7                  | 36.3                          | 74                   | 16.5        | V                  |

**GFSK Ch 78**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17898.5         | 58.0                              | -25.5           | 46.7                  | 36.8                          | 74                   | 16.0        | V                  |
| 17943.0         | 57.6                              | -25.5           | 46.7                  | 36.4                          | 74                   | 16.4        | V                  |
| 17997.0         | 57.5                              | -25.5           | 46.7                  | 36.3                          | 74                   | 16.5        | V                  |
| 17910.5         | 57.4                              | -25.5           | 46.7                  | 36.2                          | 74                   | 16.6        | V                  |
| 17947.0         | 57.4                              | -25.5           | 46.7                  | 36.2                          | 74                   | 16.6        | V                  |
| 2493.0          | 55.4                              | -20.0           | 28.3                  | 47.1                          | 74                   | 18.6        | H                  |

**$\pi/4$  DQPSK Ch 0**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17994.5         | 58.3                              | -25.5           | 46.7                  | 37.1                          | 74                   | 15.7        | V                  |
| 17978.5         | 58.0                              | -25.5           | 46.7                  | 36.8                          | 74                   | 16.0        | V                  |
| 17977.0         | 57.8                              | -25.5           | 46.7                  | 36.6                          | 74                   | 16.2        | V                  |
| 17628.0         | 57.6                              | -25.7           | 46.0                  | 37.4                          | 74                   | 16.4        | V                  |
| 17894.0         | 57.6                              | -25.5           | 46.7                  | 36.4                          | 74                   | 16.4        | V                  |
| 2371.2          | 55.9                              | -20.1           | 28.0                  | 47.9                          | 74                   | 18.1        | V                  |

 **$\pi/4$  DQPSK Ch 39**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17992.0         | 58.8                              | -25.5           | 46.7                  | 37.6                          | 74                   | 15.2        | V                  |
| 17984.0         | 58.2                              | -25.5           | 46.7                  | 37.0                          | 74                   | 15.8        | V                  |
| 17957.5         | 57.9                              | -25.5           | 46.7                  | 36.7                          | 74                   | 16.1        | V                  |
| 17987.0         | 57.9                              | -25.5           | 46.7                  | 36.7                          | 74                   | 16.1        | V                  |
| 17835.5         | 57.7                              | -25.5           | 46.7                  | 36.5                          | 74                   | 16.3        | V                  |
| 17949.0         | 57.7                              | -25.5           | 46.7                  | 36.5                          | 74                   | 16.3        | V                  |

 **$\pi/4$  DQPSK Ch 78**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17988.0         | 58.1                              | -25.5           | 46.7                  | 36.9                          | 74                   | 15.9        | V                  |
| 17925.5         | 57.8                              | -25.5           | 46.7                  | 36.6                          | 74                   | 16.2        | V                  |
| 17859.0         | 57.7                              | -25.5           | 46.7                  | 36.5                          | 74                   | 16.3        | V                  |
| 17949.0         | 57.7                              | -25.5           | 46.7                  | 36.5                          | 74                   | 16.3        | V                  |
| 17964.5         | 57.7                              | -25.5           | 46.7                  | 36.5                          | 74                   | 16.3        | V                  |
| 2485.9          | 56.2                              | -20.0           | 28.3                  | 47.9                          | 74                   | 17.8        | H                  |

**8DPSK Ch 0**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17953.0         | 58.4                              | -25.5           | 46.7                  | 37.2                          | 74                   | 15.6        | V                  |
| 17956.0         | 57.6                              | -25.5           | 46.7                  | 36.4                          | 74                   | 16.4        | V                  |
| 17945.5         | 57.4                              | -25.5           | 46.7                  | 36.2                          | 74                   | 16.6        | V                  |
| 17950.5         | 57.4                              | -25.5           | 46.7                  | 36.2                          | 74                   | 16.6        | V                  |
| 17955.0         | 57.4                              | -25.5           | 46.7                  | 36.2                          | 74                   | 16.6        | V                  |
| 2376.5          | 56.5                              | -20.1           | 28.0                  | 48.5                          | 74                   | 17.5        | V                  |

**8DPSK Ch 39**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17970.5         | 58.3                              | -25.5           | 46.7                  | 37.1                          | 74                   | 15.7        | V                  |
| 17951.0         | 57.8                              | -25.5           | 46.7                  | 36.6                          | 74                   | 16.2        | V                  |
| 17892.5         | 57.6                              | -25.5           | 46.7                  | 36.4                          | 74                   | 16.4        | V                  |
| 17924.5         | 57.6                              | -25.5           | 46.7                  | 36.4                          | 74                   | 16.4        | V                  |
| 17940.5         | 57.6                              | -25.5           | 46.7                  | 36.4                          | 74                   | 16.4        | V                  |
| 17968.5         | 57.6                              | -25.5           | 46.7                  | 36.4                          | 74                   | 16.4        | V                  |

**8DPSK Ch 78**

| Frequency (MHz) | Measurement Result (dB $\mu$ V/m) | Cable loss (dB) | Antenna Factor (dB/m) | Receiver Reading (dB $\mu$ V) | Limit (dB $\mu$ V/m) | Margin (dB) | Antenna Pol. (H/V) |
|-----------------|-----------------------------------|-----------------|-----------------------|-------------------------------|----------------------|-------------|--------------------|
| 17990.0         | 58.3                              | -25.5           | 46.7                  | 37.1                          | 74                   | 15.7        | V                  |
| 17921.5         | 58.0                              | -25.5           | 46.7                  | 36.8                          | 74                   | 16.0        | V                  |
| 17908.5         | 57.9                              | -25.5           | 46.7                  | 36.7                          | 74                   | 16.1        | V                  |
| 17985.5         | 57.7                              | -25.5           | 46.7                  | 36.5                          | 74                   | 16.3        | V                  |
| 17904.5         | 57.6                              | -25.5           | 46.7                  | 36.4                          | 74                   | 16.4        | V                  |
| 2499.4          | 55.5                              | -20.0           | 28.4                  | 47.1                          | 74                   | 18.5        | V                  |

**Conclusion: Pass**

## B.7. Time of Occupancy (Dwell Time)

**Method of Measurement: See ANSI C63.10-clause 7.8.4**

The EUT must have its hopping function enabled. Use the following spectrum analyzer settings:

- Span = zero span, centered on a hopping channel
- RBW = 1 MHz
- VBW ≥ RBW
- Sweep = as necessary to capture the entire dwell time per hopping channel
- Detector function = peak
- Trace = max hold

Measure a pulse time in time domain at middle frequency and then count the hopping number in 31.6s(which equals with 0.4 multiply 79) of middle frequency ,then multiply the pulse time and hopping number and record them.

### Measurement Limit:

| Standard                           | Limit (ms) |
|------------------------------------|------------|
| FCC 47 CFR Part 15.247(a) (1)(iii) | < 400      |

### Measurement Result:

#### For GFSK

| Channel | Packet | Pulse time (ms) |       | Number of Transmissions |       | Dwell Time (ms) | Conclusion |
|---------|--------|-----------------|-------|-------------------------|-------|-----------------|------------|
|         |        | Fig.            | Value | Fig.                    | Value |                 |            |
| 39      | DH1    | Fig.64          | 0.38  | Fig.65                  | 320   | 121.6           | P          |
|         | DH3    | Fig.66          | 1.64  | Fig.67                  | 118   | 193.52          | P          |
|         | DH5    | Fig.68          | 2.89  | Fig.69                  | 64    | 184.96          | P          |

#### For $\pi/4$ DQPSK

| Channel | Packet | Pulse time (ms) |       | Number of Transmissions |       | Dwell Time (ms) | Conclusion |
|---------|--------|-----------------|-------|-------------------------|-------|-----------------|------------|
|         |        | Fig.            | Value | Fig.                    | Value |                 |            |
| 39      | 2DH1   | Fig.70          | 0.39  | Fig.71                  | 320   | 124.8           | P          |
|         | 2DH3   | Fig.72          | 1.64  | Fig.73                  | 97    | 159.08          | P          |
|         | 2DH5   | Fig.74          | 2.89  | Fig.75                  | 64    | 184.96          | P          |

**For 8DPSK**

| Channel | Packet | Pulse time (ms) |      | Number of Transmissions |     | Dwell Time (ms) | Conclusion |
|---------|--------|-----------------|------|-------------------------|-----|-----------------|------------|
|         |        | Fig.76          | 0.39 | Fig.77                  | 320 |                 |            |
| 39      | 3DH1   | Fig.76          | 0.39 | Fig.77                  | 320 | 124.8           | P          |
|         | 3DH3   | Fig.78          | 1.64 | Fig.79                  | 115 | 188.6           | P          |
|         | 3DH5   | Fig.80          | 2.89 | Fig.81                  | 67  | 193.63          | P          |

**Conclusion: PASS**

**Test graphs as below:**




Fig.64. Time of occupancy (Dwell Time): Channel 39, Packet DH1






Fig.65. Number of Transmissions Measurement: Channel 39,Packet DH1




Fig.66. Time of occupancy (Dwell Time): Channel 39, Packet DH3




Fig.67. Number of Transmissions Measurement: Channel 39,Packet DH3



Fig.68. Time of occupancy (Dwell Time): Channel 39, Packet DH5




Fig.69. Number of Transmissions Measurement: Channel 39,Packet DH5




Fig.70. Time of occupancy (Dwell Time): Channel 39, Packet 2-DH1




Fig.71. Number of Transmissions Measurement: Channel 39,Packet 2-DH1




Fig.72. Time of occupancy (Dwell Time): Channel 39, Packet 2-DH3




Fig.73. Number of Transmissions Measurement: Channel 39,Packet 2-DH3




Fig.74. Time of occupancy (Dwell Time): Channel 39, Packet 2-DH5




Fig.75. Number of Transmissions Measurement: Channel 39,Packet 2-DH5




Fig.76. Time of occupancy (Dwell Time): Channel 39, Packet 3-DH1