

Report No.: ZR/2020/A001609 Page: 1 of 65

FCC TEST REPORT

Applicant:HMD global OyAddress of ApplicantBertel Jungin aukio 9, 02600 Espoo, FinlandManufacturer:HMD global OyAddress of ManufacturerBertel Jungin aukio 9, 02600 Espoo, FinlandEUT Description:Smart PhoneModel No.:TA-1329Trade Mark:NOKIA	
Address of ManufacturerBertel Jungin aukio 9, 02600 Espoo, FinlandEUT Description:Smart PhoneModel No.:TA-1329	
EUT Description:Smart PhoneModel No.:TA-1329	
Model No.: TA-1329	
Trade Mark: NOKIA	
FCC ID: 2AJOTTA-1329	
Standards: 47 CFR FCC Part 2, Subpart J	
47 CFR Part 15, Subpart C	
Date of Receipt: 2020/10/19(for original report ZR/2020/A001603)	
Date of Test: 2020/10/23 to 2020/12/10(for original report ZR/2020/A001603)	
Date of Issue: 2020/12/11(for original report ZR/2020/A001603)	
2020/12/16(for new report ZR/2020/A001609)	
Test Result : PASS *	

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Remark:TA-1323 has the Dual SIM tray,TA-1329 has the Single SIM tray.

Authorized Sugnature:

ling Verde

Derek Yang Wireless Laboratory Manager



/ Manager Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-apocument.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to extone the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, http://www.set.astructure.astru

中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 Page: 2 of 65

Version 1

Revision Record					
Version	Chapter	Date	Modifier	Remark	
01		2020-12-11		Original	

Authorized for issue by:		
Tested By	Mike Mu (Mike Hu) /Project Engineer	
Checked By	David Chen (David Chen) /Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 Page: 3 of 65

2 **Test Summary**

Test Item	Test Requirement	Test Method	Test Result	Result
AC Power Line Conducted Emission	15.207	ANSI C63.10 2013	Clause 4.2	PASS
Conducted Output Power	15.247 (b)(3)	ANSI C63.10 2013	Clause 4.3	PASS
DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	15.247 (a)(2)	ANSI C63.10 2013	Clause 4.4	PASS
Power Spectral Density	15.247 (e)	ANSI C63.10 2013	Clause 4.5	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 2013	Clause 4.6	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 2013	Clause 4.7	PASS
Radiated Spurious Emissions	15.205/15.209	ANSI C63.10 2013	Clause 4.8	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.205/15.209	ANSI C63.10 2013	Clause 4.9	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 Page: 4 of 65



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 5 of 65 Page:

Remark:

This test report (Report No.: ZR/2020/A001609) is base on the original test report (Report No.: ZR/2020/A001603) issued on 2020-12-11.

Review this report and original report, this report just changing the parts according to the declaration letter from client.

According to the declaration from the applicant, the models: TA-1323 and TA-1329 are identical in specifications, only different according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report all items do not need to retest and all test data in this report are base on the previous report with report number ZR/2020/A001603.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 Page: 6 of 65

Contents

1	Vers	sion	2
2	Test	t Summary	3
3	Gen	eral Information	
	3.1	Details of Client	8
	3.2	Test Location	8
	3.3	Test Facility	9
	3.4	General Description of EUT	10
	3.5	Test Environment	11
	3.6	Description of Support Units	11
4	Test	t results and Measurement Data	12
	4.1	Antenna Requirement	12
	4.2	AC Power Line Conducted Emissions	13
	4.3	Duty Cycle	19
		4.3.1 Test Results	19
		4.3.2 Test Plots	20
	4.4	Conducted Output Power	21
		4.4.1 Test Results	21
		4.4.2 Test Plots	22
	4.5	DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	
		4.5.1 Test Results	24
		4.5.2 Test Plots	25
	4.6	Power Spectral Density	
		4.6.1 Test Results	
		4.6.2 Test Plots	29
	4.7	Band-edge for RF Conducted Emissions	31
		4.7.1 Test Plots	32
	4.8	RF Conducted Spurious Emissions	34
		4.8.1 Test Plots	35
	4.9	Radiated Spurious Emissions	
		4.9.1 Radiated Emission below 1GHz	41
		4.9.2 Transmitter Emission above 1GHz	43
		4.9.3 Radiated Emission below 1GHz	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房

SGS

	Report No.: ZR/2020/A001609	
	Page: 7 of 65	
	4.9.4 Transmitter Emission above 1GHz	51
	4.10 Restricted bands around fundamental frequency	53
	4.10.1 Test Plots	55
5	Measurement Uncertainty (95% confidence levels, k=2)	61
6	Equipment List	62
7	Photographs - EUT Constructional Details	65



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 8 of 65 Page:

3 **General Information**

3.1 Details of Client

Applicant:	HMD global Oy
Address of Applicant	Bertel Jungin aukio 9, 02600 Espoo, Finland
Manufacturer:	HMD global Oy
Address of Manufacturer	Bertel Jungin aukio 9, 02600 Espoo, Finland

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch			
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China			
Post code:	518057			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-and-Conditis/Condition/Term

中国・深圳・科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2020/A001609 Page: 9 of 65

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC – Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

Industry Canada (IC)

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755)8307 1443, hours of the December of the State of the same contact of



Report No.: ZR/2020/A001609 10 of 65 Page:

3.4 General Description of EUT

EUT Description:	Smart Phone
Model No.:	TA-1329
Trade Mark:	NOKIA
Hardware Version:	V1.0
Software Version:	00WW_0_070
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.
Bluetooth version:	Bluetooth V4.2
Modulation Type:	GFSK
Number of Channel:	40
Sample Type:	⊠ Portable Device, □ Module
Antenna Type:	\Box External, \boxtimes Integrated
Antenna Gain:	-1.0dBi
Power Supply	AC/DC Adapter; Battery PoE:; Other:

	Operation Frequency of each channel						
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	10	2422MHz	20	2442MHz	30	2462MHz
1	2404MHz	11	2424MHz	21	2444MHz	31	2464MHz
2	2406MHz	12	2426MHz	22	2446MHz	32	2466MHz
3	2408MHz	13	2428MHz	23	2448MHz	33	2468MHz
4	2410MHz	14	2430MHz	24	2450MHz	34	2470MHz
5	2412MHz	15	2432MHz	25	2452MHz	35	2472MHz
6	2414MHz	16	2434MHz	26	2454MHz	36	2474MHz
7	2416MHz	17	2436MHz	27	2456MHz	37	2476MHz
8	2418MHz	18	2438MHz	28	2458MHz	38	2478MHz
9	2420MHz	19	2440MHz	29	2460MHz	39	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-and-Conditis/Condition/Term

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 11 of 65 Page:

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH19)	2440MHz
The Highest channel(CH39)	2480MHz

3.5 Test Environment

Operating Environment:			
Temperature:	25.0 °C		
Humidity:	50 % RH		
Atmospheric Pressure:	101.30 KPa		

3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T



Report No.: ZR/2020/A001609 Page: 12 of 65

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is -1.0dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-eDocument. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconserate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is entored except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, presae contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, presae contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, presae contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, presae contact us at telephone: (86-755) 8307 1443, Attention: At



Report No.: ZR/2020/A001609 Page: 13 of 65

4.2 AC Power Line Conducted Emissions


Test Requirement:	47 CFR Part 15C Sectio	n 15.207			
Test Method:	ANSI C63.10: 2013				
Test Frequency Range:	150kHz to 30MHz				
Limit:		Limit (d	BuV)		
	Frequency range (MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the log	arithm of the frequency.			
Test Procedure:	room.	listurbance voltage test was ected to AC power source			
	 Impedance Stabilizat impedance. The porcent connected to a second plane in the same of multiple socket outlet single LISN provided 3) The tabletop EUT was ground reference plane 	ion Network) which provides ower cables of all other un ad LISN 2, which was bonded way as the LISN 1 for the strip was used to connect m the rating of the LISN was no as placed upon a non-metall ne. And for floor-standing arr intal ground reference plane.	a $50\Omega/50\mu$ H + 5Ω linear inits of the EUT were d to the ground reference unit being measured. A nultiple power cables to a bt exceeded. ic table 0.8m above the		
	 4) The test was perform the EUT shall be 0. vertical ground reference plane. The unit under test and mounted on top of the the closest points of and associated equip 5) In order to find the mand all of the interface 	ed with a vertical ground reference plane. 4 m from the vertical ground reference plane was bonded to a LISN 1 was placed 0.8 m f bonded to a ground reference plane. The the LISN 1 and the EUT. A boment was at least 0.8 m from aximum emission, the relative ce cables must be changed a bon conducted measurement.	nd reference plane. The pothe horizontal ground rom the boundary of the erence plane for LISNs his distance was between I other units of the EUT in the LISN 2. e positions of equipment		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test dam such sample(s) ters retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@gss.com



Report No.: ZR/2020/A001609 Page: 14 of 65





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excense the zomerany sole responsibility is to its Client and this document does not excense to excense to sole responsibility is to the fault electronic to the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-756) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-756) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-756) 8307 1443, Attention: Attention: Attention: Attention:



Report No.: ZR/2020/A001609 Page: 15 of 65


Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

First Supply:





Final Da	ta List
----------	---------


1 mai									
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.2122	10.10	35.88	63.12	27.24	31.14	53.12	21.98	L
2	0.5595	10.10	43.78	56.00	12.22	32.11	46.00	13.89	L
3	0.6335	10.10	42.57	56.00	13.43	39.48	46.00	6.52	L
4	1.1924	10.10	40.89	56.00	15.11	36.44	46.00	9.56	L
5	2.2444	10.10	39.45	56.00	16.55	31.69	46.00	14.31	L
6	20.6122	10.11	35.06	60.00	24.94	24.85	50.00	25.15	L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-and-Cond



Report No.: ZR/2020/A001609 Page: 16 of 65



Final Data List

1 mai									
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.2121	10.10	34.09	63.12	29.03	20.29	53.12	32.83	Ν
2	0.4852	10.10	33.77	56.25	22.48	22.94	46.25	23.31	Ν
3	0.5610	10.10	34.90	56.00	21.10	29.34	46.00	16.66	N
4	2.1747	10.10	36.07	56.00	19.93	22.27	46.00	23.73	Ν
5	3.9956	10.10	37.04	56.00	18.96	21.80	46.00	24.20	Ν
6	19.8937	10.11	44.94	60.00	15.06	29.72	50.00	20.28	Ν




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconcrate parties to a Cranstaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (66-755) 8307 1443,



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2020/A001609 Page: 17 of 65



Secondly Supply:


Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.2164	10.10	37.42	62.96	25.54	33.94	52.96	19.02	L
2	0.5593	10.10	43.76	56.00	12.24	32.07	46.00	13.93	L
3	0.6342	10.10	42.29	56.00	13.71	38.97	46.00	7.03	L
4	1.1939	10.10	40.78	56.00	15.22	35.83	46.00	10.17	L
5	2.6647	10.10	35.25	56.00	20.75	27.09	46.00	18.91	L
6	18.4493	10.11	36.54	60.00	23.46	25.20	50.00	24.80	L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-and-Cond



Report No.: ZR/2020/A001609 Page: 18 of 65



Final Data List

1 mai									
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Туре
1	0.2207	10.10	35.37	62.79	27.42	20.55	52.79	32.24	N
2	0.4845	10.10	33.67	56.26	22.59	22.66	46.26	23.60	N
3	0.5565	10.10	33.04	56.00	22.96	26.95	46.00	19.05	N
4	2.1056	10.10	31.44	56.00	24.56	18.22	46.00	27.78	N
5	4.0745	10.10	37.83	56.00	18.17	23.40	46.00	22.60	N
6	19.8672	10.11	45.70	60.00	14.30	30.26	50.00	19.74	Ν

Remarks:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.





Report No.: ZR/2020/A001609 Page: 19 of 65

4.3 Duty Cycle

4.3.1 **Test Results**

Test Mode	TX Freq. [MHz]	Duty cycle [%]
BLE_1M	CH0, CH19, CH39	62.50



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 Page: 20 of 65

- 4.3.2 **Test Plots**
- ANT1 4.3.2.1

4.3.2.1.1 BLE 1M

Spectr	um	1					[m
Ref Le	vel	31.00 dBn	Offset 1.00 dB	🛛 RBW 3 MHz			
Att		40 d8	3 👜 SWT 2 ms i	💿 VBW 3 MHz			
SGL							
😑 1Pk M	ax		10. St.				
					D2[1]		0.03 di
20 dBm-							626.09 µ
20 ubin-					M1[1]		1.14 dBr 255.07 µ
10 d8m-							233.07 µ
		M1	DI	D2			
dem—		Y	D1	- U2		The second success	
10 dBm							
		1					
20 dBm							
-30 dBm		ſ		٦			
30 UBIII							
Hender	and be		LIAN I	urug d		ի ներաների	
l		,		v			le m
-50 dBm							
-60 dBm	0						
CF 2.40	12 GH	z		691 pt	S		200.0 µs/
1arker							
	Ref		X-value	Y-value	Function	Function	Result
M1 D1	M1	1	255.07 µs	1.14 dBm -0.03 dB			
D1 D2	M1 M1	1	391.3 µs 626.09 µs	-0.03 dB			
1/2	1011	-	060.05 µ5	0.00 00		Ready Manual	

Date: 8.NOV.2020 15:17:20




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 21 of 65 Page:

4.4 Conducted Output Power



4.4.1 **Test Results**

Measurement Data of Peak Power:

GFSK_1M mode							
Test Channel	Peak Output Power (dBm)	Limit (dBm)	Result				
Lowest	1.47	30.00	Pass				
Middle	1.97	30.00	Pass				
Highest	1.97	30.00	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 22 of 65 Page:

4.4.2 **Test Plots**

4.4.2.1

GFSK 1M_Lowest Channel



Date: 8.NOV.2020 15:07:52




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 23 of 65 Page:



GFSK 1M_Highest Channel 4.4.2.3



Date: 8.NOV.2020 15:08:29




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 24 of 65 Page:

4.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth



4.5.1 **Test Results**

Mode	Test Channel	99% Occupied Bandwidth (MHz)	6dB Emission Bandwidth (MHz)	Limit (kHz)	Result
	Lowest	1.06	0.68	≥500	Pass
GFSK_1M	Middle	1.06	0.68	≥500	Pass
	Highest	1.06	0.67	≥500	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Test Plots

4.5.2

4.5.2.1

Report No.: ZR/2020/A001609 25 of 65 Page:

GFSK 1M_Lowest Channel Spectrum Ref Level 31.00 dBm Offset 1.00 dB 🝙 RBW 30 kHz Att 40 dB 📦 SWT 10 ms 😑 VBW 100 kHz Mode Auto FFT 😑 1 Pk Ma M1[1] 1.89 dBr 2,40199570 GHz Occ Bw 1.059334298 MHz 20 dBm 10 dBm 0 dBm ሊሊ -10 dBm ŢΝ 12 -20 dBm -30 dBn 40 dBr -SU demA -60 dBm CF 2.402 GHz Span 3.0 MHz 691 pts Measuring... 🖬 un con su con su con su 🗎 📥 Date: 8.NOV.2020 15:09:13 -Spectrum Ref Level 31.00 dBm Offset 1.00 dB 📻 RBW 100 kHz Att 40 dB 👄 SWT 10 ms 👄 VBW 300 kHz Mode Auto Sweep ●1Pk Ma> M1[1] 1.03 dBr 2,40200000 GH 20 dBm ndB 6.00 dB BW 681.60000000 kHz 10 dBm O factor 3524.0 0 dBm -10 dBm -20 dBm -30 dBn -40 dBm and a bulk -50 dBm -60 d8m CF 2.402 GHz 691 pts Span 3.0 MHz Marker Type | Ref | Trc | Y-value Function **Function Result** X-value 2.402 GHz 2.401657 GHz 1.03 dBm 681.6 kHz Μ1 ndB down 1 6.00 dB 3524.0 T1 T2 -5.07 dBm ndB 2.4023386 GHz 4.99 dBm Q factor Measuring... THE MAX AND ANY ADDRESS OF AD

Date: 8.NOV.2020 15:09:26



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



4.5.2.2

SGS-CSTC Standards Technical Services Co., Ltd. **Shenzhen Branch**

> Report No.: ZR/2020/A001609 Page: 26 of 65



Date: 8.NOV.2020 15:10:21



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



SGS-CSTC Standards Technical Services Co., Ltd. **Shenzhen Branch**

> Report No.: ZR/2020/A001609 27 of 65 Page:



Date: 8.NOV.2020 15:10:34




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 28 of 65 Page:

4.6 Power Spectral Density



4.6.1 **Test Results**

Mode	Test Channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
	Lowest	-13.94	≤8.00	Pass
GFSK_1M	Middle	-13.34	≤8.00	Pass
	Highest	-14.58	≤8.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



4.6.2

4.6.2.1

Report No.: ZR/2020/A001609 29 of 65 Page:



Date: 8.NOV.2020 15:11:15



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions arguing and therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




4.6.2.2

SGS-CSTC Standards Technical Services Co., Ltd. **Shenzhen Branch**

> Report No.: ZR/2020/A001609 30 of 65 Page:



GFSK 1M_Highest Channel 4.6.2.3



Date: 8.NOV.2020 15:10:46



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 31 of 65 Page:

4.7 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)	
Test Method:	ANSI C63.10: 2013 Section 11.13	
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table	
Instruments Used:	Ground Reference Plane Refer to section 5.10 for details	
Test Mode:	Transmitting with GFSK modulation.	
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.	
Test Results:	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-and-Conditis/Condition/Term

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 32 of 65 Page:

4.7.1 **Test Plots**

4.7.1.1

GFSK 1M Lowest Channel

₽ Spectrum Ref Level 31.00 dBm Offset 1.00 dB 📻 RBW 100 kHz Att 40 dB 🥃 SWT 10 ms 当 VBW 300 kHz Mode Auto Sweep ⊜1Pk Ma> D1[1] 47.67 dB -3.9220 MHz M1[1] 1.04 dBn 20 dBm 2.4019970 GH: 10 dBm 0 dBm -10 dBm D1 -18.960 -20 dBm -30 dBm -40 dBn Hugh maderly -50 dBm--60 dBm CE 2.4 GHz 691 pts Span 10.0 MHz Measuring... THE REAL PROPERTY AND .

Date: 8.NOV.2020 15:12:14




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 33 of 65 Page:



Date: 8 NOV 2020 15:12:53




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Co

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 34 of 65 Page:

4.8 RF Conducted Spurious Emissions





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

中国・深圳・科技园中区M-10栋一号厂房




Report No.: ZR/2020/A001609 35 of 65 Page:

4.8.1 **Test Plots**

4.8.1.1

GFSK 1M Lowest Channel



Date: 8.NOV.2020 15:16:42




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Co


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 36 of 65 Page:



GFSK 1M_Highest Channel 4.8.1.3



Date: 8.NOV.2020 15:14:36



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Co

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 37 of 65 Page:

Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

中国・深圳・科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2020/A001609 38 of 65 Page:

4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section	n 15.209 and 15.20	05				
Test Method:	ANSI C63.10 :2013 Section 11.12						
Test Site:	Measurement Distance:	3m (Semi-Anechoi	c Chamber)				
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark		
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak		
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average		
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak		
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak		
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average		
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak		
	30MHz-1GHz	Quasi-peak	100kHz	30kHz	Quasi-peak		
		Peak	1MHz	3MHz	Peak		
	Above 1GHz	Peak	1MHz	10Hz	Average		
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)		
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300		
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30		
	1.705MHz-30MHz	30	-	-	30		
	30MHz-88MHz	100	40.0	Quasi-peak	3		
	88MHz-216MHz	150	43.5	Quasi-peak	3		
	216MHz-960MHz	200	46.0	Quasi-peak	3		
	960MHz-1GHz	500	54.0	Quasi-peak	3		
	Above 1GHz	500	54.0	Average	3		
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditis/Conditiona/Ter

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

		Report No.: ZR/2020/A001609 Page: 39 of 65
Test Setup:		5
	Antenna Tower	AE EUT (Turntable) Ground Reference Plane
Test Receive		Test Receiver
Figure	1. Below 30MHz	Figure 2. 30MHz to 1GHz
	AE EUT AE EUT (Turntable) Ground Refer Test Receiver	Pro- Ampiler Controller
Test Procedure:	a. For below 1GHz, the EL above the ground at a	bove 1 GHz JT was placed on the top of a rotating table 0.8 meters 3 or 10 meter semi-anechoic camber. The table was
	 b. For above 1GHz, the meters above the grour rotated 360 degrees to o c. The EUT was set 3 antenna, which was mo d. The antenna height is v to determine the maxir vertical polarizations of the e. Use the following spectre (1) Span shat measured; (2) Set RBW VBW ≥ RBW; Swee Detector function = 	all wide enough to fully capture the emission being /=100 kHz for f < 1 GHz, RBW=1MHz for f>1GHz ; ep = auto; peak; Trace = max hold for peak age measurement: use duty cycle correction factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Te

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tt (86–755) 26012053 ft (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 tt (86–755) 26012053 ft (86–755) 26710594 sgs.china@sgs.com



R	eport No.:	ZR/2020/A001609
Р	age:	40 of 65

	Duty cycle = On time/100 milliseconds On time = N 1 *L 1 +N 2 *L 2 ++N n-1 *LN n-1 +N n *L n Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc. Average Emission Level = Peak Emission Level + 20*log(Duty cycle) f. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the
	 maximum reading. g. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	h. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
	 i. Test the EUT in the lowest channel, the middle channel ,the Highest channel. j. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. k. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with GFSK modulation. Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode, For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 41 of 65 Page:



Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Polarity			
1	32.9115	17.73	-32.79	40.00	22.27	150	Horizontal			
2	66.8784	15.38	-33.39	40.00	24.62	150	Horizontal			
3	201.2906	28.00	-30.79	43.50	15.50	150	Horizontal			
4	245.9330	24.13	-29.40	46.00	21.87	150	Horizontal			
5	305.1326	22.21	-27.71	46.00	23.79	150	Horizontal			
6	917.9940	24.53	-14.96	46.00	21.47	150	Horizontal			


Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房





Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Polarity		
1	33.3967	32.72	-32.79	40.00	7.28	150	Vertical		
2	42.6163	25.05	-30.66	40.00	14.95	150	Vertical		
3	80.9505	16.57	-35.64	40.00	23.43	150	Vertical		
4	207.5988	25.82	-30.67	43.50	17.68	150	Vertical		
5	305.6178	20.44	-27.69	46.00	25.56	150	Vertical		
6	910.2301	24.96	-15.07	46.00	21.04	150	Vertical		

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com


中国·深圳·科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2020/A001609 43 of 65 Page:

Transmitter Emission above 1GHz 4.9.2 4.9.2.1 BLE 1M Channel 0



Suspe	Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Polarity	
1	2960.490	45.23	10.54	54.00	8.77	150	Horizontal	
2	2988.497	56.25	10.46	74.00	17.75	150	Horizontal	
3	4804.000	31.34	-17.18	54.00	22.66	150	Horizontal	
4	4804.000	41.74	-17.18	74.00	32.26	150	Horizontal	
5	7206.000	46.53	-9.48	74.00	27.47	150	Horizontal	
6	7206.000	36.17	-9.48	54.00	17.83	150	Horizontal	
7	17786.23	47.36	2.45	54.00	6.64	150	Horizontal	

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 Page: 44 of 65



4.9.2.2 BLE 1M_Channel 0

Suspected List

Cuopo							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Polarity
1	2976.994	44.93	10.49	54.00	9.07	150	Vertical
2	2985.496	56.45	10.47	74.00	17.55	150	Vertical
3	4804.000	31.60	-17.18	54.00	22.40	150	Vertical
4	4804.000	42.36	-17.18	74.00	31.64	150	Vertical
5	7206.000	46.91	-9.48	74.00	27.09	150	Vertical
6	7206.000	35.44	-9.48	54.00	18.56	150	Vertical
7	17795.23	47.88	2.45	54.00	6.12	150	Vertical

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 Page: 45 of 65



4.9.2.3 BLE 1M_Channel 19

Suspected List

ouspe							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Polarity
1	2975.493	44.95	10.50	54.00	9.05	150	Horizontal
2	2991.497	56.73	10.45	74.00	17.27	150	Horizontal
3	4880.000	31.77	-16.81	54.00	22.23	150	Horizontal
4	4880.000	41.73	-16.81	74.00	32.27	150	Horizontal
5	7320.000	47.87	-9.28	74.00	26.13	150	Horizontal
6	7320.000	37.02	-9.28	54.00	16.98	150	Horizontal
7	17978.99	47.65	2.68	54.00	6.35	150	Horizontal

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 Page: 46 of 65



4.9.2.4 BLE 1M_Channel 19

Suspected List

ouspe							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Polarity
1	2932.983	45.06	10.35	54.00	8.94	150	Vertical
2	2968.492	56.29	10.52	74.00	17.71	150	Vertical
3	4880.000	31.01	-16.81	54.00	22.99	150	Vertical
4	4880.000	42.18	-16.81	74.00	31.82	150	Vertical
5	7320.000	48.81	-9.28	74.00	25.19	150	Vertical
6	7320.000	37.02	-9.28	54.00	16.98	150	Vertical
7	17997.74	47.49	2.81	54.00	6.51	150	Vertical

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 47 of 65 Page:



4.9.2.5 BLE 1M_Channel 39

Suspected List

Ouspe								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Polarity	
1	2935.483	45.08	10.38	54.00	8.92	150	Horizontal	
2	2978.494	56.78	10.49	74.00	17.22	150	Horizontal	
3	4960.000	33.21	-16.28	54.00	20.79	150	Horizontal	
4	4960.000	42.60	-16.28	74.00	31.40	150	Horizontal	
5	7440.000	48.33	-8.83	74.00	25.67	150	Horizontal	
6	7440.000	37.75	-8.83	54.00	16.25	150	Horizontal	
7	17993.99	47.91	2.78	54.00	6.09	150	Horizontal	

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 Page: 48 of 65



4.9.2.6 BLE 1M_Channel 39

Suspected List

ouspe								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Polarity	
1	2961.490	45.59	10.53	54.00	8.41	150	Vertical	
2	2984.496	56.99	10.47	74.00	17.01	150	Vertical	
3	4960.000	32.06	-16.28	54.00	21.94	150	Vertical	
4	4960.000	42.84	-16.28	74.00	31.16	150	Vertical	
5	7440.000	49.25	-8.83	74.00	24.75	150	Vertical	
6	7440.000	37.82	-8.83	54.00	16.18	150	Vertical	
7	17996.99	47.76	2.80	54.00	6.24	150	Vertical	

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 49 of 65 Page:



Suspecte	Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	35.0450	18.98	40.00	21.02	Horizontal			
2	54.4489	17.17	40.00	22.83	Horizontal			
3	108.9738	12.84	43.50	30.66	Horizontal			
4	178.2456	17.78	43.50	25.72	Horizontal			
5	728.5397	28.18	46.00	17.82	Horizontal			
6	845.5451	28.39	46.00	17.61	Horizontal			


Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Con

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房





Suspected List							
Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
35.2390	32.60	40.00	7.40	Vertical			
54.4489	22.48	40.00	17.52	Vertical			
102.5705	12.50	43.50	31.00	Vertical			
196.2913	15.56	43.50	27.94	Vertical			
728.7337	27.86	46.00	18.14	Vertical			
845.5451	29.33	46.00	16.67	Vertical			
	Freq. [MHz] 35.2390 54.4489 102.5705 196.2913 728.7337	Freq. [MHz]Level [dBµV/m]35.239032.6054.448922.48102.570512.50196.291315.56728.733727.86	Freq. [MHz]Level [dBμV/m]Limit [dBμV/m]35.239032.6040.0054.448922.4840.00102.570512.5043.50196.291315.5643.50728.733727.8646.00	Freq. [MHz]Level [dBμV/m]Limit [dBμV/m]Margin [dB]35.239032.6040.007.4054.448922.4840.0017.52102.570512.5043.5031.00196.291315.5643.5027.94728.733727.8646.0018.14			

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com


中国・深圳・科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2020/A001609 51 of 65 Page:

4.9.4 **Transmitter Emission above 1GHz** 4.9.4.1 BLE_1M_Channel 39



Suspecte	Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2953.4884	56.03	74.00	17.97	Horizontal			
2	2992.4981	44.99	54.00	9.01	Horizontal			
3	4960.0000	31.23	54.00	22.77	Horizontal			
4	4960.0000	42.85	74.00	31.15	Horizontal			
5	7440.0000	49.08	74.00	24.92	Horizontal			
6	7440.0000	38.30	54.00	15.70	Horizontal			
7	17788.4894	49.64	54.00	4.36	Horizontal			

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Con

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 Page: 52 of 65



4.9.4.2BLE_1M_Channel 39

Suspected List

odopool								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2953.9885	45.03	54.00	8.97	Vertical			
2	2998.9998	56.08	74.00	17.92	Vertical			
3	4960.0000	31.50	54.00	22.50	Vertical			
4	4960.0000	42.68	74.00	31.32	Vertical			
5	7440.0000	51.80	74.00	22.20	Vertical			
6	7440.0000	38.15	54.00	15.85	Vertical			
7	17904.7452	49.52	54.00	4.48	Vertical			

Final Data List

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
 - Final Test Level = Receiver Reading + Antenna Factor + Cable Factor Preamplifier Factor
- 2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@gss.com



Report No.: ZR/2020/A001609 Page: 53 of 65

4.10Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 1	47 CFR Part 15C Section 15.209 and 15.205				
Test Method:	ANSI C63.10: 2013 Section	11.12				
Test Site:	Measurement Distance: 3m	(Semi-Anechoic Chamb	per)			
Limit:	Frequency	Limit (dBuV/m)	Remark			
	30MHz-88MHz	40.0	Quasi-peak			
	88MHz-216MHz	43.5	Quasi-peak			
	216MHz-960MHz	46.0	Quasi-peak			
	960MHz-1GHz	54.0	Quasi-peak			
		54.0	Average Value			
	Above 1GHz	74.0	Peak Value			
Test Setup:		·				





Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Cond e: (86-755) 8307 1443

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国・深圳・科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: ZR/2020/A001609 54 of 65 Page:

Test Procedure:	a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.	
	b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.	
	c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.	
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.	
	e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.	
	f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.	
	g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel	
	h. Test the EUT in the lowest channel, the Highest channel	
	i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode,And found the X axis positioning which it is worse case.	
	j. Repeat above procedures until all frequencies measured was complete.	
Exploratory Test Mode:	Transmitting with GFSK modulation. Charge + Transmitting mode.	
Final Test Mode:	Transmitting with GFSK modulation.	
	Pretest the EUT at Charge + Transmitting mode.	
	Only the worst case is recorded in the report.	
Instruments Used:	Refer to section 5.10 for details	
Test Results:	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

中国・深圳・科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




Report No.: ZR/2020/A001609 55 of 65 Page:

Firstly Supply:



BLE 1M_Channel 0 4.10.1.1



Suspe	Suspected List						
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Polarity
1	2382.036	48.77	7.88	74.00	25.23	150	Horizontal
2	2385.637	34.30	7.88	54.00	19.70	150	Horizontal
3	2390.000	46.66	7.87	74.00	27.34	150	Horizontal
4	2390.000	33.84	7.87	54.00	20.16	150	Horizontal
5	2402.000	93.05	7.86	0.00	-93.05	150	Horizontal
6	2402.000	93.75	7.86	0.00	-93.75	150	Horizontal

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com


中国・深圳・科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



BLE 1M_Channel 0

Report No.: ZR/2020/A001609 Page: 56 of 65



Suspected List

4.10.1.2

ouspe								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Polarity	
1	2377.683	47.48	7.89	74.00	26.52	150	Vertical	
2	2378.359	34.20	7.89	54.00	19.80	150	Vertical	
3	2390.000	46.47	7.87	74.00	27.53	150	Vertical	
4	2390.000	33.82	7.87	54.00	20.18	150	Vertical	
5	2402.000	82.98	7.86	0.00	-82.98	150	Vertical	
6	2402.000	85.15	7.86	0.00	-85.15	150	Vertical	

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



4.10.1.3

BLE 1M_Channel 39

Report No.: ZR/2020/A001609 57 of 65 Page:



Suspe	Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Polarity	
1	2480.000	92.56	8.05	0.00	-92.56	150	Horizontal	
2	2480.000	91.64	8.05	0.00	-91.64	150	Horizontal	
3	2483.500	45.61	8.05	74.00	28.39	150	Horizontal	
4	2483.500	33.25	8.05	54.00	20.75	150	Horizontal	
5	2485.943	46.39	8.05	74.00	27.61	150	Horizontal	
6	2488.294	33.04	8.05	54.00	20.96	150	Horizontal	

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



4.10.1.4

BLE 1M Channel 39

Report No.: ZR/2020/A001609 58 of 65 Page:



Suspected List Level Factor Limit Margin Height Freq. NO. Polarity [dBµV/m] [dB] [MHz] [dB] [dBµV/m] [cm] 2480.000 85.07 8.05 0.00 -85.07 150 Vertical 1 2 2480.000 82.94 8.05 0.00 -82.94 150 Vertical 2483.500 3 45.44 8.05 74.00 28.56 150 Vertical 2483.500 Vertical 4 32.52 8.05 54.00 21.48 150 5 2490.445 8.05 54.00 150 Vertical 32.93 21.07

8.06

74.00

27.43

150

Final Data List

6

2491.445

46.57



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-end-Conditions arguing the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com


中国・深圳・科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Vertical



Report No.: ZR/2020/A001609 Page: 59 of 65



Secondly Supply: 4.10.1.1 BLE_1M_Channel 0

Suspecte	Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2376.0330	33.99	54.00	20.01	Horizontal			
2	2379.3347	47.63	74.00	26.37	Horizontal			
3	2390.0000	33.72	54.00	20.28	Horizontal			
4	2390.0000	45.96	74.00	28.04	Horizontal			
5	2402.0000	85.92	0.00	-85.92	Horizontal			
6	2402.0000	85.34	0.00	-85.34	Horizontal			

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



BLE_1M_Channel 0

Report No.: ZR/2020/A001609 Page: 60 of 65



Suspected List

4.10.1.2

Caspeen								
NO.	Freq. [MHz]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2377.1586	34.01	54.00	19.99	Vertical			
2	2384.2121	48.41	74.00	25.59	Vertical			
3	2390.0000	33.61	54.00	20.39	Vertical			
4	2390.0000	45.97	74.00	28.03	Vertical			
5	2402.0000	77.53	0.00	-77.53	Vertical			
6	2402.0000	76.84	0.00	-76.84	Vertical			

Final Data List

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions/Terms-and-Co

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳•科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: ZR/2020/A001609 Page: 61 of 65

Measurement Uncertainty (95% confidence levels, k=2) 5

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.75dB
2	RF power density, conducted	±2.84dB
3	Spurious emissions, conducted	±0.75dB
4	Dedicted Cruvieus emission test	±4.5dB (30MHz-1GHz)
4	Radiated Spurious emission test	±4.8dB (1GHz-25GHz)
5	Conduct emission test	±3.12 dB(9KHz- 30MHz)
6	Temperature test	±1°C
7	Humidity test	±3%
8	DC and low frequency voltages	±0.5%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

中国・深圳・科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2020/A001609 Page: 62 of 65

Equipment List 6

Conducted Emission					
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. date	Cal.Duedate
				(yyyy-mm-dd)	(yyyy-mm-dd)
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2020/5/10	2023/5/9
LISN	Rohde & Schwarz	ENV216	SEM007-01	2020/7/14	2021/7/14
LISN	ETS-LINDGREN	Feb-16	SEM007-02	2020/4/1	2021/3/31
Measurement Software	AUDIX	e3 V5.4.1221d	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM024-01	2020/6/12	2021/6/11
2 Line ISN	Fischer Custom Communications Inc	FCC-TLISN-T2 02	EMC0122	2020/2/11	2021/2/10
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-02	2020/3/2	2021/3/1

RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. date	Cal.Duedate
				(yyyy-mm-dd)	(yyyy-mm-dd)
DC Power Supply	Agilent Technologie Inc	66311B	W009-09	2020/7/15	2021/7/15
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2020/1/3	2021/1/2
Coaxial Cable	SGS	N/A	SEM031-01	2020/6/12	2021/6/11
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2020/7/14	2021/7/14
Temperature Chamber	GIANT FORCE	ICT-150-40-CP AR	W027-03	2020/10/27	2021/10/28
				2019/10/26	2020/10/27
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2020/7/14	2021/7/14



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 63 of 65 Page:

RE in Chamber					
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. date	Cal.Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12
Measurement Software	AUDIX	e3V8.2014-6-2	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2020/6/12	2021/6/11
EXA Signal Analyzer (10Hz-26.5GHz)	Agilent Technologie Inc	N9010A	SEM004-09	2020/3/12	2021/3/11
BiConiLog Antenna (26- 3000MHz)	ETS-Lindgren	3142C	SEM003-01	2020/6/27	2023/6/26
Horn Antenna (0.8- 18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12
Pre-amplifier(0.1-1.3GHz	HP	8447D	SEM005-02	2020/7/14	2021/7/14
Low Noise Amplifier(100MHz- 18GHz)	Black Diamond Series	BDLNA-0118- 352810	SEM005-05	2020/9/3	2021/9/2
Horn Antenna (15- 40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2020/10/17	2023/10/16
Pre-amplifier(18-26GHz)	Rohde & Schwarz	CH14-H052	SEM005-17	2020/3/2	2021/3/1
Band filter	N/A	N/A	SEM023-01	N/A	N/A
		RE in Chamb	per		
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. date	Cal.Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2020/8/5	2023/8/4
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM025-01	2020/6/12	2021/6/11
MXE EMI Receiver (20Hz-8.4GHz)	Agilent Technologie	N9038A	SEM004-05	2020/7/14	2021/7/14
BiConiLog Antenna (26 3000MHz)	ETS-LINDGREN	3142C	SEM003-01	2020/6/27	2023/6/26
Pre-amplifier (0.1- 1.3GHz)	Agilent Technologie	8447D	SEM005-01	2020/3/2	2021/3/1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房



Report No.: ZR/2020/A001609 Page. 64 of 65

			i aye.	04 01 03	
RE in Chamber					
Test Equipment	Manufacturer	Model No.	Inventory No	Cal. Date (yyyy- mm-dd)	Cal. Due date (yyyy-mm-dd)
10m Semi-Anechoic Chamber	SAEMC	FSAC1018	SEM001-03	2018/3/31	2021/3/30
EMI Test Receiver (9k- 7GHz)	Rohde & Schwarz	ESR	SEM004-03	2020/3/2	2021/3/1
Trilog-Broadband Antenna(25M-2GHz)	Schwarzbeck	VULB9168	SEM003-18	2020/3/15	2022/3/14
Pre-amplifier (9k-1GHz)	Sonoma	310N	SEM005-03	2020/3/12	2021/3/11
Loop Antenna (9kHz- 30MHz)	ETS-Lindgren	6502	SEM003-08	2020/8/22	2023/8/21
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM029-01	2020/6/12	2021/6/11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@egs.com

中国・深圳・科技园中区M-10栋一号厂房

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2020/A001609 Page: 65 of 65

7 **Photographs - EUT Constructional Details**

Refer to Appendix A - Photographs of Set-Up for ZR/2020/A0016.

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. A defined there and conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房