

Report No.: ZR/2020/9003716 Page: 1 of 84

FCC TEST REPORT

Application No.:	ZR/2020/90037
Applicant:	HMD Global Oy
Address of Applicant	Bertel Jungin aukio 9, 02600 Espoo, Finland
Manufacturer:	HMD Global Oy
Address of Manufacturer	Bertel Jungin aukio 9, 02600 Espoo, Finland
EUT Description:	Mobile Phone
Model No.:	TA-1340
Trade Mark:	NOKIA
FCC ID:	2AJOTTA-1340
Standards:	47 CFR FCC Part 2, Subpart J 47 CFR Part 15, Subpart C
Test Method	ANSI C63.10 (2013) KDB558074 D01 15.247 Meas Guidance v05r02
Date of Receipt:	2020/9/22(for original report ZR/2020/9003704)
Date of Test:	2020/9/22 to 2020/9/29(for original report ZR/2020/9003704)
Date of Issue:	2020/9/30(for original report ZR/2020/9003704) 2020/11/9(for new report ZR/2020/9003716)
Test Result:	PASS *

* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Remark: TA-1333 support Double SIM, while TA-1340 can support Double SIM and Single SIM.

Authorized Signature:

Derde yang

Derek Yang Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test neg testing of 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CM.Doccheck@sas.com



Report No.: ZR/2020/9003716 Page: 2 of 84

1 Version

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2020/11/9		Original

Authorized for issue by:		
Tested By	Mike Mu (Mike Hu) /Project Engineer	
Checked By	David Chen (David Chen) /Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@csas.com



Report No.: ZR/2020/9003716 Page: 3 of 84

2 Test Summary

Test Item	Test Requirement	Test method	Test Result	Result
AC Power Line Conducted Emission	15.207	ANSI C63.10 (2013)	Clause 4.3	PASS
Conducted Peak Output Power	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.4	PASS
20dB Emission Bandwidth & 99% Occupied Bandwidth	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.5	PASS
Carrier Frequencies Separation	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.6	PASS
Hopping Channel Number	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.7	PASS
Dwell Time	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.8	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.9	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.10	PASS
Radiated Spurious emissions	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.11	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.12	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (84-755) 8307 1443, or email: (

> Report No.: ZR/2020/9003716 Page: 4 of 84

Remark:

This test report (Report No.: ZR/2020/9003716) is base on the original test report (Report No.: ZR/2020/9003704) issued on 2020-09-30.

Review this report and original report, this report just changing the parts according to the declaration letter from client.

According to the declaration from the applicant, the models: TA-1333 and TA-1340 are identical in specifications, only different according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report all items do not need to retest and all test data in this report are base on the previous report with report number ZR/2020/9003704.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the example(s) test and such sample(s) are related for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, example to the Doceher times there and the same test and such as the please contact us at telephone: (86-755) 8307 1443, example to the Doceher times the same test and the test of the Difference times the test of test of the test of the test of the test of the test of test

Report No.: ZR/2020/9003716 Page: 5 of 84

Contents

1	VERSION	2
2	TEST SUMMARY	3
3	GENERAL INFORMATION	6
	3.1 CLIENT INFORMATION	6
2	3.2 Test Location	6
2	3.3 Test Facility	6
2	3.4 GENERAL DESCRIPTION OF EUT	7
2	3.5 Test Environment	
	3.6 DESCRIPTION OF SUPPORT UNITS	8
4	TEST RESULTS AND MEASUREMENT DATA	9
4	4.1 ANTENNA REQUIREMENT	
4	4.2 OTHER REQUIREMENTS FREQUENCY HOPPING SPREAD SPECTRUM SYSTEM HOPPING SEQUENCE	
	4.2.1 Test Requirement:	10
	4.2.2 Conclusion	
4	4.3 AC Power Line Conducted Emissions	
2	4.4 CONDUCTED PEAK OUTPUT POWER	
	4.4.1 Test Results	
	4.4.2 Test plots	
4	4.5 20DB EMISSION BANDWIDTH & 99% OCCUPIED BANDWIDTH	
	4.5.1 Test Results	
	4.5.2 Test plots	
4	4.6 CARRIER FREQUENCIES SEPARATION	
	4.6.1 Test Results	
	4.6.2 Test plots:	
2	4.7 HOPPING CHANNEL NUMBER	
	4.7.1 Test Results	
	4.7.2 Test plots	
2	4.8 DWELL TIME	
	4.8.1 Test Results 4.8.2 Test plots	
,	4.8.2 Test plots	
2	4.9 BAND-EDGE FOR KF CONDUCTED EMISSIONS	
,	4.9.1 Test plots	
2	4.10 SPORIOUS RF CONDUCTED EMISSIONS	
/	4.10.1 Test piols	
-	4.11.1 Radiated emission below 1GHz	
	4.11.2 Transmitter emission above 1GHz	
2	4.12 RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY	
-	4.12 RESTRICTED BANDS AROUND FUNDAMENTAL PREQUENCE	
5	MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, K=2)	80
6	EQUIPMENT LIST	81
7	PHOTOGRAPHS - EUT CONSTRUCTIONAL DETAILS	84



S

......

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document tere for only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the suthenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 83071443, or email.

> Report No.: ZR/2020/9003716 Page: 6 of 84

3 General Information

3.1 Client Information

Applicant:	HMD Global Oy
Address of Applicant:	Bertel Jungin aukio 9, 02600 Espoo, Finland
Manufacturer:	HMD Global Oy
Address of Manufacturer:	Bertel Jungin aukio 9, 02600 Espoo, Finland

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China
Post code:	518057
Telephone:	+86 (0) 755 2601 2053
Fax:	+86 (0) 755 2671 0594
E-mail:	ee.shenzhen@sgs.com

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• CNAS (No. ĆNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC –Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

Industry Canada (IC)

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.



N N H HARD	Unless otherwise agreed in writing, this document is issued by the of overleaf, available on request or accessible at http://www.sgs.com/en/T subject to Terms and Conditions for Electronic Documents at http://w Attention is drawn to the limitation of liability, indemnification and juris advised that information contained hereon reflects the Company's find Client's instructions, if any. The Company's sole responsibility is to transaction from exercising all their rights and obligations under the except in full, without prior written approval of the Company. Any un- appearance of this document is unlawful and offenders may be prosec. results shown in this test report refer only to the sample(s) tested and suu Attention: To check the authenticity of testing inspection report a or smail: CN.Doccheck@sgs.com	ermis-and-Conditions.aspx and, for electronic format documents, www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. diction issues defined therein. Any holder of this document is ings at the time of its intervention only and within the limits of its Client and this document does not exonerate parties to a transaction documents. This document cannot be reproduced authorized alteration, forgery or faisification of the content or ted to the fullest extent of the law. Unless otherwise stated the h sample(s) are retained for 30 days only. ertificate, please contact us at telephone: (86-755) 8307 1443,	
SCo.,Ltd.	No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057	t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn	
violar	中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057	t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com	

Report No.: ZR/2020/9003716 Page: 7 of 84

3.4 General Description of EUT

S

EUT Description:	Mobile Phone
Model No.:	TA-1340
Trade Mark:	NOKIA
Hardware Version:	MB_V3
Software Version:	00WW-A01
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 1 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 78.
Bluetooth Version:	Bluetooth V4.2 +EDR
Modulation Technique:	Frequency Hopping Spread Spectrum(FHSS)
Modulation Type:	GFSK, π/4DQPSK, 8DPSK
Number of Channel:	79
Hopping Channel Type:	Adaptive Frequency Hopping systems
Sample Type:	⊠ Portable Device,
Antenna Type:	External, 🛛 Integrated
Antenna Gain:	-0.85 dBi
Power Supply	AC/DC Adapter; Battery PoE:; Other:

Operation Frequency each of channel							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz
17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz
18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this last report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing (inspection report a certificate, please contact us at telephone: (86-755) 83071443; or sample(s) here relatined for 30 days only.

Report No.: ZR/2020/9003716 Page: 8 of 84

19 2421MHz 39 2441MHz	59	2461MHz	
-----------------------	----	---------	--

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle

frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel	2402MHz
The Middle channel	2441MHz
The Highest channel	2480MHz

3.5 Test Environment

Operating Environment				
Temperature: 24.0 °C				
Humidity:	55 % RH			
Atmospheric Pressure:	101.30 KPa			

3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

Report No.: ZR/2020/9003716 Page: 9 of 84

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is -0.85dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test extent of sole aspons). Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443,

> Report No.: ZR/2020/9003716 Page: 10 of 84

4.2 Other requirements Frequency Hopping Spread Spectrum System Hopping Sequence

4.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudorandom ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.

Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.


> Number of shift register stages: 9

> Length of pseudo-random sequence: 29 -1 = 511 bits

> Longest sequence of zeros: 8 (non-inverted signal)

Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:

20 62 46 77	7 64	8 73	16 75 1
	4 1		
		1.1.1	

Each frequency used equally on the average by each transmitter.



herwise agreed in writing, this document is issued by the Company subject to its General C available on request or accessible at http://www.ggs.com/en/Terms-and-Conditions.aspx and, for Derms and Conditions for Electronic Documents at http://www.ggs.com/en/Terms-and-Condition is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Af at information contained hereon reflects the Company's findings at the time of its intervention rstructions, if any. The Company's sole responsibility is to its Client and this document doe no from exercising all their rights and obligations under the transaction documents. This docu full, without prior written approval of the Company Any unauthorized alteration, forgery or f eo of this document is unlawful and offenders may be prosecuted to the fullest extent of the law own in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 da . To check the authenticity of testing (inspection report acertificate, please contact us at the	electronic format documents, nos/Terms-e-Document aspx. no holder of this document is only and within the limits of s not exonerate parties to a amment cannot be reproduced alsification of the content or . Unless otherwise stated the ys only.

Report No.: ZR/2020/9003716 Page: 11 of 84

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system. Compliance for section 15.247(h):

According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email CO PlaceherGines for the sample(s) testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email CO PlaceherGines formations and the sample(s) testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email CO PlaceherGines formations and the sample(s) testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email CO PlaceherGines formations and the sample(s) testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email CO PlaceherGines formations and tester and subscins

Report No.: ZR/2020/9003716 Page: 12 of 84

Test Requirement:	47 CFR Part 15C Section 15.207				
Test Method:	ANSI C63.10: 2013				
Test Frequency Range:	150kHz to 30MHz				
	Frequency range (MHz)	Limit (dBuV)			
		Quasi-peak	Average		
Limit:	0.15-0.5	66 to 56*	56 to 46*		
Linnt.	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the logarith	nm of the frequency.			
Test Procedure:	 1) The mains terminal disturbance voltage test was conducted in a shielded room. 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50µH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded. 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane, 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2. 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to 				

4.3 AC Power Line Conducted Emissions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.forms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excorate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is using the stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention report a certificate, places contact at at telephone: (86-755) 8307 1443, or email: CM-Doccheck@ags.com

No.1Workhon,M-UN.Midde Section, Science & Technology Park, Shenzhen, China 518057
t (86-755) 26012053 f (86-755) 26710594

www.sgsgroup.com.on
main: 518057
t (86-755) 26012053 f (86-755) 26710594

Member of the SGS Group (SGS SA)



Report No.: ZR/2020/9003716 Page: 13 of 84

Test Setup:	Shielding Room EUT AE Test Receiver USN1 LISN2 AC Mans Ground Reference Plane			
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type at the lowest, middle, high channel. Charge + Transmitting mode.			
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation at the lowest channel is the worst case. Charge + Transmitting mode Only the worst case is recorded in the report.			
Instruments Used:	Refer to section 5.10 for details			
Test Results:	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/




Report No.: ZR/2020/9003716 Page: 14 of 84

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.




Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Туре
1	0.1857	10.10	40.34	64.22	23.88	20.57	54.22	33.65	L
2	0.5498	10.10	39.34	56.00	16.66	35.66	46.00	10.34	L
3	1.5671	10.10	35.83	56.00	20.17	25.74	46.00	20.26	L
4	5.1319	10.10	29.85	60.00	30.15	22.51	50.00	27.49	L
5	6.8601	10.10	33.37	60.00	26.63	25.41	50.00	24.59	L
6	14.6084	10.11	37.89	60.00	22.11	27.79	50.00	22.21	L



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T



Report No.: ZR/2020/9003716 Page: 15 of 84



Final	Final Data List								
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Туре
1	0.1550	10.10	44.98	65.73	20.75	24.09	55.73	31.64	Ν
2	0.5539	10.10	35.81	56.00	20.19	23.53	46.00	22.47	Ν
3	1.7514	10.10	32.10	56.00	23.90	22.29	46.00	23.71	Ν
4	3.8404	10.10	29.16	56.00	26.84	19.06	46.00	26.94	Ν
5	7.0437	10.10	33.62	60.00	26.38	23.66	50.00	26.34	Ν
6	14.8630	10.11	43.25	60.00	16.75	29.17	50.00	20.83	Ν

Remarks:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/

> Report No.: ZR/2020/9003716 Page: 16 of 84

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)			
Test Method:	ANSI C63.10:2013 Section 7.8.5			
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane			
Limit:	(20.97dBm) 125mW			
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.			
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of $\pi/4DQPSK$ modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.			
Instruments Used:	Refer to section 5.10 for details			
Test Results:	Pass			

4.4 Conducted Peak Output Power



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/

Report No.: ZR/2020/9003716 Page: 17 of 84

4.4.1 Test Results

Measurement Data of Peak power:

GFSK mode				
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	7.45	20.97	Pass	
Middle	8.74	20.97	Pass	
Highest	7.89	20.97	Pass	
	π/4DQPSK mode			
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	7.86	20.97	Pass	
Middle	9.05	20.97	Pass	
Highest	8.28	20.97	Pass	
	8DPSK mode			
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	8.25	20.97	Pass	
Middle	9.41	20.97	Pass	
Highest	8.57	20.97	Pass	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/


> Report No.: ZR/2020/9003716 Page: 18 of 84



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document tacanot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) isted and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 83071443, or email: **CN_Doccheck@egs.com**


Report No.: ZR/2020/9003716 Page: 19 of 84








Report No.: ZR/2020/9003716 Page: 20 of 84









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small.

Report No.: ZR/2020/9003716 Page: 21 of 84








Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or smail: (CN_Doccheck@css.com").

Report No.: ZR/2020/9003716 Page: 22 of 84



Date: 27 SEP.2020 10:02:09



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

Report No.: ZR/2020/9003716 Page: 23 of 84

4.5 20dB Emission Bandwidth & 99% Occupied Bandwidth

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)			
Test Method:	ANSI C63.10:2013 Section 7.8.7			
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane			
Limit:	NA			
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.			
Final Test Mode:	 Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. 			
Instruments Used:	Refer to section 5.10 for details			
Test Results:	Pass			
4.5.1 Test Res	ults			

Mode **Test Channel** 99% Occupied Bandwidth (KHz) 20dB Emission Bandwidth (KHz) Result Lowest 864.0 950.8 Pass Middle 864.0 950.8 Pass GFSK Highest 864.0 950.8 Pass Lowest 1172.2 1293.8 Pass Middle 1172.2 1293.8 Pass π/4DQPSK Highest 1172.2 1302.5 Pass Lowest 1176.6 1302.5 Pass Middle 1176.6 1298.1 Pass 8DPSK 1302.5 Highest 1176.6 Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-C



Report No.: ZR/2020/9003716 Page: 24 of 84

4.5.2 **Test plots**

4.5.2.1 GFSK Lowest Channel



Date: 27.SEP.2020 10:05:21




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines of the sample(s) testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines contact with the times of the sample(s) are related for sole days only.

Report No.: ZR/2020/9003716 Page: 25 of 84

4.5.2.2 GFSK _Middle Channel

₩ V Spectrum Offset 5.40 dB 🖷 RBW 30 kHz Ref Level 30.00 dBm Att 40 dB 🕳 SWT 10 ms 🔳 VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] 4.58 dBm 2,44099130 GH 863.965267728 kH 20 dBm Occ Bw 10 dBm 0 dBm N -10 dBm te -20 dBm -30 dBm -40 dBm A -50 dBm -60 dBm-CF 2.441 GHz 691 pts Span 3.0 MHz Measuring... • Date: 27.SEP.2020 10:04:23 **₩** Spectrum Ref Level 30.00 dBm Offset 5.40 dB - RBW 30 kHz Att 40 dB 🕳 SWT 10 ms 📾 VBW 100 kHz Mode Auto FFT



Date: 27.SEP.2020 10:04:09




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (80-755) 8307 1443,

Report No.: ZR/2020/9003716 Page: 26 of 84

4.5.2.3 GFSK _Highest Channel



Date: 27.SEP.2020 10:03:31



Date: 27.SEP.2020 10:03:55



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or smail: (CN_Doccheck@css.com").

Report No.: ZR/2020/9003716 Page: 27 of 84




Date: 27.SEP.2020 10:06:07



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (80-755) 8307 1443,

Report No.: ZR/2020/9003716 Page: 28 of 84




4.5.2.5 π/4DQPSK _Middle Channel

Date: 27.SEP.2020 10:07:53



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small.

Report No.: ZR/2020/9003716 Page: 29 of 84



4.5.2.6 π/4DQPSK _Highest Channel

Date: 27.SEP.2020 10:08:14



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small.

Report No.: ZR/2020/9003716 Page: 30 of 84

4.5.2.7 8DPSK Lowest Channel

The second secon Spectrum Offset 5.40 dB · RBW 30 kHz Ref Level 30.00 dBm Att 40 dB 🕳 SWT 10 ms 💼 VBW 100 kHz Mode Auto FFT • 1Pk Max M1[1] 2.51 dBm 2.40199130 GH 20 dBm Occ Bw 1.176555716 MH 10 dBm D dBm -10 dBm -20 dBm -30 dBm 40 dBn NA -50 dBm -60 dBm-Span 3.0 MHz CF 2.402 GHz 691 pts Measuring... Date: 27.SEP.2020 10:10:58 **₩** Spectrum Ref Level 30.00 dBm Offset 5.40 dB • RBW 30 kHz 40 dB 🔳 SWT 10 ms - VBW 100 kHz Mode Auto FFT Att 1Pk Max M1[1] 2.79 dBn 2.40199130 GH 20 dBm ndB 20.00 dt 1.302500000 MH BW 10 dBm O factor 1844.3 0 dBm m -10 dBm 12 Ţ¥

691 pts

Y-value

2.79 dBm -17.68 dBm

17.34 dBm

Date: 27.SEP.2020 10:11:11

X-value

2.4019913 GHz 2.4013531 GHz

.4026556 GHz

-20 dBm -30 dBm 40 dBm

-50 dBm -60 dBm-

Marker Type | Ref | Trc

M1 T1

T2

CF 2.402 GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines of the sample(s) testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depochergines contact with the times of the sample(s) are related for sole days only.

Function

ndB down

Q factor

ndB

Measuring...

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

m

Span 3.0 MHz

1.3025 MHz

20.00 dB

1844.2

Function Result

And the second s

Report No.: ZR/2020/9003716 Page: 31 of 84

4.5.2.8 8DPSK _Middle Channel

Spectrum Offset 5.40 dB · RBW 30 kHz Ref Level 30.00 dBm Att 40 dB 🕳 SWT 10 ms 📾 VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] 2.83 dBn 2.44099130 GH 20 dBm Occ Bw 1.176555716 MH 10 dBm D dBm -10 dBm -20 dBm -30 dBm 40 dBmn. -50 dBm -60 dBm-Span 3.0 MHz CF 2.441 GHz 691 pts Measuring... Date: 27.SEP.2020 10:10:14 **₩** Spectrum Ref Level 30.00 dBm Offset 5.40 dB = RBW 30 kHz 40 dB 🔳 SWT 10 ms - VBW 100 kHz Mode Auto FFT Att 1Pk Max M1[1] 2.78 dBn 2.44099130 GH: 20 dBm ndB 20.00 dt 1.298100000 MH BW 1880. 10 dBm O factor 0 dBm m -10 dBm T¥ -20 dBm -30 dBm 40 dBm -50 dBm -60 dBm-CF 2.441 GHz Span 3.0 MHz 691 pts

Marker Type | Ref | Trc Function **Function Result** X-value Y-value 2.4409913 GHz 1.2981 MHz 2.78 dBm -17.37 dBm ndB down M1 T1 2.4403531 GHz 20.00 dB ndB .4416512 GHz Q factor T2 16.93 dBm 1880.4 Measuring... Enternante 🎽

Date: 27.SEP.2020 10:10:01




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or smail: (CN_Doccheck@css.com").

Report No.: ZR/2020/9003716 Page: 32 of 84

4.5.2.9 8DPSK_Highest Channel

The second secon Spectrum Offset 5.40 dB 🖷 RBW 30 kHz Ref Level 30.00 dBm Att 40 dB 🕳 SWT 10 ms 💼 VBW 100 kHz Mode Auto FFT 1Pk Max M1[1] 3.41 dBm 2.47999130 GH; 1.176555716 MH 20 dBm Occ Bw 10 dBm D dBm -10 dBm -20 dBm -30 dBm 40 dBm h m -50 dBm -60 dBm-Span 3.0 MHz CF 2.48 GHz 691 pts Measuring... Date: 27.SEP.2020 10:08:43 **₩** Spectrum



Date: 27.SEP.2020 10:08:56



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small.

Report No.: ZR/2020/9003716 Page: 33 of 84

Test Requirement: 47 CFR Part 15C Section 15.247 (a)(1) Test Method: ANSI C63.10:2013 Section 7.8.2 Spectrum Analyzer E.U.T re Test Setup: Non-Conducted Table Ground Reference Plane 2/3 of the 20dB bandwidth Limit: Remark: the transmission power is less than 0.125W. Exploratory Test Mode: Hopping transmitting with all kind of modulation and all kind of data type. Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, Final Test Mode: 2-DH5 of data type is the worst case of π /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. Instruments Used: Refer to section 5.10 for details Test Results: Pass

4.6 Carrier Frequencies Separation



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parities to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small CN Depechedments comp



Report No.: ZR/2020/9003716 Page: 34 of 84

4.6.1 Test Results

GFSK mode						
Test channel	Carrier Frequencies Separation (kHz) Limit (kHz) Resu					
Middle	999	633.9	Pass			
π/4DQPSK mode						
Test channel	Carrier Frequencies Separation (kHz) Limit (kHz) I					
Middle	999	868.3	Pass			
8DPSK mode						
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result			
Middle	999	868.3	Pass			


Remark: According to section 6.4,

Mode	20dB bandwidth (kHz) (worse case)	Limit (kHz) (Carrier Frequencies Separation)
GFSK	950.8	633.9
π/4DQPSK	1302.5	868.3
8DPSK	1302.5	868.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to therms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this dreper roly to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-755) 83071443;


Report No.: ZR/2020/9003716 Page: 35 of 84





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention. To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, at a service in the Depocher and the same

Report No.: ZR/2020/9003716 Page: 36 of 84



8DPSK Middle Test mode: Test channel: Spectrum Ref Level 30.00 dBm Offset 5.40 dB 💣 RBW 30 kHz 10 ms 🖷 VBW 100 kHz Mode Auto FFT Att 40 dB = SWT 1Pk Max D1[1] 0.54 dt 998.60 kH: M1[1] 3,77 dBm 20 dBm 2,44099200 GH 10 dBr M1 D1 D-dBm 200 à -10 dBm -20 dBm -30 dBm -40 dBm -50 dBn -60 dBm Span 3.0 MHz 691 pts CF 2,4415 GHz Measuring... 10.0 Date: 27.SEP.2020 10:31:02



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document tacanot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) iter retained for 30 days only. Attention: To check the authenticity of testing imspection report a certificate, please contact us at telephone: (86-756) 83071443.

Report No.: ZR/2020/9003716 Page: 37 of 84

Test Requirement: 47 CFR Part 15C Section 15.247 (a)(1) ANSI C63.10:2013 Section 7.8.3 Test Method: Spectrum Analyzer 000 000 000 E.U.T 10 Test Setup: Non-Conducted Table Ground Reference Plane Limit: At least 15 channels Test Mode: Hopping transmitting with all kind of modulation Instruments Used: Refer to section 5.10 for details **Test Results:** Pass

4.7 Hopping Channel Number

4.7.1 Test Results

Mode	Hopping channel numbers	Limit
GFSK	79	≥15
π/4DQPSK	79	≥15
8DPSK	79	≥15




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 83071443, or email CO Doccheckforso.com



Report No.: ZR/2020/9003716 Page: 38 of 84


4.7.2 Test plots

4.7.2.1 GFSK



4.7.2.2 π/4DQPSK

Date: 27.SEP.2020 10:34:16



Date: 27.SEP.2020 10:35:36




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or sample() Depoched/Response.



Report No.: ZR/2020/9003716 Page: 39 of 84

4.7.2.3 8DPSK



Date: 27.SEP.2020 10:36:56



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, http://www.site.com



Report No.: ZR/2020/9003716 Page: 40 of 84

4.8 Dwell Time

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)					
Test Method:	ANSI C63.10:2013 Section 7.8.4					
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane					
Instruments Used:	Refer to section 5.10 for details					
Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.					
Limit:	0.4 Second					
Test Results:	Pass					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to ferms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Terms-end-Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Terms-

Report No.: ZR/2020/9003716 Page: 41 of 84

4.8.1 Test Results	
Operation Modes	On time (ms) on one channel
DH1	0.395
DH3	1.683
DH5	2.920
2-DH1	0.401
2-DH3	1.678
2-DH5	2.928
3-DH1	0.400
3-DH3	1.661
3-DH5	2.928

Bluetooth Time of Occupancy Calculation

Typically, Bluetooth 1x/EDR mode has a channel hopping rate of 1600 hops/s, since 1x/EDR modes use 5 transmit and 1 receive slot, for a total of 6 slots, the Bluetooth transmitter is actually hopping at a rate of 1600/6=266.67 hops/slot

400ms x 79 Channel = 31.6 s (Time of Occupancy Limit)

Worst case BT has 266.67 hops/second (for 1x/EDR modes with 3-DH5 operation)

266.67 hops/second/79 channels=3.38 hops/second (# of hops/second on one channel)

3.38 hops/second/channel*31.6seconds=106.67 hops (#hops over a 31.6 second period)

106.67 hops *2.928 ms/channel =312.33 ms(worst case dwell time for one channel in 1x/EDR modes)

With AFH, the number of channels is reduced to a minimum of 20 channels and the channel hopping rate is reduced by 50% to 800hops/s, AFH mode also uses 6 slots so the Bluetooth transmitter hops at a rate of 800/6=133.3 hops/s/slot

400ms x 20 Channel = 8 s (Time of Occupancy Limit)

Worst case BT has 133.3 hops/second/slot (for AFH mode with 3-DH5 operation)

133.3 hops/second/20 channels=6.67 hops/second (#hops/second on one channel)

6.67 hops/second *8seconds=53.34 hops (#hops over a 8 seconds period)

53.34 hops x2.928 ms/channel=156.18 ms(worst case dwell time for one channel in AFH mode)




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact.us at telephone: (86-755) 83071443, or email: CN_Doccheck@egs.com



Report No.: ZR/2020/9003716 Page: 42 of 84


4.8.2 Test plots

4.8.2.1 DH1 _Middle Channel



Date: 27.SEP.2020 10:40:49

4.8.2.2 DH3 _ Middle Channel



Date: 27.SEP.2020 10:44:21




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the Depocher testere on the sample(s) testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the document is an advised and such aspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the document is the same sample(s) tester and such aspection report a certificate, please contact us at telephone: (86-755) 8307 1443, testered to the docum




Report No.: ZR/2020/9003716 Page: 43 of 84

4.8.2.3 DH5 _ Middle Channel



4.8.2.4 2DH1 Middle Channel



Date: 27.SEP.2020 10:41:58




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 83071443, or sample(). Depechencements.




Report No.: ZR/2020/9003716 Page: 44 of 84

4.8.2.5 2DH3 _ Middle Channel



^{4.8.2.6 2}DH5 Middle Channel






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention. To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or same to the Depochement of the Some and




Report No.: ZR/2020/9003716 Page: 45 of 84

4.8.2.7 3DH1 _Middle Channel



4.8.2.8 3DH3 Middle Channel



Date: 27.SEP.2020 10:42:51




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconcrate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 83071443, or sample(). Depechencements.



Report No.: ZR/2020/9003716 Page: 46 of 84

4.8.2.9 3DH5 _ Middle Channel



Date: 27.SEP.2020 10:38:43





Report No.: ZR/2020/9003716 Page: 47 of 84

Test Requirement:	47 CFR Part 15C Section 15.247 (d)						
Test Method:	ANSI C63.10:2013 Section 7.8.6						
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane						
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.						
Exploratory Test Mode:	Hopping and Non-hopping transmitting with all kind of modulation and all kind of data type						
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π /4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.						
Instruments Used:	Refer to section 5.10 for details						
Test Results:	Pass						

4.9 Band-edge for RF Conducted Emissions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to entry or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the autenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **(RLDoccheck@egs.com**)

Report No.: ZR/2020/9003716 Page: 48 of 84

4.9.1 Test plots 4.9.1.1 GFSK _Lowest Channel_ Hopping ON Spectrum

THE REAL Ref Level 30.00 dBm Offset 5.40 dB 🖷 RBW 100 kHz 40 dB = SWT 10 ms 📾 VBW 300 kHz Att Mode Auto Sweep 1Pk Max 48.76 dE 6.9180 MH M1[1] 6.79 dBm 20 dBm 2.4048770 GH 10 dBm 0 dBm -10 dBm D1 -13.210 dBm -20 dBm -30 dBm -40 dBm Anene show bourser warden hered to -50 dBm -60 dBm-CE 2.4 GHz 691 pts Span 10.0 MHz Measuring...

Date: 27.SEP.2020 10:22:12




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:



> Report No.: ZR/2020/9003716 Page: 49 of 84

4.9.1.2 GFSK _Lowest Channel_ Hopping OFF



Date: 27.SEP.2020 10:18:59

4.9.1.3 GFSK _Highest Channel _ Hopping ON



Date: 27.SEP.2020 10:20:52




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:




> Report No.: ZR/2020/9003716 Page: 50 of 84

4.9.1.4 GFSK _Highest Channel_ Hopping OFF



4.9.1.5 π /4DQPSK _Lowest Channel_ Hopping ON



Date: 27.SEP.2020 10:24:24




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443, or small: (8-755

SGS SGS-CS Branch

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2020/9003716 Page: 51 of 84



4.9.1.6 π/4DQPSK _Lowest Channel_ Hopping OFF

4.9.1.7 π/4DQPSK _Highest Channel_ Hopping ON



Date: 27.SEP.2020 10:25:12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443, or small: (8-755


Report No.: ZR/2020/9003716 Page: 52 of 84

4.9.1.8 π/4DQPSK _Highest Channel_ Hopping OFF



Date: 27.SEP.2020 10:16:11

4.9.1.9 8DPSK _Lowest Channel_ Hopping ON



Date: 27.SEP.2020 10:30:07




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflexts the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) test dand such sample(s) present of 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@cgs.com



> Report No.: ZR/2020/9003716 Page: 53 of 84

4.9.1.10 8DPSK _Lowest Channel_ Hopping OFF



Date: 27.SEP.2020 10:14:11

4.9.1.11 8DPSK _Highest Channel_ Hopping ON



Date: 27.SEP.2020 10:26:55



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@esps.com**

SGS SGS Bran

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2020/9003716 Page: 54 of 84

4.9.1.12 8DPSK _Highest Channel_ Hopping OFF



Date: 27.SEP.2020 10:14:54



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@ess.com**



Report No.: ZR/2020/9003716 Page: 55 of 84

Test Requirement:	47 CFR Part 15C Section 15.247 (d)						
Test Method:	ANSI C63.10:2013 Section 7.8.8						
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane						
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.						
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type						
Final Test Mode:	 Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. 						
Instruments Used:	Refer to section 5.10 for details						
Test Results:	Pass						

4.10 Spurious RF Conducted Emissions




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (84-755) 8307 1443, or email: (



Report No.: ZR/2020/9003716 Page: 56 of 84

4.10.1 Test plots

4.10.1.1 GFSK _Lowest Channel




Date: 27.SEP.2020 10:57:27



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@ess.com**



> Report No.: ZR/2020/9003716 Page: 57 of 84



4.10.1.3 GFSK _Highest Channel

THE STREET Spectrum Ref Level 30.00 dBm Offset 5.40 dB 🖷 RBW 100 kHz Att 40 dB SWT 250 ms 🖷 VBW 300 kHz Mode Auto Sweep 1Pk Max M2[1] 36.77 dBn 6.968520 GHz M1[1] 7.06 dBm 20 dBm 2.479890 GH 10 dBm 0 dBm -10 dBm 01 -12.940 dBm -20 dBm -30 dBm Ma 40 dBm -50 dBm--60 dBm 30001 pts Stop 25.0 GHz Start 30.0 MHz Measuring... ACCRED


Date: 27.SEP.2020 10:59:30




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the aptroval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing a certain context of 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (81-755) 8307 1443, or email: (



Report No.: ZR/2020/9003716 Page: 58 of 84



4.10.1.5 π/4DQPSK _Middle Channel




Date: 27.SEP.2020 10:55:36



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:



> Report No.: ZR/2020/9003716 Page: 59 of 84



4.10.1.7 8DPSK_Lowest Channel

THE STREET Spectrum Ref Level 30.00 dBm Offset 5.40 dB 🖷 RBW 100 kHz Att 40 dB SWT 250 ms 🖷 VBW 300 kHz Mode Auto Sweep 1Pk Max M2[1] 36.09 dBn 6.902760 GHz M1[1] 4.02 dBm 20 dBm 2.401650 GHz 10 dBm 1.1 0 dBm -10 dBm D1 -15,980 dBm -20 dBm -30 dBm 40 dBm -50 dBm -60 dBm 30001 pts Stop 25.0 GHz Start 30.0 MHz Measuring... ACCREDING TO A


Date: 27.SEP.2020 11:03:35



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:




Report No.: ZR/2020/9003716 Page: 60 of 84



Date: 27.SEP.2020 10:50:09

4.10.1.9 8DPSK_Highest Channel



Date: 27.SEP.2020 10:52:31



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443, or small: (8-755



Report No.: ZR/2020/9003716 Page: 61 of 84

Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconsing all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443, or small: (8



Report No.: ZR/2020/9003716 Page: 62 of 84

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205								
Test Method:	ANSI C63.10: 2013								
Test Site:	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)								
	Frequency	Detector	RBW	VBW	Remark				
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak				
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average				
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak				
Dessiver Cature	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak				
Receiver Setup:	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average				
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak				
	30MHz-1GHz	Quasi-peak	100 kHz	300kHz	Quasi-peak				
	Above 1GHz	Peak	1MHz	3MHz	Peak				
		Peak	1MHz	10Hz	Average				
	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measuremen t distance (m)				
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300				
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30				
	1.705MHz-30MHz	30	-	-	30				
	30MHz-88MHz	100	40.0	Quasi-peak	3				
Limit:	88MHz-216MHz	150	43.5	Quasi-peak	3				
	216MHz-960MHz	200	46.0	Quasi-peak	3				
	960MHz-1GHz	500	54.0	Quasi-peak	3				
	Above 1GHz	500	54.0	Average	3				
	Remark: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.								


4.11 Radiated Spurious Emission



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itset and sub sample(s) are retained for 30 days only. Attention, to check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: CM. Doccheck@egs.com



Report No.: ZR/2020/9003716 Page: 63 of 84





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents. Attention is drawn to the limitation or liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com)



Report No.: ZR/2020/9003716 Page: 64 of 84

	a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	e. Use the following spectrum analyzer settings:
	 Span shall wide enough to fully capture the emission being measured;
	(2) Set RBW=100 kHz for f < 1 GHz, RBW=1MHz for f>1GHz ; VBW ≥ RBW; Sweep = auto;
	Detector function = peak; Trace = max hold for peak
Test Procedure:	(3) For average measurement: use duty cycle correction factor method per 15.35(c).
Test Flocedure.	Duty cycle = On time/100 milliseconds
	On time = N 1 *L 1 +N 2 *L 2 ++N n-1 *LN n-1 +N n *L n
	Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc.
	Average Emission Level = Peak Emission Level + 20*log(Duty cycle)
	f. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	g. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	h. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
	 Test the EUT in the lowest channel (2402MHz), the middle channel (2441MHz), the Highest channel (2480MHz)
	j. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
	k. Repeat above procedures until all frequencies measured was complete.
	Non-hopping transmitting mode with all kind of modulation and all kind of
Exploratory Test Mode:	data type



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's ose responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the eample(s) tested and such asample(s) are relatined for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 26710594 www.sgsgroup.com.cn no sec. Numer & attention www.sgsgroup.com.cn the size of the Gomps Park. Shenzhen, China 518057 t (86-755) 26710594 sgs.com

Member of the SGS Group (SGS SA)



Report No.: ZR/2020/9003716 Page: 65 of 84


	Charge + Transmitting mode.
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.
Instruments Used: Refer to section 5.10 for details	
Test Results:	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parities to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) test and sub-sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CNDoccheck@sgs.com**



Report No.: ZR/2020/9003716 Page: 66 of 84



4.11.1 Radiated emission below 1GHz 4.11.1.1 Charge + Transmitting, Vertical

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	40.6721	15.15	-28.62	40.00	24.85	200	314	Horizontal	
2	68.2256	14.98	-33.96	40.00	25.02	200	28	Horizontal	
3	107.033	17.59	-32.00	43.50	25.91	200	20	Horizontal	
4	291.176	19.57	-28.60	46.00	26.43	100	49	Horizontal	
5	728.927	27.67	-18.83	46.00	18.33	200	270	Horizontal	
6	845.545	28.88	-16.96	46.00	17.12	100	308	Horizontal	


Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) tere retained for 30 days only. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (RADoccheck@cgs.com)



Report No.: ZR/2020/9003716 Page: 67 of 84



Jush								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	39.3139	15.05	-28.56	40.00	24.95	100	93	Vertical
2	53.8668	14.10	-30.95	40.00	25.90	100	237	Vertical
3	100.824	11.86	-32.00	43.50	31.64	100	81	Vertical
4	250.040	17.96	-29.66	46.00	28.04	100	184	Vertical
5	623.564	24.23	-20.35	46.00	21.77	100	164	Vertical
6	904.726	32.36	-15.98	46.00	13.64	100	286	Vertical

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Aftention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (81-755) 8307 1443, or

SGS SG Bra

SGS-CSTC Standards Technical Services Co., Ltd.Shenzhen Branch

Report No.: ZR/2020/9003716 Page: 68 of 84



4.11.2 Transmitter emission above 1GHz 4.11.2.1 GFSK_Channel 0

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2976.99	55.22	9.56	74.00	18.78	150	110	Horizontal
2	2988.49	43.88	9.50	54.00	10.12	150	233	Horizontal
3	4804.00	31.63	-18.30	54.00	22.37	150	342	Horizontal
4	4804.00	41.26	-18.30	74.00	32.74	150	70	Horizontal
5	7206.00	47.70	-9.82	74.00	26.30	150	14	Horizontal
6	7206.00	35.49	-9.82	54.00	18.51	150	42	Horizontal
7	17918.9	44.81	-1.30	54.00	9.19	150	14	Horizontal

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) please contact.us at telephone: (86-755) e307 1443, or email: **CN_Doccheck@esps.com**



Report No.: ZR/2020/9003716 Page: 69 of 84

4.11.2.2 GFSK_Channel 0



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2938.98	55.09	9.56	74.00	18.91	150	114	Vertical
2	2983.49	43.91	9.53	54.00	10.09	150	46	Vertical
3	4804.00	29.53	-18.30	54.00	24.47	150	156	Vertical
4	4804.00	40.65	-18.30	74.00	33.35	150	128	Vertical
5	7206.00	47.34	-9.82	74.00	26.66	150	45	Vertical
6	7206.00	35.44	-9.82	54.00	18.56	150	18	Vertical
7	17917.4	44.65	-1.30	54.00	9.35	150	237	Vertical


Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parities to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) test and sub-sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CNDoccheck@sgs.com**



Report No.: ZR/2020/9003716 Page: 70 of 84



4.11.2.3 GFSK_Channel 39

NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2933.98	43.74	9.51	54.00	10.26	150	82	Horizontal	
2	2963.49	55.54	9.62	74.00	18.46	150	247	Horizontal	
3	4882.00	29.84	-17.96	54.00	24.16	150	43	Horizontal	
4	4882.00	41.55	-17.96	74.00	32.45	150	151	Horizontal	
5	7323.00	48.23	-9.53	74.00	25.77	150	0	Horizontal	
6	7323.00	36.27	-9.53	54.00	17.73	150	97	Horizontal	
7	17923.4	44.80	-1.30	54.00	9.20	150	342	Horizontal	

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to entry or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the autenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **(RLDoccheck@egs.com**)



Report No.: ZR/2020/9003716 Page: 71 of 84

4.11.2.4 GFSK_Channel 39



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2946.48	55.14	9.64	74.00	18.86	150	59	Vertical
2	2984.49	43.94	9.52	54.00	10.06	150	223	Vertical
3	4882.00	30.10	-17.96	54.00	23.90	150	100	Vertical
4	4882.00	41.23	-17.96	74.00	32.77	150	264	Vertical
5	7323.00	48.19	-9.53	74.00	25.81	150	46	Vertical
6	7323.00	36.02	-9.53	54.00	17.98	150	18	Vertical
7	17918.9	44.61	-1.30	54.00	9.39	150	18	Vertical

Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to entry or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the autenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **(RLDoccheck@egs.com**)



4.11.2.5 GFSK Channel 78

SGS-CSTC Standards Technical Services Co., Ltd.Shenzhen Branch

Report No.: ZR/2020/9003716 Page: 72 of 84

FCC PART 15 C 130 120 110 100 90 80 Level[dBµV/m] 70 60 50 40 30 20 10 0 1G 2G 3G 4G 6G 8G 18G - Horizontal PK Frequericy[12]htal AV - PK Limit AV Limit # PK Detector * AV Detector

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2946.48	43.96	9.64	54.00	10.04	150	96	Horizontal
2	2958.98	55.11	9.64	74.00	18.89	150	165	Horizontal
3	4960.00	29.58	-17.47	54.00	24.42	150	14	Horizontal
4	4960.00	41.95	-17.47	74.00	32.05	150	14	Horizontal
5	7440.00	48.69	-9.02	74.00	25.31	150	151	Horizontal
6	7440.00	37.01	-9.02	54.00	16.99	150	41	Horizontal
7	17915.9	45.14	-1.31	54.00	8.86	150	41	Horizontal


Final Data List



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to extone the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) isseld and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (8.1.0.Doccheck@gas.com)



Report No.: ZR/2020/9003716 Page: 73 of 84



4.11.2.6 GFSK_Channel 78

Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2944.98	43.80	9.63	54.00	10.20	150	72	Vertical	
2	2950.98	55.19	9.68	74.00	18.81	150	169	Vertical	
3	4960.00	29.39	-17.47	54.00	24.61	150	18	Vertical	
4	4960.00	41.68	-17.47	74.00	32.32	150	99	Vertical	
5	7440.00	48.48	-9.02	74.00	25.52	150	236	Vertical	
6	7440.00	37.19	-9.02	54.00	16.81	150	18	Vertical	
7	17923.4	44.52	-1.30	54.00	9.48	150	236	Vertical	

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz and 18GHz to 25GHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3)As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

4) All Modes have been tested, but only the worst case data displayed in this report.



	Unless otherwise agreed in writing, this document is issued overleaf, available on request or accessible at <u>http://www.sgs.</u> subject to Terms and Conditions for Electronic Documents at Attention is drawn to the limitation of liability, indemnification advised that information contained hereon reflects the Compe Clent's instructions, if any. The Company's sole responsibili transaction from exercising all their rights and obligations ur except in full, without prior written approval of the Company appearance of this document is unlawful and offenders may be results shown in this test report refer only to the sample(s) teste	com/en/Ter http://www and jurisd any's findin ity is to its der the tra Any unau e prosecute d and such	ms-and-Conditions. .sgs.com/en/Terms- iction issues define gs at the time of its Client and this do ansaction documen thorized alteration, d to the fullest exte sample(s) are retai	aspx and, for electron and-Conditions/Term d therein. Any holde is intervention only ar iccument does not ex its. This document co forgery or falsificati nt of the law. Unless ned for 30 days only.	ic format documents, is-e-Document.aspx, r of this document is id within the limits of onerate parties to a annot be reproduced on of the content or otherwise stated the	
	Attention: To check the authenticity of testing /inspection r or email: CN.Doccheck@sqs.com	eport & ce	rtificate, please co	ntact us at telephon	e: (86-755) 8307 1443,	
o.,Ltd.	No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China	518057	t (86-755) 26012053	f (86-755) 26710594	www.sgsgroup.com.cn	
In	中国·深圳·科技园中区M-10栋一号厂房 邮编:	518057	t (86-755) 26012053	f (86-755) 26710594	sgs.china@sgs.com	




Report No.: ZR/2020/9003716 Page: 74 of 84

4.12 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205								
Test Method:	ANSI C63.10: 2013	ANSI C63.10: 2013							
Test Site:	Measurement Distance: 3m or 10m (Semi-Anechoic Chamber)								
	Frequency	Limit (dBuV/m @3m)	Remark						
	30MHz-88MHz	40.0	Quasi-peak Value						
	88MHz-216MHz	43.5	Quasi-peak Value						
Limit:	216MHz-960MHz	46.0	Quasi-peak Value						
	960MHz-1GHz	54.0	Quasi-peak Value						
	Above 1GHz	54.0	Average Value						
		74.0	Peak Value						

Test Setup:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the Automation from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) e307 1443, or email: (80-755) e307 1443, or email: (80-755)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 •深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: ZR/2020/9003716 Page: 75 of 84

	 a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-
Test Procedure:	 height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case. j. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.
Final Test Mode:	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the lime of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (84-755) 8307 1443, or email: (

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2020/9003716 Page: 76 of 84



4.12.1 Test plots 4.12.1.1 GFSK_Channel 0

Susp	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2357.94	51.43	7.80	74.00	22.57	150	45	Horizontal		
2	2360.20	37.61	7.80	54.00	16.39	150	232	Horizontal		
3	2390.00	50.65	7.77	74.00	23.35	150	341	Horizontal		
4	2390.00	37.46	7.77	54.00	16.54	150	40	Horizontal		
5	2402.00	98.53	7.77	0.00	-98.53	150	199	Horizontal		
6	2402.00	98.79	7.77	0.00	-98.79	150	199	Horizontal		

Final Data List




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 · 深圳 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: ZR/2020/9003716 Page: 77 of 84



0.00

0.00

-89.74

-90.05

150

150

199

199

Vertical

Vertical

4.12.1.2 GFSK_Channel 0

Final Data List

5

6

2402.00

2402.00

89.74

90.05

7.77

7.77




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@esps.com**

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 •深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: ZR/2020/9003716 Page: 78 of 84



74.00

27.40

150

291

Horizontal

4.12.1.3 GFSK_Channel 78

Final Data List

6

2489.89

46.60

8.02




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imsection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **CN_Doccheck@esps.com**

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 •深圳 • 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: ZR/2020/9003716 Page: 79 of 84



4.12.1.4 GFSK Channel 78

Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2480.00	90.66	8.01	0.00	-90.66	150	200	Vertical
2	2480.00	90.28	8.01	0.00	-90.28	150	200	Vertical
3	2483.50	45.90	8.01	74.00	28.10	150	299	Vertical
4	2483.50	32.49	8.01	54.00	21.51	150	321	Vertical
5	2493.94	32.71	8.02	54.00	21.29	150	13	Vertical
6	2495.24	46.74	8.02	74.00	27.26	150	283	Vertical

Final Data List

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 tl (86–755) 26012053 fl (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2020/9003716 Page: 80 of 84

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.75dB
2	RF power density, conducted	±2.84dB
3	Spurious emissions, conducted	±0.75dB
4	Padiated Spurious omission test	±4.5dB (30MHz-1GHz)
4	Radiated Spurious emission test	±4.8dB (1GHz-25GHz)
5	Conduct emission test	±3.12 dB(9KHz- 30MHz)
6	Temperature test	±1°C
7	Humidity test	±3%
8	DC and low frequency voltages	±0.5%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 · 深圳 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: ZR/2020/9003716 Page: 81 of 84

6 Equipment List

Conducted Emission								
			Inventory	Cal. date	Cal.Duedate			
Test Equipment	Manufacturer	Model No.	No.	(yyyy-mm- dd)	(yyyy-mm- dd)			
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2020/5/10	2023/5/9			
LISN	Rohde & Schwarz	ENV216	SEM007-01	2020/7/14	2021/7/14			
LISN	ETS-LINDGREN	Feb-16	SEM007-02	2020/4/1	2021/3/31			
Measurement Software	AUDIX	e3 V5.4.1221d	N/A	N/A	N/A			
Coaxial Cable	SGS	N/A	SEM024-01	2020/6/12	2021/6/11			
2 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN- T2-02	EMC0122	2020/2/11	2021/2/10			
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-02	2020/3/2	2021/3/1			

RF conducted test									
			Inventory	Cal. date	Cal.Duedate				
Test Equipment	Manufacturer	Model No.	No.	(yyyy-mm- dd)	(yyyy-mm- dd)				
DC Power Supply	Agilent Technologies Inc	66311B	W009-09	2020/7/15	2021/7/15				
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2020/1/3	2021/1/2				
Coaxial Cable	SGS	N/A	SEM031-01	2020/6/12	2021/6/11				
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A				
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2020/7/14	2021/7/14				
Temperature Chamber	GIANT FORCE	ICT-150-40- CP-AR	W027-03	2019/10/27	2020/10/27				
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2020/7/14	2021/7/14				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and sub sample(s) are relatined for 30 days only. Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

No. Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Report No.: ZR/2020/9003716 Page: 82 of 84

	RI	E in Chamber			
Toot Equipment	Manufacturer	Model No.	Inventory	Cal. date	Cal.Due date
Test Equipment	Manufacturer	woder No.	No.	(yyyy-mm- dd)	(yyyy-mm- dd)
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001- 02	2018/3/13	2021/3/12
Measurement Software	AUDIX	e3V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026- 01	2020/6/12	2021/6/11
EXA Signal Analyzer (10Hz-26.5GHz)	Agilent Technologies Inc	N9010A	SEM004- 09	2020/3/12	2021/3/11
BiConiLog Antenna (26- 3000MHz)	ETS-Lindgren	3142C	SEM003- 01	2020/6/27	2023/6/26
Horn Antenna (0.8- 18GHz)	Rohde & Schwarz	HF907	SEM003- 07	2018/4/13	2021/4/12
Pre-amplifier(0.1- 1.3GHz)	HP	8447D	SEM005- 02	2020/7/14	2021/7/14
Low Noise Amplifier(100MHz- 18GHz)	Black Diamond Series	BDLNA-0118- 352810	SEM005- 05	2020/9/3	2021/9/2
Horn Antenna (15- 40GHz)	Schwarzbeck	BBHA 9170	SEM003- 15	2017/10/17	2020/10/16
Pre-amplifier(18-26GHz)	Rohde & Schwarz	CH14-H052	SEM005- 17	2020/3/2	2021/3/1
Band filter	N/A	N/A	SEM023- 01	N/A	N/A
	RI	E in Chamber		r	
Test Equipment	Manufacturer	Model No.	Inventory	Cal. date	Cal.Due date
	Manufacturer	Widder No.	No.	(yyyy-mm- dd)	(yyyy-mm- dd)
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001- 01	2020/8/5	2023/8/4
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM025- 01	2020/6/12	2021/6/11
MXE EMI Receiver (20Hz-8.4GHz)	Agilent Technologies	N9038A	SEM004- 05	2020/7/14	2021/7/14
BiConiLog Antenna (26- 3000MHz)	ETS-LINDGREN	3142C	SEM003- 01	2020/6/27	2023/6/26
Pre-amplifier (0.1- 1.3GHz)	Agilent Technologies	8447D	SEM005- 01	2020/3/2	2021/3/1



S

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation on liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing visions and sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, or email: (ND-Doccheck@egs.com)

Mo. Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com



Report No.: ZR/2020/9003716 Page: 83 of 84

	RE in Chamber									
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date (yyyy-mm- dd)	Cal. Due date (yyyy- mm-dd)					
10m Semi-Anechoic Chamber	SAEMC	FSAC1018	SEM001-03	2018/3/31	2021/3/30					
EMI Test Receiver (9k- 7GHz)	Rohde & Schwarz	ESR	SEM004-03	2020/3/2	2021/3/1					
Trilog-Broadband Antenna(25M-2GHz)	Schwarzbeck	VULB9168	SEM003-18	2020/3/15	2022/3/14					
Pre-amplifier (9k-1GHz)	Sonoma	310N	SEM005-03	2020/3/12	2021/3/11					
Loop Antenna (9kHz- 30MHz)	ETS-Lindgren	6502	SEM003-08	2020/8/22	2023/8/21					
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A					
Coaxial Cable	SGS	N/A	SEM029-01	2020/6/12	2021/6/11					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore at parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to entry or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the autenticity of testing imspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: **(RLDoccheck@egs.com**)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26012053 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26010594 sgs.com



Report No.: ZR/2020/9003716 Page: 84 of 84

7 Photographs - EUT Constructional Details

Refer to Appendix A - Photographs of Set-Up for ZR/2020/90037.

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconsing all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: (8-755) 8307 1443, or small: (8

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 · 深圳 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.com