

Report No.: ZR/2021/1004912

Page: 1 of 76

FCC TEST REPORT

Application No.: ZR/2021/10049 Applicant: HMD Global Ov

Address of Applicant Bertel Jungin aukio 9, 02600 Espoo, Finland

Manufacturer: HMD Global Oy

Address of Manufacturer Bertel Jungin aukio 9, 02600 Espoo, Finland

EUT Description: smart phone Model No.: TA-1344 **Trade Mark:** Nokia

FCC ID: 2AJOTTA-1344

47 CFR FCC Part 2, Subpart J Standards:

47 CFR Part 15, Subpart C

Date of Receipt: 2021/1/29(for original report ZR/2021/1004903)

Date of Test: 2021/1/29 to 2021/3/3(for original report ZR/2021/1004903)

Date of Issue: 2021/3/9(for original report ZR/2021/1004903)

2021/3/18(for new report ZR/2021/1004912)

Test Result: PASS *

Remark: TA-1341 has the Dual SIM tray, TA-1344 has the single SIM tray;

Authorized Signature:

Derek Yang Wireless Laboratory Manager

Derde yang



In the configuration tested, the EUT detailed in this report complied with the standards specified above.



Report No.: ZR/2021/1004912

Page: 2 of 76

Version 1

Revision Record						
Version Chapter Date Modifier Remark						
01		2021-03-18		Original		

Authorized for issue by:	
Prepared By	Dee.Zheng
	(Dee Zheng) / Engineer
Olas I. J. D	Daniel Wang
Checked By	(Daniel Wang) / Reviewer





Report No.: ZR/2021/1004912

Page: 3 of 76

2 **Test Summary**

Test Item	Test Requirement	Test Method	Test Result	Result	Test Lab*
AC Power Line Conducted Emission	15.207	ANSI C63.10 2013	Clause 4.2	PASS	В
Conducted Output Power	15.247 (b)(3)	ANSI C63.10 2013	Clause 4.3	PASS	Α
DTS (6 dB) Bandwidth	15.247 (a)(2)	ANSI C63.10 2013	Clause 4.4	PASS	Α
Power Spectral Density	15.247 (e)	ANSI C63.10 2013	Clause 4.5	PASS	Α
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 2013	Clause 4.6	PASS	А
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 2013	Clause 4.7	PASS	А
Radiated Spurious Emissions	15.205/15.209	ANSI C63.10 2013	Clause 4.8	PASS	В
Restricted bands around fundamental frequency (Radiated Emission)	15.205/15.209	ANSI C63.10 2013	Clause 4.9	PASS	В





Report No.: ZR/2021/1004912

4 of 76 Page:

Remark:

This test report (Report No.: ZR/2021/1004912) is base on the original test report (Report No.: ZR/2021/1004903) issued on 2021-03-09.

Review this report and original report, this report just changing the parts according to the declaration letter from client.

According to the declaration from the applicant, the models: TA-1341 and TA-1344 are identical in specifications, only different according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report all items do not need to retest and all test data in this report are base on the previous report with report number ZR/2021/1004903.





Report No.: ZR/2021/1004912

Page: 5 of 76

Contents

1	Versio	n	2
2	Test S	ummary	3
3	Genera	al Information	7
	3.1	Details of Client	7
	3.2	Test Location	7
	3.3	Test Facility	8
	3.4	General Description of EUT	9
	3.5	Test Environment	.10
	3.6	Description of Support Units	.10
4	Test re	esults and Measurement Data	.11
	4.1	Antenna Requirement	.11
	4.2	AC Power Line Conducted Emissions	.12
	4.3	Duty Cycle	.16
	4.	.3.1 Test Results	.16
	4.	.3.2 Test Plots	.17
	4.4	Conducted Output Power	.19
	4.	.4.1 Test Results	.20
	4.	.4.2 Test Plots	.20
	4.5	DTS (6 dB) Bandwidth	.24
	4.	.5.1 Test Results	.24
	4.	.5.2 Test Plots	.25
	4.6	Power Spectral Density	.29
	4.	.6.1 Test Results	.29
	4.	.6.2 Test Plots	.30
	4.7	Band-edge for RF Conducted Emissions	.32
	4.	.7.1 Test Plots	.35
	4.8	RF Conducted Spurious Emissions	.38
	4.	.8.1 Test Plots	.39
	4.9	Radiated Spurious Emissions	.43
	4.	.9.1 Radiated Emission below 1GHz	.46
	4.	.9.2 Transmitter Emission above 1GHz	.50
	4.10	Restricted bands around fundamental frequency	.62



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No:	ZR/2021/1004912
IZEDOIL NO	ZIV/ZUZ I/ IUU 4 3 IZ

Page:	6 of	76
raye.	0 01	

	5	
	4.10.1 Test Plots	65
5	Measurement Uncertainty (95% confidence levels, k=2)	73
6	Equipment List	74
7	Photographs - EUT Constructional Details	76





Report No.: ZR/2021/1004912

7 of 76 Page:

General Information 3

3.1 Details of Client

Applicant:	HMD Global Oy
Address of Applicant	Bertel Jungin aukio 9, 02600 Espoo, Finland
Manufacturer:	HMD Global Oy
Address of Manufacturer	Bertel Jungin aukio 9, 02600 Espoo, Finland

3.2 Test Location

Lab A:

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China
Post code:	518057

Lab B:

Company:	SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD.
Address:	1/F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, Xi'an, Shaanxi China
Post code:	710086





Report No.: ZR/2021/1004912

8 of 76 Page:

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

Lab A:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC -Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

Lab B:

A2LA (Certificate No. 4854.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

Designation Number: CN1271.





Report No.: ZR/2021/1004912

9 of 76 Page:

3.4 General Description of EUT

EUT Description:	smart phone	
Model No.:	TA-1344	
Trade Mark:	Nokia	
Hardware Version:	V1.0	
Software Version:	00WW_0_226	
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.	
Bluetooth version:	Bluetooth V5.1	
Modulation Type:	GFSK	
Number of Channel:	40	
Sample Type:	⊠ Portable Device,	
Antenna Type:	☐ External, ☑ Integrated	
Antenna Gain:	-1.28dBi	

	Operation Frequency of each channel						
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	10	2422MHz	20	2442MHz	30	2462MHz
1	2404MHz	11	2424MHz	21	2444MHz	31	2464MHz
2	2406MHz	12	2426MHz	22	2446MHz	32	2466MHz
3	2408MHz	13	2428MHz	23	2448MHz	33	2468MHz
4	2410MHz	14	2430MHz	24	2450MHz	34	2470MHz
5	2412MHz	15	2432MHz	25	2452MHz	35	2472MHz
6	2414MHz	16	2434MHz	26	2454MHz	36	2474MHz
7	2416MHz	17	2436MHz	27	2456MHz	37	2476MHz
8	2418MHz	18	2438MHz	28	2458MHz	38	2478MHz
9	2420MHz	19	2440MHz	29	2460MHz	39	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2021/1004912

10 of 76 Page:

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH19)	2440MHz
The Highest channel(CH39)	2480MHz

3.5 Test Environment

Operating Environment:	
Temperature:	25.0 °C
Humidity:	50 % RH
Atmospheric Pressure:	101.30 KPa

3.6 Description of Support Units

The EUT has been tested independent unit.





Report No.: ZR/2021/1004912

11 of 76 Page:

Test results and Measurement Data 4

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is -1.28dBi.





Report No.: ZR/2021/1004912

Page: 12 of 76

4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207		
Test Method:	ANSI C63.10: 2013		
Test Frequency Range:	150kHz to 30MHz		
Limit:	Fraguenov rango (MUz)	Limit (dBuV)	
	Frequency range (MHz)	Quasi-peak	Average
	0.15-0.5	66 to 56*	56 to 46*
	0.5-5	56	46
	5-30	60	50
	* Decreases with the log	arithm of the frequency.	
Test Procedure:	The mains terminal coroom.	listurbance voltage test was	conducted in a shielded
	Impedance Stabilizat impedance. The po- connected to a secon plane in the same of multiple socket outlet single LISN provided 3) The tabletop EUT wa ground reference pla placed on the horizor 4) The test was perform the EUT shall be 0. vertical ground reference plane. The unit under test and mounted on top of th the closest points of and associated equip 5) In order to find the m and all of the interface	ected to AC power source of the cion Network) which provides ower cables of all other used LISN 2, which was bonded way as the LISN 1 for the strip was used to connect method the rating of the LISN was not as placed upon a non-metall ne. And for floor-standing arrotal ground reference plane. The work of the vertical ground reference plane was bonded to a ground reference plane. The LISN 1 was placed 0.8 m from the LISN 1 and the EUT. Allowent was at least 0.8 m from aximum emission, the relative caches must be changed as an conducted measurement.	a 50Ω/50μH + 5Ω linear nits of the EUT were I to the ground reference unit being measured. A ultiple power cables to a ot exceeded. ic table 0.8m above the angement, the EUT was rence plane. The rear of of reference plane. The the horizontal ground rom the boundary of the rence plane for LISNs is distance was between II other units of the EUT in the LISN 2.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2021/1004912

Page: 13 of 76





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Totalogo in the certificate in the certificate, please contact us at telephone: (86-755) 8307 1643, **Totalogo in the certificate in the certifica

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

www.sgsgroup.com.cn sgs.china@sgs.com




Report No.: ZR/2021/1004912

Page: 14 of 76

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.





Test Graph

Final	Final Data List							
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]
1	0.1528	10.10	36.65	65.84	29.19	19.70	55.84	36.14
2	0.5336	10.10	38.19	56.00	17.81	32.82	46.00	13.18
3	4.2270	10.10	34.05	56.00	21.95	22.97	46.00	23.03
4	7.5068	10.10	29.70	60.00	30.30	19.81	50.00	30.19
5	17.7444	10.11	45.21	60.00	14.79	34.06	50.00	15.94
6	23.0851	10.11	52.31	60.00	7.69	38.29	50.00	11.71



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at selephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing inspection report & certificate, please contact us at selephone: (86-755) 8307 1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594


www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: ZR/2021/1004912

Page: 15 of 76





Test Graph

Final	Data List							
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]
1	0.1594	10.10	36.02	65.49	29.47	14.02	55.49	41.47
2	0.2165	10.10	31.84	62.95	31.11	19.47	52.95	33.48
3	0.5361	10.10	37.60	56.00	18.40	29.91	46.00	16.09
4	4.2151	10.10	34.35	56.00	21.65	23.97	46.00	22.03
5	17.4849	10.11	43.56	60.00	16.44	32.03	50.00	17.97
6	21.5539	10.11	50.81	60.00	9.19	39.65	50.00	10.35

Remarks:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at selephone: (86-755) 8307 1443, **Attention: To check the authenticity of testing inspection report & certificate, please contact us at selephone: (86-755) 8307 1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: ZR/2021/1004912

Page: 16 of 76

4.3 Duty Cycle

4.3.1 **Test Results**

Test Mode	TX Freq. [MHz]	Duty cycle [%]
BLE_1M	CH0, CH19, CH39	62.50
BLE_1M	CH0, CH19, CH39	32.92






Report No.: ZR/2021/1004912

17 of 76 Page:

4.3.2 **Test Plots**

4.3.2.1 ANT1

4.3.2.1.1 BLE 1M



Date: 3.FEB.2021 17:04:38






Report No.: ZR/2021/1004912

18 of 76 Page:

4.3.2.1.2 BLE 2M



Date: 23.MAR.2021 11:26:12






Report No.: ZR/2021/1004912

19 of 76 Page:

4.4 Conducted Output Power







Report No.: ZR/2021/1004912

20 of 76 Page:

4.4.1 **Test Results**

Measurement Data of Peak Power:

GFSK_1M mode				
Test Channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	4.05	30.00	Pass	
Middle	4.02	30.00	Pass	
Highest	6.51	30.00	Pass	
	GFSK_2	2M mode		
Test Channel	Peak Output Power (dBm)	Limit (dBm)	Result	
Lowest	4.70	30.00	Pass	
Middle	4.46	30.00	Pass	
Highest	7.47	30.00	Pass	

4.4.2 **Test Plots**

GFSK 1M Lowest Channel 4.4.2.1



Date: 3.FEB.2021 16:52:13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

中国·深圳·科技园中区M-10栋一号厂房


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2021/1004912


21 of 76 Page:

GFSK 1M_Middle Channel 4.4.2.2



Date: 3.FEB.2021 16:53:11

GFSK 1M_Highest Channel 4.4.2.3



Date: 3.FEB.2021 16:53:30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2021/1004912

Page: 22 of 76

4.4.2.1 GFSK 2M_Lowest Channel



Date: 23 M AR 2021 11:18:28

4.4.2.1 GFSK 2M_Middle Channel



Date: 23 M AR 2021 11:19:18



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

or email: <u>CN.Doccheck@sgs.com</u>
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳•科技國中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: ZR/2021/1004912

23 of 76 Page:

GFSK 2M_Highest Channel 4.4.2.1



Date: 23 M AR 2021 11:19:48






Report No.: ZR/2021/1004912

24 of 76 Page:

4.5 DTS (6 dB) Bandwidth



4.5.1 **Test Results**

Mode	Test Channel	6dB Emission Bandwidth (MHz)	Limit (kHz)	Result
	Lowest	0.67	≥500	Pass
GFSK_1M	Middle	0.67	≥500	Pass
	Highest	0.67	≥500	Pass
Mode	Test Channel	6dB Emission Bandwidth (MHz)	Limit (kHz)	Result
Mode	Test Channel Lowest		Limit (kHz) ≥500	Result Pass
Mode GFSK_2M		(MHz)	` ,	110000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: ZR/2021/1004912

25 of 76 Page:

4.5.2 **Test Plots**

4.5.2.1 **GFSK 1M_Lowest Channel**



Date: 3.FEB.2021 16:59:03






Report No.: ZR/2021/1004912


26 of 76 Page:

GFSK 1M_Middle Channel 4.5.2.2



Date: 3.FEB.2021 16:57:39

GFSK 1M_Highest Channel 4.5.2.3



Date: 3.FEB.2021 16:57:24



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com



Report No.: ZR/2021/1004912

27 of 76 Page:

GFSK 2M_Lowest Channel 4.5.2.1



Date: 23.MAR.2021 11:21:35

GFSK 2M Middle Channel 4.5.2.1



Date: 23.MAR.2021 11:21:19



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn



Report No.: ZR/2021/1004912

28 of 76 Page:

GFSK 2M_Highest Channel 4.5.2.1



Date: 23.MAR.2021 11:21:00





Report No.: ZR/2021/1004912

29 of 76 Page:

4.6 Power Spectral Density

Test Requirement:	47 CFR Part 15C Section 15.247 (e)	
Test Method:	ANSI C63.10 :2013 Section 11.10.2	
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane	
Test Instruments:	Refer to section 6 for details	
Test Mode:	Transmitting with GFSK modulation.	
Limit:	≤8.00dBm/3kHz	
Test Results:	Pass	

4.6.1 **Test Results**

Mode	Test Channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
	Lowest	-10.86	≤8.00	Pass
GFSK_1M	Middle	-10.90	≤8.00	Pass
	Highest	-8.45	≤8.00	Pass
Mode	Test Channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
	Lowest	-14.07	≤8.00	Pass
GFSK_1M	Middle	-14.34	≤8.00	Pass
	Highest	-11.33	≤8.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: ZR/2021/1004912

30 of 76 Page:

4.6.2 **Test Plots**

4.6.2.1 **GFSK 1M_Lowest Channel**



Date: 3.FEB.2021 16:54:55






Report No.: ZR/2021/1004912


31 of 76 Page:

GFSK 1M_Middle Channel 4.6.2.2



Date: 3.FEB.2021 16:54:41

GFSK 1M_Highest Channel 4.6.2.3



Date: 3.FEB.2021 16:53:40



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2021/1004912


32 of 76 Page:

GFSK 2M_Lowest Channel 4.6.2.4



Date: 23.MAR.2021 11:20:29

GFSK 2M Middle Channel 4.6.2.5



Date: 23 M AR 2021 11:20:08



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2021/1004912

33 of 76 Page:

4.6.2.6 **GFSK 2M_Highest Channel**



Date: 23.MAR.2021 11:20:48





Report No.: ZR/2021/1004912

34 of 76 Page:

4.7 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)	
Test Method:	ANSI C63.10: 2013 Section 11.13	
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table	
Instruments Used:	Ground Reference Plane Refer to section 6 for details	
	The state of the s	
Test Mode:	Transmitting with GFSK modulation.	
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.	
Test Results:	Pass	






Report No.: ZR/2021/1004912

35 of 76 Page:

Test Plots 4.7.1

4.7.1.1 **GFSK 1M Lowest Channel**



Date: 3.FEB.2021 17:00:24






Report No.: ZR/2021/1004912


36 of 76 Page:

4.7.1.2 **GFSK 1M_Highest Channel**



Date: 3.FEB.2021 17:01:16

GFSK 2M Lowest Channel 4.7.1.1



Date: 23.MAR.2021 11:25:33



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2021/1004912

37 of 76 Page:

4.7.1.1 **GFSK 2M_Highest Channel**



Date: 23.MAR.2021 11:24:50





Report No.: ZR/2021/1004912

Page: 38 of 76

4.8 RF Conducted Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)					
Test Method:	ANSI C63.10: 2013 Section 11.11					
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane					
Instruments Used:	Refer to section 6 for details					
Test Mode:	Transmitting with GFSK modulation.					
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.					
Test Results:	Pass					






Report No.: ZR/2021/1004912

39 of 76 Page:

Test Plots 4.8.1

GFSK 1M Lowest Channel 4.8.1.1



Date: 3.FEB.2021 17:03:36






Report No.: ZR/2021/1004912


40 of 76 Page:

GFSK 1M_Middle Channel 4.8.1.2



Date: 3.FEB.2021 17:02:55

GFSK 1M_Highest Channel 4.8.1.3



Date: 3.FEB.2021 17:02:07



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2021/1004912


41 of 76 Page:

GFSK 2M_Lowest Channel 4.8.1.1



Date: 23.MAR.2021 11:28:04

GFSK 2M Middle Channel 4.8.1.1



Date: 23.MAR.2021 11:30:02



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2021/1004912

42 of 76 Page:

GFSK 2M_Highest Channel 4.8.1.1



Date: 23.MAR.2021 11:30:49

Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.





Report No.: ZR/2021/1004912

Page: 43 of 76

4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section	n 15.209 and 15.20	05						
Test Method:	ANSI C63.10 :2013 Sect	ion 11.12							
Test Site:	Measurement Distance:	3m (Semi-Anechoi	ic Chamber)						
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark				
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak				
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average				
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak				
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak				
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average				
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak				
	30MHz-1GHz	Quasi-peak	120kHz	300kHz	Quasi-peak				
	Above 1GHz	Peak	1MHz	3MHz	Peak				
	Above 1GHz	Peak	1MHz	10Hz	Average				
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)				
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300				
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30				
	1.705MHz-30MHz	30	-	-	30				
	30MHz-88MHz	100	40.0	Quasi-peak	3				
	88MHz-216MHz	150	43.5	Quasi-peak	3				
	216MHz-960MHz	200	46.0	Quasi-peak	3				
	960MHz-1GHz	500	54.0	Quasi-peak	3				
	Above 1GHz	500	54.0	Average	3				
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2021/1004912

44 of 76 Page:

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

Test Procedure:

- For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
- The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. Use the following spectrum analyzer settings:
 - (1) Span shall wide enough to fully capture the emission being measured:
 - (2)Set RBW=100 kHz for f < 1 GHz, RBW=1MHz for f>1GHz; VBW ≥ RBW; Sweep = auto;
 - Detector function = peak; Trace = max hold for peak
 - (3)For average measurement: use duty cycle correction factor method per 15.35(c).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1643, **Total Contact the certificate of the certificate, please contact us at telephone: (86-755) 8307 1643, **Total Contact the certificate of the certif

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com



Report No.: ZR/2021/1004912

Page: 45 of 76

	rage. 45 01 70
	Duty cycle = On time/100 milliseconds
	On time = N 1 *L 1 +N 2 *L 2 ++N n-1 *LN n-1 +N n *L n
	Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc.
	Average Emission Level = Peak Emission Level + 20*log(Duty cycle)
	f. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	g. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	h. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
	i. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
	j. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
	k. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with GFSK modulation.
	Charge + Transmitting mode.
Test Configuration:	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	 VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	 VBW = 10 Hz, when duty cycle is no less than 98 percent.
	 VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum
	transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
Final Test Mode:	Transmitting with GFSK modulation.
	Pretest the EUT at Charge + Transmitting mode,
	For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
Remark:	The Emission Test data were reused from the report no:XZR/2021/1004901



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




Report No.: ZR/2021/1004912

Page: 46 of 76

4.9.1 **Radiated Emission below 1GHz Charge + Transmitting** 4.9.1.1

Test Graph



Suspected List

<u> </u>											
Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	34.8524	19.50	-32.76	40.00	20.50	128	255	Horizontal			
2	91.6258	29.84	-33.15	43.50	13.66	152	274	Horizontal			
3	151.3107	27.43	-34.72	43.50	16.07	211	69	Horizontal			
4	247.3887	32.74	-29.35	46.00	13.26	165	112	Horizontal			
5	454.5873	23.24	-23.74	46.00	22.76	238	128	Horizontal			
6	980.1051	26.00	-14.11	54.00	28.00	150	221	Horizontal			

Final Data List






Report No.: ZR/2021/1004912

Page: 47 of 76

Test Graph



Suspected List

QP Detector

Susp	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	34.8524	32.44	-32.76	40.00	7.56	213	327	Vertical				
2	42.1311	30.92	-30.76	40.00	9.08	145	330	Vertical				
3	86.2881	33.07	-34.32	40.00	6.93	232	258	Vertical				
4	239.6248	28.96	-29.61	46.00	17.04	182	16	Vertical				
5	439.5448	26.79	-24.07	46.00	19.21	195	218	Vertical				
6	967.4887	24.67	-14.26	54.00	29.33	150	75	Vertical				

Final Data List






Report No.: ZR/2021/1004912

Page: 48 of 76

Test Graph



Suspected List

Susp	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	34.3672	18.09	-32.77	40.00	21.91	127	230	Horizontal				
2	90.6553	29.51	-33.32	43.50	13.99	138	267	Horizontal				
3	112.0060	28.81	-32.00	43.50	14.69	162	252	Horizontal				
4	263.4017	33.38	-28.88	46.00	12.62	155	110	Horizontal				
5	431.7809	24.15	-24.22	46.00	21.85	344	301	Horizontal				
6	925.7579	25.36	-14.84	46.00	20.64	291	18	Horizontal				

Final Data List






Report No.: ZR/2021/1004912

Page: 49 of 76

Test Graph



Suspected List

Susp	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	34.8524	31.96	-32.76	40.00	8.04	233	269	Vertical				
2	49.8949	30.37	-30.18	40.00	9.63	209	297	Vertical				
3	87.2586	33.22	-34.09	40.00	6.78	184	250	Vertical				
4	234.2871	30.13	-29.81	46.00	15.87	305	16	Vertical				
5	452.6463	26.23	-23.78	46.00	19.77	311	68	Vertical				
6	989.8099	24.99	-13.99	54.00	29.01	150	192	Vertical				

Final Data List






Report No.: ZR/2021/1004912

Page: 50 of 76

4.9.2 **Transmitter Emission above 1GHz** BLE_1M_Channel 0 4.9.2.1

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2768.176	48.13	6.40	74.00	25.87	146	262	Horizontal				
2	2890.389	35.09	6.93	54.00	18.91	178	245	Horizontal				
3	4804.000	42.33	-10.62	74.00	31.67	185	115	Horizontal				
4	4804.000	32.65	-10.62	54.00	21.35	165	16	Horizontal				
5	7206.000	38.42	-2.56	54.00	15.58	147	325	Horizontal				
6	7206.000	49.13	-2.56	74.00	24.87	169	192	Horizontal				

Final Data List






Report No.: ZR/2021/1004912

Page: 51 of 76

BLE_1M_Channel 0 4.9.2.2

Test Graph



Suspected List

Suspe	Suspected List												
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	2682.368	48.56	5.63	74.00	25.44	248	36	Vertical					
2	2684.368	34.25	5.64	54.00	19.75	269	92	Vertical					
3	4804.000	42.67	-10.62	74.00	31.33	247	82	Vertical					
4	4804.000	32.04	-10.62	54.00	21.96	248	126	Vertical					
5	7206.000	39.07	-2.56	54.00	14.93	269	247	Vertical					
6	7206.000	49.85	-2.56	74.00	24.15	274	302	Vertical					

Final Data List






Report No.: ZR/2021/1004912

Page: 52 of 76

BLE_1M_Channel 19 4.9.2.3

Test Graph



Suspected List

<u>Juspec</u>	ouspected List											
Suspected List												
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2830.183	34.85	6.80	54.00	19.15	164	288	Horizontal				
2	2939.994	48.17	7.13	74.00	25.83	168	59	Horizontal				
3	4880.000	43.26	-10.38	74.00	30.74	147	357	Horizontal				
4	4880.000	32.80	-10.38	54.00	21.20	132	126	Horizontal				
5	7320.000	39.17	-2.51	54.00	14.83	174	225	Horizontal				
6	7320.000	50.42	-2.51	74.00	23.58	165	192	Horizontal				

Final Data List






Report No.: ZR/2021/1004912

Page: 53 of 76

BLE_1M_Channel 19 4.9.2.4

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2806.180	48.44	6.74	74.00	25.56	246	19	Vertical				
2	2818.781	35.09	6.77	54.00	18.91	274	154	Vertical				
3	4880.000	43.14	-10.38	74.00	30.86	269	59	Vertical				
4	4880.000	32.36	-10.38	54.00	21.64	274	136	Vertical				
5	7320.000	38.63	-2.51	54.00	15.37	241	3	Vertical				
6	7320.000	50.04	-2.51	74.00	23.96	261	268	Vertical				

Final Data List






Report No.: ZR/2021/1004912

Page: 54 of 76

BLE_1M_Channel 39 4.9.2.5

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2709.170	48.42	5.79	74.00	25.58	174	53	Horizontal				
2	2790.979	34.91	6.64	54.00	19.09	168	42	Horizontal				
3	4960.000	42.27	-10.07	74.00	31.73	147	25	Horizontal				
4	4960.000	32.63	-10.07	54.00	21.37	174	125	Horizontal				
5	7440.000	39.45	-1.94	54.00	14.55	162	169	Horizontal				
6	7440.000	51.04	-1.94	74.00	22.96	174	257	Horizontal				

Final Data List






Report No.: ZR/2021/1004912

Page: 55 of 76

BLE_1M_Channel 39 4.9.2.6

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2845.984	47.98	6.83	74.00	26.02	244	328	Vertical				
2	2890.589	35.31	6.93	54.00	18.69	268	227	Vertical				
3	4960.000	32.84	-10.07	54.00	21.16	174	148	Vertical				
4	4960.000	43.34	-10.07	74.00	30.66	162	158	Vertical				
5	7440.000	50.45	-1.94	74.00	23.55	274	180	Vertical				
6	7440.000	40.28	-1.94	54.00	13.72	284	125	Vertical				

Final Data List






Report No.: ZR/2021/1004912

Page: 56 of 76

BLE_2M_Channel 0 4.9.2.7

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2632.763	47.71	5.42	74.00	26.29	113	322	Horizontal				
2	2790.179	35.08	6.63	54.00	18.92	136	226	Horizontal				
3	4804.000	43.14	-10.62	74.00	30.86	187	137	Horizontal				
4	4804.000	32.89	-10.62	54.00	21.11	158	213	Horizontal				
5	7206.000	38.52	-2.56	54.00	15.48	186	324	Horizontal				
6	7206.000	49.87	-2.56	74.00	24.13	187	70	Horizontal				

Final Data List






Report No.: ZR/2021/1004912

Page: 57 of 76

BLE_2M_Channel 0 4.9.2.8

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2798.379	47.98	6.71	74.00	26.02	241	261	Vertical				
2	2888.988	35.30	6.93	54.00	18.70	267	120	Vertical				
3	4804.000	42.46	-10.62	74.00	31.54	274	53	Vertical				
4	4804.000	32.66	-10.62	54.00	21.34	264	65	Vertical				
5	7206.000	38.62	-2.56	54.00	15.38	241	124	Vertical				
6	7206.000	48.89	-2.56	74.00	25.11	288	76	Vertical				

Final Data List






Report No.: ZR/2021/1004912

Page: 58 of 76

BLE_2M_Channel 19 4.9.2.9

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2871.187	48.10	6.89	74.00	25.90	162	80	Horizontal				
2	2895.589	35.05	6.94	54.00	18.95	174	35	Horizontal				
3	4880.000	43.77	-10.38	74.00	30.23	162	92	Horizontal				
4	4880.000	32.92	-10.38	54.00	21.08	174	0	Horizontal				
5	7320.000	38.86	-2.51	54.00	15.14	165	92	Horizontal				
6	7320.000	49.63	-2.51	74.00	24.37	184	26	Horizontal				

Final Data List






Report No.: ZR/2021/1004912

Page: 59 of 76

BLE_2M_Channel 19 4.9.2.10

Test Graph



Suspected List

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2729.573	48.02	6.00	74.00	25.98	262	24	Vertical
2	2873.587	34.96	6.89	54.00	19.04	261	149	Vertical
3	4880.000	32.56	-10.38	54.00	21.44	245	169	Vertical
4	4880.000	42.52	-10.38	74.00	31.48	255	214	Vertical
5	4882.000	32.84	-10.38	54.00	21.16	284	5	Vertical
6	7323.000	39.17	-2.49	54.00	14.83	288	224	Vertical

Final Data List






Report No.: ZR/2021/1004912

Page: 60 of 76

BLE_2M_Channel 39 4.9.2.11

Test Graph



Suspected List

<u> </u>	tou =:ot							
Susp	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2817.181	34.92	6.77	54.00	19.08	165	165	Horizontal
2	2884.188	48.30	6.92	74.00	25.70	164	294	Horizontal
3	4960.000	43.28	-10.07	74.00	30.72	165	171	Horizontal
4	4960.000	32.32	-10.07	54.00	21.68	157	237	Horizontal
5	7440.000	39.25	-1.94	54.00	14.75	155	237	Horizontal
6	7440.000	50.17	-1.94	74.00	23.83	149	60	Horizontal

Final Data List






Report No.: ZR/2021/1004912

61 of 76 Page:

BLE 2M Channel 39 4.9.2.12

Test Graph



Suspected List

<u> </u>	tou =:ot							
Susp	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2890.589	35.44	6.93	54.00	18.56	245	24	Vertical
2	2942.394	48.27	7.15	74.00	25.73	278	24	Vertical
3	4960.000	32.46	-10.07	54.00	21.54	264	246	Vertical
4	4960.000	43.10	-10.07	74.00	30.90	243	36	Vertical
5	7440.000	50.84	-1.94	74.00	23.16	284	291	Vertical
6	7440.000	40.20	-1.94	54.00	13.80	244	36	Vertical

Final Data List

Remark:

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
 - Final Test Level = Receiver Reading + Antenna Factor + Cable Factor Preamplifier Factor
- 2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All Modes have been tested, but only the worst case data displayed in this report.






Report No.: ZR/2021/1004912

Page: 62 of 76

4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 1	5.209 and 15.205	
Test Method:	ANSI C63.10: 2013 Section	า 11.12	
Test Site:	Measurement Distance: 3n	n (Semi-Anechoic Cham	ber)
Limit:	Frequency	Limit (dBuV/m)	Remark
	30MHz-88MHz	40.0	Quasi-peak
	88MHz-216MHz	43.5	Quasi-peak
	216MHz-960MHz	46.0	Quasi-peak
	960MHz-1GHz	54.0	Quasi-peak
	Above 4011-	54.0	Average Value
	Above 1GHz	74.0	Peak Value
Test Setup:		·	






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz




Figure 3. Above 1 GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com



Report No.: ZR/2021/1004912

63 of 76 Page:

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table we rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table of meters above the ground at a 3 meter semi-anechoic camber. The table we rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-received antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal a vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case a then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specific
meters above the ground at a 3 meter semi-anechoic camber. The table w rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case at the the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the grou to determine the maximum value of the field strength. Both horizontal a vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case a then the antenna was tuned to heights from 1 meter to 4 meters and t rotatable table was turned from 0 degrees to 360 degrees to find t maximum reading.
to determine the maximum value of the field strength. Both horizontal a vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case a then the antenna was tuned to heights from 1 meter to 4 meters and t rotatable table was turned from 0 degrees to 360 degrees to find t maximum reading.
then the antenna was tuned to heights from 1 meter to 4 meters and t rotatable table was turned from 0 degrees to 360 degrees to find t maximum reading.
f. The test-receiver system was set to Peak Detect Function and Specific
Bandwidth with Maximum Hold Mode.
g. Place a marker at the end of the restricted band closest to the transformation frequency to show compliance. Also measure any emissions in the restrict bands. Save the spectrum analyzer plot. Repeat for each power a modulation for lowest and highest channel
h. Test the EUT in the lowest channel , the Highest channel
i. The radiation measurements are performed in X, Y, Z axis positioning Transmitting mode, And found the X axis positioning which it is worse case.
j. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode: Transmitting with GFSK modulation. Charge + Transmitting mode.
Test Configuration: Peak Measurements Above 1000 MHz
• RBW = 1 MHz
VBW ≥ 3 MHz
Detector = Peak
Sweep time = auto
Trace mode = max hold
Trace mode = max hold
·
Trace mode = max hold Average Measurements Above 1000MHz
Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz
 Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent.
 Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its
 Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimur transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. Final Test Mode: Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode.
 Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimur transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. Final Test Mode: Transmitting with GFSK modulation.
 Trace mode = max hold Average Measurements Above 1000MHz RBW = 1 MHz VBW = 10 Hz, when duty cycle is no less than 98 percent. VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimur transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation. Final Test Mode: Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2021/1004912

Page: 64 of 76

Remark: The Emission Test data were reused from the report no:XZR/2021/1004901






Report No.: ZR/2021/1004912

Page: 65 of 76

Test Plots 4.10.1

BLE 1M Channel 0 4.10.1.1

Test Graph



Suspected List

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2382.336	34.08	7.92	54.00	19.92	133	83	Horizontal
2	2386.688	47.47	7.88	74.00	26.53	127	319	Horizontal
3	2390.000	46.32	7.98	74.00	27.68	155	137	Horizontal
4	2390.000	33.64	7.98	54.00	20.36	172	41	Horizontal
5	2402.000	97.99	8.06	0.00	-97.99	152	52	Horizontal
6	2402.000	99.67	8.06	0.00	-99.67	168	60	Horizontal

Final Data List






Report No.: ZR/2021/1004912

Page: 66 of 76

BLE 1M_Channel 0 4.10.1.2

Test Graph



Suspected List

Susp	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2379.935	33.94	8.00	54.00	20.06	210	289	Vertical				
2	2387.513	48.46	7.91	74.00	25.54	222	210	Vertical				
3	2390.000	45.89	7.98	74.00	28.11	264	258	Vertical				
4	2390.000	33.70	7.98	54.00	20.30	274	206	Vertical				
5	2402.000	81.64	8.06	0.00	-81.64	253	331	Vertical				
6	2402.000	82.24	8.06	0.00	-82.24	206	328	Vertical				

Final Data List






Report No.: ZR/2021/1004912

Page: 67 of 76

BLE 1M_Channel 39 4.10.1.3

Test Graph



Suspected List

Suspe	Suspected List											
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2480.000	99.89	8.54	0.00	-99.89	111	64	Horizontal				
2	2480.000	99.25	8.54	0.00	-99.25	120	72	Horizontal				
3	2483.500	33.77	8.50	54.00	20.23	141	75	Horizontal				
4	2483.791	49.86	8.50	74.00	24.14	132	72	Horizontal				
5	2486.593	33.45	8.53	54.00	20.55	156	68	Horizontal				
6	2488.094	46.82	8.57	74.00	27.18	151	14	Horizontal				

Final Data List






Report No.: ZR/2021/1004912

Page: 68 of 76

BLE 1M_Channel 39 4.10.1.4

Test Graph



Suspected List

Suspe	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2480.000	83.70	8.54	0.00	-83.70	282	196	Vertical		
2	2480.000	81.56	8.54	0.00	-81.56	255	165	Vertical		
3	2483.500	44.79	8.50	74.00	29.21	261	62	Vertical		
4	2483.500	32.44	8.50	54.00	21.56	201	149	Vertical		
5	2487.543	33.08	8.56	54.00	20.92	244	172	Vertical		
6	2489.394	47.07	8.61	74.00	26.93	315	281	Vertical		

Final Data List






Report No.: ZR/2021/1004912

Page: 69 of 76

BLE 2M_Channel 0 4.10.1.5

Test Graph



Suspected List

Suspe	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2373.631	47.41	7.98	74.00	26.59	122	87	Horizontal	
2	2381.360	33.87	7.95	54.00	20.13	164	269	Horizontal	
3	2390.000	33.73	7.98	54.00	20.27	151	296	Horizontal	
4	2390.000	46.12	7.98	74.00	27.88	162	129	Horizontal	
5	2402.000	100.41	8.06	0.00	-100.41	174	63	Horizontal	
6	2402.000	87.79	8.06	0.00	-87.79	135	71	Horizontal	

Final Data List






Report No.: ZR/2021/1004912

Page: 70 of 76

BLE 2M_Channel 0 4.10.1.6

Test Graph



Suspected List

Susp	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2381.210	33.87	7.96	54.00	20.13	234	65	Vertical		
2	2383.536	47.44	7.88	74.00	26.56	255	1	Vertical		
3	2390.000	46.36	7.98	74.00	27.64	264	1	Vertical		
4	2390.000	33.94	7.98	54.00	20.06	278	127	Vertical		
5	2402.000	71.03	8.06	0.00	-71.03	204	331	Vertical		
6	2402.000	82.45	8.06	0.00	-82.45	266	327	Vertical		

Final Data List






Report No.: ZR/2021/1004912

71 of 76 Page:

BLE 2M_Channel 39 4.10.1.7

Test Graph



Suspected List

Susp	Suspected List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	2480.000	100.03	8.54	0.00	-100.03	141	68	Horizontal		
2	2480.000	87.88	8.54	0.00	-87.88	155	64	Horizontal		
3	2483.500	53.66	8.50	74.00	20.34	150	68	Horizontal		
4	2483.500	33.71	8.50	54.00	20.29	174	110	Horizontal		
5	2486.143	33.49	8.52	54.00	20.51	162	71	Horizontal		
6	2486.243	47.06	8.52	74.00	26.94	144	64	Horizontal		

Final Data List






Report No.: ZR/2021/1004912

72 of 76 Page:

4.10.1.8 BLE 2M_Channel 39

Test Graph



Suspected List

Susp	Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2480.000	83.37	8.54	0.00	-83.37	274	211	Vertical	
2	2480.000	72.06	8.54	0.00	-72.06	238	146	Vertical	
3	2483.500	45.25	8.50	74.00	28.75	312	138	Vertical	
4	2483.500	32.54	8.50	54.00	21.46	261	126	Vertical	
5	2485.242	46.67	8.49	74.00	27.33	255	99	Vertical	
6	2487.343	33.22	8.55	54.00	20.78	201	20	Vertical	

Final Data List

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor All Modes have been tested, but only the worst case data displayed in this report.





Report No.: ZR/2021/1004912

Page: 73 of 76

Measurement Uncertainty (95% confidence levels, k=2)

Lab A:

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.75dB
2	RF power density, conducted	±2.84dB
3	Spurious emissions, conducted	±0.75dB
4	Temperature test	±1°C
5	Humidity test	±3%
6	DC and low frequency voltages	±0.5%

Lab B:

No.	Item	Measurement Uncertainty		
		±4.8dB (30MHz-1GHz)		
	Radiated Spurious emission test	±5.2dB (1GHz-6GHz)		
1		±5.5dB (6GHz-18GHz)		
		±5.02dB (18GHz-40GHz)		
2	Conduct emission test	±3.4 dB (9KHz- 30MHz)		





Report No.: ZR/2021/1004912

Page: 74 of 76

Equipment List

RF conducted test								
Toot Favrings and		Madal Na		Cal. date	Cal.Duedate			
Test Equipment	Manufacturer	Model No.	Inventory No	(yyyy-mm-dd)	(yyyy-mm-dd)			
DC Power Supply	Agilent Technologies Inc	66311B	W009-09	2020/7/15	2021/7/15			
Cianal Anahana	Rohde & Schwarz	FSV	W025-05	2021/1/3	2022/1/2			
Signal Analyzer			VVU25-U5	2020/1/4	2021/1/3			
Coaxial Cable	SGS	N/A	SEM031-01	2020/6/12	2021/6/11			
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A			
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2020/7/14	2021/7/14			
Temperature Chamber	GIANT FORCE	ICT-150-40-CP- AR	W027-03	2020/10/27	2021/10/27			
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2020/7/14	2021/7/14			





Report No.: ZR/2021/1004912

Page: 75 of 76

RSE&RE&CE Test System								
Equipment	Manufacturer	Model No.	Cal Date	Cal Due Date	Inventory No.			
Semi-Anechoic Chamber	Brilliant-emc	966	NCR	NCR	XAW03-35-01			
MXA signal analyzer	Keysight	N9020A	2020-04-02	2021-04-02	XAW01-06-01			
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	2020-04-02	2021-04-02	XAW01-03-02			
Test receiver	ROHDE&SCHWARZ	ESR	2020-09-11	2021-09-10	XAW01-08-01			
Receiving antenna	Rosenberger	VULB 9163	2019-10-13	2021-10-12	XAW01-09-01			
Receiving antenna	Rosenberger	BBHA 9120D	2019-10-13	2021-10-12	XAW01-09-02			
Receiving antenna	Rosenberger	BBHA 9170	2019-10-13	2021-10-12	XAW01-09-03			
Directional antenna rack controller	Max-Full	MF-7802BS	NCR	NCR	XAW03-03-01			
High-speed antenna rack controller	Max-Full	MF-7802	NCR	NCR	XAW03-04-01			
Filter bank	Tonscend	JS0806-F	NCR	NCR	XAW03-05-01			
Filter bank	Tonscend	JS0806s	NCR	NCR	XAW03-05-02			
Amplifier	Tonscend	TAP00903040	2020-10-26	2021-10-25	XAW01-41-01			
Amplifier	Tonscend	TAP01018048	2020-10-26	2021-10-25	XAW01-41-02			
Amplifier	Tonscend	TAP18040048	2020-10-26	2021-10-25	XAW01-41-03			
Amplifier	Shanghai Steed	YX28980930	2020-10-26	2021-10-25	XAW01-41-06			
Artificial network	ROHDE&SCHWARZ	ENV216	2020-08-04	2021-08-03	XAW01-19-02			
Temperature and humidity meter	MingGao	TH101B	2020-06-11	2021-05-11	XAW01-01-01			
Measurement Software	Tonscend	TS+ RSE&RE	NCR	NCR	XAW02-05-01			
Measurement Software	Tonscend	TS+ CE	NCR	NCR	XAW02-05-02			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2021/1004912

Page: 76 of 76

7 **Photographs - EUT Constructional Details**

Refer to Appendix A PCE&DSS&DTS&NII Setup Photos.

The End

