



Appendix B

NR Band N66



CONTENT

Page

1	EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA.....	3
2	PEAK-TO-AVERAGE RATIO	10
2.1	TEST RESULTS	10
2.2	TEST PLOTS	10
3	MODULATION CHARACTERISTICS	12
3.1	TEST PLOTS	12
3.1.1	Test Band = N66.....	12
4	OCCUPIED BANDWIDTH & 26DB EMISSION BANDWIDTH	15
4.1	TEST RESULTS	15
4.2	TEST PLOTS	16
5	BAND EDGES COMPLIANCE	34
5.1	TEST PLOTS	34
6	SPURIOUS EMISSION AT ANTENNA TERMINAL	50
6.1	TEST PLOTS	50
7	FIELD STRENGTH OF SPURIOUS RADIATION	53
7.1	TEST BAND = N66	53
7.1.1	Test Mode = 20MHz_TM 1	53
8	FREQUENCY STABILITY	55
8.1	FREQUENCY ERROR VS. VOLTAGE.....	55
8.2	FREQUENCY ERROR VS. TEMPERATURE	55



1 Effective (Isotropic) Radiated Power Output Data

NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
N66	5MHz	15KHz	TM1	342500	Inner Full	22.40	19.60	30.00	PASS
N66	5MHz	15KHz	TM1	342500	Inner 1RB Left	23.21	20.41	30.00	PASS
N66	5MHz	15KHz	TM1	342500	Inner 1RB Right	23.22	20.42	30.00	PASS
N66	5MHz	15KHz	TM1	349000	Inner Full	22.42	19.62	30.00	PASS
N66	5MHz	15KHz	TM1	349000	Inner 1RB Left	22.52	19.72	30.00	PASS
N66	5MHz	15KHz	TM1	349000	Inner 1RB Right	22.29	19.49	30.00	PASS
N66	5MHz	15KHz	TM1	355500	Inner Full	22.42	19.62	30.00	PASS
N66	5MHz	15KHz	TM1	355500	Inner 1RB Left	22.41	19.61	30.00	PASS
N66	5MHz	15KHz	TM1	355500	Inner 1RB Right	22.20	19.40	30.00	PASS
N66	5MHz	15KHz	TM2	342500	Inner Full	22.93	20.13	30.00	PASS
N66	5MHz	15KHz	TM2	342500	Inner 1RB Left	23.03	20.23	30.00	PASS
N66	5MHz	15KHz	TM2	342500	Inner 1RB Right	22.98	20.18	30.00	PASS
N66	5MHz	15KHz	TM2	349000	Inner Full	22.44	19.64	30.00	PASS
N66	5MHz	15KHz	TM2	349000	Inner 1RB Left	22.51	19.71	30.00	PASS
N66	5MHz	15KHz	TM2	349000	Inner 1RB Right	22.59	19.79	30.00	PASS
N66	5MHz	15KHz	TM2	355500	Inner Full	22.36	19.56	30.00	PASS
N66	5MHz	15KHz	TM2	355500	Inner 1RB Left	22.31	19.51	30.00	PASS
N66	5MHz	15KHz	TM2	355500	Inner 1RB Right	22.44	19.64	30.00	PASS
N66	5MHz	15KHz	TM3	342500	Inner Full	21.13	18.33	30.00	PASS
N66	5MHz	15KHz	TM3	342500	Inner 1RB Left	21.08	18.28	30.00	PASS
N66	5MHz	15KHz	TM3	342500	Inner 1RB Right	21.04	18.24	30.00	PASS
N66	5MHz	15KHz	TM3	349000	Inner Full	21.52	18.72	30.00	PASS
N66	5MHz	15KHz	TM3	349000	Inner 1RB Left	21.63	18.83	30.00	PASS
N66	5MHz	15KHz	TM3	349000	Inner 1RB Right	21.30	18.50	30.00	PASS
N66	5MHz	15KHz	TM3	355500	Inner Full	21.44	18.64	30.00	PASS
N66	5MHz	15KHz	TM3	355500	Inner 1RB Left	21.50	18.70	30.00	PASS
N66	5MHz	15KHz	TM3	355500	Inner 1RB Right	21.59	18.79	30.00	PASS
N66	5MHz	15KHz	TM4	342500	Inner Full	20.56	17.76	30.00	PASS
N66	5MHz	15KHz	TM4	342500	Inner 1RB Left	20.43	17.63	30.00	PASS
N66	5MHz	15KHz	TM4	342500	Inner 1RB Right	20.69	17.89	30.00	PASS
N66	5MHz	15KHz	TM4	349000	Inner Full	19.98	17.18	30.00	PASS
N66	5MHz	15KHz	TM4	349000	Inner 1RB Left	20.08	17.28	30.00	PASS
N66	5MHz	15KHz	TM4	349000	Inner 1RB Right	19.85	17.05	30.00	PASS
N66	5MHz	15KHz	TM4	355500	Inner Full	19.85	17.05	30.00	PASS
N66	5MHz	15KHz	TM4	355500	Inner 1RB Left	19.77	16.97	30.00	PASS
N66	5MHz	15KHz	TM4	355500	Inner 1RB Right	19.79	16.99	30.00	PASS
N66	5MHz	15KHz	TM5	342500	Inner Full	19.13	16.33	30.00	PASS
N66	5MHz	15KHz	TM5	342500	Inner 1RB Left	19.22	16.42	30.00	PASS
N66	5MHz	15KHz	TM5	342500	Inner 1RB Right	18.86	16.06	30.00	PASS
N66	5MHz	15KHz	TM5	349000	Inner Full	18.06	15.26	30.00	PASS
N66	5MHz	15KHz	TM5	349000	Inner 1RB Left	17.76	14.96	30.00	PASS





N66	5MHz	15KHz	TM5	349000	Inner 1RB Right	18.01	15.21	30.00	PASS
N66	5MHz	15KHz	TM5	355500	Inner Full	17.87	15.07	30.00	PASS
N66	5MHz	15KHz	TM5	355500	Inner 1RB Left	17.73	14.93	30.00	PASS
N66	5MHz	15KHz	TM5	355500	Inner 1RB Right	17.76	14.96	30.00	PASS
N66	5MHz	15KHz	TM6	342500	Inner Full	21.14	18.34	30.00	PASS
N66	5MHz	15KHz	TM6	342500	Inner 1RB Left	21.21	18.41	30.00	PASS
N66	5MHz	15KHz	TM6	342500	Inner 1RB Right	21.00	18.20	30.00	PASS
N66	5MHz	15KHz	TM6	349000	Inner Full	20.89	18.09	30.00	PASS
N66	5MHz	15KHz	TM6	349000	Inner 1RB Left	21.13	18.33	30.00	PASS
N66	5MHz	15KHz	TM6	349000	Inner 1RB Right	21.13	18.33	30.00	PASS
N66	5MHz	15KHz	TM6	355500	Inner Full	20.51	17.71	30.00	PASS
N66	5MHz	15KHz	TM6	355500	Inner 1RB Left	20.89	18.09	30.00	PASS
N66	5MHz	15KHz	TM6	355500	Inner 1RB Right	21.10	18.30	30.00	PASS
N66	5MHz	15KHz	TM7	342500	Inner Full	21.14	18.34	30.00	PASS
N66	5MHz	15KHz	TM7	342500	Inner 1RB Left	21.04	18.24	30.00	PASS
N66	5MHz	15KHz	TM7	342500	Inner 1RB Right	21.08	18.28	30.00	PASS
N66	5MHz	15KHz	TM7	349000	Inner Full	20.50	17.70	30.00	PASS
N66	5MHz	15KHz	TM7	349000	Inner 1RB Left	20.37	17.57	30.00	PASS
N66	5MHz	15KHz	TM7	349000	Inner 1RB Right	20.66	17.86	30.00	PASS
N66	5MHz	15KHz	TM7	355500	Inner Full	20.26	17.46	30.00	PASS
N66	5MHz	15KHz	TM7	355500	Inner 1RB Left	20.26	17.46	30.00	PASS
N66	5MHz	15KHz	TM7	355500	Inner 1RB Right	20.71	17.91	30.00	PASS
N66	5MHz	15KHz	TM8	342500	Inner Full	20.59	17.79	30.00	PASS
N66	5MHz	15KHz	TM8	342500	Inner 1RB Left	20.55	17.75	30.00	PASS
N66	5MHz	15KHz	TM8	342500	Inner 1RB Right	20.49	17.69	30.00	PASS
N66	5MHz	15KHz	TM8	349000	Inner Full	19.07	16.27	30.00	PASS
N66	5MHz	15KHz	TM8	349000	Inner 1RB Left	19.07	16.27	30.00	PASS
N66	5MHz	15KHz	TM8	349000	Inner 1RB Right	18.88	16.08	30.00	PASS
N66	5MHz	15KHz	TM8	355500	Inner Full	19.03	16.23	30.00	PASS
N66	5MHz	15KHz	TM8	355500	Inner 1RB Left	18.84	16.04	30.00	PASS
N66	5MHz	15KHz	TM8	355500	Inner 1RB Right	18.84	16.04	30.00	PASS
N66	5MHz	15KHz	TM9	342500	Inner Full	19.20	16.40	30.00	PASS
N66	5MHz	15KHz	TM9	342500	Inner 1RB Left	19.18	16.38	30.00	PASS
N66	5MHz	15KHz	TM9	342500	Inner 1RB Right	19.04	16.24	30.00	PASS
N66	5MHz	15KHz	TM9	349000	Inner Full	15.82	13.02	30.00	PASS
N66	5MHz	15KHz	TM9	349000	Inner 1RB Left	16.05	13.25	30.00	PASS
N66	5MHz	15KHz	TM9	349000	Inner 1RB Right	16.05	13.25	30.00	PASS
N66	5MHz	15KHz	TM9	355500	Inner Full	15.73	12.93	30.00	PASS
N66	5MHz	15KHz	TM9	355500	Inner 1RB Left	15.92	13.12	30.00	PASS
N66	5MHz	15KHz	TM9	355500	Inner 1RB Right	15.97	13.17	30.00	PASS
N66	10MHz	15KHz	TM1	343000	Inner Full	22.60	19.80	30.00	PASS
N66	10MHz	15KHz	TM1	343000	Inner 1RB Left	22.73	19.93	30.00	PASS
N66	10MHz	15KHz	TM1	343000	Inner 1RB Right	22.81	20.01	30.00	PASS
N66	10MHz	15KHz	TM1	349000	Inner Full	22.63	19.83	30.00	PASS
N66	10MHz	15KHz	TM1	349000	Inner 1RB Left	22.39	19.59	30.00	PASS
N66	10MHz	15KHz	TM1	349000	Inner 1RB Right	22.54	19.74	30.00	PASS
N66	10MHz	15KHz	TM1	355000	Inner Full	22.47	19.67	30.00	PASS
N66	10MHz	15KHz	TM1	355000	Inner 1RB Left	22.62	19.82	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



N66	10MHz	15KHz	TM1	355000	Inner 1RB Right	22.56	19.76	30.00	PASS
N66	10MHz	15KHz	TM2	343000	Inner Full	22.62	19.82	30.00	PASS
N66	10MHz	15KHz	TM2	343000	Inner 1RB Left	22.54	19.74	30.00	PASS
N66	10MHz	15KHz	TM2	343000	Inner 1RB Right	22.94	20.14	30.00	PASS
N66	10MHz	15KHz	TM2	349000	Inner Full	22.42	19.62	30.00	PASS
N66	10MHz	15KHz	TM2	349000	Inner 1RB Left	22.54	19.74	30.00	PASS
N66	10MHz	15KHz	TM2	349000	Inner 1RB Right	22.38	19.58	30.00	PASS
N66	10MHz	15KHz	TM2	355000	Inner Full	22.65	19.85	30.00	PASS
N66	10MHz	15KHz	TM2	355000	Inner 1RB Left	22.32	19.52	30.00	PASS
N66	10MHz	15KHz	TM2	355000	Inner 1RB Right	22.46	19.66	30.00	PASS
N66	10MHz	15KHz	TM3	343000	Inner Full	21.57	18.77	30.00	PASS
N66	10MHz	15KHz	TM3	343000	Inner 1RB Left	21.71	18.91	30.00	PASS
N66	10MHz	15KHz	TM3	343000	Inner 1RB Right	21.75	18.95	30.00	PASS
N66	10MHz	15KHz	TM3	349000	Inner Full	21.41	18.61	30.00	PASS
N66	10MHz	15KHz	TM3	349000	Inner 1RB Left	21.63	18.83	30.00	PASS
N66	10MHz	15KHz	TM3	349000	Inner 1RB Right	21.33	18.53	30.00	PASS
N66	10MHz	15KHz	TM3	355000	Inner Full	21.53	18.73	30.00	PASS
N66	10MHz	15KHz	TM3	355000	Inner 1RB Left	21.55	18.75	30.00	PASS
N66	10MHz	15KHz	TM3	355000	Inner 1RB Right	21.31	18.51	30.00	PASS
N66	10MHz	15KHz	TM4	343000	Inner Full	20.13	17.33	30.00	PASS
N66	10MHz	15KHz	TM4	343000	Inner 1RB Left	20.23	17.43	30.00	PASS
N66	10MHz	15KHz	TM4	343000	Inner 1RB Right	20.34	17.54	30.00	PASS
N66	10MHz	15KHz	TM4	349000	Inner Full	20.05	17.25	30.00	PASS
N66	10MHz	15KHz	TM4	349000	Inner 1RB Left	19.86	17.06	30.00	PASS
N66	10MHz	15KHz	TM4	349000	Inner 1RB Right	20.22	17.42	30.00	PASS
N66	10MHz	15KHz	TM4	355000	Inner Full	20.09	17.29	30.00	PASS
N66	10MHz	15KHz	TM4	355000	Inner 1RB Left	20.18	17.38	30.00	PASS
N66	10MHz	15KHz	TM4	355000	Inner 1RB Right	19.98	17.18	30.00	PASS
N66	10MHz	15KHz	TM5	343000	Inner Full	18.43	15.63	30.00	PASS
N66	10MHz	15KHz	TM5	343000	Inner 1RB Left	18.01	15.21	30.00	PASS
N66	10MHz	15KHz	TM5	343000	Inner 1RB Right	18.04	15.24	30.00	PASS
N66	10MHz	15KHz	TM5	349000	Inner Full	17.94	15.14	30.00	PASS
N66	10MHz	15KHz	TM5	349000	Inner 1RB Left	18.27	15.47	30.00	PASS
N66	10MHz	15KHz	TM5	349000	Inner 1RB Right	17.95	15.15	30.00	PASS
N66	10MHz	15KHz	TM5	355000	Inner Full	17.79	14.99	30.00	PASS
N66	10MHz	15KHz	TM5	355000	Inner 1RB Left	17.86	15.06	30.00	PASS
N66	10MHz	15KHz	TM5	355000	Inner 1RB Right	17.61	14.81	30.00	PASS
N66	10MHz	15KHz	TM6	343000	Inner Full	18.12	15.32	30.00	PASS
N66	10MHz	15KHz	TM6	343000	Inner 1RB Left	21.39	18.59	30.00	PASS
N66	10MHz	15KHz	TM6	343000	Inner 1RB Right	21.32	18.52	30.00	PASS
N66	10MHz	15KHz	TM6	349000	Inner Full	21.93	19.13	30.00	PASS
N66	10MHz	15KHz	TM6	349000	Inner 1RB Left	21.19	18.39	30.00	PASS
N66	10MHz	15KHz	TM6	349000	Inner 1RB Right	21.17	18.37	30.00	PASS
N66	10MHz	15KHz	TM6	355000	Inner Full	20.15	17.35	30.00	PASS
N66	10MHz	15KHz	TM6	355000	Inner 1RB Left	21.27	18.47	30.00	PASS
N66	10MHz	15KHz	TM6	355000	Inner 1RB Right	21.11	18.31	30.00	PASS
N66	10MHz	15KHz	TM7	343000	Inner Full	20.93	18.13	30.00	PASS
N66	10MHz	15KHz	TM7	343000	Inner 1RB Left	20.64	17.84	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



N66	10MHz	15KHz	TM7	343000	Inner 1RB Right	20.58	17.78	30.00	PASS
N66	10MHz	15KHz	TM7	349000	Inner Full	20.51	17.71	30.00	PASS
N66	10MHz	15KHz	TM7	349000	Inner 1RB Left	20.66	17.86	30.00	PASS
N66	10MHz	15KHz	TM7	349000	Inner 1RB Right	20.43	17.63	30.00	PASS
N66	10MHz	15KHz	TM7	355000	Inner Full	20.46	17.66	30.00	PASS
N66	10MHz	15KHz	TM7	355000	Inner 1RB Left	20.38	17.58	30.00	PASS
N66	10MHz	15KHz	TM7	355000	Inner 1RB Right	20.39	17.59	30.00	PASS
N66	10MHz	15KHz	TM8	343000	Inner Full	19.23	16.43	30.00	PASS
N66	10MHz	15KHz	TM8	343000	Inner 1RB Left	19.31	16.51	30.00	PASS
N66	10MHz	15KHz	TM8	343000	Inner 1RB Right	19.39	16.59	30.00	PASS
N66	10MHz	15KHz	TM8	349000	Inner Full	19.08	16.28	30.00	PASS
N66	10MHz	15KHz	TM8	349000	Inner 1RB Left	19.16	16.36	30.00	PASS
N66	10MHz	15KHz	TM8	349000	Inner 1RB Right	18.93	16.13	30.00	PASS
N66	10MHz	15KHz	TM8	355000	Inner Full	18.88	16.08	30.00	PASS
N66	10MHz	15KHz	TM8	355000	Inner 1RB Left	19.12	16.32	30.00	PASS
N66	10MHz	15KHz	TM8	355000	Inner 1RB Right	18.77	15.97	30.00	PASS
N66	10MHz	15KHz	TM9	343000	Inner Full	16.39	13.59	30.00	PASS
N66	10MHz	15KHz	TM9	343000	Inner 1RB Left	16.10	13.30	30.00	PASS
N66	10MHz	15KHz	TM9	343000	Inner 1RB Right	16.01	13.21	30.00	PASS
N66	10MHz	15KHz	TM9	349000	Inner Full	16.03	13.23	30.00	PASS
N66	10MHz	15KHz	TM9	349000	Inner 1RB Left	16.18	13.38	30.00	PASS
N66	10MHz	15KHz	TM9	349000	Inner 1RB Right	16.01	13.21	30.00	PASS
N66	10MHz	15KHz	TM9	355000	Inner Full	15.94	13.14	30.00	PASS
N66	10MHz	15KHz	TM9	355000	Inner 1RB Left	16.09	13.29	30.00	PASS
N66	10MHz	15KHz	TM9	355000	Inner 1RB Right	16.24	13.44	30.00	PASS
N66	15MHz	15KHz	TM1	343500	Inner Full	22.25	19.45	30.00	PASS
N66	15MHz	15KHz	TM1	343500	Inner 1RB Left	22.47	19.67	30.00	PASS
N66	15MHz	15KHz	TM1	343500	Inner 1RB Right	22.92	20.12	30.00	PASS
N66	15MHz	15KHz	TM1	349000	Inner Full	22.56	19.76	30.00	PASS
N66	15MHz	15KHz	TM1	349000	Inner 1RB Left	22.48	19.68	30.00	PASS
N66	15MHz	15KHz	TM1	349000	Inner 1RB Right	22.45	19.65	30.00	PASS
N66	15MHz	15KHz	TM1	354500	Inner Full	22.28	19.48	30.00	PASS
N66	15MHz	15KHz	TM1	354500	Inner 1RB Left	22.39	19.59	30.00	PASS
N66	15MHz	15KHz	TM1	354500	Inner 1RB Right	22.29	19.49	30.00	PASS
N66	15MHz	15KHz	TM2	343500	Inner Full	22.82	20.02	30.00	PASS
N66	15MHz	15KHz	TM2	343500	Inner 1RB Left	22.79	19.99	30.00	PASS
N66	15MHz	15KHz	TM2	343500	Inner 1RB Right	22.93	20.13	30.00	PASS
N66	15MHz	15KHz	TM2	349000	Inner Full	22.68	19.88	30.00	PASS
N66	15MHz	15KHz	TM2	349000	Inner 1RB Left	22.71	19.91	30.00	PASS
N66	15MHz	15KHz	TM2	349000	Inner 1RB Right	22.56	19.76	30.00	PASS
N66	15MHz	15KHz	TM2	354500	Inner Full	22.39	19.59	30.00	PASS
N66	15MHz	15KHz	TM2	354500	Inner 1RB Left	22.52	19.72	30.00	PASS
N66	15MHz	15KHz	TM2	354500	Inner 1RB Right	22.38	19.58	30.00	PASS
N66	15MHz	15KHz	TM3	343500	Inner Full	21.86	19.06	30.00	PASS
N66	15MHz	15KHz	TM3	343500	Inner 1RB Left	21.83	19.03	30.00	PASS
N66	15MHz	15KHz	TM3	343500	Inner 1RB Right	21.57	18.77	30.00	PASS
N66	15MHz	15KHz	TM3	349000	Inner Full	21.58	18.78	30.00	PASS
N66	15MHz	15KHz	TM3	349000	Inner 1RB Left	21.46	18.66	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



N66	15MHz	15KHz	TM3	349000	Inner 1RB Right	21.36	18.56	30.00	PASS
N66	15MHz	15KHz	TM3	354500	Inner Full	21.40	18.60	30.00	PASS
N66	15MHz	15KHz	TM3	354500	Inner 1RB Left	21.46	18.66	30.00	PASS
N66	15MHz	15KHz	TM3	354500	Inner 1RB Right	21.24	18.44	30.00	PASS
N66	15MHz	15KHz	TM4	343500	Inner Full	20.07	17.27	30.00	PASS
N66	15MHz	15KHz	TM4	343500	Inner 1RB Left	20.26	17.46	30.00	PASS
N66	15MHz	15KHz	TM4	343500	Inner 1RB Right	20.39	17.59	30.00	PASS
N66	15MHz	15KHz	TM4	349000	Inner Full	20.23	17.43	30.00	PASS
N66	15MHz	15KHz	TM4	349000	Inner 1RB Left	20.08	17.28	30.00	PASS
N66	15MHz	15KHz	TM4	349000	Inner 1RB Right	20.07	17.27	30.00	PASS
N66	15MHz	15KHz	TM4	354500	Inner Full	19.77	16.97	30.00	PASS
N66	15MHz	15KHz	TM4	354500	Inner 1RB Left	19.80	17.00	30.00	PASS
N66	15MHz	15KHz	TM4	354500	Inner 1RB Right	20.06	17.26	30.00	PASS
N66	15MHz	15KHz	TM5	343500	Inner Full	18.37	15.57	30.00	PASS
N66	15MHz	15KHz	TM5	343500	Inner 1RB Left	18.01	15.21	30.00	PASS
N66	15MHz	15KHz	TM5	343500	Inner 1RB Right	17.83	15.03	30.00	PASS
N66	15MHz	15KHz	TM5	349000	Inner Full	17.91	15.11	30.00	PASS
N66	15MHz	15KHz	TM5	349000	Inner 1RB Left	18.17	15.37	30.00	PASS
N66	15MHz	15KHz	TM5	349000	Inner 1RB Right	17.97	15.17	30.00	PASS
N66	15MHz	15KHz	TM5	354500	Inner Full	18.10	15.30	30.00	PASS
N66	15MHz	15KHz	TM5	354500	Inner 1RB Left	18.24	15.44	30.00	PASS
N66	15MHz	15KHz	TM5	354500	Inner 1RB Right	17.80	15.00	30.00	PASS
N66	15MHz	15KHz	TM6	343500	Inner Full	22.09	19.29	30.00	PASS
N66	15MHz	15KHz	TM6	343500	Inner 1RB Left	21.00	18.20	30.00	PASS
N66	15MHz	15KHz	TM6	343500	Inner 1RB Right	21.39	18.59	30.00	PASS
N66	15MHz	15KHz	TM6	349000	Inner Full	20.93	18.13	30.00	PASS
N66	15MHz	15KHz	TM6	349000	Inner 1RB Left	20.86	18.06	30.00	PASS
N66	15MHz	15KHz	TM6	349000	Inner 1RB Right	21.14	18.34	30.00	PASS
N66	15MHz	15KHz	TM6	354500	Inner Full	20.58	17.78	30.00	PASS
N66	15MHz	15KHz	TM6	354500	Inner 1RB Left	21.01	18.21	30.00	PASS
N66	15MHz	15KHz	TM6	354500	Inner 1RB Right	20.85	18.05	30.00	PASS
N66	15MHz	15KHz	TM7	343500	Inner Full	20.56	17.76	30.00	PASS
N66	15MHz	15KHz	TM7	343500	Inner 1RB Left	20.71	17.91	30.00	PASS
N66	15MHz	15KHz	TM7	343500	Inner 1RB Right	20.89	18.09	30.00	PASS
N66	15MHz	15KHz	TM7	349000	Inner Full	20.38	17.58	30.00	PASS
N66	15MHz	15KHz	TM7	349000	Inner 1RB Left	20.72	17.92	30.00	PASS
N66	15MHz	15KHz	TM7	349000	Inner 1RB Right	20.67	17.87	30.00	PASS
N66	15MHz	15KHz	TM7	354500	Inner Full	20.58	17.78	30.00	PASS
N66	15MHz	15KHz	TM7	354500	Inner 1RB Left	20.61	17.81	30.00	PASS
N66	15MHz	15KHz	TM7	354500	Inner 1RB Right	20.19	17.39	30.00	PASS
N66	15MHz	15KHz	TM8	343500	Inner Full	19.07	16.27	30.00	PASS
N66	15MHz	15KHz	TM8	343500	Inner 1RB Left	19.23	16.43	30.00	PASS
N66	15MHz	15KHz	TM8	343500	Inner 1RB Right	19.42	16.62	30.00	PASS
N66	15MHz	15KHz	TM8	349000	Inner Full	18.89	16.09	30.00	PASS
N66	15MHz	15KHz	TM8	349000	Inner 1RB Left	18.86	16.06	30.00	PASS
N66	15MHz	15KHz	TM8	349000	Inner 1RB Right	19.14	16.34	30.00	PASS
N66	15MHz	15KHz	TM8	354500	Inner Full	18.87	16.07	30.00	PASS
N66	15MHz	15KHz	TM8	354500	Inner 1RB Left	18.88	16.08	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



N66	15MHz	15KHz	TM8	354500	Inner 1RB Right	18.67	15.87	30.00	PASS
N66	15MHz	15KHz	TM9	343500	Inner Full	16.16	13.36	30.00	PASS
N66	15MHz	15KHz	TM9	343500	Inner 1RB Left	16.22	13.42	30.00	PASS
N66	15MHz	15KHz	TM9	343500	Inner 1RB Right	16.29	13.49	30.00	PASS
N66	15MHz	15KHz	TM9	349000	Inner Full	16.11	13.31	30.00	PASS
N66	15MHz	15KHz	TM9	349000	Inner 1RB Left	15.99	13.19	30.00	PASS
N66	15MHz	15KHz	TM9	349000	Inner 1RB Right	16.24	13.44	30.00	PASS
N66	15MHz	15KHz	TM9	354500	Inner Full	15.78	12.98	30.00	PASS
N66	15MHz	15KHz	TM9	354500	Inner 1RB Left	15.86	13.06	30.00	PASS
N66	15MHz	15KHz	TM9	354500	Inner 1RB Right	15.90	13.10	30.00	PASS
N66	20MHz	15KHz	TM1	344000	Inner Full	22.60	19.80	30.00	PASS
N66	20MHz	15KHz	TM1	344000	Inner 1RB Left	22.47	19.67	30.00	PASS
N66	20MHz	15KHz	TM1	344000	Inner 1RB Right	22.61	19.81	30.00	PASS
N66	20MHz	15KHz	TM1	349000	Inner Full	22.60	19.80	30.00	PASS
N66	20MHz	15KHz	TM1	349000	Inner 1RB Left	22.77	19.97	30.00	PASS
N66	20MHz	15KHz	TM1	349000	Inner 1RB Right	22.54	19.74	30.00	PASS
N66	20MHz	15KHz	TM1	354000	Inner Full	22.46	19.66	30.00	PASS
N66	20MHz	15KHz	TM1	354000	Inner 1RB Left	22.40	19.60	30.00	PASS
N66	20MHz	15KHz	TM1	354000	Inner 1RB Right	22.29	19.49	30.00	PASS
N66	20MHz	15KHz	TM2	344000	Inner Full	22.76	19.96	30.00	PASS
N66	20MHz	15KHz	TM2	344000	Inner 1RB Left	22.44	19.64	30.00	PASS
N66	20MHz	15KHz	TM2	344000	Inner 1RB Right	22.74	19.94	30.00	PASS
N66	20MHz	15KHz	TM2	349000	Inner Full	22.72	19.92	30.00	PASS
N66	20MHz	15KHz	TM2	349000	Inner 1RB Left	22.44	19.64	30.00	PASS
N66	20MHz	15KHz	TM2	349000	Inner 1RB Right	22.68	19.88	30.00	PASS
N66	20MHz	15KHz	TM2	354000	Inner Full	22.35	19.55	30.00	PASS
N66	20MHz	15KHz	TM2	354000	Inner 1RB Left	22.40	19.60	30.00	PASS
N66	20MHz	15KHz	TM2	354000	Inner 1RB Right	22.49	19.69	30.00	PASS
N66	20MHz	15KHz	TM3	344000	Inner Full	21.77	18.97	30.00	PASS
N66	20MHz	15KHz	TM3	344000	Inner 1RB Left	21.60	18.80	30.00	PASS
N66	20MHz	15KHz	TM3	344000	Inner 1RB Right	21.75	18.95	30.00	PASS
N66	20MHz	15KHz	TM3	349000	Inner Full	21.61	18.81	30.00	PASS
N66	20MHz	15KHz	TM3	349000	Inner 1RB Left	21.70	18.90	30.00	PASS
N66	20MHz	15KHz	TM3	349000	Inner 1RB Right	21.61	18.81	30.00	PASS
N66	20MHz	15KHz	TM3	354000	Inner Full	21.43	18.63	30.00	PASS
N66	20MHz	15KHz	TM3	354000	Inner 1RB Left	22.08	19.28	30.00	PASS
N66	20MHz	15KHz	TM3	354000	Inner 1RB Right	21.21	18.41	30.00	PASS
N66	20MHz	15KHz	TM4	344000	Inner Full	20.31	17.51	30.00	PASS
N66	20MHz	15KHz	TM4	344000	Inner 1RB Left	20.13	17.33	30.00	PASS
N66	20MHz	15KHz	TM4	344000	Inner 1RB Right	20.04	17.24	30.00	PASS
N66	20MHz	15KHz	TM4	349000	Inner Full	20.15	17.35	30.00	PASS
N66	20MHz	15KHz	TM4	349000	Inner 1RB Left	20.26	17.46	30.00	PASS
N66	20MHz	15KHz	TM4	349000	Inner 1RB Right	20.22	17.42	30.00	PASS
N66	20MHz	15KHz	TM4	354000	Inner Full	19.89	17.09	30.00	PASS
N66	20MHz	15KHz	TM4	354000	Inner 1RB Left	19.83	17.03	30.00	PASS
N66	20MHz	15KHz	TM4	354000	Inner 1RB Right	19.88	17.08	30.00	PASS
N66	20MHz	15KHz	TM5	344000	Inner Full	18.30	15.50	30.00	PASS
N66	20MHz	15KHz	TM5	344000	Inner 1RB Left	18.04	15.24	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



N66	20MHz	15KHz	TM5	344000	Inner 1RB Right	18.08	15.28	30.00	PASS
N66	20MHz	15KHz	TM5	349000	Inner Full	18.14	15.34	30.00	PASS
N66	20MHz	15KHz	TM5	349000	Inner 1RB Left	18.07	15.27	30.00	PASS
N66	20MHz	15KHz	TM5	349000	Inner 1RB Right	18.05	15.25	30.00	PASS
N66	20MHz	15KHz	TM5	354000	Inner Full	18.09	15.29	30.00	PASS
N66	20MHz	15KHz	TM5	354000	Inner 1RB Left	18.06	15.26	30.00	PASS
N66	20MHz	15KHz	TM5	354000	Inner 1RB Right	17.61	14.81	30.00	PASS
N66	20MHz	15KHz	TM6	344000	Inner Full	18.24	15.44	30.00	PASS
N66	20MHz	15KHz	TM6	344000	Inner 1RB Left	20.99	18.19	30.00	PASS
N66	20MHz	15KHz	TM6	344000	Inner 1RB Right	21.12	18.32	30.00	PASS
N66	20MHz	15KHz	TM6	349000	Inner Full	22.13	19.33	30.00	PASS
N66	20MHz	15KHz	TM6	349000	Inner 1RB Left	21.14	18.34	30.00	PASS
N66	20MHz	15KHz	TM6	349000	Inner 1RB Right	20.96	18.16	30.00	PASS
N66	20MHz	15KHz	TM6	354000	Inner Full	20.18	17.38	30.00	PASS
N66	20MHz	15KHz	TM6	354000	Inner 1RB Left	21.01	18.21	30.00	PASS
N66	20MHz	15KHz	TM6	354000	Inner 1RB Right	21.01	18.21	30.00	PASS
N66	20MHz	15KHz	TM7	344000	Inner Full	20.73	17.93	30.00	PASS
N66	20MHz	15KHz	TM7	344000	Inner 1RB Left	20.54	17.74	30.00	PASS
N66	20MHz	15KHz	TM7	344000	Inner 1RB Right	20.69	17.89	30.00	PASS
N66	20MHz	15KHz	TM7	349000	Inner Full	20.71	17.91	30.00	PASS
N66	20MHz	15KHz	TM7	349000	Inner 1RB Left	20.46	17.66	30.00	PASS
N66	20MHz	15KHz	TM7	349000	Inner 1RB Right	20.40	17.60	30.00	PASS
N66	20MHz	15KHz	TM7	354000	Inner Full	20.56	17.76	30.00	PASS
N66	20MHz	15KHz	TM7	354000	Inner 1RB Left	20.38	17.58	30.00	PASS
N66	20MHz	15KHz	TM7	354000	Inner 1RB Right	20.56	17.76	30.00	PASS
N66	20MHz	15KHz	TM8	344000	Inner Full	19.13	16.33	30.00	PASS
N66	20MHz	15KHz	TM8	344000	Inner 1RB Left	19.31	16.51	30.00	PASS
N66	20MHz	15KHz	TM8	344000	Inner 1RB Right	19.29	16.49	30.00	PASS
N66	20MHz	15KHz	TM8	349000	Inner Full	19.15	16.35	30.00	PASS
N66	20MHz	15KHz	TM8	349000	Inner 1RB Left	19.06	16.26	30.00	PASS
N66	20MHz	15KHz	TM8	349000	Inner 1RB Right	19.10	16.30	30.00	PASS
N66	20MHz	15KHz	TM8	354000	Inner Full	19.18	16.38	30.00	PASS
N66	20MHz	15KHz	TM8	354000	Inner 1RB Left	19.02	16.22	30.00	PASS
N66	20MHz	15KHz	TM8	354000	Inner 1RB Right	18.80	16.00	30.00	PASS
N66	20MHz	15KHz	TM9	344000	Inner Full	16.19	13.39	30.00	PASS
N66	20MHz	15KHz	TM9	344000	Inner 1RB Left	16.00	13.20	30.00	PASS
N66	20MHz	15KHz	TM9	344000	Inner 1RB Right	16.11	13.31	30.00	PASS
N66	20MHz	15KHz	TM9	349000	Inner Full	16.01	13.21	30.00	PASS
N66	20MHz	15KHz	TM9	349000	Inner 1RB Left	16.18	13.38	30.00	PASS
N66	20MHz	15KHz	TM9	349000	Inner 1RB Right	16.01	13.21	30.00	PASS
N66	20MHz	15KHz	TM9	354000	Inner Full	16.10	13.30	30.00	PASS
N66	20MHz	15KHz	TM9	354000	Inner 1RB Left	16.02	13.22	30.00	PASS
N66	20MHz	15KHz	TM9	354000	Inner 1RB Right	15.84	13.04	30.00	PASS

Note:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{EIRP [dBm]} = \text{Conducted Power [dBm]} + \text{Gain [dBi]}$$



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2 Peak-to-Average Ratio

2.1 Test Results

NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	Result (dB)	Limit (dBm)	Verdict
N66	20MHz	15KHz	TM1	349000	Outer Full	4.21	13	PASS
N66	20MHz	15KHz	TM6	349000	Outer Full	7.27	13	PASS

2.2 Test Plots




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



REMARK:

All antenna and all modulation had been tested, but only the worst case data displayed in this report


3 Modulation Characteristics

3.1 Test Plots

3.1.1 Test Band = N66


3.1.1.1 Test Mode = TM1 20MHz

3.1.1.1.1 Test Channel = MCH




3.1.1.2 Test Mode = TM2 20MHz

3.1.1.2.1 Test Channel = MCH




3.1.1.3 Test Mode = TM3 20MHz

3.1.1.3.1 Test Channel = MCH




3.1.1.4 Test Mode = TM4 20MHz

3.1.1.4.1 Test Channel = MCH




3.1.1.5 Test Mode = TM5 20MHz

3.1.1.5.1 Test Channel = MCH



3.1.1.6 Test Mode = TM6 20MHz

3.1.1.6.1 Test Channel = MCH



REMARK:

All antenna and all modulation had been tested, but only the worst case data displayed in this report


4 Occupied Bandwidth & 26dB Emission Bandwidth

4.1 Test Results


NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	OBW (MHz)	EBW (MHz)	Verdict
N66	5MHz	15KHz	TM1	349000	Outer Full	4.46	4.84	PASS
N66	5MHz	15KHz	TM2	349000	Outer Full	4.46	4.85	PASS
N66	5MHz	15KHz	TM3	349000	Outer Full	4.48	4.88	PASS
N66	5MHz	15KHz	TM4	349000	Outer Full	4.48	4.87	PASS
N66	5MHz	15KHz	TM5	349000	Outer Full	4.47	4.87	PASS
N66	5MHz	15KHz	TM6	349000	Outer Full	4.47	4.90	PASS
N66	5MHz	15KHz	TM7	349000	Outer Full	4.48	4.93	PASS
N66	5MHz	15KHz	TM8	349000	Outer Full	4.48	4.87	PASS
N66	5MHz	15KHz	TM9	349000	Outer Full	4.46	4.83	PASS
N66	10MHz	15KHz	TM1	349000	Outer Full	8.94	9.44	PASS
N66	10MHz	15KHz	TM2	349000	Outer Full	8.90	9.44	PASS
N66	10MHz	15KHz	TM3	349000	Outer Full	8.89	9.42	PASS
N66	10MHz	15KHz	TM4	349000	Outer Full	8.92	9.45	PASS
N66	10MHz	15KHz	TM5	349000	Outer Full	8.90	9.44	PASS
N66	10MHz	15KHz	TM6	349000	Outer Full	9.27	9.92	PASS
N66	10MHz	15KHz	TM7	349000	Outer Full	9.28	9.78	PASS
N66	10MHz	15KHz	TM8	349000	Outer Full	9.28	9.86	PASS
N66	10MHz	15KHz	TM9	349000	Outer Full	9.28	9.88	PASS
N66	15MHz	15KHz	TM1	349000	Outer Full	13.38	14.09	PASS
N66	15MHz	15KHz	TM2	349000	Outer Full	13.38	14.02	PASS
N66	15MHz	15KHz	TM3	349000	Outer Full	13.41	14.12	PASS
N66	15MHz	15KHz	TM4	349000	Outer Full	13.38	14.03	PASS
N66	15MHz	15KHz	TM5	349000	Outer Full	13.37	14.00	PASS
N66	15MHz	15KHz	TM6	349000	Outer Full	14.09	14.74	PASS
N66	15MHz	15KHz	TM7	349000	Outer Full	14.10	14.81	PASS
N66	15MHz	15KHz	TM8	349000	Outer Full	14.08	14.77	PASS
N66	15MHz	15KHz	TM9	349000	Outer Full	14.09	14.68	PASS
N66	20MHz	15KHz	TM1	349000	Outer Full	17.88	18.67	PASS
N66	20MHz	15KHz	TM2	349000	Outer Full	17.88	18.75	PASS
N66	20MHz	15KHz	TM3	349000	Outer Full	17.86	18.71	PASS
N66	20MHz	15KHz	TM4	349000	Outer Full	17.86	18.52	PASS
N66	20MHz	15KHz	TM5	349000	Outer Full	17.87	18.61	PASS
N66	20MHz	15KHz	TM6	349000	Outer Full	18.91	19.75	PASS
N66	20MHz	15KHz	TM7	349000	Outer Full	18.86	19.74	PASS
N66	20MHz	15KHz	TM8	349000	Outer Full	18.86	19.65	PASS
N66	20MHz	15KHz	TM9	349000	Outer Full	18.85	19.74	PASS




4.2 Test Plots




OBW&EBW N66 15KHz TM3 5MHz 349000 Outer Full




OBW&EBW N66 15KHz TM4 5MHz 349000 Outer Full




OBW&EBW N66 15KHz TM5 5MHz 349000 Outer Full




OBW&EBW N66 15KHz TM6 5MHz 349000 Outer Full




OBW&EBW N66 15KHz TM7 5MHz 349000 Outer Full




OBW&EBW N66 15KHz TM8 5MHz 349000 Outer Full




OBW&EBW N66 15KHz TM9 5MHz 349000 Outer Full




OBW&EBW N66 15KHz TM1 10MHz 349000 Outer Full




OBW&EBW N66 15KHz TM2 10MHz 349000 Outer Full




OBW&EBW N66 15KHz TM3 10MHz 349000 Outer Full




OBW&EBW N66 15KHz TM4 10MHz 349000 Outer Full




OBW&EBW N66 15KHz TM5 10MHz 349000 Outer Full




OBW&EBW N66 15KHz TM6 10MHz 349000 Outer Full




OBW&EBW N66 15KHz TM7 10MHz 349000 Outer Full




OBW&EBW N66 15KHz TM8 10MHz 349000 Outer Full




OBW&EBW N66 15KHz TM9 10MHz 349000 Outer Full




OBW&EBW N66 15KHz TM1 15MHz 349000 Outer Full




OBW&EBW N66 15KHz TM2 15MHz 349000 Outer Full




OBW&EBW N66 15KHz TM3 15MHz 349000 Outer Full




OBW&EBW N66 15KHz TM4 15MHz 349000 Outer Full




OBW&EBW N66 15KHz TM5 15MHz 349000 Outer Full




OBW&EBW N66 15KHz TM6 15MHz 349000 Outer Full




OBW&EBW N66 15KHz TM7 15MHz 349000 Outer Full




OBW&EBW N66 15KHz TM8 15MHz 349000 Outer Full




OBW&EBW N66 15KHz TM9 15MHz 349000 Outer Full




OBW&EBW N66 15KHz TM1 20MHz 349000 Outer Full




OBW&EBW N66 15KHz TM2 20MHz 349000 Outer Full




OBW&EBW N66 15KHz TM3 20MHz 349000 Outer Full




OBW&EBW N66 15KHz TM4 20MHz 349000 Outer Full




OBW&EBW N66 15KHz TM5 20MHz 349000 Outer Full




OBW&EBW N66 15KHz TM6 20MHz 349000 Outer Full




OBW&EBW N66 15KHz TM7 20MHz 349000 Outer Full



OBW&EBW N66 15KHz TM8 20MHz 349000 Outer Full



OBW&EBW N66 15KHz TM9 20MHz 349000 Outer Full




REMARK:

All antenna and all modulation had been tested, but only the worst case data displayed in this report




5 Band Edges Compliance

5.1 Test Plots




N66 15KHz TM1 5MHz 355500 Edge 1RB Right



Date: 3.MAR.2021 19:41:06


N66 15KHz TM1 5MHz 355500 Outer Full



Date: 3.MAR.2021 19:40:23




N66 15KHz TM6 5MHz 342500 Edge 1RB Left



Date: 3.MAR.2021 19:37:37


N66 15KHz TM6 5MHz 342500 Outer Full



Date: 3.MAR.2021 19:37:00




N66 15KHz TM6 5MHz 355500 Edge 1RB Right



Date: 3.MAR.2021 19:38:45


N66 15KHz TM6 5MHz 355500 Outer Full



Date: 3.MAR.2021 19:39:28




N66 15KHz TM1 10MHz 343000 Edge 1RB Left



Date: 8.MAR.2021 09:50:21


N66 15KHz TM1 10MHz 343000 Outer Full



Date: 8.MAR.2021 09:49:52




N66 15KHz TM1 10MHz 355000 Edge 1RB Right



Date: 8.MAR.2021 09:51:31


N66 15KHz TM1 10MHz 355000 Outer Full



Date: 8.MAR.2021 09:52:12




N66 15KHz TM6 10MHz 343000 Edge 1RB Left



Date: 8.MAR.2021 09:55:19

N66 15KHz TM6 10MHz 343000 Outer Full



Date: 8.MAR.2021 09:56:10




SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

N66 15KHz TM6 10MHz 355000 Edge 1RB Right



Date: 8.MAR.2021 09:54:23


N66 15KHz TM6 10MHz 355000 Outer Full



Date: 8.MAR.2021 09:53:46




N66 15KHz TM1 15MHz 343500 Edge 1RB Left



Date: 8.MAR.2021 10:03:46


N66 15KHz TM1 15MHz 343500 Outer Full




Date: 8.MAR.2021 10:04:24




N66 15KHz TM1 15MHz 354500 Edge 1RB Right



N66 15KHz TM1 15MHz 354500 Outer Full




N66 15KHz TM6 15MHz 343500 Edge 1RB Left



Date: 8.MAR.2021 09:58:31


N66 15KHz TM6 15MHz 343500 Outer Full



Date: 8.MAR.2021 09:58:02



N66 15KHz TM6 15MHz 354500 Edge 1RB Right



Date: 8.MAR.2021 09:59:48


N66 15KHz TM6 15MHz 354500 Outer Full



Date: 8.MAR.2021 10:00:41




N66 15KHz TM1 20MHz 344000 Edge 1RB Left



Date: 8.MAR.2021 10:07:00

N66 15KHz TM1 20MHz 344000 Outer Full



Date: 8.MAR.2021 10:06:15




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

N66 15KHz TM1 20MHz 354000 Edge 1RB Right



Date: 8.MAR.2021 10:08:01


N66 15KHz TM1 20MHz 354000 Outer Full



Date: 8.MAR.2021 10:08:39




N66 15KHz TM6 20MHz 344000 Edge 1RB Left



Date: 8.MAR.2021 10:11:58


N66 15KHz TM6 20MHz 344000 Outer Full



Date: 8.MAR.2021 10:12:31



N66 15KHz TM6 20MHz 354000 Edge 1RB Right



Date: 8.MAR.2021 10:10:29

N66 15KHz TM6 20MHz 354000 Outer Full



Date: 8.MAR.2021 10:09:48

REMARK:


All antenna and all modulation had been tested, but only the worst case data displayed in this report




6 Spurious Emission at Antenna Terminal

REMARK: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< \text{RBW}/2$ so that narrow Band signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k \cdot (\text{Span} / \text{RBW})$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


6.1 Test Plots




N66_TM1_20M_349000_Edge 1RB Left_30 - 1000




N66_TM1_20M_349000_Edge 1RB Left_1000 - 20000



N66_TM1_20M_354000_Edge 1RB Left_30 - 1000



N66_TM1_20M_354000_Edge 1RB Left_10000 - 20000



REMARK:

All antenna and all modulation had been tested, but only the worst case data displayed in this report



7 Field Strength of Spurious Radiation

7.1 Test Band = N66

7.1.1 Test Mode = 20MHz _TM 1

7.1.1.1 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
83.8350	-67.38	-13.00	54.38	Vertical
2480.0740	-49.45	-13.00	36.45	Vertical
3421.5211	-47.49	-13.00	34.49	Vertical
5144.3572	-49.12	-13.00	36.12	Vertical
6841.6921	-32.44	-13.00	19.44	Vertical
17862.7431	-36.58	-13.00	23.58	Vertical
168.4675	-73.24	-13.00	60.24	Horizontal
2480.0740	-51.21	-13.00	38.21	Horizontal
3421.5211	-45.95	-13.00	32.95	Horizontal
5131.6066	-47.83	-13.00	34.83	Horizontal
6858.9429	-38.49	-13.00	25.49	Horizontal
17409.7205	-38.42	-13.00	25.42	Horizontal

7.1.1.2 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
40.6700	-68.21	-13.00	55.21	Vertical
73.8925	-68.52	-13.00	55.52	Vertical
824.4300	-72.69	-13.00	59.69	Vertical
3471.0236	-45.73	-13.00	32.73	Vertical
5206.6103	-47.60	-13.00	34.60	Vertical
6942.1971	-32.70	-13.00	19.70	Vertical
40.6700	-76.09	-13.00	63.09	Horizontal
171.8625	-73.52	-13.00	60.52	Horizontal
570.2900	-82.12	-13.00	69.12	Horizontal
3471.0236	-44.87	-13.00	31.87	Horizontal
5206.6103	-45.25	-13.00	32.25	Horizontal
6942.1971	-34.08	-13.00	21.08	Horizontal



7.1.1.3 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
72.6800	-69.39	-13.00	56.39	Vertical
169.1950	-74.39	-13.00	61.39	Vertical
2168.6584	-55.33	-13.00	42.33	Vertical
3521.2761	-48.06	-13.00	35.06	Vertical
5294.3647	-49.18	-13.00	36.18	Vertical
7041.9521	-38.50	-13.00	25.50	Vertical
39.7000	-77.34	-13.00	64.34	Horizontal
169.1950	-72.92	-13.00	59.92	Horizontal
705.8475	-80.58	-13.00	67.58	Horizontal
3521.2761	-43.60	-13.00	30.60	Horizontal
5281.6141	-48.94	-13.00	35.94	Horizontal
7041.9521	-40.80	-13.00	27.80	Horizontal

Remark:

- 1 According to 971168 D01 Power Meas License Digital Systems, The amplitudes of unwanted emissions that are attenuated more than 20 dB below the applicable limit are not required to be reported.
- 2 The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data displayed in this report.
- 3 All modulation and all Bandwidth had been tested, but only the worst case data displayed in this report.
- 4 The disturbance above 26.5GHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data displayed in this report.



8 Frequency Stability

8.1 Frequency Error VS. Voltage

NR Band	SCS	Bandwidth h	Modulation	Channel	RB Config	Voltage [Vdc]	Temperature(°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
N66	15KHz	20MHz	TM1	344000	Outer Full	VL	NT	10.26	0.00597	±2.5	PASS
N66	15KHz	20MHz	TM1	344000	Outer Full	VN	NT	1.83	0.00106	±2.5	PASS
N66	15KHz	20MHz	TM1	344000	Outer Full	VH	NT	0.39	0.00023	±2.5	PASS
N66	15KHz	20MHz	TM1	349000	Outer Full	VL	NT	-3.34	-0.00191	±2.5	PASS
N66	15KHz	20MHz	TM1	349000	Outer Full	VN	NT	-9.38	-0.00538	±2.5	PASS
N66	15KHz	20MHz	TM1	349000	Outer Full	VH	NT	-4.62	-0.00265	±2.5	PASS
N66	15KHz	20MHz	TM1	354000	Outer Full	VL	NT	-11.96	-0.00676	±2.5	PASS
N66	15KHz	20MHz	TM1	354000	Outer Full	VN	NT	2.07	0.00117	±2.5	PASS
N66	15KHz	20MHz	TM1	354000	Outer Full	VH	NT	-7.85	-0.00444	±2.5	PASS
N66	15KHz	20MHz	TM6	344000	Outer Full	VL	NT	14.32	0.00833	±2.5	PASS
N66	15KHz	20MHz	TM6	344000	Outer Full	VN	NT	5.15	0.00299	±2.5	PASS
N66	15KHz	20MHz	TM6	344000	Outer Full	VH	NT	12.70	0.00738	±2.5	PASS
N66	15KHz	20MHz	TM6	349000	Outer Full	VL	NT	14.79	0.00848	±2.5	PASS
N66	15KHz	20MHz	TM6	349000	Outer Full	VN	NT	6.81	0.00390	±2.5	PASS
N66	15KHz	20MHz	TM6	349000	Outer Full	VH	NT	-5.68	-0.00326	±2.5	PASS
N66	15KHz	20MHz	TM6	354000	Outer Full	VL	NT	4.82	0.00272	±2.5	PASS
N66	15KHz	20MHz	TM6	354000	Outer Full	VN	NT	3.01	0.00170	±2.5	PASS
N66	15KHz	20MHz	TM6	354000	Outer Full	VH	NT	4.14	0.00234	±2.5	PASS

8.2 Frequency Error VS. Temperature

NR Band	SCS	Bandwidth h	Modulation	Channel	RB Config	Voltage [Vdc]	Temperature(°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
N66	15KHz	20MHz	TM1	344000	Outer Full	VN	-30	-12.99	-0.00755	±2.5	PASS
N66	15KHz	20MHz	TM1	344000	Outer Full	VN	-20	-6.86	-0.00399	±2.5	PASS
N66	15KHz	20MHz	TM1	344000	Outer Full	VN	-10	-11.58	-0.00673	±2.5	PASS
N66	15KHz	20MHz	TM1	344000	Outer Full	VN	0	-12.04	-0.00700	±2.5	PASS
N66	15KHz	20MHz	TM1	344000	Outer Full	VN	10	13.96	0.00812	±2.5	PASS
N66	15KHz	20MHz	TM1	344000	Outer Full	VN	20	-0.81	-0.00047	±2.5	PASS
N66	15KHz	20MHz	TM1	344000	Outer Full	VN	30	-10.98	-0.00638	±2.5	PASS
N66	15KHz	20MHz	TM1	344000	Outer Full	VN	40	-9.73	-0.00566	±2.5	PASS
N66	15KHz	20MHz	TM1	344000	Outer Full	VN	50	-4.38	-0.00255	±2.5	PASS
N66	15KHz	20MHz	TM1	349000	Outer Full	VN	-30	8.39	0.00481	±2.5	PASS
N66	15KHz	20MHz	TM1	349000	Outer Full	VN	-20	-7.94	-0.00455	±2.5	PASS
N66	15KHz	20MHz	TM1	349000	Outer Full	VN	-10	-2.38	-0.00136	±2.5	PASS
N66	15KHz	20MHz	TM1	349000	Outer Full	VN	0	-6.52	-0.00374	±2.5	PASS
N66	15KHz	20MHz	TM1	349000	Outer Full	VN	10	12.87	0.00738	±2.5	PASS
N66	15KHz	20MHz	TM1	349000	Outer Full	VN	20	3.47	0.00199	±2.5	PASS
N66	15KHz	20MHz	TM1	349000	Outer Full	VN	30	10.04	0.00575	±2.5	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N66	15KHz	20MHz	TM1	349000	Outer Full	VN	40	-11.09	-0.00636	±2.5	PASS
N66	15KHz	20MHz	TM1	349000	Outer Full	VN	50	1.24	0.00071	±2.5	PASS
N66	15KHz	20MHz	TM1	354000	Outer Full	VN	-30	14.56	0.00823	±2.5	PASS
N66	15KHz	20MHz	TM1	354000	Outer Full	VN	-20	-10.74	-0.00607	±2.5	PASS
N66	15KHz	20MHz	TM1	354000	Outer Full	VN	-10	12.03	0.00680	±2.5	PASS
N66	15KHz	20MHz	TM1	354000	Outer Full	VN	0	7.74	0.00437	±2.5	PASS
N66	15KHz	20MHz	TM1	354000	Outer Full	VN	10	5.84	0.00330	±2.5	PASS
N66	15KHz	20MHz	TM1	354000	Outer Full	VN	20	-4.10	-0.00232	±2.5	PASS
N66	15KHz	20MHz	TM1	354000	Outer Full	VN	30	3.32	0.00188	±2.5	PASS
N66	15KHz	20MHz	TM1	354000	Outer Full	VN	40	11.60	0.00655	±2.5	PASS
N66	15KHz	20MHz	TM1	354000	Outer Full	VN	50	4.98	0.00281	±2.5	PASS
N66	15KHz	20MHz	TM6	344000	Outer Full	VN	-30	6.04	0.00351	±2.5	PASS
N66	15KHz	20MHz	TM6	344000	Outer Full	VN	-20	1.53	0.00089	±2.5	PASS
N66	15KHz	20MHz	TM6	344000	Outer Full	VN	-10	-5.79	-0.00337	±2.5	PASS
N66	15KHz	20MHz	TM6	344000	Outer Full	VN	0	3.58	0.00208	±2.5	PASS
N66	15KHz	20MHz	TM6	344000	Outer Full	VN	10	-4.50	-0.00262	±2.5	PASS
N66	15KHz	20MHz	TM6	344000	Outer Full	VN	20	0.63	0.00037	±2.5	PASS
N66	15KHz	20MHz	TM6	344000	Outer Full	VN	30	12.43	0.00723	±2.5	PASS
N66	15KHz	20MHz	TM6	344000	Outer Full	VN	40	0.17	0.00010	±2.5	PASS
N66	15KHz	20MHz	TM6	344000	Outer Full	VN	50	5.37	0.00312	±2.5	PASS
N66	15KHz	20MHz	TM6	349000	Outer Full	VN	-30	-10.12	-0.00580	±2.5	PASS
N66	15KHz	20MHz	TM6	349000	Outer Full	VN	-20	-4.57	-0.00262	±2.5	PASS
N66	15KHz	20MHz	TM6	349000	Outer Full	VN	-10	-9.92	-0.00568	±2.5	PASS
N66	15KHz	20MHz	TM6	349000	Outer Full	VN	0	14.06	0.00806	±2.5	PASS
N66	15KHz	20MHz	TM6	349000	Outer Full	VN	10	6.27	0.00359	±2.5	PASS
N66	15KHz	20MHz	TM6	349000	Outer Full	VN	20	-3.90	-0.00223	±2.5	PASS
N66	15KHz	20MHz	TM6	349000	Outer Full	VN	30	-3.63	-0.00208	±2.5	PASS
N66	15KHz	20MHz	TM6	349000	Outer Full	VN	40	6.68	0.00383	±2.5	PASS
N66	15KHz	20MHz	TM6	349000	Outer Full	VN	50	-11.61	-0.00665	±2.5	PASS
N66	15KHz	20MHz	TM6	354000	Outer Full	VN	-30	-1.53	-0.00086	±2.5	PASS
N66	15KHz	20MHz	TM6	354000	Outer Full	VN	-20	9.17	0.00518	±2.5	PASS
N66	15KHz	20MHz	TM6	354000	Outer Full	VN	-10	0.14	0.00008	±2.5	PASS
N66	15KHz	20MHz	TM6	354000	Outer Full	VN	0	14.85	0.00839	±2.5	PASS
N66	15KHz	20MHz	TM6	354000	Outer Full	VN	10	8.11	0.00458	±2.5	PASS
N66	15KHz	20MHz	TM6	354000	Outer Full	VN	20	-11.74	-0.00663	±2.5	PASS
N66	15KHz	20MHz	TM6	354000	Outer Full	VN	30	9.27	0.00524	±2.5	PASS
N66	15KHz	20MHz	TM6	354000	Outer Full	VN	40	-12.90	-0.00729	±2.5	PASS
N66	15KHz	20MHz	TM6	354000	Outer Full	VN	50	10.53	0.00595	±2.5	PASS

REMARK:

All antenna and all modulation had been tested, but only the worst case data displayed in this report

The End



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com