



## **TEST REPORT**

## No.I20N03221-HAC RF

For

## **HMD Global Oy**

## Multi-band GSM/WCDMA/LTE phone with Bluetooth, WLAN

Model Name: TA-1346

With

Hardware Version: 99652\_1\_11

Software Version: 000T\_0\_080

FCC ID: 2AJOTTA-1346

**Results Summary: M Category = M3** 

Issued Date: 2021-01-18

**Designation Number: CN1210** 

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

#### **Test Laboratory:**

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@caict.ac.cn. www.saict.ac.cn



## **REPORT HISTORY**

Report Number	Revision	Description	Issue Date
I20N03221-HAC RF	Rev.0	1st edition	2021-01-18



## **CONTENTS**

1. SUMMARY OF TEST REPORT	5
1.1. Test Items	5
1.2. TEST STANDARDS	5
1.3. TEST RESULT	5
1.4. TESTING LOCATION	5
1.5. PROJECT DATA	
1.6. SIGNATURE	5
2. CLIENT INFORMATION	6
2.1. APPLICANT INFORMATION	6
2.2. MANUFACTURER INFORMATION	6
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	7
3.1. ABOUT EUT	7
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	7
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST	7
3.4. AIR INTERFACES / BANDS INDICATING OPERATING MODES	7
4. REFERENCE DOCUMENTS	8
5. OPERATIONAL CONDITIONS DURING TEST	9
5.1. HAC MEASUREMENT SET-UP	9
5.2. PROBE SPECIFICATION	10
5.3. TEST ARCH PHANTOM & PHONE POSITIONER	
5.4. ROBOTIC SYSTEM SPECIFICATIONS	11
6. EUT ARRANGEMENT	12
6.1. WD RF EMISSION MEASUREMENTS REFERENCE AND PLANE	12
7. SYSTEM VALIDATION	13
7.1. VALIDATION PROCEDURE	13
7.2. VALIDATION RESULT	13
8. MODULATION INTERFERENCE FACTOR (MIF)	14
9. EVALUATION FOR LOW-POWER EXEMPTION	16
9.1. PRODUCT TESTING THRESHOLD	16
9.2. CONDUCTED POWER	16
10. RF TEST PROCEDURES	17
11. MEASUREMENT RESULTS (E-FIELD)	18
12. ANSI C 63.19-2011 LIMITS	18
13. MEASUREMENT UNCERTAINTY	19

## No. I20N03221-HAC RF



14. MAIN TEST INSTRUMENTS	20
ANNEX A: RF EMISSION TEST PLOT	21
ANNEX B: SYSTEM VALIDATION RESULT	27
ANNEX C: PROBE CALIBRATION CERTIFICATE	29
ANNEX D: DAE CALIBRATION CERTIFICATE	39
ANNEX E: DIPOLE CALIBRATION CERTIFICATE	42
ANNEX F: UID SPECIFICATION	52



## 1. Summary of Test Report

#### 1.1. Test Items

Description:

Multi-band GSM/WCDMA/LTE phone with Bluetooth, WLAN

Model Name:

TA-1346

Applicant's name:

HMD Global Oy

Manufacturer's Name:

HMD Global Oy

#### 1.2. Test Standards

ANSI C63.19-2011

#### 1.3. Test Result

Pass

#### 1.4. Testing Location

Address: Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China

#### 1.5. Project Data

Testing Start Date: 2020-12-20

Testing End Date: 2020-12-20

#### 1.6. Signature

Li Yongfu

(Prepared this test report)

孝明备

Zhang Yunzhuan

(Reviewed this test report)

Cao Junfei

(Approved this test report)



## 2. Client Information

## 2.1. Applicant Information

Company Name:	HMD Global Oy
Address:	Bertel Jungin aukio 902600 Espoo, Finland
City:	
Country:	
Telephone:	/

## 2.2. Manufacturer Information

Company Name:	HMD Global Oy
Address:	Bertel Jungin aukio 902600 Espoo, Finland
City:	/
Country:	1
Telephone:	1



## 3. Equipment under Test (EUT) and Ancillary Equipment (AE)

#### 3.1. About EUT

Description:	Multi-band GSM/WCDMA/LTE phone with Bluetooth, WLAN	
Mode Name: TA-1346		
Condition of EUT as received:	No obvious damage in appearance	
Operating mode(a):	GSM 850/1900, WCDMA Band 2/4/5	
Operating mode(s):	LTE Band 2/4/5/7/12/17/66, Bluetooth, WLAN 2.4G	

#### 3.2. Internal Identification of EUT used during the test

EUT ID* IMEI		HW Version	SW Version
UT15aa	UT15aa 358742570001896		000T_0_080
UT22aa	358742570004528	99652_1_11	000T_0_080

<sup>\*</sup>EUT ID: is used to identify the test sample in the lab internally.

Note: It is performed to test HAC with the UT15aa&22aa.

#### 3.3. Internal Identification of AE used during the test

AE ID*	Description	Model	Manufacturer	
AE1	AE1 Battery WT340		Guangdong Fenghua New Energy Co.,Ltd	
AE2	AE2 Headset HS-34		New Leader Industry Co.,Ltd	

<sup>\*</sup>AE ID: is used to identify the test sample in the lab internally.

#### 3.4. Air Interfaces / Bands Indicating Operating Modes

Air-interface	Dand/MU=\	Tyma	C63.19 /	Simultaneous	Name of Voice	Power
Air-interface	Band(MHz)	Туре	tested	Transmissions	Service	Reduction
GSM	850 /1900	VO	Yes	BT,WLAN	CMRS Voice	No
EDGE	850 /1900	VD	Yes	BT,WLAN	Google Duo	No
WCDMA	B2 / B4/ B5	VO	Yes	BT,WLAN	CMRS Voice	No
WCDIVIA	HSPA	VD	Yes	BT,WLAN	Google Duo	INO
LTE (EDD) 0/4/5/7/40/47/00 \/ \/\D		VD	Yes	Voc PTW/ AN	VoLTE	No
LTE (FDD)	2/4/5/7/12/17/66	5/7/12/17/66		Google Duo	INO	
WLAN	2.4G	VD	Yes	res WWAN	VoWIFI	No
VVLAIN	2.46				Google Duo	No
Bluetooth	2.4G	DT	No	WWAN	NA	No

VO: Voice CMRS/PSTN Service Only

VD: Voice CMRS/PSTN and Data Service

DT: Digital Transport

<sup>\*</sup> HAC Rating was not based on concurrent voice and data modes; Non-current mode was found to represent worst case rating for both M and T rating



## 4. Reference Documents

The following document listed in this section is referred for testing.

_	<del>-</del>		
Reference	Title	Version	
	American National Standard for Methods of Measurement		
ANSI C63.19-2011	of Compatibility between Wireless Communication Devices	2011	
	and Hearing Aids		
KDD 005070 D04	Equipment Authorization Guidance for Hearing Aid	05	
KDB 285076 D01	Compatibility	v05	
	Guidance for performing T-Coil tests for air interfaces		
KDB 285076 D02	supporting voice over IP (e.g., LTE and WiFi) to support	v03	
CMRS based telephone services			



## 5. Operational Conditions During Test

#### 5.1. HAC Measurement Set-up

These measurements are performed using the DASY5 NEO automated dosimetric assessment system. It is made by Schmid & Partner Engineering AG (SPEAG) in Zurich, Switzerland. It consists of high precision robotics system (Stäubli), robot controller, Intel Core2 computer, near-field probe, probe alignment sensor. The robot is a six-axis industrial robot performing precise movements. A cell controller system contains the power supply, robot controller, teach pendant (Joystick), and remote control, is used to drive the robot motors. The PC consists of the HP Intel Core2 1.86 GHz computer with Windows XP system and HAC Measurement Software DASY5 NEO, A/D interface card, monitor, mouse, and keyboard. The Stäubli Robot is connected to the cell controller to allow software manipulation of the robot. A data acquisition electronic (DAE) circuit performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. is connected to the Electro-optical coupler (EOC). The EOC performs the conversion from the optical into digital electric signal of the DAE and transfers data to the PC plug-in card.




Fig. 1 HAC Test Measurement Set-up

The DAE4 consists of a highly sensitive electrometer-grade preamplifier with auto-zeroing, a channel and gain-switching multiplexer, a fast 16 bit AD-converter and a command decoder and control logic unit. Transmission to the PC-card is accomplished through an optical downlink for data and status information and an optical uplink for commands and clock lines. The mechanical probe mounting device includes two different sensor systems for frontal and sidewise probe contacts. They are also used for mechanical surface detection and probe collision detection. The robot uses its own controller with a built in VME-bus computer.



#### 5.2. Probe Specification

#### E-Field Probe Description

Construction One dipole parallel, two dipoles normal to probe axis

Built-in shielding against static charges

PEEK enclosure material

Calibration In air from 100 MHz to 3.0 GHz (absolute accuracy ±6.0%,

k=2)

Frequency 40 MHz to > 6 GHz (can be extended to < 20 MHz)

Linearity: ± 0.2 dB (100 MHz to 3 GHz)

Directivity  $\pm 0.2$  dB in air (rotation around probe axis)

± 0.4 dB in air (rotation normal to probe axis)

Dynamic Range 2 V/m to > 1000 V/m; Linearity: ± 0.2 dB

Dimensions Overall length: 330 mm (Tip: 16 mm)

Tip diameter: 8 mm (Body: 12 mm)

Distance from probe tip to dipole centers: 2.5 mm

Application General near-field measurements up to 6 GHz

Field component measurements

Fast automatic scanning in phantoms



[ER3DV6]



#### 5.3. Test Arch Phantom & Phone Positioner

The Test Arch phantom should be positioned horizontally on a stable surface. Reference markings on the Phantom allow the complete setup of all predefined phantom positions and measurement grids by manually teaching three points in the robot. It enables easy and well defined positioning of the phone and validation dipoles as well as simple teaching of the robot (Dimensions:  $370 \times 370 \times 370 \text{ mm}$ ).

The Phone Positioner supports accurate and reliable positioning of any phone with effect on near field  $<\pm0.5$  dB.




Fig. 2 HAC Phantom & Device Holder

#### 5.4. Robotic System Specifications

#### **Specifications**

Positioner: Stäubli Unimation Corp. Robot Model: RX160XL

Repeatability: ±0.02 mm

No. of Axis: 6

#### **Data Acquisition Electronic (DAE) System**

**Cell Controller** 

Processor: Intel Core2 Clock Speed: 1.86 GHz

**Operating System:** Windows XP

**Data Converter** 

Features: Signal Amplifier, multiplexer, A/D converter, and control logic

Software: DASY5 software

**Connecting Lines:** Optical downlink for data and status info.

Optical uplink for commands and clock



## 6. EUT Arrangement

#### 6.1. WD RF Emission Measurements Reference and Plane

Figure 4 illustrates the references and reference plane that shall be used in the WD emissions measurement.

- The grid is 5 cm by 5 cm area that is divided into 9 evenly sized blocks or sub-grids.
- The grid is centered on the audio frequency output transducer of the WD (speaker or T-coil).
- The grid is located by reference to a reference plane. This reference plane is the planar area that contains the highest point in the area of the WD that normally rests against the user's ear
- The measurement plane is located parallel to the reference plane and 15 mm from it, out from the phone. The grid is located in the measurement plane.




Fig. 3 WD reference and plane for RF emission measurements



## 7. System Validation

#### 7.1. Validation Procedure

Place a dipole antenna meeting the requirements given in ANSI C63.19 in the position normally occupied by the WD. The dipole antenna serves as a known source for an electrical output. Position the E-field probes so that:

- The probes and their cables are parallel to the coaxial feed of the dipole antenna
- The probe cables and the coaxial feed of the dipole antenna approach the measurement area from opposite directions
- The center point of the probe element(s) are 15 mm from the closest surface of the dipole elements.




Fig. 4 Dipole Validation Setup

#### 7.2. Validation Result

	E-Field Scan					
Frequency Input Power Measured Target Deviation Li					Limit⁴	
Mode	(MHz)	(mW)	Value(dBV/m)	Value(dBV/m)	(%)	(%)
CW	835	100	44.06	40.72	8.2	±25
CW	1880	100	39.82	39.06	1.9	±25

#### Notes:

- 1. Please refer to the attachment for detailed measurement data and plot.
- 2. Target value is provided by SPEAD in the calibration certificate of specific dipoles.
- 3. Deviation (%) = 100 \* (Measured value minus Target value) divided by Target value.
- 4. ANSI C63.19 requires values within  $\pm$  25% are acceptable, of which 12% is deviation and 13% is measurement uncertainty. Values independently validated for the dipole actually used in the measurements should be used, when available.



#### 8. Modulation Interference Factor (MIF)

The HAC Standard ANSI C63.19-2011 defines a new scaling using the Modulation Interference Factor (MIF) which replaces the need for the Articulation Weighting Factor (AWF) during the evaluation and is applicable to any modulation scheme.

The Modulation Interference factor (MIF, in dB) is added to the measured average E-field (in dBV/m) and converts it to the RF Audio Interference level (in dBV/m). This level considers the audible amplitude modulation components in the RF E-field. CW fields without amplitude modulation are assumed to not interfere with the hearing aid electronics. Modulations without time slots and low fluctuations at low frequencies have low MIF values, TDMA modulations with narrow transmission and repetition rates of few 100 Hz have high MIF values and give similar classifications as ANSI C63-2007.

#### **Definitions**

ER3D, E-field probes have a bandwidth <10 kHz and can therefore not evaluate the RF envelope in the full audio band. DASY52 is therefore using the "indirect" measurement method according to ANSI C63.19-2011 which is the primary method. These near field probes read the averaged E-field measurement. Especially for the new high peak-to-average (PAR) signal types, the probes shall be linearized by probe modulation response (PMR) calibration in order to not overestimate the field reading.

The evaluation method or the MIF is defined in ANSI C63.19-2011 section D.7. An RMS demodulated RF signal is fed to a spectral filter (similar to an A weighting filter) and forwarded to a temporal filter acting as a quasi-peak detector. The averaged output of these filtering is called to a 1 kHz 80% AM signal as reference. MIF measurement requires additional instrumentation and is not well suited for evaluation by the end user with reasonable uncertainty It may alternatively be determined through analysis and simulation, because it is constraint and characteristic for a communication signal. DASY52 uses well defined signals for PMR calibration. The MIF of these signals has been determined by simulation and is automatically applied.

MIF values were not tested by a probe or as specified in the standards but are based on analysis provided by SPEAG for all the air interfaces (GSM, WCDMA, CDMA, LTE). The data included in this report are for the worst case operating modes. The UIDs used are listed below:

UID Communication System Name		MIF (dB)
10021	GSM-FDD (TDMA, GMSK)	3.63
10025	EDGE-FDD (TDMA, 8PSK, TN 0)	3.75
10011	10011 UMTS-FDD (WCDMA)	
10097 UMTS-FDD (HSDPA)		-20.75
10170	LTE-FDD(SC-FDMA, 1RB, 20MHz, 16-QAM)	-9.76
10176 LTE-FDD(SC-FDMA, 1RB, 10MHz, 16-QAM)		-9.76
10061 IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)		-2.02

#### No. I20N03221-HAC RF



A PMR calibrated probe is linearized for the selected waveform over the full dynamic range within the uncertainty specified in its calibration certificate. ER3D, EF3D and EU2D E-field probes have a bandwidth <10 kHz and can therefore not evaluate the RF envelope in the full audio band. DASY52 is therefore using the \indirect" measurement method according to ANSI C63.19-2011 which is the primary method. These near field probes read the averaged E-field measurement. Especially for the new high peak-to-average (PAR) signal types, the probes shall be linearized by PMR calibration in order to not overestimate the field reading.

The MIF measurement uncertainty is estimated as follows, for modulation frequencies from slotted waveforms with fundamental frequency and at least 2 harmonics within 10 kHz:

0.2 dB for MIF -7 to +5 dB, 0.5 dB for MIF -13 to +11 dB 1 dB for MIF > -20 dB



## 9. Evaluation for low-power exemption

#### 9.1. Product testing threshold

There are two methods for exempting an RF air interface technology from testing. The first method requires evaluation of the MIF for the worst-case operating mode. An RF air interface technology of a device is exempt from testing when its average antenna input power plus its MIF is  $\leq$ 17 dBm for any of its operating modes. The second method does not require determination of the MIF. The RF emissions testing exemption shall be applied to an RF air interface technology in a device whose peak antenna input power, averaged over intervals  $\leq$ 50  $\mu$ s20, is  $\leq$ 23 dBm. An RF air interface technology that is exempted from testing by either method shall be rated as M4.

The first method is used to be exempt from testing for the RF air interface technology in this report.

#### 9.2. Conducted power

Band	power (dBm)	MIF (dB)	Sum (dBm)	HAC Test
GSM 850	34.5	3.63	38.13	Yes
EGPRS 850	29.0	3.75	32.75	Yes
GSM 1900	31.0	3.63	34.63	Yes
EGPRS 1900	29.5	3.75	33.25	Yes
WCDMA B2	25.0	-27.23	-2.23	No
WCDMA B2-HSDPA	23.5	-27.75	-4.25	No
WCDMA B4	25.0	-27.23	-2.23	No
WCDMA B4-HSDPA	23.5	-27.75	-4.25	No
WCDMA B5	25.0	-27.23	-2.23	No
WCDMA B5-HSDPA	23.5	-27.75	-4.25	No
LTE Band 2	25.0	-9.76	15.24	No
LTE Band 4	25.0	-9.76	15.24	No
LTE Band 5	25.0	-9.76	15.24	No
LTE Band 7	24.5	-9.76	14.74	No
LTE Band 12	25.0	-9.76	15.24	No
LTE Band 17	25.0	-9.76	15.24	No
LTE Band 66	25.0	-9.76	15.24	No
WLAN 2.4G	18.5	-2.02	16.48	No

#### Note:

- 1. Power = Max tune-up limit
- 2. EGPRS data modes are not necessary due the GSM Voice mode is the worst case.



#### 10. RF Test Procedures

#### The evaluation was performed with the following procedure:

- 1) Confirm proper operation of the field probe, probe measurement system and other instrumentation and the positioning system.
- 2) Position the WD in its intended test position. The gauge block can simplify this positioning.
- 3) Configure the WD normal operation for maximum rated RF output power, at the desired channel and other operating parameters (e.g., test mode), as intended for the test.
- 4) The center sub-grid shall centered on the center of the T-Coil mode axial measurement point or the acoustic output, as appropriate. Locate the field probe at the initial test position in the 50 mm by 50 mm grid, which is contained in the measurement plane. If the field alignment method is used, align the probe for maximum field reception.
- 5) Record the reading.
- 6) Scan the entire 50 mm by 50 mm region in equally spaced increments and record the reading at each measurement point. The distance between measurement points shall be sufficient to assure the identification of the maximum reading.
- 7) Identify the five contiguous sub-grids around the center sub-grid whose maximum reading is the lowest of all available choices. This eliminates the three sub-grids with the maximum readings. Thus, the six areas to be used to determine the WD's highest emissions are identified.
- 8) Identify the maximum field reading within the non-excluded sub-grids identified in Step 7)
- 9) Evaluate the MIF and add to the maximum steady-state rms field-strength reading to obtain the RF audio interference level..
- Compare this RF audio interference level with the categories and record the resulting WD category rating.



## 11. Measurement Results (E-Field)

Frequ	ency	Measured Value				
MHz	Channel	(dBV/m)	(dB)	Category		
		GSM 85	0			
848.8	251	36.17	0.05	M4 (see Fig A.1)		
836.6	190	36.12	-0.01	<b>M4</b> (see Fig A.2)		
824.2	128	35.34	0.01	M4 (see Fig A.3)		
	GSM 1900					
1909.8	810	31.87	0.03	M3 (see Fig A.4)		
1880.0	661	32.50	-0.01	M3 (see Fig A.5)		
1850.2	512	32.62	-0.04	M3 (see Fig A.6)		

## 12. ANSI C 63.19-2011 Limits

## WD RF audio interference level categories in logarithmic units

Emission categories	< 960	< 960 MHz		
1	E-field er	nissions		
Category M1	50 to 55	dB (V/m)		
Category M2	45 to 50	dB (V/m)		
Category M3	40 to 45	dB (V/m)		
Category M4	< 40	dB (V/m)		
Emission categories	> 960	MHz		
/	E-field er	nissions		
Category M1	40 to 45	dB (V/m)		
Category M2	35 to 40	dB (V/m)		
Category M3	30 to 35	dB (V/m)		
Category M4	< 30	dB (V/m)		



## 13. Measurement Uncertainty

No.	Error source	Туре	Uncert ainty Value (%)	Prob. Dist.	k	C <sub>i</sub>	Standard Uncertainty (%) $u_i^+$ (%)	Degree of freedom V <sub>eff</sub> or v <sub>i</sub>	source
1	System repeatability	Α	0.24	N	1	1	0.24	9	Measurement
Meas	surement System								
2	Probe Calibration	В	10.1	N	1	1	10.1	∞	Manufacturer
3	Axial Isotropy	В	0.5	R	$\sqrt{3}$	1	0.5	8	Cal report
4	Sensor Displacement	В	16.5	R	$\sqrt{3}$	1	9.5	8	Manufacturer
5	Boundary Effects	В	2.4	R	$\sqrt{3}$	1	1.4	∞	Manufacturer
6	Linearity	В	0.6	R	$\sqrt{3}$	1	0.35	∞	Cal report
7	Scaling to Peak Envolope Power	В	2.0	R	$\sqrt{3}$	1	1.2	80	Standard
8	System Detection Limit	В	1.0	R	$\sqrt{3}$	1	0.6	∞	Manufacturer
9	Readout Electronics	В	0.3	N	1	1	0.3	∞	Manufacturer
10	Response Time	В	0.8	R	$\sqrt{3}$	1	0.5	∞	Manufacturer
11	Integration Time	В	2.6	R	$\sqrt{3}$	1	1.5	∞	Manufacturer
12	RF Ambient Conditions	В	3.0	R	$\sqrt{3}$	1	1.7	∞	Measurement
13	RF Reflections	В	12.0	R	$\sqrt{3}$	1	6.9	∞	Measurement
14	Probe Positioner	Α	1.2	R	$\sqrt{3}$	1	0.7	8	Manufacturer
15	Probe Positioning	Α	4.7	R	$\sqrt{3}$	1	2.7	8	Manufacturer
16	Extra. And Interpolation	В	1.0	R	$\sqrt{3}$	1	0.6	∞	Manufacturer
Test	Sample Related								
17	Device Positioning Vertical	В	4.7	R	$\sqrt{3}$	1	2.7	∞	Manufacturer
18	Device Positioning Lateral	В	1.0	R	$\sqrt{3}$	1	0.6	∞	Manufacturer
19	Device Holder and Phantom	В	2.4	R	$\sqrt{3}$	1	1.4	∞	Manufacturer
20	Power Drift	В	5.0	R	$\sqrt{3}$	1	2.9	∞	Measurement
Phar	ntom and Setup related								
21	Phantom Thickness	В	2.4	R	$\sqrt{3}$	1	1.4	∞	Manufacturer
PMF	related								
22	Monitor amplitude	В	3.5	R	$\sqrt{3}$	1	2.02	∞	Manufacturer
23	Setup repeatability	Α	2.3	N	1	1	2.3	9	Manufacturer
24	Sensor amplitude	В	12	R	$\sqrt{3}$	1	6.93	∞	Manufacturer
	Combined standard uncertaint	y(%)					18.3		
	Expanded uncertainty (confidence interval of 95 %)	$u_e$	$=2u_c$	N	k=	=2	36.6		



## 14. Main Test Instruments

**Table 14-1: List of Main Instruments** 

No.	Name	Туре	Serial Number	Calibration Date	Valid Period
01	Signal Generator	E8257D	MY47461211	2020-01-15	One year
02	Power meter	E4418B	MY50000366	2020 42 42	Ongwaar
03	Power sensor	E9304A	MY50000188	2020-12-13	One year
04	Amplifier	VTL5400	0404	1	
05	HAC Test Arch	N/A	1150	/	
06	DAE	DAE4	1527	2020-11-06	One year
07	E-Field Probe	ER3DV6	2424	2018-02-23	Three year
08	HAC Dipole	CD835V3	1165	2018-07-19	Three year
09	HAC Dipole	CD1880V3	1149	2018-07-19	Three year
10	BTS	CMW500	152499	2020-07-17	One year
11	Software	DASY5	52.8.8.1222	/	/



#### **ANNEX A: RF Emission Test Plot**

#### HAC RF E-Field GSM 850 High

Date: 2020-12-20

Electronics: DAE4 Sn1527

Medium: Air

Medium parameters used:  $\sigma$  = 0 S/m,  $\epsilon_r$  = 1;  $\rho$  = 1000 kg/m<sup>3</sup> Ambient Temperature: 22.0°C Liquid Temperature: 21.5°C

Communication System: UID 0, GSM Frequency: 848.8 MHz Duty Cycle: 1:8.3

Probe: ER3DV6 - SN2424 ConvF (1, 1, 1);

#### E Scan - ER3DV6 - 2011: 15 mm from Probe Center to the Device/Hearing Aid Compatibility

Test (101x101x1): Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 51.85 V/m; Power Drift = 0.05 dB

Applied MIF = 3.63 dB

RF audio interference level = 36.17 dBV/m

MIF scaled E-field

Grid 1 <b>M4</b>	Grid 2 M4	Grid 3 M4
35.41 dBV/m	36.35 dBV/m	36.26 dBV/m
Grid 4 <b>M4</b>	Grid 5 M4	Grid 6 M4
35.19 dBV/m	36.17 dBV/m	36.12 dBV/m
Grid 7 <b>M4</b>	Grid 8 <b>M4</b>	Grid 9 <b>M4</b>
34.87 dBV/m	35.7 dBV/m	35.57 dBV/m




Fig A.1 HAC RF E-Field GSM850



#### HAC RF E-Field GSM 850 Middle

Date: 2020-12-20

Electronics: DAE4 Sn1527

Medium: Air

Medium parameters used:  $\sigma$  = 0 S/m,  $\epsilon_r$  = 1;  $\rho$  = 1000 kg/m<sup>3</sup> Ambient Temperature: 22.0°C Liquid Temperature: 21.5°C

Communication System: UID 0, GSM Frequency: 836.6 MHz Duty Cycle: 1:8.3

Probe: ER3DV6 - SN2424 ConvF (1, 1, 1);

#### E Scan - ER3DV6 - 2011: 15 mm from Probe Center to the Device/Hearing Aid Compatibility

**Test (101x101x1):** Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 52.32 V/m; Power Drift = -0.01 dB

Applied MIF = 3.63 dB

RF audio interference level = 36.12 dBV/m

MIF scaled E-field

Grid 1 <b>M4</b>	Grid 2 M4	Grid 3 M4
35.43 dBV/m	36.29 dBV/m	36.19 dBV/m
Grid 4 <b>M4</b>	Grid 5 M4	Grid 6 M4
35.24 dBV/m	36.12 dBV/m	36.04 dBV/m
Grid 7 <b>M4</b>	Grid 8 <b>M4</b>	Grid 9 <b>M4</b>
34.95 dBV/m	35.75 dBV/m	35.56 dBV/m




Fig A.2 HAC RF E-Field GSM850



#### HAC RF E-Field GSM 850 Low

Date: 2020-12-20

Electronics: DAE4 Sn1527

Medium: Air

Medium parameters used:  $\sigma$  = 0 S/m,  $\epsilon_r$  = 1;  $\rho$  = 1000 kg/m<sup>3</sup> Ambient Temperature: 22.0°C Liquid Temperature: 21.5°C

Communication System: UID 0, GSM Frequency: 824.2 MHz Duty Cycle: 1:8.3

Probe: ER3DV6 - SN2424 ConvF (1, 1, 1);

#### E Scan - ER3DV6 - 2011: 15 mm from Probe Center to the Device/Hearing Aid Compatibility

Test (101x101x1): Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 47.74 V/m; Power Drift = 0.01 dB

Applied MIF = 3.63 dB

RF audio interference level = 35.34 dBV/m

MIF scaled E-field

Grid 1 <b>M4</b>	Grid 2 M4	Grid 3 M4
34.58 dBV/m	35.45 dBV/m	35.34 dBV/m
Grid 4 <b>M4</b>	Grid 5 M4	Grid 6 M4
34.39 dBV/m	35.34 dBV/m	35.25 dBV/m
Grid 7 <b>M4</b>	Grid 8 <b>M4</b>	Grid 9 <b>M4</b>
34.18 dBV/m	35 dBV/m	34.87 dBV/m




Fig A.3 HAC RF E-Field GSM850



#### HAC RF E-Field GSM 1900 High

Date: 2020-12-20

Electronics: DAE4 Sn1527

Medium: Air

Medium parameters used:  $\sigma$  = 0 S/m,  $\epsilon_r$  = 1;  $\rho$  = 1000 kg/m<sup>3</sup> Ambient Temperature: 22.0°C Liquid Temperature: 21.5°C

Communication System: UID 0, GSM Frequency: 1909.8 MHz Duty Cycle: 1:8.3

Probe: ER3DV6 - SN2424 ConvF (1, 1, 1);

#### E Scan - ER3DV6 - 2011: 15 mm from Probe Center to the Device/Hearing Aid Compatibility

**Test (101x101x1):** Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 27.11 V/m; Power Drift = 0.03 dB

Applied MIF = 3.63 dB

RF audio interference level = 31.87 dBV/m

**Emission category: M3** 

#### MIF scaled E-field

Grid 1 <b>M4</b>	Grid 2 <b>M3</b>	Grid 3 <b>M3</b>
27.23 dBV/m	30.95 dBV/m	30.98 dBV/m
Grid 4 <b>M4</b>	Grid 5 M3	Grid 6 M3
27.13 dBV/m	31.87 dBV/m	31.93 dBV/m
Grid 7 <b>M4</b>	Grid 8 M3	Grid 9 M3
27.31 dBV/m	31.92 dBV/m	31.99 dBV/m




Fig A.4 HAC RF E-Field GSM1900



#### HAC RF E-Field GSM 1900 Middle

Date: 2020-12-20

Electronics: DAE4 Sn1527

Medium: Air

Medium parameters used:  $\sigma$  = 0 S/m,  $\epsilon_r$  = 1;  $\rho$  = 1000 kg/m<sup>3</sup> Ambient Temperature: 22.0°C Liquid Temperature: 21.5°C

Communication System: UID 0, GSM Frequency: 1880 MHz Duty Cycle: 1:8.3

Probe: ER3DV6 - SN2424 ConvF (1, 1, 1);

#### E Scan - ER3DV6 - 2011: 15 mm from Probe Center to the Device/Hearing Aid Compatibility

**Test (101x101x1):** Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 29.49 V/m; Power Drift = -0.01 dB

Applied MIF = 3.63 dB

RF audio interference level = 32.50 dBV/m

MIF scaled E-field

Grid 1 <b>M4</b>	Grid 2 <b>M3</b>	Grid 3 <b>M3</b>
27.49 dBV/m	31.12 dBV/m	31.13 dBV/m
Grid 4 <b>M4</b>	Grid 5 M3	Grid 6 M3
28.43 dBV/m	32.5 dBV/m	32.51 dBV/m
Grid 7 <b>M4</b>	Grid 8 M3	Grid 9 M3
28.95 dBV/m	32.64 dBV/m	32.65 dBV/m




Fig A.5 HAC RF E-Field GSM1900



#### HAC RF E-Field GSM 1900 Low

Date: 2020-12-20

Electronics: DAE4 Sn1527

Medium: Air

Medium parameters used:  $\sigma$  = 0 S/m,  $\epsilon_r$  = 1;  $\rho$  = 1000 kg/m<sup>3</sup> Ambient Temperature: 22.0°C Liquid Temperature: 21.5°C

Communication System: UID 0, GSM Frequency: 1850.2 MHz Duty Cycle: 1:8.3

Probe: ER3DV6 - SN2424 ConvF (1, 1, 1);

#### E Scan - ER3DV6 - 2011: 15 mm from Probe Center to the Device/Hearing Aid Compatibility

**Test (101x101x1):** Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 30.75 V/m; Power Drift = -0.04 dB

Applied MIF = 3.63 dB

RF audio interference level = 32.62 dBV/m

MIF scaled E-field

Grid 1 <b>M4</b>	Grid 2 <b>M3</b>	Grid 3 <b>M3</b>
27.67 dBV/m	31.56 dBV/m	31.57 dBV/m
Grid 4 <b>M4</b>	Grid 5 M3	Grid 6 M3
28.88 dBV/m	32.62 dBV/m	32.62 dBV/m
Grid 7 <b>M4</b>	Grid 8 M3	Grid 9 M3
29.17 dBV/m	32.66 dBV/m	32.66 dBV/m




Fig A.6 HAC RF E-Field GSM1900



## **ANNEX B: System Validation Result**

#### 835 MHz

Date: 2020-12-20

Electronics: DAE4 Sn1527

Medium: Air

Medium parameters used:  $\sigma$  = 0 mho/m,  $\epsilon$ r = 1;  $\rho$  = 1000 kg/m3 Communication System: CW; Frequency: 835 MHz; Duty Cycle: 1:1

Probe: ER3DV6 - SN2424; ConvF (1, 1, 1)

E Scan - measurement distance from the probe sensor center to CD835 Dipole = 15mm /Hearing Aid Compatibility Test (41x361x1): Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm

Reference Value = 122.6 V/m; Power Drift = 0.08 dB


Applied MIF = 0.00 dB

RF audio interference level = 44.06 dBV/m

**Emission category: M3** 

#### MIF scaled E-field

Grid 1 <b>M3</b>	Grid 2 <b>M3</b>	Grid 3 <b>M3</b>
43.42 dBV/m	43.95 dBV/m	43.83 dBV/m
Grid 4 <b>M4</b>	Grid 5 M4	Grid 6 M4
38.93 dBV/m	39.25 dBV/m	39.17 dBV/m
Grid 7 <b>M3</b>	Grid 8 <b>M3</b>	Grid 9 <b>M3</b>
41.54 dBV/m	44.06 dBV/m	43.90 dBV/m



0 dB = 44.06 dBV/m



#### 1880 MHz

Date: 2020-12-20

Electronics: DAE4 Sn1527

Medium: Air

Medium parameters used:  $\sigma$  = 0 mho/m,  $\varepsilon_r$  = 1;  $\rho$  = 1000 kg/m<sup>3</sup> Communication System: CW; Frequency: 1880 MHz; Duty Cycle: 1:1

Probe: ER3DV6 - SN2424; ConvF (1, 1, 1)

# E Scan - measurement distance from the probe sensor center to CD1880 Dipole = 15mm /Hearing Aid Compatibility Test (41x181x1): Interpolated grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm


Reference Value = 138.4 V/m; Power Drift = 0.10 dB

Applied MIF = 0.00 dB

RF audio interference level = 39.82 dBV/m

MIF scaled E-field

Grid 1 <b>M2</b>	Grid 2 <b>M2</b>	Grid 3 <b>M2</b>
39.33 dBV/m	39.82 dBV/m	39.72 dBV/m
Grid 4 <b>M2</b>	Grid 5 <b>M2</b>	Grid 6 <b>M2</b>
37.75 dBV/m	37.90 dBV/m	37.84 dBV/m
Grid 7 <b>M2</b>	Grid 8 <b>M2</b>	Grid 9 <b>M2</b>
39.31 dBV/m	39.76 dB V/m	39.69 dBV/m





#### **ANNEX C: Probe Calibration Certificate**

#### E\_Probe ER3DV6

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
Servizio svizzero di taratura
Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Client CTTL-SZ (Auden)

Certificate No: ER3-2424\_Feb18

# CALIBRATION CERTIFICATE Object ER3DV6 - SN:2424 Calibration procedure(s) QA CAL-02.v8, QA CAL-25.v6 Calibration procedure for E-field probes optimized for close near field evaluations in air Calibration date: February 23, 2018 This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate. All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%. Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-17 (No. 217-02521/02522)	Apr-18
Power sensor NRP-Z91	SN: 103244	04-Apr-17 (No. 217-02521)	Apr-18
Power sensor NRP-Z91	SN: 103245	04-Apr-17 (No. 217-02525)	Apr-18
Reference 20 dB Attenuator	SN: S5277 (20x)	07-Apr-17 (No. 217-02528)	Apr-18
Reference Probe ER3DV6	SN: 2328	10-Oct-17 (No. ER3-2328_Oct17)	Oct-18
DAE4	SN: 789	2-Aug-17 (No. DAE4-789_Aug17)	Aug-18
Secondary Standards	ID	Check Date (in house)	Scheduled Check
Power meter E4419B	SN: GB41293874	06-Apr-16 (in house check Jun-16)	In house check: Jun-18
Power sensor E4412A	SN: MY41498087	06-Apr-16 (in house check Jun-16)	In house check: Jun-18
Power sensor E4412A	SN: 000110210	06-Apr-16 (in house check Jun-16)	In house check: Jun-18
RF generator HP 8648C	SN: US3642U01700	04-Aug-99 (in house check Jun-16)	In house check: Jun-18
Network Analyzer HP 8753E	SN: US37390585	18-Oct-01 (in house check Oct-17)	In house check: Oct-18

	Name	Function	Signature
Calibrated by:	Jeton Kastrati	Laboratory Technician	te Ce
Approved by:	Katja Pokovic	Technical Manager	Sel 15
			Issued: February 23, 2018
his calibration certificate	shall not be reproduced except in f	ull without written approval of the laboratory.	

Certificate No: ER3-2424\_Feb18

Page 1 of 10



Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst Service suisse d'étalonnage C Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

NORMx,y,z sensitivity in free space DCP diode compression point

CF crest factor (1/duty\_cycle) of the RF signal A, B, C, D modulation dependent linearization parameters

Polarization φ φ rotation around probe axis

Polarization 9 9 rotation around an axis that is in the plane normal to probe axis (at measurement center),

i.e., 9 = 0 is normal to probe axis information used in DASY system to align probe sensor X to the robot coordinate system Connector Angle

- Calibration is Performed According to the Following Standards:

  a) IEEE Std 1309-2005, "IEEE Standard for calibration of electromagnetic field sensors and probes, excluding antennas, from 9 kHz to 40 GHz", December 2005 b) CTIA Test Plan for Hearing Aid Compatibility, Rev 3.0, November 2013

#### Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization  $\vartheta=0$  for XY sensors and  $\vartheta=90$  for Z sensor (f  $\leq 900$  MHz in TEM-cell; f > 1800 MHz: R22 waveguide).
- $NORM(f)x,y,z = NORMx,y,z * frequency\_response$  (see Frequency Response Chart).
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal
- Ax,y,z; Bx,y,z; Cx,y,z; Dx,y,z; VRx,y,z; A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diode.
- Spherical isotropy (3D deviation from isotropy): in a locally homogeneous field realized using an open waveguide setup.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the NORMx (no uncertainty required).

Certificate No: ER3-2424\_Feb18

Page 2 of 10



February 23, 2018

# Probe ER3DV6

SN:2424

Manufactured: Calibrated:

November 12, 2007 February 23, 2018

Calibrated for DASY/EASY Systems (Note: non-compatible with DASY2 system!)

Certificate No: ER3-2424\_Feb18

Page 3 of 10



February 23, 2018

## DASY/EASY - Parameters of Probe: ER3DV6 - SN:2424

**Basic Calibration Parameters** 

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm $(\mu V/(V/m)^2)$	1.46	1.51	1.82	± 10.1 %
DCP (mV) <sup>8</sup>	100.0	98.3	100.6	2 10.1 70

Modulation Calibration Parameters

UID	Communication System Name		A dB	B dB√μV	С	D dB	VR mV	Unc <sup>E</sup> (k=2)
0	CW	X	0.0	0.0	1.0	0.00	189.6	±3.5 %
		Y	0.0	0.0	1.0		204.8	
		Z	0.0	0.0	1.0		200.6	
10021- DAC	GSM-FDD (TDMA, GMSK)	X	21.68	99.9	28.7	9.39	106.2	±2.2 %
		Y	19.41	99.7	28.8		111.3	
		Z	24.71	99.5	28.2		119.2	
10061- CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)	Х	8.35	84.6	25.4	3.60	146.9	±1.9 %
		Υ	4.81	74.8	21.7		112.9	
		Z	6.43	78.8	22.9		111.9	
10077- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 54 Mbps)	Х	13.28	77.7	29.3	11.00	139.0	±3.8 %
		Y	11.65	73.4	26.9		100.8	
170-1155		Z	11.41	72.1	25.6		99.2	
10172- CAD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	Х	9.48	80.8	29.7	9.21	125.2	±3.8 %
		Y	9.49	81.9	30.6		134.1	
		Z	10.82	83.6	30.5		136.8	
10173- CAD	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	9.87	81.2	29.9	9.48	125.1	±2.5 %
		Y	10.11	83.1	31.3		134.2	
		Z	11.30	84.2	30.8		136.9	
10295- AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	16.69	99.5	40.3	12.49	96.6	±2.5 %
		Y	15.42	99.3	41.1		100.6	
		Z	17.91	99.9	39.8		104.3	

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: ER3-2424\_Feb18


Page 4 of 10

B Numerical linearization parameter: uncertainty not required. E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.



February 23, 2018

# Frequency Response of E-Field (TEM-Cell:ifi110 EXX, Waveguide: R22)




Uncertainty of Frequency Response of E-field:  $\pm$  6.3% (k=2)

Certificate No: ER3-2424\_Feb18

Page 5 of 10









February 23, 2018

## Receiving Pattern ( $\phi$ ), $\vartheta = 0^{\circ}$



Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)

## Receiving Pattern ( $\phi$ ), $\vartheta = 90^{\circ}$



Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)


Certificate No: ER3-2424\_Feb18


Page 7 of 10



February 23, 2018

#### Dynamic Range f(E-field) (TEM cell , f = 900 MHz)






Uncertainty of Linearity Assessment: ± 0.6% (k=2)

Certificate No: ER3-2424\_Feb18

Page 8 of 10

February 23, 2018

# Deviation from Isotropy in Air Error $(\phi, \vartheta)$ , f = 900 MHz



Uncertainty of Spherical Isotropy Assessment: ± 2.6% (k=2)

Certificate No: ER3-2424\_Feb18

Page 9 of 10



February 23, 2018

## DASY/EASY - Parameters of Probe: ER3DV6 - SN:2424

#### Other Probe Parameters

Sensor Arrangement	Rectangular
Connector Angle (°)	-11.2
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	10 mm
Tip Diameter	8 mm
Probe Tip to Sensor X Calibration Point	2.5 mm
Probe Tip to Sensor Y Calibration Point	2.5 mm
Probe Tip to Sensor Z Calibration Point	2.5 mm

Certificate No: ER3-2424\_Feb18

Page 10 of 10



#### **ANNEX D: DAE Calibration Certificate**

#### **DAE4 SN: 1527 Calibration Certificate**

Client :



Tel: +86-10-62304633-2512 E-mail: cttl a chinattl.com Fax: +86-10-62304633-2504 <u>Http://www.chinattl.cn</u>

Certificate No: Z20-60433

## CALIBRATION CERTIFICATE

Object DAE4 - SN: 1527

CTTL(South Branch)

Calibration Procedure(s) FF-Z11-002-01

Calibration Procedure for the Data Acquisition Electronics

(DAEx)

Calibration date: November 06, 2020

This calibration Certificate documents the traceability to national standards, which realize the physical units of measurements(SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature(22 $\pm$ 3) $^{\circ}$ C and humidity<70%.

Calibration Equipment used (M&TE critical for calibration)

Lin Hao

Primary Standards ID # Cal Date(Calibrated by, Certificate No.) Scheduled Calibration

Process Calibrator 753 1971018 16-Jun-20 (CTTL, No.J20X04342) Jun-21

Name Function Signatu

Calibrated by: Yu Zongying SAR Test Engineer

Approved by: Qi Dianyuan SAR Project Leader

SAR Test Engineer

Issued: November 08, 2020

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Certificate No: Z20-60433

Reviewed by:





Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China Tel: +86-10-62304633-2512 Fax: +86-10-62304633-2504 E-mail: cttl@chinattl.com Http://www.chinattl.cn

Glossary:

DAE data acquisition electronics

Connector angle information used in DASY system to align probe sensor X

to the robot coordinate system.

#### Methods Applied and Interpretation of Parameters:

- DC Voltage Measurement: Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- Connector angle: The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The report provide only calibration results for DAE, it does not contain other performance test results.





Add: No.51 Xueyuan Road, Haidian District, Beijing, 100191, China Tel: +86-10-62304633-2512 Fax: +86-10-62304633-2504 E-mail: cttl@chinattl.com Http://www.chinattl.cn

#### DC Voltage Measurement

A/D - Converter Resolution nominal

High Range: 1LSB = 6.1μV , full range = -100...+300 mV

Low Range: 1LSB = 61nV , full range = -1......+3mV

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

Calibration Factors	X	Υ	Z
High Range	403.863 ± 0.15% (k=2)	403.582 ± 0.15% (k=2)	403.801 ± 0.15% (k=2)
Low Range	3.95875 ± 0.7% (k=2)	3.98892 ± 0.7% (k=2)	3.96720 ± 0.7% (k=2)

#### **Connector Angle**

Connector Angle to be used in DASY system	223.5° ± 1 °
---	--------------



## **ANNEX E: Dipole Calibration Certificate**

#### Dipole 835 MHz

#### Calibration Laboratory of

Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





C

Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA

Multilateral Agreement for the recognition of calibration certificates

Client

CTTL (Auden)

Certificate No: CD835V3-1165\_Jul18

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificat All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.  Calibration Equipment used (M&TE critical for calibration)  Primary Standards   ID #	ect	CD835V3 - SN: 1	165	
This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificat All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.  Calibration Equipment used (M&TE critical for calibration)  Primary Standards  ID # Cal Date (Certificate No.) Scheduled Calibration)  Power meter NRP  SN: 104778 04-Apr-18 (No. 217-02672/02673) Apr-19  Power sensor NRP-Z91 SN: 103244 04-Apr-18 (No. 217-02672) Apr-19  Power sensor NRP-Z91 SN: 103245 04-Apr-18 (No. 217-02672) Apr-19  Reference 20 dB Attenuator SN: 5058 (20k) 04-Apr-18 (No. 217-02682) Apr-19  Type-N mismatch combination SN: 5047.2 / 06327 04-Apr-18 (No. 217-02682) Apr-19  Probe EF3DV3 SN: 4013 05-Mar-18 (No. 217-02683) Apr-19  Probe H3DV6 SN: 6065 30-Dec-17 (No. H3-6065_Dec17) Dec-18  DAE4 SN: 781 17-Jan-18 (No. DAE4-781_Jan18) Jan-19  Secondary Standards  ID # Check Date (in house) Scheduled Check Power meter Agilent 4419B SN: GB42420191 09-Oct-09 (in house check Oct-17) In house check: Power sensor HP E4412A SN: US38485102 05-Jan-10 (in house check Oct-17) In house check: RF generator R&S SMT-06 SN: 832283/011 27-Aug-12 (in house check Oct-17) In house check: RF generator R&S SMT-06 SN: 832283/011 27-Aug-12 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In hous	oration procedure(s)		dure for dipoles in air	
This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificat All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.  Calibration Equipment used (M&TE critical for calibration)  Primary Standards  ID # Cal Date (Certificate No.) Scheduled Calibration)  Power meter NRP  SN: 104778 04-Apr-18 (No. 217-02672/02673) Apr-19  Power sensor NRP-Z91 SN: 103244 04-Apr-18 (No. 217-02672) Apr-19  Power sensor NRP-Z91 SN: 103245 04-Apr-18 (No. 217-02672) Apr-19  Reference 20 dB Attenuator SN: 5058 (20k) 04-Apr-18 (No. 217-02682) Apr-19  Type-N mismatch combination SN: 5047.2 / 06327 04-Apr-18 (No. 217-02682) Apr-19  Probe EF3DV3 SN: 4013 05-Mar-18 (No. 217-02683) Apr-19  Probe H3DV6 SN: 6065 30-Dec-17 (No. H3-6065_Dec17) Dec-18  DAE4 SN: 781 17-Jan-18 (No. DAE4-781_Jan18) Jan-19  Secondary Standards  ID # Check Date (in house) Scheduled Check Power meter Agilent 4419B SN: GB42420191 09-Oct-09 (in house check Oct-17) In house check: Power sensor HP E4412A SN: US38485102 05-Jan-10 (in house check Oct-17) In house check: RF generator R&S SMT-06 SN: 832283/011 27-Aug-12 (in house check Oct-17) In house check: RF generator R&S SMT-06 SN: 832283/011 27-Aug-12 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In hous				
The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificat All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.  Calibration Equipment used (M&TE critical for calibration)  Primary Standards  ID # Cal Date (Certificate No.) Scheduled Calibration)  Power meter NRP  SN: 104778 04-Apr-18 (No. 217-02672/02673) Apr-19  Power sensor NRP-Z91 SN: 103244 04-Apr-18 (No. 217-02672) Apr-19  Power sensor NRP-Z91 SN: 103245 04-Apr-18 (No. 217-02673) Apr-19  Reference 20 dB Attenuator SN: 5058 (20k) 04-Apr-18 (No. 217-02682) Apr-19  Type-N mismatch combination SN: 5047.2 / 06327 04-Apr-18 (No. 217-02683) Apr-19  Probe EF3DV3 SN: 4013 05-Mar-18 (No. EF3-4013_Mar18) Mar-19  Probe H3DV6 SN: 6065 30-Dec-17 (No. H3-6065_Dec17) Dec-18  DAE4 SN: 781 17-Jan-18 (No. DAE4-781_Jan18) Jan-19  Secondary Standards  ID # Check Date (in house) Scheduled Check Power meter Agilent 4419B SN: GB42420191 09-Oct-09 (in house check Oct-17) In house check: Power sensor HP E4412A SN: US38485102 05-Jan-10 (in house check Oct-17) In house check: Power sensor HP 8482A SN: US37295597 09-Oct-09 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A	bration date:	July 19, 2018		
Primary Standards         ID #         Cal Date (Certificate No.)         Scheduled Calibr           Power meter NRP         SN: 104778         04-Apr-18 (No. 217-02672/02673)         Apr-19           Power sensor NRP-Z91         SN: 103244         04-Apr-18 (No. 217-02672)         Apr-19           Power sensor NRP-Z91         SN: 103245         04-Apr-18 (No. 217-02673)         Apr-19           Reference 20 dB Attenuator         SN: 5058 (20k)         04-Apr-18 (No. 217-02682)         Apr-19           Type-N mismatch combination         SN: 5047.2 / 06327         04-Apr-18 (No. 217-02683)         Apr-19           Probe EF3DV3         SN: 4013         05-Mar-18 (No. EF3-4013_Mar18)         Mar-19           Probe H3DV6         SN: 6065         30-Dec-17 (No. H3-6065 Dec17)         Dec-18           DAE4         SN: 781         17-Jan-18 (No. DAE4-781_Jan18)         Jan-19           Secondary Standards         ID #         Check Date (in house)         Scheduled Check           Power meter Agilent 4419B         SN: GB42420191         09-Oct-09 (in house check Oct-17)         In house check: 1           Power sensor HP E4412A         SN: US38485102         05-Jan-10 (in house check Oct-17)         In house check: 1           RF generator R&S SMT-06         SN: 832283/011         27-Aug-12 (in house check Oct-17)         In house check: 1	measurements and the uncer	tainties with confidence protection the closed laborator	obability are given on the following pages and	d are part of the certificate.
Power meter NRP		1	Cal Date (Certificate No.)	Scheduled Calibration
Power sensor NRP-Z91         SN: 103244         04-Apr-18 (No. 217-02672)         Apr-19           Power sensor NRP-Z91         SN: 103245         04-Apr-18 (No. 217-02673)         Apr-19           Reference 20 dB Attenuator         SN: 5058 (20k)         04-Apr-18 (No. 217-02682)         Apr-19           Type-N mismatch combination         SN: 5047.2 / 06327         04-Apr-18 (No. 217-02683)         Apr-19           Probe EF3DV3         SN: 4013         05-Mar-18 (No. EF3-4013_Mar18)         Mar-19           Probe H3DV6         SN: 6065         30-Dec-17 (No. H3-6065, Dec17)         Dec-18           DAE4         SN: 781         17-Jan-18 (No. DAE4-781_Jan18)         Jan-19           Secondary Standards         ID #         Check Date (in house)         Scheduled Check           Power meter Agilent 4419B         SN: GB42420191         09-Oct-09 (in house check Oct-17)         In house check: 1           Power sensor HP E4412A         SN: US38485102         05-Jan-10 (in house check Oct-17)         In house check: 1           Power sensor HP 8482A         SN: US37295597         09-Oct-09 (in house check Oct-17)         In house check: 1           Network Analyzer Agilent E8358A         SN: US41080477         31-Mar-14 (in house check Oct-17)         In house check: 1           Name         Function         Signature				Apr-19
Power sensor NRP-Z91         SN: 103245         04-Apr-18 (No. 217-02673)         Apr-19           Reference 20 dB Attenuator         SN: 5058 (20k)         04-Apr-18 (No. 217-02682)         Apr-19           Type-N mismatch combination         SN: 5047.2 / 06327         04-Apr-18 (No. 217-02683)         Apr-19           Probe EF3DV3         SN: 4013         05-Mar-18 (No. EF3-4013_Mar18)         Mar-19           Probe H3DV6         SN: 6065         30-Dec-17 (No. H3-6065_Dec17)         Dec-18           DAE4         SN: 781         17-Jan-18 (No. DAE4-781_Jan18)         Jan-19           Secondary Standards         ID #         Check Date (in house)         Scheduled Check           Power meter Agilent 4419B         SN: GB42420191         09-Oct-09 (in house check Oct-17)         In house check: 10 (in house)           Power sensor HP E4412A         SN: US38485102         05-Jan-10 (in house check Oct-17)         In house check: 10 (in house check Oct-17)           Power sensor HP 8482A         SN: US37295597         09-Oct-09 (in house check Oct-17)         In house check: 10 (in house check Oct-17)           RF generator R&S SMT-06         SN: 832283/011         27-Aug-12 (in house check Oct-17)         In house check: 10 (in house check Oct-17)           Network Analyzer Agilent E8358A         SN: US41080477         31-Mar-14 (in house check Oct-17)         In house check: 10 (in house che		SN: 103244	04-Apr-18 (No. 217-02672)	Apr-19
Reference 20 dB Attenuator		Control of Control of Control		Apr-19
Type-N mismatch combination         SN: 5047.2 / 06327         04-Apr-18 (No. 217-02683)         Apr-19           Probe EF3DV3         SN: 4013         05-Mar-18 (No. EF3-4013_Mar18)         Mar-19           Probe H3DV6         SN: 6065         30-Dec-17 (No. H3-6065_Dec17)         Dec-18           DAE4         SN: 781         17-Jan-18 (No. DAE4-781_Jan18)         Jan-19           Secondary Standards         ID #         Check Date (in house)         Scheduled Check           Power meter Agilent 4419B         SN: GB42420191         09-Oct-09 (in house check Oct-17)         In house check: 1           Power sensor HP E4412A         SN: US38485102         05-Jan-10 (in house check Oct-17)         In house check: 1           Power sensor HP 8482A         SN: US37295597         09-Oct-09 (in house check Oct-17)         In house check: 1           RF generator R&S SMT-06         SN: 832283/011         27-Aug-12 (in house check Oct-17)         In house check: 1           Network Analyzer Agilent E8358A         SN: US41080477         31-Mar-14 (in house check Oct-17)         In house check: 1				Apr-19
Probe EF3DV3         SN: 4013         05-Mar-18 (No. EF3-4013_Mar18)         Mar-19           Probe H3DV6         SN: 6065         30-Dec-17 (No. H3-6065_Dec17)         Dec-18           DAE4         SN: 781         17-Jan-18 (No. DAE4-781_Jan18)         Jan-19           Secondary Standards         ID #         Check Date (in house)         Scheduled Check           Power meter Agilent 4419B         SN: GB42420191         09-Oct-09 (in house check Oct-17)         In house check: 1           Power sensor HP E4412A         SN: US38485102         05-Jan-10 (in house check Oct-17)         In house check: 1           Power sensor HP 8482A         SN: US37295597         09-Oct-09 (in house check Oct-17)         In house check: 1           RF generator R&S SMT-06         SN: 832283/011         27-Aug-12 (in house check Oct-17)         In house check: 1           Network Analyzer Agilent E8358A         SN: US41080477         31-Mar-14 (in house check Oct-17)         In house check: 1           Name         Function         Signature				Apr-19
Probe H3DV6         SN: 6065         30-Dec-17 (No. H3-6065_Dec17)         Dec-18           DAE4         SN: 781         17-Jan-18 (No. DAE4-781_Jan18)         Jan-19           Secondary Standards         ID #         Check Date (in house)         Scheduled Check           Power meter Agilent 4419B         SN: GB42420191         09-Oct-09 (in house check Oct-17)         In house check: 10 house check Oct-17           Power sensor HP E4412A         SN: US37295597         09-Oct-09 (in house check Oct-17)         In house check: 10 house check Oct-17           RF generator R&S SMT-06         SN: 832283/011         27-Aug-12 (in house check Oct-17)         In house check: 10 house check Oct-17           Network Analyzer Agilent E8358A         SN: US41080477         31-Mar-14 (in house check Oct-17)         In house check: 10 house check Oct-17		SN: 4013	05-Mar-18 (No. EF3-4013_Mar18)	Mar-19
DAE4         SN: 781         17-Jan-18 (No. DAE4-781_Jan18)         Jan-19           Secondary Standards         ID #         Check Date (in house)         Scheduled Check           Power meter Agilent 4419B         SN: GB42420191         09-Oct-09 (in house check Oct-17)         In house check: 0ct-17           Power sensor HP E4412A         SN: US38485102         05-Jan-10 (in house check Oct-17)         In house check: 0ct-17           Power sensor HP 8482A         SN: US37295597         09-Oct-09 (in house check Oct-17)         In house check: 0ct-17           RF generator R&S SMT-06         SN: 832283/011         27-Aug-12 (in house check Oct-17)         In house check: 0ct-17           Network Analyzer Agilent E8358A         SN: US41080477         31-Mar-14 (in house check Oct-17)         In house check: 0ct-17           Name         Function         Signature		SN: 6065	30-Dec-17 (No. H3-6065_Dec17)	Dec-18
Securious decided   SN: GB42420191   O9-Oct-09 (in house check Oct-17)   In house check:		SN: 781	17-Jan-18 (No. DAE4-781_Jan18)	Jan-19
Power meter Agilent 4419B         SN: GB42420191         09-Oct-09 (in house check Oct-17)         In house check: Oct-17           Power sensor HP E4412A         SN: US38485102         05-Jan-10 (in house check Oct-17)         In house check: Oct-17           Power sensor HP 8482A         SN: US37295597         09-Oct-09 (in house check Oct-17)         In house check: Oct-17           RF generator R&S SMT-06         SN: 832283/011         27-Aug-12 (in house check Oct-17)         In house check: Oct-17           Network Analyzer Agilent E8358A         SN: US41080477         31-Mar-14 (in house check Oct-17)         In house check: Oct-17           Name         Function         Signature	condary Standards	ID#	Check Date (in house)	Scheduled Check
Power sensor HP E4412A SN: US38485102 05-Jan-10 (in house check Oct-17) In house check: Power sensor HP 8482A SN: US37295597 09-Oct-09 (in house check Oct-17) In house check: RF generator R&S SMT-06 SN: 832283/011 27-Aug-12 (in house check Oct-17) In house check: Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check: Name Function Signature				In house check: Oct-20
Power sensor HP 8482A SN: US37295597 09-Oct-09 (in house check Oct-17) In house check:  RF generator R&S SMT-06 SN: 832283/011 27-Aug-12 (in house check Oct-17) In house check:  Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check:  Name Function Signature		SN: US38485102	05-Jan-10 (in house check Oct-17)	In house check: Oct-20
Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check:  Name Function Signature		Contract and American Street, and and	09-Oct-09 (in house check Oct-17)	In house check: Oct-20
Network Analyzer Agilent E8358A SN: US41080477 31-Mar-14 (in house check Oct-17) In house check:  Name Function Signature	generator R&S SMT-06	SN: 832283/011	27-Aug-12 (in house check Oct-17)	In house check: Oct-20
		SN: US41080477	31-Mar-14 (in house check Oct-17)	In house check: Oct-18
Calibrated by: Leif Klysner Laboratory Technician P. 1416		Name	Function	Signature
Soul // 1877	librated by:	Leif Klysner	Laboratory Technician	Soil Allen
del high				and with
Approved by: Katja Pokovic Technical Manager	proved by:	Katja Pokovic	Technical Manager	ell 15

Certificate No: CD835V3-1165\_Jul18

Page 1 of 5

#### No. I20N03221-HAC RF

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
Servizio svizzero di taratura
Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

#### References

[1] ANSI-C63.19-2011 American National Standard, Methods of Measurement of Compatibility between Wireless Communications Devices and Hearing Aids.

#### Methods Applied and Interpretation of Parameters:

- Coordinate System: y-axis is in the direction of the dipole arms. z-axis is from the basis of the antenna
  (mounted on the table) towards its feed point between the two dipole arms. x-axis is normal to the other axes.
  In coincidence with the standards [1], the measurement planes (probe sensor center) are selected to be at a
  distance of 15 mm above the top metal edge of the dipole arms.
- Measurement Conditions: Further details are available from the hardcopies at the end of the certificate. All
  figures stated in the certificate are valid at the frequency indicated. The forward power to the dipole connector
  is set with a calibrated power meter connected and monitored with an auxiliary power meter connected to a
  directional coupler. While the dipole under test is connected, the forward power is adjusted to the same level.
- Antenna Positioning: The dipole is mounted on a HAC Test Arch phantom using the matching dipole positioner with the arms horizontal and the feeding cable coming from the floor. The measurements are performed in a shielded room with absorbers around the setup to reduce the reflections. It is verified before the mounting of the dipole under the Test Arch phantom, that its arms are perfectly in a line. It is installed on the HAC dipole positioner with its arms parallel below the dielectric reference wire and able to move elastically in vertical direction without changing its relative position to the top center of the Test Arch phantom. The vertical distance to the probe is adjusted after dipole mounting with a DASY5 Surface Check job. Before the measurement, the distance between phantom surface and probe tip is verified. The proper measurement distance is selected by choosing the matching section of the HAC Test Arch phantom with the proper device reference point (upper surface of the dipole) and the matching grid reference point (tip of the probe) considering the probe sensor offset. The vertical distance to the probe is essential for the accuracy.
- Feed Point Impedance and Return Loss: These parameters are measured using a HP 8753E Vector Network Analyzer. The impedance is specified at the SMA connector of the dipole. The influence of reflections was eliminating by applying the averaging function while moving the dipole in the air, at least 70cm away from any obstacles.
- E-field distribution: E field is measured in the x-y-plane with an isotropic ER3D-field probe with 100 mW forward power to the antenna feed point. In accordance with [1], the scan area is 20mm wide, its length exceeds the dipole arm length (180 or 90mm). The sensor center is 15 mm (in z) above the metal top of the dipole arms. Two 3D maxima are available near the end of the dipole arms. Assuming the dipole arms are perfectly in one line, the average of these two maxima (in subgrid 2 and subgrid 8) is determined to compensate for any non-parallelity to the measurement plane as well as the sensor displacement. The E-field value stated as calibration value represents the maximum of the interpolated 3D-E-field, in the plane above the dipole surface.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: CD835V3-1165\_Jul18

Page 2 of 5



#### **Measurement Conditions**

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10.1
Phantom	HAC Test Arch	
Distance Dipole Top - Probe Center	15 mm	
Scan resolution	dx, dy = 5 mm	
Frequency	835 MHz ± 1 MHz	
Input power drift	< 0.05 dB	

#### Maximum Field values at 835 MHz

E-field 15 mm above dipole surface	condition	Interpolated maximum
Maximum measured above high end	100 mW input power	108.7 V/m = 40.72 dBV/m
Maximum measured above low end	100 mW input power	108.6 V/m = 40.72 dBV/m
Averaged maximum above arm	100 mW input power	108.7 V/m ± 12.8 % (k=2)

#### Appendix (Additional assessments outside the scope of SCS 0108)

#### **Antenna Parameters**

Frequency	Return Loss	Impedance
800 MHz	16.4 dB	40.0 Ω - 9.2 jΩ
835 MHz	25.5 dB	53.7 $\Omega$ + 4.0 j $\Omega$
880 MHz	17.8 dB	60.3 Ω - 9.8 jΩ
900 MHz	16.5 dB	51.6 Ω - 15.3 jΩ
945 MHz	21.7 dB	43.9 Ω + 4.8 jΩ

#### 3.2 Antenna Design and Handling

The calibration dipole has a symmetric geometry with a built-in two stub matching network, which leads to the enhanced bandwidth.

The dipole is built of standard semirigid coaxial cable. The internal matching line is open ended. The antenna is therefore open for DC signals.

Do not apply force to dipole arms, as they are liable to bend. The soldered connections near the feedpoint may be damaged. After excessive mechanical stress or overheating, check the impedance characteristics to ensure that the internal matching network is not affected.


After long term use with 40W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

Certificate No: CD835V3-1165\_Jul18

Page 3 of 5



#### Impedance Measurement Plot



Certificate No: CD835V3-1165\_Jul18

Page 4 of 5

#### No. I20N03221-HAC RF

#### **DASY5 E-field Result**

Date: 19.07.2018

Test Laboratory: SPEAG Lab2

#### DUT: HAC-Dipole 835 MHz; Type: CD835V3; Serial: CD835V3 - SN: 1165

Communication System: UID 0 - CW; Frequency: 835 MHz Medium parameters used:  $\sigma=0$  S/m,  $\epsilon_r=1$ ;  $\rho=0$  kg/m $^3$  Phantom section: RF Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

#### DASY52 Configuration:

- Probe: EF3DV3 SN4013; ConvF(1, 1, 1) @ 835 MHz; Calibrated: 05.03.2018
- Sensor-Surface: (Fix Surface)
- Electronics: DAE4 Sn781; Calibrated: 17.01.2018
- Phantom: HAC Test Arch with AMCC; Type: SD HAC P01 BA; Serial: 1070
- DASY52 52.10.1(1476); SEMCAD X 14.6.11(7439)

## Dipole~E-Field~measurement~@~835MHz/E-Scan-835MHz~d=15mm/Hearing~Aid~Compatibility~Test~(41x361x1):


Interpolated grid: dx=0.5000 mm, dy=0.5000 mm Device Reference Point: 0, 0, -6.3 mm Reference Value = 130.9 V/m; Power Drift = 0.02 dB

Applied MIF = 0.00 dB

RF audio interference level = 40.73 dBV/m Emission category: M3

#### MIF scaled E-field

	Grid 2 M3 40.72 dBV/m	Grid 3 <b>M3</b> <b>40.67 dBV/m</b>
Grid 4 M4	Grid 5 M4 35.96 dBV/m	Grid 6 M4
	Grid 8 <b>M3</b> <b>40.73 dBV/m</b>	Grid 9 <b>M3</b> <b>40.67 dBV/m</b>



0 dB = 108.7 V/m = 40.72 dBV/m

Certificate No: CD835V3-1165\_Jul18



#### Dipole 1880 MHz

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
Servizio svizzero di taratura
Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

CITL (Auden)

Certificate No: CD1880V3-1149\_Jul18

CALIBRATION CI	ERTIFICATE				
Object	CD1880V3 - SN: 1149				
Calibration procedure(s)	QA CAL-20.v6 Calibration procedure for dipoles in air				
Calibration date:	July 19, 2018				
The measurements and the uncerta	ainties with confidence pr	conal standards, which realize the physical unit robability are given on the following pages and y facility: environment temperature $(22 \pm 3)^{\circ}$ C	d are part of the certificate.		
Calibration Equipment used (M&TE	1		Only and the definition		
Primary Standards	ID#	Cal Date (Certificate No.)	Scheduled Calibration		
Power meter NRP	SN: 104778	04-Apr-18 (No. 217-02672/02673)	Apr-19		
Power sensor NRP-Z91	SN: 103244	04-Apr-18 (No. 217-02672)	Apr-19		
Power sensor NRP-Z91	SN: 103245	04-Apr-18 (No. 217-02673)	Apr-19		
Reference 20 dB Attenuator	SN: 5058 (20k)	04-Apr-18 (No. 217-02682)	Apr-19		
Type-N mismatch combination	SN: 5047.2 / 06327	04-Apr-18 (No. 217-02683)	Apr-19		
Probe EF3DV3	SN: 4013	05-Mar-18 (No. EF3-4013_Mar18)	Mar-19		
Probe H3DV6	SN: 6065	30-Dec-17 (No. H3-6065_Dec17)	Dec-18		
DAE4	SN: 781	17-Jan-18 (No. DAE4-781_Jan18)	Jan-19		
	ID#	Check Date (in house)	Scheduled Check		
Secondary Standards	ID#		ocheduled officer		
	SN: GB42420191	09-Oct-09 (in house check Oct-17)	In house check: Oct-20		
Secondary Standards Power meter Agilent 4419B Power sensor HP E4412A					
Power meter Agilent 4419B	SN: GB42420191	09-Oct-09 (in house check Oct-17)	In house check: Oct-20		
Power meter Agilent 4419B Power sensor HP E4412A Power sensor HP 8482A	SN: GB42420191 SN: US38485102	09-Oct-09 (in house check Oct-17) 05-Jan-10 (in house check Oct-17)	In house check: Oct-20 In house check: Oct-20		
Power meter Agilent 4419B Power sensor HP E4412A Power sensor HP 8482A RF generator R&S SMT-06	SN: GB42420191 SN: US38485102 SN: US37295597	09-Oct-09 (in house check Oct-17) 05-Jan-10 (in house check Oct-17) 09-Oct-09 (in house check Oct-17)	In house check: Oct-20 In house check: Oct-20 In house check: Oct-20		
Power meter Agilent 4419B Power sensor HP E4412A	SN: GB42420191 SN: US38485102 SN: US37295597 SN: 832283/011	09-Oct-09 (in house check Oct-17) 05-Jan-10 (in house check Oct-17) 09-Oct-09 (in house check Oct-17) 27-Aug-12 (in house check Oct-17)	In house check: Oct-20 In house check: Oct-20 In house check: Oct-20 In house check: Oct-20		
Power meter Agilent 4419B Power sensor HP E4412A Power sensor HP 8482A RF generator R&S SMT-06 Network Analyzer Agilent E8358A	SN: GB42420191 SN: US38485102 SN: US37295597 SN: 832283/011 SN: US41080477	09-Oct-09 (in house check Oct-17) 05-Jan-10 (in house check Oct-17) 09-Oct-09 (in house check Oct-17) 27-Aug-12 (in house check Oct-17) 31-Mar-14 (in house check Oct-17)	In house check: Oct-20 In house check: Oct-20 In house check: Oct-20 In house check: Oct-20 In house check: Oct-18		
Power meter Agilent 4419B Power sensor HP E4412A Power sensor HP 8482A RF generator R&S SMT-06	SN: GB42420191 SN: US38485102 SN: US37295597 SN: 832283/011 SN: US41080477	09-Oct-09 (in house check Oct-17) 05-Jan-10 (in house check Oct-17) 09-Oct-09 (in house check Oct-17) 27-Aug-12 (in house check Oct-17) 31-Mar-14 (in house check Oct-17)	In house check: Oct-20 In house check: Oct-20 In house check: Oct-20 In house check: Oct-20 In house check: Oct-18		
Power meter Agilent 4419B Power sensor HP E4412A Power sensor HP 8482A RF generator R&S SMT-06 Network Analyzer Agilent E8358A Calibrated by:	SN: GB42420191 SN: US38485102 SN: US37295597 SN: 832283/011 SN: US41080477 Name Leif Klysner	09-Oct-09 (in house check Oct-17) 05-Jan-10 (in house check Oct-17) 09-Oct-09 (in house check Oct-17) 27-Aug-12 (in house check Oct-17) 31-Mar-14 (in house check Oct-17) Function Laboratory Technician	In house check: Oct-20 In house check: Oct-20 In house check: Oct-20 In house check: Oct-20 In house check: Oct-18		
Power meter Agilent 4419B Power sensor HP E4412A Power sensor HP 8482A RF generator R&S SMT-06 Network Analyzer Agilent E8358A	SN: GB42420191 SN: US38485102 SN: US37295597 SN: 832283/011 SN: US41080477	09-Oct-09 (in house check Oct-17) 05-Jan-10 (in house check Oct-17) 09-Oct-09 (in house check Oct-17) 27-Aug-12 (in house check Oct-17) 31-Mar-14 (in house check Oct-17)	In house check: Oct-20 In house check: Oct-20 In house check: Oct-20 In house check: Oct-20 In house check: Oct-18		

Certificate No: CD1880V3-1149\_Jul18

Page 1 of 5