

FCC REPORT

(5G NR)

Applicant: HMD global Oy
Address of Applicant: Bertel Jungin aukio 9, 02600 Espoo, Finland
Equipment Under Test (EUT)
Product Name: Smart Phone
Model No.: TA-1370
Trade mark: NOKIA
FCC ID: 2AJOTTA-1370
Applicable standards: FCC CFR Title 47 Part 2
FCC CFR Title 47 Part 22 Subpart H
FCC CFR Title 47 Part 24 Subpart E
FCC CFR Title 47 Part 27
Date of sample receipt: 19 Aug., 2021
Date of Test: 20 Aug., to 28 Aug., 2021
Date of report issued: 30 Aug., 2021
Test Result: PASS*

*In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Bruce Zhang
Laboratory Manager

This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product and does not permit the use of the JYT product certification mark. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

2. Version

Version No.	Date	Description
00	30 Aug., 2021	Original

This application for FCC ID: 2AJOTTA-1370 is reusing data from the application for a variant of device 2AJOTTA-1390. The two devices have identical internal printed circuit board layouts, have a common design and components, where 2AJOTTA-1370 differ only in the depopulation of components for the purposes of removing some frequency bands and dimension for antenna 4.

Therefore in this report only the radiated spurious emissions for ant4 was full retested, and other antennas done spot check.

Tested by: Mike Ou **Date:** 30 Aug., 2021
Test Engineer

Reviewed by: Winner Zhang **Date:** 30 Aug., 2021
Project Engineer

3. Contents

	Page
1. COVER PAGE	1
2. VERSION	2
3. CONTENTS	3
4. TEST SUMMARY	4
5. GENERAL INFORMATION	5
5.1 CLIENT INFORMATION.....	5
5.2 GENERAL DESCRIPTION OF E.U.T.....	5
5.3 TEST ENVIRONMENT AND MODE, AND TEST SAMPLES PLANS.....	11
5.4 DESCRIPTION OF SUPPORT UNITS.....	11
5.5 MEASUREMENT UNCERTAINTY.....	11
5.6 RELATED SUBMITTAL(S) / GRANT (S).....	11
5.7 ADDITIONS TO, DEVIATIONS, OR EXCLUSIONS FROM THE METHOD.....	11
5.8 LABORATORY FACILITY.....	12
5.9 LABORATORY LOCATION.....	12
5.10 TEST INSTRUMENTS LIST.....	12
6. TEST RESULTS	13
6.1 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT.....	13
7 TEST SETUP PHOTO	58
8 EUT CONSTRUCTIONAL DETAILS	58

4. Test Summary

Test Items	Section in CFR 47	Result
RF Output Power Effective Radiated Power and Effective Isotropic Radiated Power	Part 2.1046 Part 22.913 (a)(5) Part 24.232 (c) Part 27.50 (d)(4) Part 27.50 (h)(2) Part 27.50 (k)(3)	Refer to the report: SRTC2021-9004(F)-21082802(N)
Peak-to-Average Ratio	Part 24.232 (d) Part 22.913 (d) Part 27.50(d)(5) Part 27.50 (k)(4)	Refer to the report: SRTC2021-9004(F)-21082802(N)
Occupied Bandwidth	Part 2.1049	Refer to the report: SRTC2021-9004(F)-21082802(N)
Emission Bandwidth	Part 2.1049	Refer to the report: SRTC2021-9004(F)-21082802(N)
Spurious Emissions at antenna Terminals & Band Edges Compliance	Part 2.1051 Part 22.917(a) Part 24.238 (a) Part 27.53 (h) Part 27.53(m) Part 27.53(n)	Refer to the report: SRTC2021-9004(F)-21082802(N)
Field strength of spurious radiation	Part 2.1053 Part 22.917(a) Part 24.238 (a) Part 27.53 (h) Part 27.53(m) Part 27.53(n)	Pass
Frequency stability	Part 22.355 Part 24.235 Part 27.54 Part 2.1055(d)(2)	Refer to the report: SRTC2021-9004(F)-21082802(N)
Remark: 1. Pass: The EUT complies with the essential requirements in the standard. 2. The report: SRTC2021-9004(F)-21082802(N), issued by The State Radio_monitoring_center Testing Center.		
Test Method:	ANSI/TIA-603-E-2016 ANSI C63.26-2015	

5. General Information

5.1 Client Information

Applicant:	HMD global Oy
Address:	Bertel Jungin aukio 9, 02600 Espoo, Finland
Manufacturer:	HMD global Oy
Address:	Bertel Jungin aukio 9, 02600 Espoo, Finland

5.2 General Description of E.U.T.

Product Name:	Smart Phone
Model No.:	TA-1370
Operation Frequency range:	FDD n2: TX: 1850MHz~1910MHz RX: 1930MHz~1990MHz FDD n5: TX: 824MHz~849MHz RX: 869MHz~894MHz FDD n7: TX: 2500MHz~2570MHz RX: 2620MHz~2690MHz TDD n38: TX: 2570MHz~2620MHz RX: 2570MHz~2620MHz TDD n41: TX: 2496MHz~2690MHz RX: 2496MHz~2690MHz FDD n66: TX: 1710MHz~1780MHz RX: 2110MHz~2200MHz TDD n78: TX: 3450MHz~3550MHz RX: 3450MHz~3550MHz
Modulation type:	DFT_BPSK, DFT_QPSK, DFT_16-QAM, DFT_64QAM, DFT_256-QAM cp_QPSK, cp_16-QAM, cp_64QAM, cp_256-QAM
SCS support:	n2, n5, n7, n66: 15KHz n38, n41, n78: 30KHz
5G NR Network mode:	SA: NR n2, n5, n7, n38, n41, n66, n78 NSA(EN-DC): DC_5A_n2A, DC_66A_n2A, DC_12A_n2A, DC_13A_n2A, DC_7A_n2A; DC_7A_n5A, DC_66A_n5A; DC_12A-n7A, DC_5A-n7A, DC_2A-n7A; DC_12A_n38A, DC_5A_n38A; DC_2A_n41A, DC_4A_n41A, DC_12A_n41A, DC_66A_n41A; DC_2A-n66A, DC_5A_n66A, DC_7A_n66A, DC_13A_n66A; DC_7A-n78A, DC_2A-n78A, DC_5A_n78A, DC_66A_n78A, DC_12A_n78A, DC_13A_n78A
Channel Bandwidths:	n2: 5MHz, 10MHz, 15MHz, 20MHz n5: 5MHz, 10MHz, 15MHz, 20MHz n7: 5MHz, 10MHz, 15MHz, 20MHz n38: 20MHz, 30MHz, 40MHz n41: 20MHz, 30MHz, 40MHz, 50MHz, 60MHz, 80MHz, 90MHz, 100MHz 100MHz n66: 5MHz, 10MHz, 15MHz, 20MHz n78: 20MHz, 30MHz, 40MHz, 50MHz, 60MHz, 70MHz, 80MHz, 90MHz, 100MHz
Antenna type:	Internal Antenna
Antenna gain:	n2: -2.5 dBi(declare by Applicant) n5: -3.5 dBi(declare by Applicant) n7: -2.0 dBi(declare by Applicant) n38: -2.0 dBi(declare by Applicant) n41: -2.0 dBi(declare by Applicant) n66: -2.5 dBi(declare by Applicant) n78: -2.0 dBi(declare by Applicant)
Power supply:	Rechargeable Lithium ion Polymer Battery DC3.85V, 4.85Ah
AC adapter:	Adapter 1: Model: TN-050200U3, TN-050200E3, TN-050200C3A

	<p>Input: AC100-240V, 50/60Hz, 0.35A Output: DC 5.0V, 2.0A 10.0W Note: Only the pins are different between different models Adapter 2: Model: TN-050200U3, TN-050200A3, TN-050200C3A Input: AC100-240V, 50/60Hz, 0.35A Output: DC 5.0V, 2.0A 10.0W Note: Only the pins are different between different models Adapter 3: Model: AD-010A, AD-010X Input: AC100-240V, 50/60Hz, 0.35A Output: DC 5.0V, 2.0A 10.0W Note: Only the pins are different between different models</p>
<p>Test Sample Condition:</p>	<p>The applicant provided engineering samples for staying in continuously transmitting for testing.</p>

Operation Frequency List:

Test frequencies for NR operating band n2 and SCS 15 kHz

Band width [MHz]	carrier Bandwidth [PRBs]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	point A [MHz]	absolute FrequencyPoint A [ARFCN]	offsetTo Carrier [Carrier PRBs]	SS block SCS [kHz]
5	25	Downlink	Low	1932.5	386500	1930.25	386050	0	15
			Mid	1960	392000	1939.39	387878	102	
			High	1987.5	397500	1894.53	378906	504	
		Uplink	Low	1852.5	370500	1850.25	370050	0	-
			Mid	1880	376000	1787.03	357406	504	
			High	1907.5	381500	1904.17	380834	6	
10	52	Downlink	Low	1935	387000	1930.32	386064	0	15
			Mid	1960	392000	1936.96	387392	102	
			High	1985	397000	1889.6	377920	504	
		Uplink	Low	1855	371000	1850.32	370064	0	-
			Mid	1880	376000	1784.6	356920	504	
			High	1905	381000	1899.24	379848	6	
15	79	Downlink	Low	1937.5	387500	1930.39	386078	0	15
			Mid	1960	392000	1934.53	386906	102	
			High	1982.5	396500	1884.67	376934	504	
		Uplink	Low	1857.5	371500	1850.39	370078	0	-
			Mid	1880	376000	1782.17	356434	504	
			High	1902.5	380500	1894.31	378862	6	
20	106	Downlink	Low	1940	388000	1930.46	386092	0	15
			Mid	1960	392000	1932.1	386420	102	
			High	1980	396000	1879.74	375948	504	
		Uplink	Low	1860	372000	1850.46	370092	0	-
			Mid	1880	376000	1779.74	355948	504	
			High	1900	380000	1889.38	377876	6	

Test frequencies for NR operating band n5 and SCS 15 kHz

Band width [MHz]	carrier Bandwidth [PRBs]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	point A [MHz]	absolute FrequencyPoint A [ARFCN]	offsetTo Carrier [Carrier PRBs]	SS block SCS [kHz]	GSCN	absolute FrequencySSB [ARFCN]
5	25	Downlink	Low	871.5	174300	869.25	173850	0	15	2178	174270
			Mid	881.5	176300	860.89	172178	102		2203	176210
			High	891.5	178300	798.53	159706	504		2228	178330
		Uplink	Low	826.5	165300	824.25	164850	0	-	-	-
			Mid	836.5	167300	743.53	148706	504		-	-
			High	846.5	169300	843.17	168634	6		-	-
10	52	Downlink	Low	874	174800	869.32	173864	0	15	2179	174290
			Mid	881.5	176300	858.46	171692	102		2197	175730
			High	889	177800	793.6	158720	504		2218	177410
		Uplink	Low	829	165800	824.32	164864	0	-	-	-
			Mid	836.5	167300	741.1	148220	504		-	-
			High	844	168800	838.24	167648	6		-	-
15	79	Downlink	Low	876.5	175300	869.39	173878	0	15	2177	174250
			Mid	881.5	176300	856.03	171206	102		2191	175250
			High	886.5	177300	788.67	157734	504		2205	176430
		Uplink	Low	831.5	166300	824.39	164878	0	-	-	-
			Mid	836.5	167300	738.67	147734	504		-	-
			High	841.5	168300	833.31	166662	6		-	-
20	106	Downlink	Low	879	175800	869.46	173892	0	15	2178	174270
			Mid	881.5	176300	853.6	170720	102		2185	174770
			High	884	176800	783.74	156748	504		2192	175450
		Uplink	Low	834	166800	824.46	164892	0	-	-	-
			Mid	836.5	167300	736.24	147248	504		-	-
			High	839	167800	828.38	165676	6		-	-

Test frequencies for NR operating band n7 and SCS 15 kHz

Band width [MHz]	carrier Bandwidth [PRBs]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	point A [MHz]	absolute Frequency Point A [ARFCN]	offsetTo Carrier [Carrier PRBs]	SS block SCS [kHz]	GSCN	absolute Frequency SSB [ARFCN]		
5	25	Downlink	Low	2622.5	524500	2620.25	524050	0	15	6554	524410		
			Mid	2655	531000	2634.39	526878	102		6636	530910		
			High	2687.5	537500	2594.53	518906	504		6718	537410		
		Uplink	Low	2502.5	500500	2500.25	500050	0	-	-	-		
			Mid	2535	507000	2442.03	488406	504		-	-		
			High	2567.5	513500	2564.17	512834	6		-	-		
		10	52	Downlink	Low	2625	525000	2620.32	524064	0	15	6555	524430
					Mid	2655	531000	2631.96	526392	102		6630	530430
					High	2685	537000	2589.6	517920	504		6705	536430
Uplink	Low			2505	501000	2500.32	500064	0	-	-	-		
	Mid			2535	507000	2439.6	487920	504		-	-		
	High			2565	513000	2559.24	511848	6		-	-		
15	79			Downlink	Low	2627.5	525500	2620.39	524078	0	15	6556	524450
					Mid	2655	531000	2629.53	525906	102		6624	529950
					High	2682.5	536500	2584.67	516934	504		6692	535450
		Uplink	Low	2507.5	501500	2500.39	500078	0	-	-	-		
			Mid	2535	507000	2437.17	487434	504		-	-		
			High	2562.5	512500	2554.31	510862	6		-	-		
		20	106	Downlink	Low	2630	526000	2620.46	524092	0	15	6557	524650
					Mid	2655	531000	2627.1	525420	102		6618	529470
					High	2680	536000	2579.74	515948	504		6682	534530
Uplink	Low			2510	502000	2500.46	500092	0	-	-	-		
	Mid			2535	507000	2434.74	486948	504		-	-		
	High			2560	512000	2549.38	509876	6		-	-		

Test frequencies for NR operating band n38 and SCS 30 kHz

Band width [MHz]	carrier Bandwidth [PRBs]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	point A [MHz]	absolute Frequency Point A [ARFCN]	offsetTo Carrier [PRBs]	SS block SCS [kHz]	GSCN	absolute Frequency SSB [ARFCN]
20	51	Downlink & Uplink	Low	2580	516000	2570.82	514164	0	30	6438	515070
			Mid	2595	519000	2549.1	509820	102		6474	517950
			High	2610	522000	2419.38	483876	504		6513	521070
30	78	Downlink & Uplink	Low	2585	517000	2570.92	514184	0	30	6439	515090
			Mid	2595	519000	2539.2	507840	102		6450	516030
			High	2605	521000	2399.48	479896	504		6461	516970
40	106	Downlink & Uplink	Low	2590	518000	2570.92	514184	0	30	6439	515090
			Mid	2595	519000	2539.2	507840	102		6450	516030
			High	2600	520000	2399.48	479896	504		6461	516970

Test frequencies for NR operating band n41 and SCS 30 kHz

Band width [MHz]	carrier Bandwidth [PRBs]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	point A [MHz]	absolute FrequencyPoint A [ARFCN]	offsetTo Carrier [Carrier PRBs]	SS block SCS [kHz]	GSCN	absolute FrequencySSB [ARFCN]
10	24	Downlink & Uplink	Low	2501.01	500202	2496.69	499338	0	30	6252	500190
			Mid	2592.99	518598	2551.95	510390	102		6483	518670
			High	2685	537000	2499.24	499848	504		6711	536910
15	38	Downlink & Uplink	Low	2503.5	500700	2496.66	499332	0	30	6252	500190
			Mid	2592.99	518598	2549.43	509886	102		6474	517950
			High	2682.48	536496	2494.2	498840	504		6699	535950
20	51	Downlink & Uplink	Low	2506.02	501204	2496.84	499368	0	30	6252	500190
			Mid	2592.99	518598	2547.09	509418	102		6471	517710
			High	2679.99	535998	2489.37	497874	504		6687	534990
40	106	Downlink & Uplink	Low	2516.01	503202	2496.93	499386	0	30	6252	500190
			Mid	2592.99	518598	2537.19	507438	102		6444	515550
			High	2670	534000	2469.48	493896	504		6636	530910
50	133	Downlink & Uplink	Low	2521.02	504204	2497.08	499416	0	30	6252	500190
			Mid	2592.99	518598	2532.33	506466	102		6432	514590
			High	2664.99	532998	2459.61	491922	504		6612	528990
60	162	Downlink & Uplink	Low	2526	505200	2496.84	499368	0	30	6252	500190
			Mid	2592.99	518598	2527.11	505422	102		6420	513630
			High	2659.98	531996	2449.38	489876	504		6588	527070
80	217	Downlink & Uplink	Low	2536.02	507204	2496.96	499392	0	30	6252	500190
			Mid	2592.99	518598	2517.21	503442	102		6396	511710
			High	2649.99	529998	2429.49	485898	504		6537	522990
90	245	Downlink & Uplink	Low	2541	508200	2496.9	499380	0	30	6252	500190
			Mid	2592.99	518598	2512.17	502434	102		6381	510510
			High	2644.98	528996	2419.44	483888	504		6513	521070
100	273	Downlink & Uplink	Low	2546.01	509202	2496.87	499374	0	30	6252	500190
			Mid	2592.99	518598	2507.13	501426	102		6369	509550
			High	2640	528000	2409.42	481884	504		6486	518910

Test frequencies for NR operating band n66 and SCS 15 kHz

Band width [MHz]	carrier Bandwidth [PRBs]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	point A [MHz]	absolute FrequencyPoint A [ARFCN]	offsetTo Carrier [PRBs]	SS block SCS [kHz]	GSCN	absolute FrequencySSB [ARFCN]
5	25	Downlink	Low	2112.5	422500	2110.25	422050	0	15	5279	422410
			Mid	2145	429000	2124.39	424878	102		5361	428910
			High	2177.5	435500	2084.53	416906	504		5443	435410
		Uplink	Low	1712.5	342500	1710.25	342050	0	-	-	-
			Mid	1745	349000	1652.03	330406	504		-	-
			High	1777.5	355500	1774.17	354834	6		-	-
10	52	Downlink	Low	2115	423000	2110.32	422064	0	15	5280	422430
			Mid	2145	429000	2121.96	424392	102		5355	428430
			High	2175	435000	2079.6	415920	504		5430	434430
		Uplink	Low	1715	343000	1710.32	342064	0	-	-	-
			Mid	1745	349000	1649.6	329920	504		-	-
			High	1775	355000	1769.24	353848	6		-	-
15	79	Downlink	Low	2117.5	423500	2110.39	422078	0	15	5281	422450
			Mid	2145	429000	2119.53	423906	102		5349	427950
			High	2172.5	434500	2074.67	414934	504		5417	433450
		Uplink	Low	1717.5	343500	1710.39	342078	0	-	-	-
			Mid	1745	349000	1647.17	329434	504		-	-
			High	1772.5	354500	1764.31	352862	6		-	-
20	106	Downlink	Low	2120	424000	2110.46	422092	0	15	5282	422650
			Mid	2145	429000	2117.1	423420	102		5343	427470
			High	2170	434000	2069.74	413948	504		5407	432530
		Uplink	Low	1720	344000	1710.46	342092	0	-	-	-
			Mid	1745	349000	1644.74	328948	504		-	-
			High	1770	354000	1759.38	351876	6		-	-

Test frequencies for NR operating band n78 and SCS 30 kHz

Bandwidth [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
20	Downlink & Uplink	Low	3459.99	630666	30
		Mid	3500.01	633334	
		High	3540	636000	
30	Downlink & Uplink	Low	3465	631000	30
		Mid	3500.01	633334	
		High	3534.99	635666	
40	Downlink & Uplink	Low	3470.01	631334	30
		Mid	3500.01	633334	
		High	3530.01	635334	
50	Downlink & Uplink	Low	3474.99	631666	30
		Mid	3500.01	633334	
		High	3525	635000	
60	Downlink & Uplink	Low	3480	632000	30
		Mid	3500.01	633334	
		High	3519.99	634666	
70	Downlink & Uplink	Low	3484.995	632333	30
		Mid	3500.01	633334	
		High	3514.995	634333	
80	Downlink & Uplink	Low	3489.99	632666	30
		Mid	3500.01	633334	
		High	3510	634000	
90	Downlink & Uplink	Low	3495	633000	30
		Mid	3500.01	633334	
		High	3504.99	633666	
100	Downlink & Uplink	Low	\	\	30
		Mid	3500.01	633334	
		High	\	\	

5.3 Test environment and mode, and test samples plans

Operating Environment:	
Temperature:	Normal: 15°C ~ 35°C, Extreme: -30°C ~ +50°C
Humidity:	20 % ~ 75 % RH
Atmospheric Pressure:	1008 mbar
Voltage:	Nominal: 3.85Vdc, Extreme: Low 3.4Vdc, High 4.4Vdc
Test mode:	
TM1	DFT-s-Pi/2-BPSK modulation
TM2	DFT-s-QPSK modulation
TM3	DFT-s-16QAM modulation
TM4	DFT-s-64QAM modulation
TM5	DFT-s-256QAM modulation
TM6	CP-QPSK modulation
TM7	CP-16QAM modulation
TM8	CP-64QAM modulation
TM9	CP-256QAM modulation
Remark: The EUT has been tested under continuous transmitting mode. Channel Low, Mid and High for each type band with rated data rate were chosen for full testing. The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for these modes. Just the worst case position (H mode) shown in report.	

5.4 Description of Support Units

Test Equipment	Manufacturer	Model No.	Serial No.
UXM 5G Wireless Test Platform	KEYSIGHT	E7515B	MY60192444

5.5 Measurement Uncertainty

Parameter	Expanded Uncertainty (Confidence of 95%(U = 2Uc(y)))
Radiated Emission (9kHz ~ 30MHz) (3m SAC)	±3.13 dB
Radiated Emission (30MHz ~ 1000MHz) (3m SAC)	±4.45 dB
Radiated Emission (1GHz ~ 18GHz) (3m SAC)	±5.34 dB
Radiated Emission (18GHz ~ 40GHz) (3m SAC)	±5.34 dB
Note: The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.26-2015. All the measurement uncertainty value were shown with a coverage k=2 to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.	

5.6 Related Submittal(s) / Grant (s)

This is an original grant, no related submittals and grants.
--

5.7 Additions to, deviations, or exclusions from the method

No

5.8 Laboratory Facility

The test facility is recognized, certified, or accredited by the following organizations:

● **FCC - Designation No.: CN1211**

JianYan Testing Group Shenzhen Co., Ltd. has been accredited as a testing laboratory by FCC (Federal Communications Commission). The test firm Registration No. is 727551.

● **ISED – CAB identifier.: CN0021**

The 3m Semi-anechoic chamber of JianYan Testing Group Shenzhen Co., Ltd. has been Registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 10106A-1.

● **A2LA - Registration No.: 4346.01**

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. The test scope can be found as below link: <https://portal.a2la.org/scopepdf/4346-01.pdf>

5.9 Laboratory Location

JianYan Testing Group Shenzhen Co., Ltd.

Address: No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.

Tel: +86-755-23118282, Fax: +86-755-23116366



Email: info-JYTee@lets.com, Website: <http://www.ccis-cb.com>

5.10 Test Instruments list

Radiated Emission:					
Test Equipment	Manufacturer	Model No.	Management Number	Cal.Date (mm-dd-yy)	Cal. Due date (mm-dd-yy)
3m SAC	SAEMC	9m*6m*6m	WXJ001-1	01-19-2021	01-18-2024
BiConiLog Antenna	SCHWARZBECK	VULB9163	WXJ002	03-03-2021	03-02-2022
Biconical Antenna	SCHWARZBECK	VUBA9117	WXJ002-1	06-20-2021	06-19-2022
Horn Antenna	SCHWARZBECK	BBHA9120D	WXJ002-2	03-03-2021	03-02-2022
Horn Antenna	SCHWARZBECK	BBHA9120D	WXJ002-3	06-18-2021	06-17-2022
Loop Antenna	SCHWARZBECK	FMZB 1519 B	WXJ002-4	03-07-2021	03-06-2022
Pre-amplifier (30MHz ~ 1GHz)	HP	8447D	WXG001-2	03-07-2021	03-06-2022
Pre-amplifier (1GHz ~ 18GHz)	SKET	LNPA_0118G-50	WXG001-3	03-07-2021	03-06-2022
Pre-amplifier (18GHz ~ 40GHz)	RF System	TRLA-180400G45B	WXG001-9	03-07-2021	03-06-2022
EMI Test Receiver	Rohde & Schwarz	ESRP7	WXJ003-1	03-03-2021	03-02-2022
Spectrum analyzer	Rohde & Schwarz	FSP30	WXJ004	03-03-2021	03-02-2022
Spectrum Analyzer	KEYSIGHT	N9010B	WXJ004-2	11-27-2020	11-26-2021
Signal Generator	Agilent	N5173B	WXJ006-7	03-25-2021	03-24-2022
UXM 5G Wireless Test Platform	KEYSIGHT	E7515B	MY60192444	11-27-2020	11-26-2021
Coaxial Cable (30MHz ~ 1GHz)	JYT	JYT3M-1G-NN-8M	WXG001-4	03-07-2021	03-06-2022
Coaxial Cable (1GHz ~ 18GHz)	JYT	JYT3M-18G-NN-8M	WXG001-5	03-07-2021	03-06-2022
Coaxial Cable (9kHz ~ 30MHz)	JYT	JYT3M-1G-BB-5M	WXG001-6	03-07-2021	03-06-2022
Coaxial Cable (1GHz ~ 18GHz)	JYT	JYT3M-40G-SS-8M	WXG001-7	03-07-2021	03-06-2022
RF Switch Unit	Tonscend	JS0806-F	WXJ089	N/A	
Test Software	Tonscend	TS+	Version: 3.0.0.1		

6. Test results

6.1 Field strength of spurious radiation measurement

<p>Test Requirement:</p>	<p>Part 2.1053, Part 22.917(a), Part 24.238 (a), Part 27.53 (h), Part 27.53(m), Part 27.53(n)</p>
<p>Limit:</p>	<p>5G NR n2, n5, n66,n78: -13dBm 5G NR n7, n38, n41: For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz.</p>
<p>Test setup:</p>	<p>Below 1GHz</p>  <p>Above 1GHz</p> 
<p>Test Procedure:</p>	<ol style="list-style-type: none"> 1. The EUT was placed on the top of a rotating table 0.8m(below 1GHz)/1.5m(above 1GHz) above the ground at a 3 meter camber. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer. 2. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations. 3. The frequency range up to tenth harmonic was investigated for each of three fundamental frequency (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

	<p>4. The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency. $ERP / EIRP = S.G. \text{ output (dBm)} + \text{Antenna Gain(dB/dBi)} - \text{Cable Loss (dB)}$</p>
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details.
Test results:	Passed
Remark:	Pre-Scan all modulation and all Bandwidth, And the report only reflects the worst mode

Measurement Data:

N2_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
2397.4247	20.92	-47.50	-13.00	34.50	Horizontal
3940.5470	51.62	-65.31	-13.00	52.31	Horizontal
5863.6432	49.39	-60.22	-13.00	47.22	Horizontal
7599.9800	46.92	-56.60	-13.00	43.60	Horizontal
10627.1314	46.73	-50.60	-13.00	37.60	Horizontal
14157.5579	43.96	-46.90	-13.00	33.90	Horizontal
2399.6750	20.92	-47.45	-13.00	34.45	Vertical
4023.0512	51.94	-64.97	-13.00	51.97	Vertical
6042.9021	49.25	-59.40	-13.00	46.40	Vertical
7741.7371	46.92	-56.56	-13.00	43.56	Vertical
10612.8806	47.02	-50.32	-13.00	37.32	Vertical
15291.6146	44.67	-46.40	-13.00	33.40	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report
- Quoting the FCC ID: 2AJOTTA-1390 report.

N2_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1090.7613	20.92	-50.72	-13.00	37.72	Horizontal
1636.8296	21.01	-49.29	-13.00	36.29	Horizontal
2953.4942	20.80	-46.50	-13.00	33.50	Horizontal
3741.0371	55.89	-61.71	-13.00	48.71	Horizontal
9521.5761	47.34	-52.45	-13.00	39.45	Horizontal
16400.9200	47.53	-42.85	-13.00	29.85	Horizontal
1086.5108	20.94	-50.60	-13.00	37.60	Vertical
1731.5914	20.92	-49.15	-13.00	36.15	Vertical
2952.9941	20.71	-46.59	-13.00	33.59	Vertical
3778.5389	52.26	-65.28	-13.00	52.28	Vertical
10252.1126	46.68	-51.24	-13.00	38.24	Vertical
16399.4200	47.26	-43.11	-13.00	30.11	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

N2_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
2398.1748	20.91	-47.49	-13.00	34.49	Horizontal
3956.2978	51.47	-65.45	-13.00	52.45	Horizontal
5478.1239	49.66	-60.73	-13.00	47.73	Horizontal
7818.2409	47.65	-55.56	-13.00	42.56	Horizontal
11253.4127	46.90	-49.03	-13.00	36.03	Horizontal
14612.0806	45.18	-46.39	-13.00	33.39	Horizontal
2334.1668	21.62	-47.24	-13.00	34.24	Vertical
4303.5652	51.70	-64.01	-13.00	51.01	Vertical
6465.9233	48.99	-58.49	-13.00	45.49	Vertical
10249.1125	46.06	-51.84	-13.00	38.84	Vertical
14544.5772	44.54	-46.31	-13.00	33.31	Vertical
17813.2407	47.81	-45.52	-13.00	32.52	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

N5_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1053.4027	21.61	-68.67	-13.00	55.67	Horizontal
1766.0383	27.23	-61.87	-13.00	48.87	Horizontal
2991.3996	21.97	-63.61	-13.00	50.61	Horizontal
5422.8211	49.58	-61.13	-13.00	48.13	Horizontal
7495.2748	49.28	-54.40	-13.00	41.40	Horizontal
9974.4487	46.95	-51.93	-13.00	38.93	Horizontal
1085.9043	22.30	-68.08	-13.00	55.08	Vertical
1937.5469	23.15	-65.16	-13.00	52.16	Vertical
2987.6994	21.80	-63.79	-13.00	50.79	Vertical
4465.5233	51.68	-62.92	-13.00	49.92	Vertical
7471.4736	49.63	-54.28	-13.00	41.28	Vertical
9912.4956	46.81	-52.16	-13.00	39.16	Vertical

Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.

N5_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1063.3032	21.53	-68.78	-13.00	55.78	Horizontal
1893.4447	21.66	-66.81	-13.00	53.81	Horizontal
2968.4984	22.10	-63.55	-13.00	50.55	Horizontal
4453.9727	51.67	-62.98	-13.00	49.98	Horizontal
7466.5733	49.28	-54.68	-13.00	41.68	Horizontal
9943.6472	46.85	-52.05	-13.00	39.05	Horizontal
1093.3047	22.10	-68.31	-13.00	55.31	Vertical
1936.7468	22.88	-65.44	-13.00	52.44	Vertical
2976.3988	21.76	-63.87	-13.00	50.87	Vertical
3959.3980	52.17	-64.74	-13.00	51.74	Vertical
6729.7865	49.19	-57.26	-13.00	44.26	Vertical
9618.8309	47.21	-52.00	-13.00	39.00	Vertical

Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.

N5_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1103.4052	22.21	-68.18	-13.00	55.18	Horizontal
1975.0488	22.41	-65.90	-13.00	52.90	Horizontal
2998.3999	21.83	-63.73	-13.00	50.73	Horizontal
4568.4284	52.01	-62.43	-13.00	49.43	Horizontal
6520.8260	49.58	-57.26	-13.00	44.26	Horizontal
9850.1925	47.17	-51.88	-13.00	38.88	Horizontal
1146.8073	21.93	-67.95	-13.00	54.95	Vertical
2431.2716	24.43	-62.60	-13.00	49.60	Vertical
2971.7986	21.93	-63.71	-13.00	50.71	Vertical
4087.1544	52.07	-64.71	-13.00	51.71	Vertical
6500.5250	49.25	-57.15	-13.00	44.15	Vertical
9606.2303	47.06	-52.17	-13.00	39.17	Vertical

Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.

N7_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1090.0113	20.80	-50.84	-25.00	25.84	Horizontal
2267.6585	20.89	-48.17	-25.00	23.17	Horizontal
2949.9937	20.99	-46.29	-25.00	21.29	Horizontal
4454.3227	51.06	-63.59	-25.00	38.59	Horizontal
10624.8812	47.03	-50.30	-25.00	25.30	Horizontal
16406.9203	47.57	-42.92	-25.00	17.92	Horizontal
1151.0189	20.94	-50.37	-25.00	25.37	Vertical
1802.3503	20.82	-48.97	-25.00	23.97	Vertical
2924.4906	21.21	-46.13	-25.00	21.13	Vertical
4749.8375	50.70	-62.64	-25.00	37.64	Vertical
10586.6293	46.85	-50.61	-25.00	25.61	Vertical
16392.6696	47.49	-43.02	-25.00	18.02	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

N7_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1760.8451	20.65	-49.21	-25.00	24.21	Horizontal
4150.5575	50.76	-65.07	-25.00	40.07	Horizontal
5051.3526	56.83	-56.09	-25.00	31.09	Horizontal
7959.248	48.32	-54.74	-25.00	29.74	Horizontal
12426.4713	45.88	-47.32	-25.00	22.32	Horizontal
16411.4206	47.06	-43.51	-25.00	18.51	Horizontal
1508.3135	20.77	-49.59	-25.00	24.59	Vertical
4324.5662	51.45	-64.17	-25.00	39.17	Vertical
6981.9491	48.96	-57.06	-25.00	32.06	Vertical
10251.3626	45.93	-51.98	-25.00	26.98	Vertical
13367.7684	45.74	-46.40	-25.00	21.40	Vertical
16403.1702	46.77	-43.65	-25.00	18.65	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

N7_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1352.7941	20.82	-50.23	-25.00	25.23	Horizontal
3639.032	52.11	-65.41	-25.00	40.41	Horizontal
5685.1343	49.20	-60.01	-25.00	35.01	Horizontal
8385.2693	48.33	-53.99	-25.00	28.99	Horizontal
12195.4598	45.00	-48.43	-25.00	23.43	Horizontal
16396.4198	46.36	-44.07	-25.00	19.07	Horizontal
1507.5634	20.48	-49.91	-25.00	24.91	Vertical
4119.056	50.99	-65.38	-25.00	40.38	Vertical
6494.4247	48.73	-57.84	-25.00	32.84	Vertical
7885.7443	48.39	-54.77	-25.00	29.77	Vertical
11206.1603	46.43	-49.39	-25.00	24.39	Vertical
16394.9197	46.93	-43.53	-25.00	18.53	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

N38_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
4077.0539	51.31	-65.53	-25.00	40.53	Horizontal
5142.1071	57.62	-54.73	-25.00	29.73	Horizontal
7473.2237	48.36	-55.53	-25.00	30.53	Horizontal
9022.8011	47.69	-52.89	-25.00	27.89	Horizontal
13000.2500	44.98	-46.87	-25.00	21.87	Horizontal
16395.6698	46.40	-44.05	-25.00	19.05	Horizontal
1443.8055	20.31	-50.46	-25.00	25.46	Vertical
4132.5566	51.54	-64.59	-25.00	39.59	Vertical
5671.6336	49.01	-60.38	-25.00	35.38	Vertical
7455.9728	47.87	-56.19	-25.00	31.19	Vertical
10472.6236	45.87	-51.83	-25.00	26.83	Vertical
16401.6701	46.35	-44.04	-25.00	19.04	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

N38_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1081.5102	20.43	-50.97	-25.00	25.97	Horizontal
1976.1220	20.73	-48.51	-25.00	23.51	Horizontal
2999.4999	20.65	-46.50	-25.00	21.50	Horizontal
3383.2692	52.86	-65.74	-25.00	40.74	Horizontal
7757.4879	53.14	-50.31	-25.00	25.31	Horizontal
16424.9212	47.67	-43.15	-25.00	18.15	Horizontal
1088.2610	20.78	-50.81	-25.00	25.81	Vertical
2116.3895	20.99	-48.30	-25.00	23.30	Vertical
2996.9996	20.89	-46.33	-25.00	21.33	Vertical
3614.2807	52.28	-65.52	-25.00	40.52	Vertical
6777.1889	49.14	-57.38	-25.00	32.38	Vertical
16419.6710	47.56	-43.17	-25.00	18.17	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

N38_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1771.0964	20.75	-49.00	-25.00	24.00	Horizontal
3791.2896	51.87	-65.71	-25.00	40.71	Horizontal
5172.1086	55.64	-56.37	-25.00	31.37	Horizontal
7758.2379	50.90	-52.55	-25.00	27.55	Horizontal
11100.4050	45.71	-50.67	-25.00	25.67	Horizontal
16391.9196	46.43	-44.10	-25.00	19.10	Horizontal
1681.0851	20.49	-49.50	-25.00	24.50	Vertical
5172.1086	51.68	-60.33	-25.00	35.33	Vertical
7758.2379	49.46	-53.99	-25.00	28.99	Vertical
10627.1314	46.16	-51.17	-25.00	26.17	Vertical
13359.5180	45.50	-46.71	-25.00	21.71	Vertical
16388.1694	46.85	-43.75	-25.00	18.75	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

N41_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1089.7612	20.93	-50.70	-25.00	25.70	Horizontal
2230.4038	20.68	-48.02	-25.00	23.02	Horizontal
2933.9917	20.76	-46.52	-25.00	21.52	Horizontal
4827.0914	51.15	-62.30	-25.00	37.30	Horizontal
11218.9109	47.26	-48.59	-25.00	23.59	Horizontal
16429.4215	48.49	-42.42	-25.00	17.42	Horizontal
1086.2608	20.61	-50.92	-25.00	25.92	Vertical
1767.0959	20.60	-49.18	-25.00	24.18	Vertical
2930.9914	20.82	-46.44	-25.00	21.44	Vertical
3992.2996	51.74	-65.10	-25.00	40.10	Vertical
8363.5182	48.89	-53.54	-25.00	28.54	Vertical
16409.9205	47.22	-43.32	-25.00	18.32	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

N41_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1628.5786	20.66	-49.81	-25.00	24.81	Horizontal
4152.8076	50.80	-65.02	-25.00	40.02	Horizontal
5088.1044	53.04	-59.60	-25.00	34.60	Horizontal
7632.2316	48.44	-55.36	-25.00	30.36	Horizontal
10619.6310	46.64	-50.69	-25.00	25.69	Horizontal
15017.1009	44.70	-45.55	-25.00	20.55	Horizontal
1680.3350	20.52	-49.47	-25.00	24.47	Vertical
4040.3020	50.95	-66.02	-25.00	41.02	Vertical
5239.6120	48.80	-62.84	-25.00	37.84	Vertical
7536.9768	47.96	-56.25	-25.00	31.25	Vertical
9874.0937	46.03	-53.00	-25.00	28.00	Vertical
16541.9271	45.59	-45.24	-25.00	20.24	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

N41_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1468.3085	20.17	-50.51	-25.00	25.51	Horizontal
5181.8591	52.07	-59.81	-25.00	34.81	Horizontal
6729.9365	48.31	-58.13	-25.00	33.13	Horizontal
9397.0699	46.34	-53.39	-25.00	28.39	Horizontal
12439.2220	45.20	-47.90	-25.00	22.90	Horizontal
16356.6678	47.25	-44.00	-25.00	19.00	Horizontal
1980.3725	20.71	-48.59	-25.00	23.59	Vertical
5181.8591	53.68	-58.20	-25.00	33.20	Vertical
6963.9482	48.76	-57.35	-25.00	32.35	Vertical
10635.3818	46.33	-51.00	-25.00	26.00	Vertical
14512.3256	44.98	-46.86	-25.00	21.86	Vertical
16402.4201	46.26	-44.15	-25.00	19.15	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

N66_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
2113.6392	26.19	-43.22	-13.00	30.22	Horizontal
3420.7710	55.21	-63.45	-13.00	50.45	Horizontal
5131.6066	52.40	-60.00	-13.00	47.00	Horizontal
9016.8008	47.23	-53.33	-13.00	40.33	Horizontal
12992.7496	44.62	-47.32	-13.00	34.32	Horizontal
16400.9200	46.69	-43.69	-13.00	30.69	Horizontal
2113.6392	25.63	-43.78	-13.00	30.78	Vertical
4313.3157	51.37	-64.30	-13.00	51.30	Vertical
6231.1616	48.81	-59.52	-13.00	46.52	Vertical
7478.4739	48.48	-55.36	-13.00	42.36	Vertical
10392.3696	45.14	-52.47	-13.00	39.47	Vertical
16405.4203	46.56	-43.90	-13.00	30.90	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

N66_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1074.5093	20.92	-50.85	-13.00	37.85	Horizontal
2136.1420	26.26	-42.86	-13.00	29.86	Horizontal
2999.7500	20.44	-46.70	-13.00	33.70	Horizontal
5206.6103	55.53	-56.10	-13.00	43.10	Horizontal
10707.3854	47.38	-50.34	-13.00	37.34	Horizontal
16403.1702	47.40	-43.02	-13.00	30.02	Horizontal
1151.5189	21.07	-50.25	-13.00	37.25	Vertical
2138.6423	26.79	-42.29	-13.00	29.29	Vertical
2919.2399	20.91	-46.51	-13.00	33.51	Vertical
3899.2950	51.75	-65.19	-13.00	52.19	Vertical
11336.6668	47.69	-47.99	-13.00	34.99	Vertical
16403.1702	47.54	-42.88	-13.00	29.88	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

N66_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
2161.1451	25.50	-43.69	-13.00	30.69	Horizontal
4419.0710	51.28	-63.66	-13.00	50.66	Horizontal
6972.1986	48.58	-57.49	-13.00	44.49	Horizontal
8413.0207	47.79	-54.50	-13.00	41.50	Horizontal
12844.9923	44.92	-47.73	-13.00	34.73	Horizontal
16415.1708	46.82	-43.82	-13.00	30.82	Horizontal
2161.3952	24.84	-44.35	-13.00	31.35	Vertical
3528.0264	52.75	-65.08	-13.00	52.08	Vertical
5597.3799	49.88	-60.33	-13.00	47.33	Vertical
8389.0195	48.06	-54.24	-13.00	41.24	Vertical
11236.9118	46.23	-49.67	-13.00	36.67	Vertical
15032.1016	45.04	-45.32	-13.00	32.32	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

N78_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1085.7543	21.45	-50.07	-13.00	37.07	Horizontal
2319.8160	22.44	-46.37	-13.00	33.37	Horizontal
4798.6899	20.05	-42.40	-13.00	29.40	Horizontal
5941.9971	20.11	-38.53	-13.00	25.53	Horizontal
9032.9016	47.60	-52.90	-13.00	39.90	Horizontal
14987.4994	44.29	-46.53	-13.00	33.53	Horizontal
1104.5052	21.57	-50.07	-13.00	37.07	Vertical
2228.8114	22.33	-46.40	-13.00	33.40	Vertical
5712.9856	21.10	-37.97	-13.00	24.97	Vertical
8355.8178	47.56	-54.63	-13.00	41.63	Vertical
12394.1197	45.75	-47.87	-13.00	34.87	Vertical
17162.3081	48.18	-44.28	-13.00	31.28	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_5A_n2A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1070.7588	20.85	-51.21	-13.00	38.21	Horizontal
1737.0921	20.87	-49.13	-13.00	36.13	Horizontal
2950.7438	20.87	-46.42	-13.00	33.42	Horizontal
3701.2851	65.60	-52.59	-13.00	39.59	Horizontal
9046.8023	47.91	-52.75	-13.00	39.75	Horizontal
16427.1714	46.87	-44.00	-13.00	31.00	Horizontal
1026.5033	20.78	-51.48	-13.00	38.48	Vertical
1685.0856	20.65	-49.33	-13.00	36.33	Vertical
2999.2499	20.91	-46.24	-13.00	33.24	Vertical
3701.2851	74.43	-43.76	-13.00	30.76	Vertical
7989.9995	48.79	-54.09	-13.00	41.09	Vertical
16391.9196	47.06	-43.47	-13.00	30.47	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_5A_n2A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1076.0095	20.13	-51.53	-13.00	38.53	Horizontal
1599.0749	20.71	-49.85	-13.00	36.85	Horizontal
2998.7498	20.48	-46.69	-13.00	33.69	Horizontal
3741.0371	56.20	-61.40	-13.00	48.40	Horizontal
9552.3276	47.30	-52.48	-13.00	39.48	Horizontal
16418.9209	47.67	-43.04	-13.00	30.04	Horizontal
1168.5211	21.11	-50.21	-13.00	37.21	Vertical
1619.3274	20.66	-49.61	-13.00	36.61	Vertical
2999.7500	20.70	-46.44	-13.00	33.44	Vertical
5611.6306	55.46	-54.62	-13.00	41.62	Vertical
10018.8509	47.19	-51.56	-13.00	38.56	Vertical
16409.9205	47.13	-43.41	-13.00	30.41	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_5A_n2A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1087.7610	20.69	-50.88	-13.00	37.88	Horizontal
1699.8375	20.38	-49.53	-13.00	36.53	Horizontal
2927.7410	21.04	-46.25	-13.00	33.25	Horizontal
3780.7890	72.17	-45.38	-13.00	32.38	Horizontal
7974.2487	48.76	-54.21	-13.00	41.21	Horizontal
16427.9214	47.48	-43.40	-13.00	30.40	Horizontal
1074.7593	20.30	-51.46	-13.00	38.46	Vertical
1625.8282	20.62	-49.78	-13.00	36.78	Vertical
2994.7493	20.69	-46.60	-13.00	33.60	Vertical
3780.7890	71.32	-46.23	-13.00	33.23	Vertical
7872.9937	48.81	-54.26	-13.00	41.26	Vertical
16415.1708	47.09	-43.55	-13.00	30.55	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_7A_n2A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1241.0301	21.03	-50.35	-13.00	37.35	Horizontal
2907.4884	20.74	-46.81	-13.00	33.81	Horizontal
5671.6336	50.70	-58.69	-13.00	45.69	Horizontal
7598.4799	57.63	-45.92	-13.00	32.92	Horizontal
13349.7675	45.68	-46.62	-13.00	33.62	Horizontal
16400.1700	47.11	-43.25	-13.00	30.25	Horizontal
1151.2689	21.52	-49.80	-13.00	36.80	Vertical
2866.9834	20.90	-46.83	-13.00	33.83	Vertical
5671.6336	51.38	-58.01	-13.00	45.01	Vertical
7598.4799	58.31	-45.24	-13.00	32.24	Vertical
13372.2686	45.68	-46.42	-13.00	33.42	Vertical
16361.1681	47.00	-44.16	-13.00	31.16	Vertical

Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.

DC_7A_n2A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1193.0241	20.82	-50.77	-13.00	37.77	Horizontal
2998.4998	21.06	-46.12	-13.00	33.12	Horizontal
5256.8628	71.24	-40.42	-13.00	27.42	Horizontal
7598.4799	60.21	-43.34	-13.00	30.34	Horizontal
13367.0184	45.53	-46.62	-13.00	33.62	Horizontal
16515.6758	46.65	-44.38	-13.00	31.38	Horizontal
1165.0206	20.81	-50.60	-13.00	37.60	Vertical
2955.9945	20.68	-46.64	-13.00	33.64	Vertical
5611.6306	53.13	-56.95	-13.00	43.95	Vertical
7598.4799	58.43	-45.12	-13.00	32.12	Vertical
13348.2674	46.18	-46.11	-13.00	33.11	Vertical
16400.9200	47.21	-43.17	-13.00	30.17	Vertical

Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.

DC_7A_n2A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1166.5208	20.71	-50.66	-13.00	37.66	Horizontal
2923.4904	20.69	-46.66	-13.00	33.66	Horizontal
5671.6336	51.50	-57.89	-13.00	44.89	Horizontal
7598.4799	60.95	-42.60	-13.00	29.60	Horizontal
13371.5186	45.65	-46.46	-13.00	33.46	Horizontal
16397.9199	47.18	-43.22	-13.00	30.22	Horizontal
1526.5658	20.69	-49.69	-13.00	36.69	Vertical
2945.2432	20.81	-46.49	-13.00	33.49	Vertical
5671.6336	52.90	-56.49	-13.00	43.49	Vertical
7598.4799	59.61	-43.94	-13.00	30.94	Vertical
14665.3333	45.36	-45.99	-13.00	32.99	Vertical
17990.2495	48.49	-44.83	-13.00	31.83	Vertical

Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.

DC_12A_n2A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1082.5103	20.47	-50.96	-13.00	37.96	Horizontal
1519.0649	20.89	-49.71	-13.00	36.71	Horizontal
2933.7417	20.74	-46.54	-13.00	33.54	Horizontal
3701.2851	65.47	-52.72	-13.00	39.72	Horizontal
8404.7702	48.52	-53.74	-13.00	40.74	Horizontal
16396.4198	46.90	-43.53	-13.00	30.53	Horizontal
1082.5103	20.46	-50.97	-13.00	37.97	Vertical
1599.8250	20.58	-49.98	-13.00	36.98	Vertical
2998.4998	20.60	-46.58	-13.00	33.58	Vertical
3701.2851	69.94	-48.25	-13.00	35.25	Vertical
9037.0519	47.76	-52.87	-13.00	39.87	Vertical
16409.9205	47.00	-43.54	-13.00	30.54	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_12A_n2A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1071.0089	20.69	-51.35	-13.00	38.35	Horizontal
1508.8136	20.55	-49.79	-13.00	36.79	Horizontal
2999.2499	20.46	-46.69	-13.00	33.69	Horizontal
3741.0371	70.78	-46.82	-13.00	33.82	Horizontal
10624.8812	47.24	-50.09	-13.00	37.09	Horizontal
16400.1700	46.88	-43.48	-13.00	30.48	Horizontal
1086.7608	20.96	-50.59	-13.00	37.59	Vertical
1698.0873	20.65	-49.27	-13.00	36.27	Vertical
2998.9999	20.62	-46.54	-13.00	33.54	Vertical
3741.0371	67.96	-49.64	-13.00	36.64	Vertical
9617.5809	46.76	-52.46	-13.00	39.46	Vertical
17981.9991	48.84	-44.28	-13.00	31.28	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_12A_n2A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1164.5206	20.59	-50.83	-13.00	37.83	Horizontal
2667.2084	21.11	-47.05	-13.00	34.05	Horizontal
3780.7890	56.25	-61.30	-13.00	48.30	Horizontal
5671.6336	53.03	-56.36	-13.00	43.36	Horizontal
11929.9465	46.91	-46.91	-13.00	33.91	Horizontal
16284.6642	46.19	-44.83	-13.00	31.83	Horizontal
1177.5222	20.89	-50.65	-13.00	37.65	Vertical
2633.2042	21.57	-46.70	-13.00	33.70	Vertical
3780.7890	54.01	-63.54	-13.00	50.54	Vertical
5671.6336	55.17	-54.22	-13.00	41.22	Vertical
11135.6568	46.36	-49.57	-13.00	36.57	Vertical
16421.9211	47.96	-42.81	-13.00	29.81	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_13A_n2A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1151.0189	20.58	-50.73	-13.00	37.73	Horizontal
1696.0870	20.59	-49.34	-13.00	36.34	Horizontal
2972.2465	20.90	-46.61	-13.00	33.61	Horizontal
3701.2851	70.09	-48.10	-13.00	35.10	Horizontal
8989.0495	47.73	-52.88	-13.00	39.88	Horizontal
16409.9205	47.17	-43.37	-13.00	30.37	Horizontal
1065.0081	20.77	-51.32	-13.00	38.32	Vertical
1632.5791	21.02	-49.41	-13.00	36.41	Vertical
2938.2423	20.68	-46.63	-13.00	33.63	Vertical
3701.2851	65.02	-53.17	-13.00	40.17	Vertical
5551.6276	55.92	-54.26	-13.00	41.26	Vertical
16411.4206	47.14	-43.43	-13.00	30.43	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_13A_n2A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1078.5098	20.49	-50.98	-13.00	37.98	Horizontal
1510.3138	20.42	-49.89	-13.00	36.89	Horizontal
2932.4916	21.13	-46.14	-13.00	33.14	Horizontal
3741.0371	66.74	-50.86	-13.00	37.86	Horizontal
6879.1940	49.86	-56.97	-13.00	43.97	Horizontal
16413.6707	47.34	-43.27	-13.00	30.27	Horizontal
1079.0099	20.47	-50.96	-13.00	37.96	Vertical
1681.8352	20.55	-49.44	-13.00	36.44	Vertical
2996.7496	20.92	-46.31	-13.00	33.31	Vertical
3741.0371	69.87	-47.73	-13.00	34.73	Vertical
8974.7987	48.24	-52.50	-13.00	39.50	Vertical
16397.9199	47.22	-43.18	-13.00	30.18	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_13A_n2A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1190.5238	20.67	-50.86	-13.00	37.86	Horizontal
2387.4234	21.07	-47.58	-13.00	34.58	Horizontal
3781.5391	54.29	-63.26	-13.00	50.26	Horizontal
5671.6336	57.56	-51.83	-13.00	38.83	Horizontal
11359.9180	46.13	-49.45	-13.00	36.45	Horizontal
16405.4203	47.25	-43.21	-13.00	30.21	Horizontal
1289.5362	20.71	-50.75	-13.00	37.75	Vertical
2623.4529	21.02	-47.18	-13.00	34.18	Vertical
3762.0381	51.96	-65.54	-13.00	52.54	Vertical
5671.6336	57.87	-51.52	-13.00	38.52	Vertical
11821.9411	46.31	-48.20	-13.00	35.20	Vertical
16403.9202	47.21	-43.22	-13.00	30.22	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_66A_n2A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1168.5211	20.64	-50.68	-13.00	37.68	Horizontal
2728.9661	20.84	-47.01	-13.00	34.01	Horizontal
3485.2743	54.86	-62.96	-13.00	49.96	Horizontal
5228.3614	53.39	-58.25	-13.00	45.25	Horizontal
11917.1959	45.25	-48.39	-13.00	35.39	Horizontal
16376.9188	47.33	-43.51	-13.00	30.51	Horizontal
1167.7710	20.61	-50.73	-13.00	37.73	Vertical
2560.4451	21.65	-47.17	-13.00	34.17	Vertical
3486.0243	54.93	-62.88	-13.00	49.88	Vertical
7473.9737	48.89	-55.00	-13.00	42.00	Vertical
13377.5189	45.98	-46.07	-13.00	33.07	Vertical
16389.6695	46.85	-43.72	-13.00	30.72	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_66A_n2A_TM11					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1150.0188	20.80	-50.49	-13.00	37.49	Horizontal
1526.0658	20.28	-50.12	-13.00	37.12	Horizontal
2997.2497	20.81	-46.40	-13.00	33.40	Horizontal
5228.3614	54.52	-57.12	-13.00	44.12	Horizontal
10591.1296	46.48	-50.94	-13.00	37.94	Horizontal
16405.4203	47.16	-43.30	-13.00	30.30	Horizontal
1185.5232	20.92	-50.65	-13.00	37.65	Vertical
1514.0643	20.38	-50.05	-13.00	37.05	Vertical
2998.4998	21.02	-46.16	-13.00	33.16	Vertical
4643.3322	51.52	-62.80	-13.00	49.80	Vertical
9033.3017	47.76	-52.86	-13.00	39.86	Vertical
16424.1712	47.72	-43.09	-13.00	30.09	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_66A_n2A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1024.0030	20.71	-51.58	-13.00	38.58	Horizontal
1537.0671	20.78	-49.82	-13.00	36.82	Horizontal
2997.7497	20.90	-46.30	-13.00	33.30	Horizontal
3486.0243	57.82	-59.99	-13.00	46.99	Horizontal
7870.7435	48.74	-54.31	-13.00	41.31	Horizontal
16406.9203	46.81	-43.68	-13.00	30.68	Horizontal
1074.2593	21.32	-50.47	-13.00	37.47	Vertical
1555.3194	20.80	-49.84	-13.00	36.84	Vertical
2947.9935	20.89	-46.40	-13.00	33.40	Vertical
4555.5778	51.48	-63.05	-13.00	50.05	Vertical
11779.9390	45.89	-48.65	-13.00	35.65	Vertical
16393.4197	47.32	-43.18	-13.00	30.18	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_7A_n5A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1649.0811	22.56	-48.10	-13.00	35.10	Horizontal
2952.2440	20.73	-46.57	-13.00	33.57	Horizontal
5658.8829	50.35	-59.20	-13.00	46.20	Horizontal
7598.4799	59.65	-43.90	-13.00	30.90	Horizontal
13032.5016	45.26	-46.79	-13.00	33.79	Horizontal
16406.1703	47.38	-43.09	-13.00	30.09	Horizontal
1350.5438	20.58	-50.46	-13.00	37.46	Vertical
2942.2428	20.96	-46.35	-13.00	33.35	Vertical
5696.3848	49.56	-59.51	-13.00	46.51	Vertical
7598.4799	60.17	-43.38	-13.00	30.38	Vertical
13369.2685	45.68	-46.45	-13.00	33.45	Vertical
16403.1702	47.16	-43.26	-13.00	30.26	Vertical

Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.

DC_7A_n5A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1145.0181	20.79	-50.80	-13.00	37.80	Horizontal
2022.3778	20.86	-48.51	-13.00	35.51	Horizontal
5706.8853	50.08	-59.09	-13.00	46.09	Horizontal
7598.4799	56.90	-46.65	-13.00	33.65	Horizontal
12936.4968	46.08	-46.55	-13.00	33.55	Horizontal
16808.9404	46.73	-44.35	-13.00	31.35	Horizontal
1195.2744	20.78	-50.86	-13.00	37.86	Vertical
1878.8599	20.49	-48.96	-13.00	35.96	Vertical
3682.5341	52.60	-65.32	-13.00	52.32	Vertical
7598.4799	57.95	-45.60	-13.00	32.60	Vertical
12403.9702	46.16	-47.23	-13.00	34.23	Vertical
16404.6702	46.93	-43.52	-13.00	30.52	Vertical

Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.

DC_7A_n5A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1276.2845	20.54	-50.85	-13.00	37.85	Horizontal
2873.2342	20.41	-47.31	-13.00	34.31	Horizontal
5037.8519	50.37	-62.42	-13.00	49.42	Horizontal
7598.4799	60.87	-42.68	-13.00	29.68	Horizontal
12397.9699	45.90	-47.53	-13.00	34.53	Horizontal
16415.1708	47.26	-43.38	-13.00	30.38	Horizontal
1256.0320	20.40	-51.03	-13.00	38.03	Vertical
2952.7441	20.75	-46.55	-13.00	33.55	Vertical
5146.6073	50.51	-61.82	-13.00	48.82	Vertical
7598.4799	60.30	-43.25	-13.00	30.25	Vertical
12898.2449	45.68	-47.30	-13.00	34.30	Vertical
15940.3970	45.72	-44.88	-13.00	31.88	Vertical

Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.

DC_66A_n5A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
2145.1431	23.72	-45.42	-13.00	32.42	Horizontal
3485.2743	61.72	-56.10	-13.00	43.10	Horizontal
5228.3614	54.47	-57.17	-13.00	44.17	Horizontal
6971.4486	53.96	-52.11	-13.00	39.11	Horizontal
11623.1812	50.20	-44.79	-13.00	31.79	Horizontal
16410.6705	47.76	-42.80	-13.00	29.80	Horizontal
1291.0364	21.10	-50.36	-13.00	37.36	Vertical
2144.8931	28.21	-40.93	-13.00	27.93	Vertical
3486.0243	57.14	-60.67	-13.00	47.67	Vertical
5228.3614	56.03	-55.61	-13.00	42.61	Vertical
11174.6587	46.63	-49.14	-13.00	36.14	Vertical
16407.6704	46.92	-43.58	-13.00	30.58	Vertical

Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.

DC_66A_n5A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1167.0209	20.87	-50.49	-13.00	37.49	Horizontal
2662.4578	21.07	-47.12	-13.00	34.12	Horizontal
3485.2743	59.61	-58.21	-13.00	45.21	Horizontal
5228.3614	54.10	-57.54	-13.00	44.54	Horizontal
6971.4486	52.56	-53.51	-13.00	40.51	Horizontal
16405.4203	47.32	-43.14	-13.00	30.14	Horizontal
1197.2747	21.04	-50.65	-13.00	37.65	Vertical
2642.4553	21.55	-46.71	-13.00	33.71	Vertical
3486.0243	58.35	-59.46	-13.00	46.46	Vertical
5228.3614	55.71	-55.93	-13.00	42.93	Vertical
6971.4486	52.96	-53.11	-13.00	40.11	Vertical
16422.6711	47.52	-43.26	-13.00	30.26	Vertical

Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.

DC_66A_n5A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1147.7685	20.73	-50.69	-13.00	37.69	Horizontal
3485.2743	61.96	-55.86	-13.00	42.86	Horizontal
5228.3614	55.04	-56.60	-13.00	43.60	Horizontal
6971.4486	52.80	-53.27	-13.00	40.27	Horizontal
12396.4698	46.08	-47.36	-13.00	34.36	Horizontal
16421.9211	47.17	-43.60	-13.00	30.60	Horizontal
1167.7710	20.87	-50.47	-13.00	37.47	Vertical
3486.0243	56.50	-61.31	-13.00	48.31	Vertical
5228.3614	54.31	-57.33	-13.00	44.33	Vertical
6971.4486	53.44	-52.63	-13.00	39.63	Vertical
12827.7414	45.33	-47.22	-13.00	34.22	Vertical
16929.6965	46.04	-44.17	-13.00	31.17	Vertical

Remark: The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.

DC_2A_n7A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1150.7688	20.92	-50.38	-25.00	25.38	Horizontal
2951.2439	20.78	-46.51	-25.00	21.51	Horizontal
5427.1214	49.36	-61.32	-25.00	36.32	Horizontal
11344.9172	46.82	-48.78	-25.00	23.78	Horizontal
15021.6011	45.55	-44.73	-25.00	19.73	Horizontal
16411.4206	47.30	-43.27	-25.00	18.27	Horizontal
1150.2688	20.83	-50.46	-25.00	25.46	Vertical
2788.2235	21.30	-46.82	-25.00	21.82	Vertical
5689.6345	49.52	-59.63	-25.00	34.63	Vertical
7471.7236	49.18	-54.73	-25.00	29.73	Vertical
11909.6955	45.75	-47.78	-25.00	22.78	Vertical
15915.6458	45.61	-44.81	-25.00	19.81	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_2A_n7A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1151.5189	20.50	-50.82	-25.00	25.82	Horizontal
2935.2419	20.61	-46.68	-25.00	21.68	Horizontal
5051.3526	51.55	-61.37	-25.00	36.37	Horizontal
10688.6344	47.09	-50.57	-25.00	25.57	Horizontal
14024.8012	45.45	-46.45	-25.00	21.45	Horizontal
16926.6963	46.36	-43.88	-25.00	18.88	Horizontal
1151.0189	20.63	-50.68	-25.00	25.68	Vertical
2999.7500	20.67	-46.47	-25.00	21.47	Vertical
5051.3526	50.75	-62.17	-25.00	37.17	Vertical
9595.0798	46.71	-52.59	-25.00	27.59	Vertical
15038.1019	45.28	-45.12	-25.00	20.12	Vertical
16369.4185	47.60	-43.39	-25.00	18.39	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_2A_n7A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1084.7606	20.65	-50.84	-25.00	25.84	Horizontal
3756.0378	64.43	-53.06	-25.00	28.06	Horizontal
5633.3817	56.62	-53.23	-25.00	28.23	Horizontal
7511.4756	58.06	-45.75	-25.00	20.75	Horizontal
12397.9699	45.89	-47.54	-25.00	22.54	Horizontal
16403.9202	47.31	-43.12	-25.00	18.12	Horizontal
1259.7825	20.75	-50.51	-25.00	25.51	Vertical
2936.4921	21.08	-46.22	-25.00	21.22	Vertical
3755.2878	59.84	-57.64	-25.00	32.64	Vertical
5633.3817	53.58	-56.27	-25.00	31.27	Vertical
7511.4756	60.39	-43.42	-25.00	18.42	Vertical
16402.4201	47.08	-43.33	-25.00	18.33	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_5A_n7A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1150.2688	20.81	-50.48	-25.00	25.48	Horizontal
2693.2117	21.25	-46.68	-25.00	21.68	Horizontal
3758.2879	52.73	-64.76	-25.00	39.76	Horizontal
7501.7251	59.42	-44.24	-25.00	19.24	Horizontal
13370.7685	45.69	-46.42	-25.00	21.42	Horizontal
16391.9196	47.05	-43.48	-25.00	18.48	Horizontal
1152.0190	20.94	-50.40	-25.00	25.40	Vertical
2944.9931	20.65	-46.65	-25.00	21.65	Vertical
3402.7701	54.86	-63.84	-25.00	38.84	Vertical
7501.7251	60.02	-43.64	-25.00	18.64	Vertical
12994.9998	45.35	-46.57	-25.00	21.57	Vertical
16398.6699	47.10	-43.29	-25.00	18.29	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_5A_n7A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1165.7707	21.02	-50.37	-25.00	25.37	Horizontal
2905.4882	21.19	-46.37	-25.00	21.37	Horizontal
4953.8477	50.26	-62.42	-25.00	37.42	Horizontal
7576.7288	60.03	-43.90	-25.00	18.90	Horizontal
12403.9702	45.77	-47.62	-25.00	22.62	Horizontal
16401.6701	47.57	-42.82	-25.00	17.82	Horizontal
1195.5244	21.34	-50.31	-25.00	25.31	Vertical
2997.9998	20.85	-46.34	-25.00	21.34	Vertical
4277.3139	51.32	-64.33	-25.00	39.33	Vertical
7576.7288	57.63	-46.30	-25.00	21.30	Vertical
12440.7220	45.88	-47.21	-25.00	22.21	Vertical
16394.1697	47.23	-43.25	-25.00	18.25	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_5A_n7A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1820.6026	20.79	-49.12	-25.00	24.12	Horizontal
4670.3335	51.17	-62.97	-25.00	37.97	Horizontal
7501.7251	59.19	-44.47	-25.00	19.47	Horizontal
10454.6227	46.32	-51.47	-25.00	26.47	Horizontal
12906.4953	46.18	-46.75	-25.00	21.75	Horizontal
16402.4201	47.42	-42.99	-25.00	17.99	Horizontal
1678.8349	20.76	-49.28	-25.00	24.28	Vertical
4463.3232	51.12	-63.49	-25.00	38.49	Vertical
5698.6349	49.27	-59.77	-25.00	34.77	Vertical
7501.7251	57.63	-46.03	-25.00	21.03	Vertical
11095.1548	46.44	-49.93	-25.00	24.93	Vertical
15940.3970	45.53	-45.07	-25.00	20.07	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_12A_n7A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1696.3370	20.41	-49.52	-25.00	24.52	Horizontal
5169.1085	50.23	-61.82	-25.00	36.82	Horizontal
7501.7251	55.65	-48.01	-25.00	23.01	Horizontal
10632.3816	46.87	-50.46	-25.00	25.46	Horizontal
13955.7978	44.15	-47.27	-25.00	22.27	Horizontal
16397.9199	47.17	-43.23	-25.00	18.23	Horizontal
1805.1006	20.55	-49.23	-25.00	24.23	Vertical
3881.2941	51.42	-65.81	-25.00	40.81	Vertical
5256.8628	50.03	-61.63	-25.00	36.63	Vertical
7501.7251	59.04	-44.62	-25.00	19.62	Vertical
9608.5804	46.50	-52.73	-25.00	27.73	Vertical
16399.4200	47.27	-43.10	-25.00	18.10	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_12A_n7A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1171.2714	20.92	-50.41	-25.00	25.41	Horizontal
2920.7401	20.99	-46.40	-25.00	21.40	Horizontal
5704.6352	49.77	-59.35	-25.00	34.35	Horizontal
7576.7288	62.72	-41.21	-25.00	16.21	Horizontal
11923.9462	46.20	-47.53	-25.00	22.53	Horizontal
16397.9199	47.00	-43.40	-25.00	18.40	Horizontal
1241.5302	20.62	-50.77	-25.00	25.77	Vertical
2947.2434	20.63	-46.66	-25.00	21.66	Vertical
5264.3632	49.83	-61.85	-25.00	36.85	Vertical
7576.7288	58.55	-45.38	-25.00	20.38	Vertical
12411.4706	45.65	-47.68	-25.00	22.68	Vertical
16391.9196	47.36	-43.17	-25.00	18.17	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_12A_n7A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1189.2737	20.83	-50.69	-25.00	25.69	Horizontal
2950.2438	20.88	-46.40	-25.00	21.40	Horizontal
3904.5452	51.61	-65.32	-25.00	40.32	Horizontal
7501.7251	60.23	-43.43	-25.00	18.43	Horizontal
13057.2529	45.51	-46.60	-25.00	21.60	Horizontal
16410.6705	47.08	-43.48	-25.00	18.48	Horizontal
1475.3094	20.51	-50.19	-25.00	25.19	Vertical
3000.0000	20.81	-46.32	-25.00	21.32	Vertical
3944.2972	51.90	-65.03	-25.00	40.03	Vertical
7501.7251	59.59	-44.07	-25.00	19.07	Vertical
12447.4724	45.73	-47.30	-25.00	22.30	Vertical
16398.6699	47.04	-43.35	-25.00	18.35	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_5A_n38A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1615.8270	20.71	-49.66	-25.00	24.66	Horizontal
4298.3149	51.82	-63.89	-25.00	38.89	Horizontal
5142.1071	52.03	-60.32	-25.00	35.32	Horizontal
7713.2357	55.22	-48.31	-25.00	23.31	Horizontal
11378.6689	46.73	-48.89	-25.00	23.89	Horizontal
16417.4209	47.89	-42.79	-25.00	17.79	Horizontal
1695.5869	20.54	-49.39	-25.00	24.39	Vertical
4176.0588	51.18	-64.60	-25.00	39.60	Vertical
5698.6349	50.24	-58.80	-25.00	33.80	Vertical
7713.2357	57.98	-45.55	-25.00	20.55	Vertical
10636.1318	47.43	-49.90	-25.00	24.90	Vertical
16414.4207	47.99	-42.64	-25.00	17.64	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_5A_n38A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1152.7691	20.88	-50.48	-25.00	25.48	Horizontal
2950.9939	20.74	-46.55	-25.00	21.55	Horizontal
4428.0714	51.52	-63.34	-25.00	38.34	Horizontal
7758.2379	61.75	-41.70	-25.00	16.70	Horizontal
11917.1959	47.19	-46.45	-25.00	21.45	Horizontal
16417.4209	48.14	-42.54	-25.00	17.54	Horizontal
1188.5236	20.64	-50.89	-25.00	25.89	Vertical
2997.7497	20.70	-46.50	-25.00	21.50	Vertical
5558.3779	50.82	-59.37	-25.00	34.37	Vertical
7757.4879	55.94	-47.51	-25.00	22.51	Vertical
14042.0521	46.32	-45.30	-25.00	20.30	Vertical
16405.4203	47.99	-42.47	-25.00	17.47	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_5A_n38A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1149.7687	20.68	-50.62	-25.00	25.62	Horizontal
2949.9937	20.77	-46.51	-25.00	21.51	Horizontal
4281.8141	52.37	-63.29	-25.00	38.29	Horizontal
7803.2402	61.56	-41.80	-25.00	16.80	Horizontal
11901.4451	47.12	-46.29	-25.00	21.29	Horizontal
16391.1696	47.98	-42.56	-25.00	17.56	Horizontal
1169.0211	20.98	-50.33	-25.00	25.33	Vertical
2981.7477	21.20	-46.17	-25.00	21.17	Vertical
5690.3845	50.46	-58.69	-25.00	33.69	Vertical
7802.4901	60.02	-43.35	-25.00	18.35	Vertical
11942.6971	47.59	-46.41	-25.00	21.41	Vertical
16398.6699	47.81	-42.58	-25.00	17.58	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_12A_n38A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1677.8347	20.46	-49.63	-25.00	24.63	Horizontal
4500.8250	51.23	-63.21	-25.00	38.21	Horizontal
6312.1656	49.25	-58.80	-25.00	33.80	Horizontal
7712.4856	56.98	-46.56	-25.00	21.56	Horizontal
12410.7205	46.46	-46.87	-25.00	21.87	Horizontal
16683.6842	47.21	-44.05	-25.00	19.05	Horizontal
1619.0774	20.59	-49.69	-25.00	24.69	Vertical
3691.5346	52.52	-65.55	-25.00	40.55	Vertical
5468.3734	49.29	-61.12	-25.00	36.12	Vertical
7713.2357	52.62	-50.91	-25.00	25.91	Vertical
11137.9069	46.44	-49.46	-25.00	24.46	Vertical
16403.9202	47.18	-43.25	-25.00	18.25	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_12A_n38A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1169.2712	20.78	-50.52	-25.00	25.52	Horizontal
2941.4927	21.06	-46.26	-25.00	21.26	Horizontal
3380.2690	54.81	-63.77	-25.00	38.77	Horizontal
7758.2379	55.73	-47.72	-25.00	22.72	Horizontal
13364.0182	46.90	-45.27	-25.00	20.27	Horizontal
16417.4209	48.13	-42.55	-25.00	17.55	Horizontal
1151.0189	20.94	-50.37	-25.00	25.37	Vertical
2952.9941	20.88	-46.42	-25.00	21.42	Vertical
3380.2690	55.79	-62.79	-25.00	37.79	Vertical
7758.2379	61.95	-41.50	-25.00	16.50	Vertical
14036.0518	46.55	-45.17	-25.00	20.17	Vertical
16409.1705	48.19	-42.34	-25.00	17.34	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_12A_n38A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1243.0304	20.98	-50.47	-25.00	25.47	Horizontal
2907.7385	21.46	-46.09	-25.00	21.09	Horizontal
3380.2690	54.62	-63.96	-25.00	38.96	Horizontal
7803.2402	59.15	-44.21	-25.00	19.21	Horizontal
14029.3015	46.99	-44.84	-25.00	19.84	Horizontal
16408.4204	48.46	-42.06	-25.00	17.06	Horizontal
1158.5198	21.05	-50.45	-25.00	25.45	Vertical
2983.7480	21.13	-46.25	-25.00	21.25	Vertical
3380.2690	56.33	-62.25	-25.00	37.25	Vertical
7803.2402	52.45	-50.91	-25.00	25.91	Vertical
11358.4179	47.70	-47.88	-25.00	22.88	Vertical
16407.6704	48.04	-42.46	-25.00	17.46	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_2A_n41A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1088.0110	20.42	-51.16	-25.00	26.16	Horizontal
1706.8384	20.93	-49.17	-25.00	24.17	Horizontal
2950.4938	20.70	-46.58	-25.00	21.58	Horizontal
4994.3497	62.38	-50.03	-25.00	25.03	Horizontal
9040.8020	47.47	-53.17	-25.00	28.17	Horizontal
16937.1969	45.76	-44.38	-25.00	19.38	Horizontal
1082.7603	20.41	-51.03	-25.00	26.03	Vertical
1474.5593	20.56	-50.14	-25.00	25.14	Vertical
2996.7496	20.93	-46.30	-25.00	21.30	Vertical
4994.3497	59.48	-52.93	-25.00	27.93	Vertical
8451.2726	48.12	-54.26	-25.00	29.26	Vertical
16387.4194	47.30	-43.32	-25.00	18.32	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_2A_n41A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1148.7686	20.76	-50.60	-25.00	25.60	Horizontal
1681.0851	20.67	-49.32	-25.00	24.32	Horizontal
2999.4999	20.88	-46.27	-25.00	21.27	Horizontal
5088.1044	61.47	-51.17	-25.00	26.17	Horizontal
8943.2972	46.95	-54.12	-25.00	29.12	Horizontal
16391.1696	47.29	-43.25	-25.00	18.25	Horizontal
1104.7631	20.48	-51.16	-25.00	26.16	Vertical
1696.3370	20.40	-49.53	-25.00	24.53	Vertical
2984.9981	20.79	-46.60	-25.00	21.60	Vertical
5088.1044	59.81	-52.83	-25.00	27.83	Vertical
8574.2787	47.62	-53.99	-25.00	28.99	Vertical
16403.1702	47.33	-43.09	-25.00	18.09	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_2A_n41A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1508.0635	20.48	-49.89	-25.00	24.89	Horizontal
4245.8123	51.48	-64.09	-25.00	39.09	Horizontal
5181.8591	66.21	-45.67	-25.00	20.67	Horizontal
6957.9479	50.08	-56.05	-25.00	31.05	Horizontal
11256.4128	48.04	-47.90	-25.00	22.90	Horizontal
15032.1016	46.07	-44.29	-25.00	19.29	Horizontal
1526.3158	20.57	-49.82	-25.00	24.82	Vertical
4420.5710	51.57	-63.35	-25.00	38.35	Vertical
5181.8591	61.40	-50.48	-25.00	25.48	Vertical
6771.1886	50.02	-56.40	-25.00	31.40	Vertical
13039.2520	46.51	-45.58	-25.00	20.58	Vertical
16382.9191	48.59	-42.12	-25.00	17.12	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_4A_n41A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
2132.3915	25.82	-43.36	-25.00	18.36	Horizontal
3460.5230	58.59	-59.78	-25.00	34.78	Horizontal
5190.8595	57.27	-54.48	-25.00	29.48	Horizontal
7484.4742	48.99	-54.79	-25.00	29.79	Horizontal
10056.3528	47.16	-51.36	-25.00	26.36	Horizontal
12898.9950	45.90	-47.08	-25.00	22.08	Horizontal
2010.1263	21.00	-48.51	-25.00	23.51	Vertical
3460.5230	54.58	-63.79	-25.00	38.79	Vertical
5190.8595	56.53	-55.22	-25.00	30.22	Vertical
6921.1961	51.60	-54.89	-25.00	29.89	Vertical
10615.1308	46.80	-50.54	-25.00	25.54	Vertical
16354.4177	47.00	-44.30	-25.00	19.30	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_4A_n41A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1153.0191	21.10	-50.26	-13.00	37.26	Horizontal
2935.7420	20.64	-46.65	-13.00	33.65	Horizontal
3460.5230	58.40	-59.97	-13.00	46.97	Horizontal
5190.8595	53.58	-58.17	-13.00	45.17	Horizontal
11934.4467	48.07	-45.82	-13.00	32.82	Horizontal
16398.6699	47.76	-42.63	-13.00	29.63	Horizontal
1103.0129	20.73	-50.93	-13.00	37.93	Vertical
2907.7385	21.09	-46.46	-13.00	33.46	Vertical
3460.5230	54.72	-63.65	-13.00	50.65	Vertical
5190.8595	54.78	-56.97	-13.00	43.97	Vertical
11929.1965	47.35	-46.46	-13.00	33.46	Vertical
16403.1702	47.78	-42.64	-13.00	29.64	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_4A_n41A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1168.2710	20.75	-50.58	-13.00	37.58	Horizontal
2927.4909	20.67	-46.62	-13.00	33.62	Horizontal
3460.5230	59.95	-58.42	-13.00	45.42	Horizontal
7456.7228	49.47	-54.58	-13.00	41.58	Horizontal
11901.4451	47.60	-45.81	-13.00	32.81	Horizontal
16027.4014	46.20	-43.91	-13.00	30.91	Horizontal
1153.0191	20.61	-50.75	-13.00	37.75	Vertical
2999.7500	20.57	-46.57	-13.00	33.57	Vertical
3460.5230	53.64	-64.73	-13.00	51.73	Vertical
5181.8591	55.72	-56.16	-13.00	43.16	Vertical
7773.2387	53.22	-50.21	-13.00	37.21	Vertical
16412.1706	47.74	-42.85	-13.00	29.85	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_12A_n41A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1194.7743	21.02	-50.61	-25.00	25.61	Horizontal
2892.7366	20.55	-47.17	-25.00	22.17	Horizontal
3530.2765	52.23	-65.63	-25.00	40.63	Horizontal
7491.2246	60.05	-43.67	-25.00	18.67	Horizontal
12418.2209	46.59	-46.68	-25.00	21.68	Horizontal
16406.1703	48.01	-42.46	-25.00	17.46	Horizontal
1156.7696	20.97	-50.49	-25.00	25.49	Vertical
2877.7347	20.69	-47.10	-25.00	22.10	Vertical
3380.2690	53.94	-64.64	-25.00	39.64	Vertical
7491.2246	58.08	-45.64	-25.00	20.64	Vertical
13381.2691	46.60	-45.42	-25.00	20.42	Vertical
16418.1709	48.07	-42.63	-25.00	17.63	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_12A_n41A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1233.2792	21.05	-50.72	-25.00	25.72	Horizontal
2874.9844	20.79	-46.95	-25.00	21.95	Horizontal
3380.2690	54.59	-63.99	-25.00	38.99	Horizontal
7868.4934	48.79	-54.25	-25.00	29.25	Horizontal
12397.9699	46.93	-46.50	-25.00	21.50	Horizontal
16512.6756	48.02	-43.03	-25.00	18.03	Horizontal
1274.7843	20.81	-50.62	-25.00	25.62	Vertical
2949.9937	20.87	-46.41	-25.00	21.41	Vertical
3380.2690	54.85	-63.73	-25.00	38.73	Vertical
7632.2316	58.65	-45.15	-25.00	20.15	Vertical
12995.7498	45.93	-45.98	-25.00	20.98	Vertical
16444.4222	48.24	-42.95	-25.00	17.95	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_12A_n41A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1507.5634	20.27	-50.12	-25.00	25.12	Horizontal
5181.8591	52.10	-59.78	-25.00	34.78	Horizontal
7773.2387	57.88	-45.55	-25.00	20.55	Horizontal
9346.0673	47.21	-52.87	-25.00	27.87	Horizontal
12433.2217	45.69	-47.46	-25.00	22.46	Horizontal
16441.4221	47.81	-43.32	-25.00	18.32	Horizontal
1526.0658	20.64	-49.76	-25.00	24.76	Vertical
4996.5998	50.23	-62.16	-25.00	37.16	Vertical
7773.2387	51.63	-51.80	-25.00	26.80	Vertical
10219.1110	46.29	-51.82	-25.00	26.82	Vertical
13362.5181	45.93	-46.26	-25.00	21.26	Vertical
16395.6698	47.43	-43.02	-25.00	18.02	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_66A_n41A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
2144.8931	27.12	-42.02	-25.00	17.02	Horizontal
3486.0243	58.39	-59.42	-25.00	34.42	Horizontal
5228.3614	56.24	-55.40	-25.00	30.40	Horizontal
6971.4486	52.34	-53.73	-25.00	28.73	Horizontal
7491.2246	51.69	-52.03	-25.00	27.03	Horizontal
10691.6346	47.38	-50.31	-25.00	25.31	Horizontal
2144.8931	22.66	-46.48	-25.00	21.48	Vertical
3486.0243	58.24	-59.57	-25.00	34.57	Vertical
5228.3614	56.51	-55.13	-25.00	30.13	Vertical
6971.4486	52.81	-53.26	-25.00	28.26	Vertical
10645.8823	47.40	-49.93	-25.00	24.93	Vertical
16399.4200	47.13	-43.24	-25.00	18.24	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_66A_n41A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1181.7727	20.82	-50.79	-25.00	25.79	Horizontal
2754.2193	20.84	-47.16	-25.00	22.16	Horizontal
3486.0243	56.96	-60.85	-25.00	35.85	Horizontal
7739.4870	48.63	-54.85	-25.00	29.85	Horizontal
13337.0169	47.47	-44.78	-25.00	19.78	Horizontal
16376.9188	48.24	-42.60	-25.00	17.60	Horizontal
1149.2687	21.07	-50.26	-25.00	25.26	Vertical
2820.2275	20.88	-47.01	-25.00	22.01	Vertical
5228.3614	52.66	-58.98	-25.00	33.98	Vertical
7558.7279	48.96	-55.29	-25.00	30.29	Vertical
11908.9454	48.26	-45.26	-25.00	20.26	Vertical
16398.6699	47.70	-42.69	-25.00	17.69	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_66A_n41A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1165.7707	20.62	-50.77	-25.00	25.77	Horizontal
2876.2345	20.79	-46.97	-25.00	21.97	Horizontal
3486.0243	57.65	-60.16	-25.00	35.16	Horizontal
7137.2069	49.25	-56.09	-25.00	31.09	Horizontal
12941.7471	46.53	-46.05	-25.00	21.05	Horizontal
16393.4197	47.82	-42.68	-25.00	17.68	Horizontal
1238.7798	20.84	-50.58	-25.00	25.58	Vertical
3485.2743	56.36	-61.46	-25.00	36.46	Vertical
7473.2237	50.14	-53.75	-25.00	28.75	Vertical
11915.6958	47.19	-46.43	-25.00	21.43	Vertical
16407.6704	47.91	-42.59	-25.00	17.59	Vertical
17912.2456	49.04	-43.34	-25.00	18.34	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_2A_n66A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1149.5187	21.02	-50.29	-13.00	37.29	Horizontal
1470.3088	20.57	-50.09	-13.00	37.09	Horizontal
3000.0000	20.54	-46.59	-13.00	33.59	Horizontal
3756.0378	56.70	-60.79	-13.00	47.79	Horizontal
7511.4756	58.58	-45.23	-13.00	32.23	Horizontal
16351.4176	47.39	-43.97	-13.00	30.97	Horizontal
1167.0209	21.37	-49.99	-13.00	36.99	Vertical
1599.3249	20.76	-49.80	-13.00	36.80	Vertical
2923.7405	21.08	-46.27	-13.00	33.27	Vertical
3756.0378	56.26	-61.23	-13.00	48.23	Vertical
7511.4756	61.98	-41.83	-13.00	28.83	Vertical
16409.9205	47.01	-43.53	-13.00	30.53	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_2A_n66A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1077.5097	20.79	-50.76	-13.00	37.76	Horizontal
1468.8086	20.67	-50.01	-13.00	37.01	Horizontal
2998.9999	20.73	-46.43	-13.00	33.43	Horizontal
3471.0236	58.33	-59.81	-13.00	46.81	Horizontal
7475.4738	50.01	-53.86	-13.00	40.86	Horizontal
16410.6705	48.14	-42.42	-13.00	29.42	Horizontal
1108.7636	20.65	-50.93	-13.00	37.93	Vertical
1508.3135	20.43	-49.93	-13.00	36.93	Vertical
2937.7422	21.04	-46.27	-13.00	33.27	Vertical
5206.6103	57.06	-54.57	-13.00	41.57	Vertical
8971.0486	48.69	-52.09	-13.00	39.09	Vertical
16403.1702	47.55	-42.87	-13.00	29.87	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_2A_n66A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1076.0095	20.75	-50.91	-13.00	37.91	Horizontal
1509.8137	20.35	-49.96	-13.00	36.96	Horizontal
2998.7498	20.53	-46.64	-13.00	33.64	Horizontal
4468.5734	51.42	-63.16	-13.00	50.16	Horizontal
8927.5464	47.93	-53.36	-13.00	40.36	Horizontal
16392.6696	47.75	-42.76	-13.00	29.76	Horizontal
1084.2605	20.52	-50.96	-13.00	37.96	Vertical
1541.5677	20.79	-49.91	-13.00	36.91	Vertical
2954.9944	20.80	-46.51	-13.00	33.51	Vertical
5281.6141	55.50	-56.23	-13.00	43.23	Vertical
9597.3299	46.86	-52.41	-13.00	39.41	Vertical
16402.4201	47.91	-42.50	-13.00	29.50	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_5A_n66A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1045.5057	20.80	-51.42	-13.00	38.42	Horizontal
1510.8139	20.90	-49.43	-13.00	36.43	Horizontal
2950.7438	20.86	-46.43	-13.00	33.43	Horizontal
3946.5473	51.82	-65.11	-13.00	52.11	Horizontal
11237.6619	47.41	-48.49	-13.00	35.49	Horizontal
16409.1705	47.10	-43.43	-13.00	30.43	Horizontal
1082.0103	20.35	-51.07	-13.00	38.07	Vertical
1370.5463	20.83	-50.17	-13.00	37.17	Vertical
2942.9929	20.84	-46.47	-13.00	33.47	Vertical
3932.2966	51.73	-65.20	-13.00	52.20	Vertical
11129.6565	47.00	-49.00	-13.00	36.00	Vertical
16416.6708	47.12	-43.55	-13.00	30.55	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_5A_n66A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1085.2607	20.60	-50.90	-13.00	37.90	Horizontal
1458.3073	20.25	-50.56	-13.00	37.56	Horizontal
2953.7442	20.95	-46.36	-13.00	33.36	Horizontal
3471.0236	56.83	-61.31	-13.00	48.31	Horizontal
9553.0777	47.17	-52.60	-13.00	39.60	Horizontal
16422.6711	47.27	-43.51	-13.00	30.51	Horizontal
1104.7631	20.93	-50.71	-13.00	37.71	Vertical
1473.5592	20.39	-50.30	-13.00	37.30	Vertical
2999.7500	20.63	-46.51	-13.00	33.51	Vertical
3471.0236	56.04	-62.10	-13.00	49.10	Vertical
7483.7242	49.17	-54.62	-13.00	41.62	Vertical
16398.6699	46.90	-43.49	-13.00	30.49	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_5A_n66A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1075.0094	20.28	-51.46	-13.00	38.46	Horizontal
1536.3170	20.66	-49.90	-13.00	36.90	Horizontal
2953.9942	20.79	-46.52	-13.00	33.52	Horizontal
3521.2761	65.47	-52.28	-13.00	39.28	Horizontal
8404.0202	48.10	-54.16	-13.00	41.16	Horizontal
16398.6699	46.60	-43.79	-13.00	30.79	Horizontal
1025.5032	20.53	-51.74	-13.00	38.74	Vertical
1536.3170	20.75	-49.81	-13.00	36.81	Vertical
2928.2410	20.76	-46.52	-13.00	33.52	Vertical
3521.2761	65.71	-52.04	-13.00	39.04	Vertical
8956.0478	48.05	-52.86	-13.00	39.86	Vertical
16400.1700	46.82	-43.54	-13.00	30.54	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_7A_n66A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1045.5057	20.80	-51.42	-13.00	38.42	Horizontal
1510.8139	20.90	-49.43	-13.00	36.43	Horizontal
2950.7438	20.86	-46.43	-13.00	33.43	Horizontal
3946.5473	51.82	-65.11	-13.00	52.11	Horizontal
11237.6619	47.41	-48.49	-13.00	35.49	Horizontal
16409.1705	47.10	-43.43	-13.00	30.43	Horizontal
1082.0103	20.35	-51.07	-13.00	38.07	Vertical
1370.5463	20.83	-50.17	-13.00	37.17	Vertical
2942.9929	20.84	-46.47	-13.00	33.47	Vertical
3932.2966	51.73	-65.20	-13.00	52.20	Vertical
11129.6565	47.00	-49.00	-13.00	36.00	Vertical
16416.6708	47.12	-43.55	-13.00	30.55	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_7A_n66A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1165.5207	20.87	-50.53	-13.00	37.53	Horizontal
2935.2419	21.12	-46.17	-13.00	33.17	Horizontal
3539.2770	52.47	-65.49	-13.00	52.49	Horizontal
7598.4799	55.55	-48.00	-13.00	35.00	Horizontal
12406.9703	46.03	-47.33	-13.00	34.33	Horizontal
16422.6711	47.49	-43.29	-13.00	30.29	Horizontal
1153.7692	20.64	-50.74	-13.00	37.74	Vertical
2927.4909	20.85	-46.44	-13.00	33.44	Vertical
5001.8501	50.45	-61.94	-13.00	48.94	Vertical
7598.4799	56.65	-46.90	-13.00	33.90	Vertical
14030.8015	45.62	-46.18	-13.00	33.18	Vertical
16940.1970	45.99	-44.12	-13.00	31.12	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_7A_n66A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1075.0094	20.28	-51.46	-13.00	38.46	Horizontal
1536.3170	20.66	-49.90	-13.00	36.90	Horizontal
2953.9942	20.79	-46.52	-13.00	33.52	Horizontal
3521.2761	65.47	-52.28	-13.00	39.28	Horizontal
8404.0202	48.10	-54.16	-13.00	41.16	Horizontal
16398.6699	46.60	-43.79	-13.00	30.79	Horizontal
1025.5032	20.53	-51.74	-13.00	38.74	Vertical
1536.3170	20.75	-49.81	-13.00	36.81	Vertical
2928.2410	20.76	-46.52	-13.00	33.52	Vertical
3521.2761	65.71	-52.04	-13.00	39.04	Vertical
8956.0478	48.05	-52.86	-13.00	39.86	Vertical
16400.1700	46.82	-43.54	-13.00	30.54	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_13A_n66A_TM1					
Test Channel = Low Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1081.7602	20.68	-50.73	-13.00	37.73	Horizontal
1431.5539	20.69	-50.17	-13.00	37.17	Horizontal
2926.4908	20.77	-46.54	-13.00	33.54	Horizontal
3480.7740	52.23	-65.69	-13.00	52.69	Horizontal
11218.9109	47.27	-48.58	-13.00	35.58	Horizontal
16396.4198	47.21	-43.22	-13.00	30.22	Horizontal
1150.5188	20.96	-50.34	-13.00	37.34	Vertical
2113.6392	24.94	-44.47	-13.00	31.47	Vertical
2926.7408	20.76	-46.54	-13.00	33.54	Vertical
3780.7890	52.41	-65.14	-13.00	52.14	Vertical
11236.9118	47.39	-48.51	-13.00	35.51	Vertical
16391.1696	47.00	-43.54	-13.00	30.54	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_13A_n66A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1135.0169	20.71	-51.13	-13.00	38.13	Horizontal
1572.8216	20.68	-49.95	-13.00	36.95	Horizontal
3000.0000	21.03	-46.10	-13.00	33.10	Horizontal
3471.0236	56.77	-61.37	-13.00	48.37	Horizontal
8393.5197	48.93	-53.35	-13.00	40.35	Horizontal
16396.4198	47.88	-42.55	-13.00	29.55	Horizontal
1153.7692	20.98	-50.40	-13.00	37.40	Vertical
2138.3923	26.59	-42.49	-13.00	29.49	Vertical
2996.7496	20.55	-46.68	-13.00	33.68	Vertical
5206.6103	52.38	-59.25	-13.00	46.25	Vertical
10631.6316	47.35	-49.98	-13.00	36.98	Vertical
16412.1706	47.08	-43.51	-13.00	30.51	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_13A_n66A_TM1					
Test Channel = High Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1086.2608	20.50	-51.03	-13.00	38.03	Horizontal
1525.3157	20.60	-49.83	-13.00	36.83	Horizontal
2997.9998	20.67	-46.52	-13.00	33.52	Horizontal
3521.2761	60.23	-57.52	-13.00	44.52	Horizontal
7971.2486	48.87	-54.12	-13.00	41.12	Horizontal
16397.1699	47.30	-43.12	-13.00	30.12	Horizontal
1058.5073	20.54	-51.56	-13.00	38.56	Vertical
1616.0770	20.77	-49.60	-13.00	36.60	Vertical
2981.9978	20.80	-46.57	-13.00	33.57	Vertical
3521.2761	58.11	-59.64	-13.00	46.64	Vertical
9592.8296	46.62	-52.70	-13.00	39.70	Vertical
16395.6698	46.94	-43.51	-13.00	30.51	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report.

DC_2A_n78A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
2742.3371	22.16	-45.80	-13.00	32.80	Horizontal
4700.1850	20.19	-42.15	-13.00	29.15	Horizontal
7511.5256	62.80	-41.28	-13.00	28.28	Horizontal
9555.4278	47.69	-52.18	-13.00	39.18	Horizontal
14057.4029	45.77	-46.15	-13.00	33.15	Horizontal
16390.6195	47.72	-43.64	-13.00	30.64	Horizontal
2346.0673	22.50	-46.35	-13.00	33.35	Vertical
4881.9441	20.44	-41.69	-13.00	28.69	Vertical
7511.5256	62.41	-41.67	-13.00	28.67	Vertical
9377.7689	46.89	-52.71	-13.00	39.71	Vertical
11917.2459	45.99	-47.84	-13.00	34.84	Vertical
16398.8699	47.68	-43.72	-13.00	30.72	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_5A_n78A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1485.7743	21.57	-49.34	-13.00	36.34	Horizontal
2402.5701	22.15	-46.25	-13.00	33.25	Horizontal
4968.9484	19.64	-41.37	-13.00	28.37	Horizontal
8041.2021	47.62	-54.88	-13.00	41.88	Horizontal
11367.2184	46.15	-49.56	-13.00	36.56	Horizontal
15925.8463	45.46	-45.30	-13.00	32.30	Horizontal
1468.2734	21.31	-49.37	-13.00	36.37	Vertical
2510.8255	22.50	-45.88	-13.00	32.88	Vertical
5128.4564	20.97	-40.58	-13.00	27.58	Vertical
7904.2452	48.03	-54.92	-13.00	41.92	Vertical
11246.7623	47.06	-49.16	-13.00	36.16	Vertical
14682.7841	45.73	-46.44	-13.00	33.44	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_7A_n78A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1917.0459	21.93	-48.00	-13.00	35.00	Horizontal
5065.7033	27.68	-33.66	-13.00	20.66	Horizontal
7598.4299	55.97	-48.06	-13.00	35.06	Horizontal
9524.0762	46.96	-52.66	-13.00	39.66	Horizontal
12835.2418	45.74	-46.97	-13.00	33.97	Horizontal
16398.8699	47.26	-44.14	-13.00	31.14	Horizontal
1793.7897	21.82	-48.06	-13.00	35.06	Vertical
5426.4713	20.10	-39.79	-13.00	26.79	Vertical
7598.4299	60.55	-43.48	-13.00	30.48	Vertical
10131.3066	48.94	-49.56	-13.00	36.56	Vertical
13353.9177	46.41	-46.07	-13.00	33.07	Vertical
17143.0572	48.67	-43.86	-13.00	30.86	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_12A_n78A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1867.5434	21.21	-48.41	-13.00	35.41	Horizontal
5060.2030	20.71	-40.68	-13.00	27.68	Horizontal
7536.2768	48.32	-55.90	-13.00	42.90	Horizontal
9036.7518	47.62	-52.81	-13.00	39.81	Horizontal
11157.1079	46.41	-49.65	-13.00	36.65	Horizontal
14045.3023	45.19	-46.73	-13.00	33.73	Horizontal
2110.0555	21.88	-47.68	-13.00	34.68	Vertical
4887.9444	20.40	-41.38	-13.00	28.38	Vertical
7528.5764	48.43	-55.74	-13.00	42.74	Vertical
9983.3492	47.35	-51.39	-13.00	38.39	Vertical
12861.6431	46.28	-46.59	-13.00	33.59	Vertical
16399.9700	48.15	-43.26	-13.00	30.26	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_13A_n78A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
2215.5608	22.14	-46.81	-13.00	33.81	Horizontal
5091.4546	20.59	-40.70	-13.00	27.70	Horizontal
8831.5916	47.59	-53.35	-13.00	40.35	Horizontal
11733.5367	45.77	-49.15	-13.00	36.15	Horizontal
14989.1495	44.55	-46.26	-13.00	33.26	Horizontal
17259.6630	48.27	-44.13	-13.00	31.13	Horizontal
1441.2721	21.21	-49.50	-13.00	36.50	Vertical
5748.9874	21.30	-37.65	-13.00	24.65	Vertical
8044.5022	47.79	-54.66	-13.00	41.66	Vertical
10670.3335	47.05	-50.62	-13.00	37.62	Vertical
13629.4815	45.13	-46.79	-13.00	33.79	Vertical
17163.9582	48.24	-44.22	-13.00	31.22	Vertical

Remark:

- The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
- Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

DC_66A_n78A_TM1					
Test Channel = Middle Channel					
Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
2144.5572	27.80	-41.33	-13.00	28.33	Horizontal
4879.4440	20.77	-41.44	-13.00	28.44	Horizontal
6971.2986	52.95	-52.66	-13.00	39.66	Horizontal
8831.5916	47.79	-53.15	-13.00	40.15	Horizontal
13366.0183	45.87	-46.51	-13.00	33.51	Horizontal
17269.0135	48.03	-44.41	-13.00	31.41	Horizontal
1296.7648	21.65	-49.78	-13.00	36.78	Vertical
2144.8072	25.67	-43.46	-13.00	30.46	Vertical
4862.9431	20.80	-41.20	-13.00	28.20	Vertical
6971.1986	53.82	-51.79	-13.00	38.79	Vertical
11219.2610	46.98	-49.06	-13.00	36.06	Vertical
16393.9197	47.84	-43.54	-13.00	30.54	Vertical

Remark:

1. The emission levels of below 1 GHz are lower than the limit 20dB and not show in test report.
2. Quoting the FCC ID: 2AJOTTA-1390 report, it is found that this channel is the worst mode, and the data is retested.

7 Test Setup Photo

Reference to the test setup photos: PCE-Test Setup Photo

8 EUT Constructional Details

Reference to the External photo and Internal photo.

-----End of report-----