

Hotspot:

LTE Band (EN_DC)	Exposure position	Ant0	n2		EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant1	Ant0												
Band 5	Hotspot	Front side	0.303	0.559	0.862	0.083	0.056	0.123	0.126	0.015	0.945	0.985	0.877	0.933	1.003	
		Back side	0.259	0.623	0.882	0.120	0.058	0.150	0.153	0.019	1.002	1.032	0.901	0.959	1.054	
		Left side	0.058	0.775	0.833	/	/	/	/	/	/	0.833	0.833	0.833	0.833	0.833
		Right side	0.169	0.042	0.211	0.076	0.077	0.317	0.191	0.010	0.287	0.528	0.221	0.298	0.412	
		Top side	/	0.227	0.227	0.095	/	0.118	/	0.014	0.322	0.345	0.241	0.241	0.241	
		Bottom side	0.290	/	0.290	0.010	0.010	0.052	0.054	/	0.300	0.342	0.290	0.300	0.344	
Band 12	Hotspot	Front side	0.185	0.559	0.744	0.083	0.056	0.123	0.126	0.015	0.827	0.867	0.759	0.815	0.885	
		Back side	0.156	0.623	0.779	0.120	0.058	0.150	0.153	0.019	0.899	0.929	0.798	0.856	0.951	
		Left side	0.061	0.775	0.836	/	/	/	/	/	/	0.836	0.836	0.836	0.836	
		Right side	0.233	0.042	0.275	0.076	0.077	0.317	0.191	0.010	0.351	0.592	0.285	0.362	0.476	
		Top side	/	0.227	0.227	0.095	/	0.118	/	0.014	0.322	0.345	0.241	0.241	0.241	
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232	
Band 13	Hotspot	Front side	0.244	0.559	0.803	0.083	0.056	0.123	0.126	0.015	0.886	0.926	0.818	0.874	0.944	
		Back side	0.196	0.623	0.819	0.120	0.058	0.150	0.153	0.019	0.939	0.969	0.838	0.896	0.991	
		Left side	0.082	0.775	0.857	/	/	/	/	/	/	0.857	0.857	0.857	0.857	
		Right side	0.166	0.042	0.208	0.076	0.077	0.317	0.191	0.010	0.284	0.525	0.218	0.295	0.409	
		Top side	/	0.227	0.227	0.095	/	0.118	/	0.014	0.322	0.345	0.241	0.241	0.241	
		Bottom side	0.242	/	0.242	0.010	0.010	0.052	0.054	/	0.252	0.294	0.242	0.252	0.296	
Band 14	Hotspot	Front side	0.254	0.559	0.813	0.083	0.056	0.123	0.126	0.015	0.896	0.936	0.828	0.884	0.954	
		Back side	0.203	0.623	0.826	0.120	0.058	0.150	0.153	0.019	0.946	0.976	0.845	0.903	0.998	
		Left side	0.084	0.775	0.859	/	/	/	/	/	/	0.859	0.859	0.859	0.859	
		Right side	0.218	0.042	0.260	0.076	0.077	0.317	0.191	0.010	0.336	0.577	0.270	0.347	0.461	
		Top side	/	0.227	0.227	0.095	/	0.118	/	0.014	0.322	0.345	0.241	0.241	0.241	
		Bottom side	0.251	/	0.251	0.010	0.010	0.052	0.054	/	0.261	0.303	0.251	0.261	0.305	
Band 66	Hotspot	Front side	0.254	0.559	0.813	0.083	0.056	0.123	0.126	0.015	0.896	0.936	0.828	0.884	0.954	
		Back side	0.260	0.623	0.883	0.120	0.058	0.150	0.153	0.019	1.003	1.033	0.902	0.960	1.055	
		Left side	0.039	0.775	0.814	/	/	/	/	/	/	0.814	0.814	0.814	0.814	
		Right side	0.030	0.042	0.072	0.076	0.077	0.317	0.191	0.010	0.148	0.389	0.082	0.159	0.273	
		Top side	/	0.227	0.227	0.095	/	0.118	/	0.014	0.322	0.345	0.241	0.241	0.241	
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792	

LTE Band (EN_DC)	Exposure position	Ant1	n2		EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7
			Ant0	Ant0											
Band 5	Hotspot	Front side	0.190	0.436	0.626	0.083	0.056	0.123	0.126	0.015	0.709	0.749	0.641	0.697	0.767
		Back side	0.170	0.298	0.468	0.120	0.058	0.150	0.153	0.019	0.588	0.618	0.487	0.545	0.640
		Left side	0.319	0.029	0.348	/	/	/	/	/	/	0.348	0.348	0.348	0.348
		Right side	0.006	0.052	0.058	0.076	0.077	0.317	0.191	0.010	0.134	0.375	0.068	0.145	0.259
		Top side	0.014	/	0.014	0.095	/	0.118	/	0.014	0.109	0.132	0.028	0.028	0.028
		Bottom side	/	0.655	0.655	0.010	0.010	0.052	0.054	/	0.665	0.707	0.655	0.665	0.709
Band 12	Hotspot	Front side	0.315	0.436	0.751	0.083	0.056	0.123	0.126	0.015	0.834	0.874	0.766	0.822	0.892
		Back side	0.291	0.298	0.589	0.120	0.058	0.150	0.153	0.019	0.709	0.739	0.608	0.666	0.761
		Left side	0.553	0.029	0.582	/	/	/	/	/	/	0.582	0.582	0.582	0.582
		Right side	0.024	0.052	0.076	0.076	0.077	0.317	0.191	0.010	0.152	0.393	0.086	0.163	0.277
		Top side	0.016	/	0.016	0.095	/	0.118	/	0.014	0.111	0.134	0.030	0.030	0.030
		Bottom side	/	0.655	0.655	0.010	0.010	0.052	0.054	/	0.665	0.707	0.655	0.665	0.709
Band 13	Hotspot	Front side	0.247	0.436	0.683	0.083	0.056	0.123	0.126	0.015	0.766	0.806	0.698	0.754	0.824
		Back side	0.156	0.298	0.454	0.120	0.058	0.150	0.153	0.019	0.574	0.604	0.473	0.531	0.626
		Left side	0.254	0.029	0.283	/	/	/	/	/	/	0.283	0.283	0.283	0.283
		Right side	0.007	0.052	0.059	0.076	0.077	0.317	0.191	0.010	0.135	0.376	0.069	0.146	0.260
		Top side	0.005	/	0.005	0.095	/	0.118	/	0.014	0.100	0.123	0.019	0.019	0.019
		Bottom side	/	0.655	0.655	0.010	0.010	0.052	0.054	/	0.665	0.707	0.655	0.665	0.709
Band 14	Hotspot	Front side	0.218	0.436	0.654	0.083	0.056	0.123	0.126	0.015	0.737	0.777	0.669	0.725	0.795
		Back side	0.126	0.298	0.424	0.120	0.058	0.150	0.153	0.019	0.544	0.574	0.443	0.501	0.596
		Left side	0.224	0.029	0.253	/	/	/	/	/	/	0.253	0.253	0.253	0.253
		Right side	0.005	0.052	0.057	0.076	0.077	0.317	0.191	0.010	0.133	0.374	0.067	0.144	0.258
		Top side	0.004	/	0.004	0.095	/	0.118	/	0.014	0.099	0.122	0.018	0.018	0.018
		Bottom side	/	0.655	0.655	0.010	0.010	0.052	0.054	/	0.665	0.707	0.655	0.665	0.709



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

		side													
Band 66	Hotspot	Front side	0.398	0.436	0.834	0.083	0.056	0.123	0.126	0.015	0.917	0.957	0.849	0.905	0.975
		Back side	0.425	0.298	0.723	0.120	0.058	0.150	0.153	0.019	0.843	0.873	0.742	0.800	0.895
		Left side	0.601	0.029	0.630	/	/	/	/	/	/	0.630	0.630	0.630	0.630
		Right side	0.039	0.052	0.091	0.076	0.077	0.317	0.191	0.010	0.167	0.408	0.101	0.178	0.292
		Top side	0.100	/	0.100	0.095	/	0.118	/	0.014	0.195	0.218	0.114	0.114	0.114
		Bottom side	/	0.655	0.655	0.010	0.010	0.052	0.054	/	0.665	0.707	0.655	0.665	0.709

LTE Band (EN_DC)	Exposure position	Ant0	n5		EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant1	Ant0												
Band 2	Hotspot	Front side	0.446	0.270	0.716	0.083	0.056	0.123	0.126	0.015	0.799	0.839	0.731	0.787	0.857	
		Back side	0.349	0.308	0.657	0.120	0.058	0.150	0.153	0.019	0.777	0.807	0.676	0.734	0.829	
		Left side	0.018	0.467	0.485	/	/	/	/	/	/	0.485	0.485	0.485	0.485	0.485
		Right side	0.044	0.006	0.050	0.076	0.077	0.317	0.191	0.010	0.126	0.367	0.060	0.137	0.251	
		Top side	/	0.019	0.019	0.095	/	0.118	/	0.014	0.114	0.137	0.033	0.033	0.033	
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569	
Band 66	Hotspot	Front side	0.254	0.270	0.524	0.083	0.056	0.123	0.126	0.015	0.607	0.647	0.539	0.595	0.665	
		Back side	0.260	0.308	0.568	0.120	0.058	0.150	0.153	0.019	0.688	0.718	0.587	0.645	0.740	
		Left side	0.039	0.467	0.506	/	/	/	/	/	/	0.506	0.506	0.506	0.506	
		Right side	0.030	0.006	0.036	0.076	0.077	0.317	0.191	0.010	0.112	0.353	0.046	0.123	0.237	
		Top side	/	0.019	0.019	0.095	/	0.118	/	0.014	0.114	0.137	0.033	0.033	0.033	
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792	

LTE Band (EN_DC)	Exposure position	Ant1	n5		EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant0	Ant0												
Band 2	Hotspot	Front side	0.229	0.483	0.712	0.083	0.056	0.123	0.126	0.015	0.795	0.835	0.727	0.783	0.853	
		Back side	0.251	0.440	0.691	0.120	0.058	0.150	0.153	0.019	0.811	0.841	0.710	0.768	0.863	
		Left side	0.369	0.128	0.497	/	/	/	/	/	/	0.497	0.497	0.497	0.497	0.497
		Right side	0.050	0.324	0.374	0.076	0.077	0.317	0.191	0.010	0.450	0.691	0.384	0.461	0.575	
		Top side	0.053	/	0.053	0.095	/	0.118	/	0.014	0.148	0.171	0.067	0.067	0.067	
		Bottom side	/	0.472	0.472	0.010	0.010	0.052	0.054	/	0.482	0.524	0.472	0.482	0.526	
Band 66	Hotspot	Front side	0.398	0.483	0.881	0.083	0.056	0.123	0.126	0.015	0.964	1.004	0.896	0.952	1.022	
		Back side	0.425	0.440	0.865	0.120	0.058	0.150	0.153	0.019	0.985	1.015	0.884	0.942	1.037	
		Left side	0.601	0.128	0.729	/	/	/	/	/	/	0.729	0.729	0.729	0.729	
		Right side	0.039	0.324	0.363	0.076	0.077	0.317	0.191	0.010	0.439	0.680	0.373	0.450	0.564	
		Top side	0.100	/	0.100	0.095	/	0.118	/	0.014	0.195	0.218	0.114	0.114	0.114	
		Bottom side	/	0.472	0.472	0.010	0.010	0.052	0.054	/	0.482	0.524	0.472	0.482	0.526	

LTE Band (EN_DC)	Exposure position	Ant0	n25		EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant1	Ant0												
Band 12	Hotspot	Front side	0.185	0.367	0.552	0.083	0.056	0.123	0.126	0.015	0.635	0.675	0.567	0.623	0.693	
		Back side	0.156	0.335	0.491	0.120	0.058	0.150	0.153	0.019	0.611	0.641	0.510	0.568	0.663	
		Left side	0.061	0.541	0.602	/	/	/	/	/	/	0.602	0.602	0.602	0.602	0.602
		Right side	0.233	0.061	0.294	0.076	0.077	0.317	0.191	0.010	0.370	0.611	0.304	0.381	0.495	
		Top side	/	0.290	0.290	0.095	/	0.118	/	0.014	0.385	0.408	0.304	0.304	0.304	
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232	
Band 66	Hotspot	Front side	0.254	0.367	0.621	0.083	0.056	0.123	0.126	0.015	0.704	0.744	0.636	0.692	0.762	
		Back side	0.260	0.335	0.595	0.120	0.058	0.150	0.153	0.019	0.715	0.745	0.614	0.672	0.767	
		Left side	0.039	0.541	0.580	/	/	/	/	/	/	0.580	0.580	0.580	0.580	
		Right side	0.030	0.061	0.091	0.076	0.077	0.317	0.191	0.010	0.167	0.408	0.101	0.178	0.292	
		Top side	/	0.290	0.290	0.095	/	0.118	/	0.014	0.385	0.408	0.304	0.304	0.304	
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

LTE Band (EN_DC)	Exposure position	Ant1	n25	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant0												
Band 12	Hotspot	Front side	0.315	0.527	0.842	0.083	0.056	0.123	0.126	0.015	0.925	0.965	0.857	0.913	0.983
		Back side	0.291	0.322	0.613	0.120	0.058	0.150	0.153	0.019	0.733	0.763	0.632	0.690	0.785
		Left side	0.553	0.035	0.588	/	/	/	/	/	0.588	0.588	0.588	0.588	0.588
		Right side	0.024	0.066	0.090	0.076	0.077	0.317	0.191	0.010	0.166	0.407	0.100	0.177	0.291
		Top side	0.016	/	0.016	0.095	/	0.118	/	0.014	0.111	0.134	0.030	0.030	0.030
		Bottom side	/	0.735	0.735	0.010	0.010	0.052	0.054	/	0.745	0.787	0.735	0.745	0.789
Band 66	Hotspot	Front side	0.398	0.527	0.925	0.083	0.056	0.123	0.126	0.015	1.008	1.048	0.940	0.996	1.066
		Back side	0.425	0.322	0.747	0.120	0.058	0.150	0.153	0.019	0.867	0.897	0.766	0.824	0.919
		Left side	0.601	0.035	0.636	/	/	/	/	/	0.636	0.636	0.636	0.636	0.636
		Right side	0.039	0.066	0.105	0.076	0.077	0.317	0.191	0.010	0.181	0.422	0.115	0.192	0.306
		Top side	0.100	/	0.100	0.095	/	0.118	/	0.014	0.195	0.218	0.114	0.114	0.114
		Bottom side	/	0.735	0.735	0.010	0.010	0.052	0.054	/	0.745	0.787	0.735	0.745	0.789

LTE Band (EN_DC)	Exposure position	Ant0	n66	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant1												
Band 2	Hotspot	Front side	0.446	0.319	0.765	0.083	0.056	0.123	0.126	0.015	0.848	0.888	0.780	0.836	0.906
		Back side	0.349	0.371	0.720	0.120	0.058	0.150	0.153	0.019	0.840	0.870	0.739	0.797	0.892
		Left side	0.018	0.535	0.553	/	/	/	/	/	0.553	0.553	0.553	0.553	0.553
		Right side	0.044	0.036	0.080	0.076	0.077	0.317	0.191	0.010	0.156	0.397	0.090	0.167	0.281
		Top side	/	0.084	0.084	0.095	/	0.118	/	0.014	0.179	0.202	0.098	0.098	0.098
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569
Band 5	Hotspot	Front side	0.303	0.319	0.622	0.083	0.056	0.123	0.126	0.015	0.705	0.745	0.637	0.693	0.763
		Back side	0.259	0.371	0.630	0.120	0.058	0.150	0.153	0.019	0.750	0.780	0.649	0.707	0.802
		Left side	0.058	0.535	0.593	/	/	/	/	/	0.593	0.593	0.593	0.593	0.593
		Right side	0.169	0.036	0.205	0.076	0.077	0.317	0.191	0.010	0.281	0.522	0.215	0.292	0.406
		Top side	/	0.084	0.084	0.095	/	0.118	/	0.014	0.179	0.202	0.098	0.098	0.098
		Bottom side	0.290	/	0.290	0.010	0.010	0.052	0.054	/	0.300	0.342	0.290	0.300	0.344
Band 12	Hotspot	Front side	0.185	0.319	0.504	0.083	0.056	0.123	0.126	0.015	0.587	0.627	0.519	0.575	0.645
		Back side	0.156	0.371	0.527	0.120	0.058	0.150	0.153	0.019	0.647	0.677	0.546	0.604	0.699
		Left side	0.061	0.535	0.596	/	/	/	/	/	0.596	0.596	0.596	0.596	0.596
		Right side	0.233	0.036	0.269	0.076	0.077	0.317	0.191	0.010	0.345	0.586	0.279	0.356	0.470
		Top side	/	0.084	0.084	0.095	/	0.118	/	0.014	0.179	0.202	0.098	0.098	0.098
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
Band 14	Hotspot	Front side	0.254	0.319	0.573	0.083	0.056	0.123	0.126	0.015	0.656	0.696	0.588	0.644	0.714
		Back side	0.203	0.371	0.574	0.120	0.058	0.150	0.153	0.019	0.694	0.724	0.593	0.651	0.746
		Left side	0.084	0.535	0.619	/	/	/	/	/	0.619	0.619	0.619	0.619	0.619
		Right side	0.218	0.036	0.254	0.076	0.077	0.317	0.191	0.010	0.330	0.571	0.264	0.341	0.455
		Top side	/	0.084	0.084	0.095	/	0.118	/	0.014	0.179	0.202	0.098	0.098	0.098
		Bottom side	0.251	/	0.251	0.010	0.010	0.052	0.054	/	0.261	0.303	0.251	0.261	0.305

LTE Band (EN_DC)	Exposure position	Ant1	n66	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant0												
Band 2	Hotspot	Front side	0.229	0.371	0.600	0.083	0.056	0.123	0.126	0.015	0.683	0.723	0.615	0.671	0.741
		Back side	0.251	0.292	0.543	0.120	0.058	0.150	0.153	0.019	0.663	0.693	0.562	0.620	0.715
		Left side	0.369	0.065	0.434	/	/	/	/	/	0.434	0.434	0.434	0.434	0.434
		Right side	0.050	0.044	0.094	0.076	0.077	0.317	0.191	0.010	0.170	0.411	0.104	0.181	0.295
		Top side	0.053	/	0.053	0.095	/	0.118	/	0.014	0.148	0.171	0.067	0.067	0.067
		Bottom side	/	0.775	0.775	0.010	0.010	0.052	0.054	/	0.785	0.827	0.775	0.785	0.829
Band 5	Hotspot	Front side	0.190	0.371	0.561	0.083	0.056	0.123	0.126	0.015	0.644	0.684	0.576	0.632	0.702
		Back side	0.170	0.292	0.462	0.120	0.058	0.150	0.153	0.019	0.582	0.612	0.481	0.539	0.634
		Left side	0.319	0.065	0.384	/	/	/	/	/	0.384	0.384	0.384	0.384	0.384
		Right side	0.006	0.044	0.050	0.076	0.077	0.317	0.191	0.010	0.126	0.367	0.060	0.137	0.251
		Top side	0.014	/	0.014	0.095	/	0.118	/	0.014	0.109	0.132	0.028	0.028	0.028
		Bottom side	/	0.775	0.775	0.010	0.010	0.052	0.054	/	0.785	0.827	0.775	0.785	0.829
Band 12	Hotspot	Front side	0.315	0.371	0.686	0.083	0.056	0.123	0.126	0.015	0.769	0.809	0.701	0.757	0.827



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



		Back side	0.291	0.292	0.583	0.120	0.058	0.150	0.153	0.019	0.703	0.733	0.602	0.660	0.755	
		Left side	0.553	0.065	0.618	/	/	/	/	/	/	0.618	0.618	0.618	0.618	0.618
		Right side	0.024	0.044	0.068	0.076	0.077	0.317	0.191	0.010	0.144	0.385	0.078	0.155	0.269	0.269
		Top side	0.016	/	0.016	0.095	/	0.118	/	0.014	0.111	0.134	0.030	0.030	0.030	0.030
		Bottom side	/	0.775	0.775	0.010	0.010	0.052	0.054	/	0.785	0.827	0.775	0.785	0.829	0.829
		Front side	0.218	0.371	0.589	0.083	0.056	0.123	0.126	0.015	0.672	0.712	0.604	0.660	0.730	0.730
Band 14	Hotspot	Back side	0.126	0.292	0.418	0.120	0.058	0.150	0.153	0.019	0.538	0.568	0.437	0.495	0.590	
		Left side	0.224	0.065	0.289	/	/	/	/	/	0.289	0.289	0.289	0.289	0.289	
		Right side	0.005	0.044	0.049	0.076	0.077	0.317	0.191	0.010	0.125	0.366	0.059	0.136	0.250	
		Top side	0.004	/	0.004	0.095	/	0.118	/	0.014	0.099	0.122	0.018	0.018	0.018	
		Bottom side	/	0.775	0.775	0.010	0.010	0.052	0.054	/	0.785	0.827	0.775	0.785	0.829	
		Front side	0.254	0.250	0.504	0.083	0.056	0.123	0.126	0.015	0.587	0.627	0.519	0.575	0.645	

LTE Band (EN_DC)	Exposure position	Ant0	n71	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant1												
Band 2	Hotspot	Front side	0.446	0.250	0.696	0.083	0.056	0.123	0.126	0.015	0.779	0.819	0.711	0.767	0.837
		Back side	0.349	0.291	0.640	0.120	0.058	0.150	0.153	0.019	0.760	0.790	0.659	0.717	0.812
		Left side	0.018	0.422	0.440	/	/	/	/	/	0.440	0.440	0.440	0.440	0.440
		Right side	0.044	0.014	0.058	0.076	0.077	0.317	0.191	0.010	0.134	0.375	0.068	0.145	0.259
		Top side	/	0.011	0.011	0.095	/	0.118	/	0.014	0.106	0.129	0.025	0.025	0.025
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569
Band 66	Hotspot	Front side	0.254	0.250	0.504	0.083	0.056	0.123	0.126	0.015	0.587	0.627	0.519	0.575	0.645
		Back side	0.260	0.291	0.551	0.120	0.058	0.150	0.153	0.019	0.671	0.701	0.570	0.628	0.723
		Left side	0.039	0.422	0.461	/	/	/	/	/	0.461	0.461	0.461	0.461	0.461
		Right side	0.030	0.014	0.044	0.076	0.077	0.317	0.191	0.010	0.120	0.361	0.054	0.131	0.245
		Top side	/	0.011	0.011	0.095	/	0.118	/	0.014	0.106	0.129	0.025	0.025	0.025
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n71	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant0												
Band 2	Hotspot	Front side	0.229	0.146	0.375	0.083	0.056	0.123	0.126	0.015	0.458	0.498	0.390	0.446	0.516
		Back side	0.251	0.148	0.399	0.120	0.058	0.150	0.153	0.019	0.519	0.549	0.418	0.476	0.571
		Left side	0.369	0.075	0.444	/	/	/	/	/	0.444	0.444	0.444	0.444	0.444
		Right side	0.050	0.174	0.224	0.076	0.077	0.317	0.191	0.010	0.300	0.541	0.234	0.311	0.425
		Top side	0.053	/	0.053	0.095	/	0.118	/	0.014	0.148	0.171	0.067	0.067	0.067
		Bottom side	/	0.118	0.118	0.010	0.010	0.052	0.054	/	0.128	0.170	0.118	0.118	0.128
Band 66	Hotspot	Front side	0.398	0.146	0.544	0.083	0.056	0.123	0.126	0.015	0.627	0.667	0.559	0.615	0.685
		Back side	0.425	0.148	0.573	0.120	0.058	0.150	0.153	0.019	0.693	0.723	0.592	0.650	0.745
		Left side	0.601	0.075	0.676	/	/	/	/	/	0.676	0.676	0.676	0.676	0.676
		Right side	0.039	0.174	0.213	0.076	0.077	0.317	0.191	0.010	0.289	0.530	0.223	0.300	0.414
		Top side	0.100	/	0.100	0.095	/	0.118	/	0.014	0.195	0.218	0.114	0.114	0.114
		Bottom side	/	0.118	0.118	0.010	0.010	0.052	0.054	/	0.128	0.170	0.118	0.118	0.172

LTE Band (EN_DC)	Exposure position	Ant0	n38	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant3												
Band 5	Hotspot	Front side	0.303	0.097	0.400	0.083	0.056	0.123	0.126	0.015	0.483	0.523	0.415	0.471	0.541
		Back side	0.259	0.107	0.366	0.120	0.058	0.150	0.153	0.019	0.486	0.516	0.385	0.443	0.538
		Left side	0.058	0.005	0.063	/	/	/	/	/	0.063	0.063	0.063	0.063	0.063
		Right side	0.169	0.191	0.360	0.076	0.077	0.317	0.191	0.010	0.436	0.677	0.370	0.447	0.561
		Top side	/	0.018	0.018	0.095	/	0.118	/	0.014	0.113	0.136	0.032	0.032	0.032
		Bottom side	0.290	/	0.290	0.010	0.010	0.052	0.054	/	0.300	0.342	0.290	0.300	0.344
Band 12	Hotspot	Front side	0.185	0.097	0.282	0.083	0.056	0.123	0.126	0.015	0.365	0.405	0.297	0.353	0.423
		Back side	0.156	0.107	0.263	0.120	0.058	0.150	0.153	0.019	0.383	0.413	0.282	0.340	0.435
		Left side	0.061	0.005	0.066	/	/	/	/	/	0.066	0.066	0.066	0.066	0.066
		Right side	0.233	0.191	0.424	0.076	0.077	0.317	0.191	0.010	0.500	0.741	0.434	0.511	0.625
		Top side	/	0.018	0.018	0.095	/	0.118	/	0.014	0.113	0.136	0.032	0.032	0.032
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
Band 66	Hotspot	Front side	0.254	0.097	0.351	0.083	0.056	0.123	0.126	0.015	0.434	0.474	0.366	0.422	0.492
		Back side	0.260	0.107	0.367	0.120	0.058	0.150	0.153	0.019	0.487	0.517	0.386	0.444	0.539



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



	Left side	0.039	0.005	0.044	/	/	/	/	/	0.044	0.044	0.044	0.044	0.044
	Right side	0.030	0.191	0.221	0.076	0.077	0.317	0.191	0.010	0.297	0.538	0.231	0.308	0.422
	Top side	/	0.018	0.018	0.095	/	0.118	/	0.014	0.113	0.136	0.032	0.032	0.032
	Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n38	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant3												
Band 5	Hotspot	Front side	0.190	0.097	0.287	0.083	0.056	0.123	0.126	0.015	0.370	0.410	0.302	0.358	0.428
		Back side	0.170	0.107	0.277	0.120	0.058	0.150	0.153	0.019	0.397	0.427	0.296	0.354	0.449
		Left side	0.319	0.005	0.324	/	/	/	/	/	0.324	0.324	0.324	0.324	0.324
		Right side	0.006	0.191	0.197	0.076	0.077	0.317	0.191	0.010	0.273	0.514	0.207	0.284	0.398
		Top side	0.014	0.018	0.032	0.095	/	0.118	/	0.014	0.127	0.150	0.046	0.046	0.046
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 12	Hotspot	Front side	0.315	0.097	0.412	0.083	0.056	0.123	0.126	0.015	0.495	0.535	0.427	0.483	0.553
		Back side	0.291	0.107	0.398	0.120	0.058	0.150	0.153	0.019	0.518	0.548	0.417	0.475	0.570
		Left side	0.553	0.005	0.558	/	/	/	/	/	0.558	0.558	0.558	0.558	0.558
		Right side	0.024	0.191	0.215	0.076	0.077	0.317	0.191	0.010	0.291	0.532	0.225	0.302	0.416
		Top side	0.016	0.018	0.034	0.095	/	0.118	/	0.014	0.129	0.152	0.048	0.048	0.048
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 66	Hotspot	Front side	0.398	0.097	0.495	0.083	0.056	0.123	0.126	0.015	0.578	0.618	0.510	0.566	0.636
		Back side	0.425	0.107	0.532	0.120	0.058	0.150	0.153	0.019	0.652	0.682	0.551	0.609	0.704
		Left side	0.601	0.005	0.606	/	/	/	/	/	0.606	0.606	0.606	0.606	0.606
		Right side	0.039	0.191	0.230	0.076	0.077	0.317	0.191	0.010	0.306	0.547	0.240	0.317	0.431
		Top side	0.100	0.018	0.118	0.095	/	0.118	/	0.014	0.213	0.236	0.132	0.132	0.132
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054

LTE Band (EN_DC)	Exposure position	Ant0	n41	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant3												
Band 12	Hotspot	Front side	0.185	0.271	0.456	0.083	0.056	0.123	0.126	0.015	0.539	0.579	0.471	0.527	0.597
		Back side	0.156	0.329	0.485	0.120	0.058	0.150	0.153	0.019	0.605	0.635	0.504	0.562	0.657
		Left side	0.061	0.006	0.067	/	/	/	/	/	0.067	0.067	0.067	0.067	0.067
		Right side	0.233	0.514	0.747	0.076	0.077	0.317	0.191	0.010	0.823	1.064	0.757	0.834	0.948
		Top side	/	0.069	0.069	0.095	/	0.118	/	0.014	0.164	0.187	0.083	0.083	0.083
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
Band 66	Hotspot	Front side	0.254	0.271	0.525	0.083	0.056	0.123	0.126	0.015	0.608	0.648	0.540	0.596	0.666
		Back side	0.260	0.329	0.589	0.120	0.058	0.150	0.153	0.019	0.709	0.739	0.608	0.666	0.761
		Left side	0.039	0.006	0.045	/	/	/	/	/	0.045	0.045	0.045	0.045	0.045
		Right side	0.030	0.514	0.544	0.076	0.077	0.317	0.191	0.010	0.620	0.861	0.554	0.631	0.745
		Top side	/	0.069	0.069	0.095	/	0.118	/	0.014	0.164	0.187	0.083	0.083	0.083
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n41	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant3												
Band 12	Hotspot	Front side	0.315	0.271	0.586	0.083	0.056	0.123	0.126	0.015	0.669	0.709	0.601	0.657	0.727
		Back side	0.291	0.329	0.620	0.120	0.058	0.150	0.153	0.019	0.740	0.770	0.639	0.697	0.792
		Left side	0.553	0.006	0.559	/	/	/	/	/	0.559	0.559	0.559	0.559	0.559
		Right side	0.024	0.514	0.538	0.076	0.077	0.317	0.191	0.010	0.614	0.855	0.548	0.625	0.739
		Top side	0.016	0.069	0.085	0.095	/	0.118	/	0.014	0.180	0.203	0.099	0.099	0.099
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 66	Hotspot	Front side	0.398	0.271	0.669	0.083	0.056	0.123	0.126	0.015	0.752	0.792	0.684	0.740	0.810
		Back side	0.425	0.329	0.754	0.120	0.058	0.150	0.153	0.019	0.874	0.904	0.773	0.831	0.926
		Left side	0.601	0.006	0.607	/	/	/	/	/	0.607	0.607	0.607	0.607	0.607
		Right side	0.039	0.514	0.553	0.076	0.077	0.317	0.191	0.010	0.629	0.870	0.563	0.640	0.754
		Top side	0.100	0.069	0.169	0.095	/	0.118	/	0.014	0.264	0.287	0.183	0.183	0.183
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

LTE Band (EN_DC)	Exposure position	Ant0	n77	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant2												
Band 2	Hotspot	Front side	0.446	0.050	0.496	0.083	0.056	0.123	0.126	0.015	0.579	0.619	0.511	0.567	0.637
		Back side	0.349	0.082	0.431	0.120	0.058	0.150	0.153	0.019	0.551	0.581	0.450	0.508	0.603
		Left side	0.018	0.008	0.026	/	/	/	/	/	0.026	0.026	0.026	0.026	0.026
		Right side	0.044	0.016	0.060	0.076	0.077	0.317	0.191	0.010	0.136	0.377	0.070	0.147	0.261
		Top side	/	0.106	0.106	0.095	/	0.118	/	0.014	0.201	0.224	0.120	0.120	0.120
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569
Band 12	Hotspot	Front side	0.185	0.050	0.235	0.083	0.056	0.123	0.126	0.015	0.318	0.358	0.250	0.306	0.376
		Back side	0.156	0.082	0.238	0.120	0.058	0.150	0.153	0.019	0.358	0.388	0.257	0.315	0.410
		Left side	0.061	0.008	0.069	/	/	/	/	/	0.069	0.069	0.069	0.069	0.069
		Right side	0.233	0.016	0.249	0.076	0.077	0.317	0.191	0.010	0.325	0.566	0.259	0.336	0.450
		Top side	/	0.106	0.106	0.095	/	0.118	/	0.014	0.201	0.224	0.120	0.120	0.120
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
Band 14	Hotspot	Front side	0.254	0.050	0.304	0.083	0.056	0.123	0.126	0.015	0.387	0.427	0.319	0.375	0.445
		Back side	0.203	0.082	0.285	0.120	0.058	0.150	0.153	0.019	0.405	0.435	0.304	0.362	0.457
		Left side	0.084	0.008	0.092	/	/	/	/	/	0.092	0.092	0.092	0.092	0.092
		Right side	0.218	0.016	0.234	0.076	0.077	0.317	0.191	0.010	0.310	0.551	0.244	0.321	0.435
		Top side	/	0.106	0.106	0.095	/	0.118	/	0.014	0.201	0.224	0.120	0.120	0.120
		Bottom side	0.251	/	0.251	0.010	0.010	0.052	0.054	/	0.261	0.303	0.251	0.261	0.305
Band 66	Hotspot	Front side	0.254	0.050	0.304	0.083	0.056	0.123	0.126	0.015	0.387	0.427	0.319	0.375	0.445
		Back side	0.260	0.082	0.342	0.120	0.058	0.150	0.153	0.019	0.462	0.492	0.361	0.419	0.514
		Left side	0.039	0.008	0.047	/	/	/	/	/	0.047	0.047	0.047	0.047	0.047
		Right side	0.030	0.016	0.046	0.076	0.077	0.317	0.191	0.010	0.122	0.363	0.056	0.133	0.247
		Top side	/	0.106	0.106	0.095	/	0.118	/	0.014	0.201	0.224	0.120	0.120	0.120
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n77	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant2												
Band 2	Hotspot	Front side	0.229	0.050	0.279	0.083	0.056	0.123	0.126	0.015	0.362	0.402	0.294	0.350	0.420
		Back side	0.251	0.082	0.333	0.120	0.058	0.150	0.153	0.019	0.453	0.483	0.352	0.410	0.505
		Left side	0.369	0.008	0.377	/	/	/	/	/	0.377	0.377	0.377	0.377	0.377
		Right side	0.050	0.016	0.066	0.076	0.077	0.317	0.191	0.010	0.142	0.383	0.076	0.153	0.267
		Top side	0.053	0.106	0.159	0.095	/	0.118	/	0.014	0.254	0.277	0.173	0.173	0.173
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 12	Hotspot	Front side	0.315	0.050	0.365	0.083	0.056	0.123	0.126	0.015	0.448	0.488	0.380	0.436	0.506
		Back side	0.291	0.082	0.373	0.120	0.058	0.150	0.153	0.019	0.493	0.523	0.392	0.450	0.545
		Left side	0.553	0.008	0.561	/	/	/	/	/	0.561	0.561	0.561	0.561	0.561
		Right side	0.024	0.016	0.040	0.076	0.077	0.317	0.191	0.010	0.116	0.357	0.050	0.127	0.241
		Top side	0.016	0.106	0.122	0.095	/	0.118	/	0.014	0.217	0.240	0.136	0.136	0.136
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 14	Hotspot	Front side	0.218	0.050	0.268	0.083	0.056	0.123	0.126	0.015	0.351	0.391	0.283	0.339	0.409
		Back side	0.126	0.082	0.208	0.120	0.058	0.150	0.153	0.019	0.328	0.358	0.227	0.285	0.380
		Left side	0.224	0.008	0.232	/	/	/	/	/	0.232	0.232	0.232	0.232	0.232
		Right side	0.005	0.016	0.021	0.076	0.077	0.317	0.191	0.010	0.097	0.338	0.031	0.108	0.222
		Top side	0.004	0.106	0.110	0.095	/	0.118	/	0.014	0.205	0.228	0.124	0.124	0.124
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 66	Hotspot	Front side	0.398	0.050	0.448	0.083	0.056	0.123	0.126	0.015	0.531	0.571	0.463	0.519	0.589
		Back side	0.425	0.082	0.507	0.120	0.058	0.150	0.153	0.019	0.627	0.657	0.526	0.584	0.679
		Left side	0.601	0.008	0.609	/	/	/	/	/	0.609	0.609	0.609	0.609	0.609
		Right side	0.039	0.016	0.055	0.076	0.077	0.317	0.191	0.010	0.131	0.372	0.065	0.142	0.256
		Top side	0.100	0.106	0.206	0.095	/	0.118	/	0.014	0.301	0.324	0.220	0.220	0.220
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

LTE Band (EN_DC)	Exposure position	Ant0	n77	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7		
			Ant3													
Band 2	Hotspot	Front side	0.446	0.083	0.529	0.083	0.056	0.123	0.126	0.015	0.612	0.652	0.544	0.600	0.670	
		Back side	0.349	0.073	0.422	0.120	0.058	0.150	0.153	0.019	0.542	0.572	0.441	0.499	0.594	
		Left side	0.018	0.004	0.022	/	/	/	/	/	/	0.022	0.022	0.022	0.022	0.022
		Right side	0.044	0.193	0.237	0.076	0.077	0.317	0.191	0.010	0.313	0.554	0.247	0.324	0.438	
		Top side	/	0.030	0.030	0.095	/	0.118	/	0.014	0.125	0.148	0.044	0.044	0.044	
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569	
Band 12	Hotspot	Front side	0.185	0.083	0.268	0.083	0.056	0.123	0.126	0.015	0.351	0.391	0.283	0.339	0.409	
		Back side	0.156	0.073	0.229	0.120	0.058	0.150	0.153	0.019	0.349	0.379	0.248	0.306	0.401	
		Left side	0.061	0.004	0.065	/	/	/	/	/	/	0.065	0.065	0.065	0.065	
		Right side	0.233	0.193	0.426	0.076	0.077	0.317	0.191	0.010	0.502	0.743	0.436	0.513	0.627	
		Top side	/	0.030	0.030	0.095	/	0.118	/	0.014	0.125	0.148	0.044	0.044	0.044	
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232	
Band 14	Hotspot	Front side	0.254	0.083	0.337	0.083	0.056	0.123	0.126	0.015	0.420	0.460	0.352	0.408	0.478	
		Back side	0.203	0.073	0.276	0.120	0.058	0.150	0.153	0.019	0.396	0.426	0.295	0.353	0.448	
		Left side	0.084	0.004	0.088	/	/	/	/	/	/	0.088	0.088	0.088	0.088	
		Right side	0.218	0.193	0.411	0.076	0.077	0.317	0.191	0.010	0.487	0.728	0.421	0.498	0.612	
		Top side	/	0.030	0.030	0.095	/	0.118	/	0.014	0.125	0.148	0.044	0.044	0.044	
		Bottom side	0.251	/	0.251	0.010	0.010	0.052	0.054	/	0.261	0.303	0.251	0.261	0.305	
Band 66	Hotspot	Front side	0.254	0.083	0.337	0.083	0.056	0.123	0.126	0.015	0.420	0.460	0.352	0.408	0.478	
		Back side	0.260	0.073	0.333	0.120	0.058	0.150	0.153	0.019	0.453	0.483	0.352	0.410	0.505	
		Left side	0.039	0.004	0.043	/	/	/	/	/	/	0.043	0.043	0.043	0.043	
		Right side	0.030	0.193	0.223	0.076	0.077	0.317	0.191	0.010	0.299	0.540	0.233	0.310	0.424	
		Top side	/	0.030	0.030	0.095	/	0.118	/	0.014	0.125	0.148	0.044	0.044	0.044	
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792	

LTE Band (EN_DC)	Exposure position	Ant1	n77	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant3												
Band 2	Hotspot	Front side	0.229	0.083	0.312	0.083	0.056	0.123	0.126	0.015	0.395	0.435	0.327	0.383	0.453
		Back side	0.251	0.073	0.324	0.120	0.058	0.150	0.153	0.019	0.444	0.474	0.343	0.401	0.496
		Left side	0.369	0.004	0.373	/	/	/	/	/	/	0.373	0.373	0.373	0.373
		Right side	0.050	0.193	0.243	0.076	0.077	0.317	0.191	0.010	0.319	0.560	0.253	0.330	0.444
		Top side	0.053	0.030	0.083	0.095	/	0.118	/	0.014	0.178	0.201	0.097	0.097	0.097
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 12	Hotspot	Front side	0.315	0.083	0.398	0.083	0.056	0.123	0.126	0.015	0.481	0.521	0.413	0.469	0.539
		Back side	0.291	0.073	0.364	0.120	0.058	0.150	0.153	0.019	0.484	0.514	0.383	0.441	0.536
		Left side	0.553	0.004	0.557	/	/	/	/	/	/	0.557	0.557	0.557	0.557
		Right side	0.024	0.193	0.217	0.076	0.077	0.317	0.191	0.010	0.293	0.534	0.227	0.304	0.418
		Top side	0.016	0.030	0.046	0.095	/	0.118	/	0.014	0.141	0.164	0.060	0.060	0.060
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 14	Hotspot	Front side	0.218	0.083	0.301	0.083	0.056	0.123	0.126	0.015	0.384	0.424	0.316	0.372	0.442
		Back side	0.126	0.073	0.199	0.120	0.058	0.150	0.153	0.019	0.319	0.349	0.218	0.276	0.371
		Left side	0.224	0.004	0.228	/	/	/	/	/	/	0.228	0.228	0.228	0.228
		Right side	0.005	0.193	0.198	0.076	0.077	0.317	0.191	0.010	0.274	0.515	0.208	0.285	0.399
		Top side	0.004	0.030	0.034	0.095	/	0.118	/	0.014	0.129	0.152	0.048	0.048	0.048
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 66	Hotspot	Front side	0.398	0.083	0.481	0.083	0.056	0.123	0.126	0.015	0.564	0.604	0.496	0.552	0.622
		Back side	0.425	0.073	0.498	0.120	0.058	0.150	0.153	0.019	0.618	0.648	0.517	0.575	0.670
		Left side	0.601	0.004	0.605	/	/	/	/	/	/	0.605	0.605	0.605	0.605
		Right side	0.039	0.193	0.232	0.076	0.077	0.317	0.191	0.010	0.308	0.549	0.242	0.319	0.433
		Top side	0.100	0.030	0.130	0.095	/	0.118	/	0.014	0.225	0.248	0.144	0.144	0.144
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

LTE Band (EN_DC)	Exposure position	Ant0	n78	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7		
			Ant2													
Band 2	Hotspot	Front side	0.446	0.077	0.523	0.083	0.056	0.123	0.126	0.015	0.606	0.646	0.538	0.594	0.664	
		Back side	0.349	0.177	0.526	0.120	0.058	0.150	0.153	0.019	0.646	0.676	0.545	0.603	0.698	
		Left side	0.018	0.010	0.028	/	/	/	/	/	/	0.028	0.028	0.028	0.028	0.028
		Right side	0.044	0.020	0.064	0.076	0.077	0.317	0.191	0.010	0.140	0.381	0.074	0.151	0.265	
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569	
Band 12	Hotspot	Front side	0.185	0.077	0.262	0.083	0.056	0.123	0.126	0.015	0.345	0.385	0.277	0.333	0.403	
		Back side	0.156	0.177	0.333	0.120	0.058	0.150	0.153	0.019	0.453	0.483	0.352	0.410	0.505	
		Left side	0.061	0.010	0.071	/	/	/	/	/	/	0.071	0.071	0.071	0.071	
		Right side	0.233	0.020	0.253	0.076	0.077	0.317	0.191	0.010	0.329	0.570	0.263	0.340	0.454	
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232	
Band 66	Hotspot	Front side	0.254	0.077	0.331	0.083	0.056	0.123	0.126	0.015	0.414	0.454	0.346	0.402	0.472	
		Back side	0.260	0.177	0.437	0.120	0.058	0.150	0.153	0.019	0.557	0.587	0.456	0.514	0.609	
		Left side	0.039	0.010	0.049	/	/	/	/	/	/	0.049	0.049	0.049	0.049	
		Right side	0.030	0.020	0.050	0.076	0.077	0.317	0.191	0.010	0.126	0.367	0.060	0.137	0.251	
		Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792	

LTE Band (EN_DC)	Exposure position	Ant1	n78	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant2												
Band 2	Hotspot	Front side	0.229	0.077	0.306	0.083	0.056	0.123	0.126	0.015	0.389	0.429	0.321	0.377	0.447
		Back side	0.251	0.177	0.428	0.120	0.058	0.150	0.153	0.019	0.548	0.578	0.447	0.505	0.600
		Left side	0.369	0.010	0.379	/	/	/	/	/	/	0.379	0.379	0.379	0.379
		Right side	0.050	0.020	0.070	0.076	0.077	0.317	0.191	0.010	0.146	0.387	0.080	0.157	0.271
		Bottom side	0.053	0.186	0.239	0.095	/	0.118	/	0.014	0.334	0.357	0.253	0.253	0.253
Band 12	Hotspot	Front side	0.315	0.077	0.392	0.083	0.056	0.123	0.126	0.015	0.475	0.515	0.407	0.463	0.533
		Back side	0.291	0.177	0.468	0.120	0.058	0.150	0.153	0.019	0.588	0.618	0.487	0.545	0.640
		Left side	0.553	0.010	0.563	/	/	/	/	/	/	0.563	0.563	0.563	0.563
		Right side	0.024	0.020	0.044	0.076	0.077	0.317	0.191	0.010	0.120	0.361	0.054	0.131	0.245
		Bottom side	0.016	0.186	0.202	0.095	/	0.118	/	0.014	0.297	0.320	0.216	0.216	0.216
Band 66	Hotspot	Front side	0.398	0.077	0.475	0.083	0.056	0.123	0.126	0.015	0.558	0.598	0.490	0.546	0.616
		Back side	0.425	0.177	0.602	0.120	0.058	0.150	0.153	0.019	0.722	0.752	0.621	0.679	0.774
		Left side	0.601	0.010	0.611	/	/	/	/	/	/	0.611	0.611	0.611	0.611
		Right side	0.039	0.020	0.059	0.076	0.077	0.317	0.191	0.010	0.135	0.376	0.069	0.146	0.260
		Bottom side	0.100	0.186	0.286	0.095	/	0.118	/	0.014	0.381	0.404	0.300	0.300	0.300

LTE Band (EN_DC)	Exposure position	Ant0	n78	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7	
			Ant3												
Band 2	Hotspot	Front side	0.446	0.222	0.668	0.083	0.056	0.123	0.126	0.015	0.751	0.791	0.683	0.739	0.809
		Back side	0.349	0.283	0.632	0.120	0.058	0.150	0.153	0.019	0.752	0.782	0.651	0.709	0.804
		Left side	0.018	0.005	0.023	/	/	/	/	/	/	0.023	0.023	0.023	0.023
		Right side	0.044	0.417	0.461	0.076	0.077	0.317	0.191	0.010	0.537	0.778	0.471	0.548	0.662
		Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.054	/	0.525	0.567	0.515	0.525	0.569
Band 12	Hotspot	Front side	0.185	0.222	0.407	0.083	0.056	0.123	0.126	0.015	0.490	0.530	0.422	0.478	0.548
		Back side	0.156	0.283	0.439	0.120	0.058	0.150	0.153	0.019	0.559	0.589	0.458	0.516	0.611
		Left side	0.061	0.005	0.066	/	/	/	/	/	/	0.066	0.066	0.066	0.066
		Right side	0.233	0.417	0.650	0.076	0.077	0.317	0.191	0.010	0.726	0.967	0.660	0.737	0.851
		Bottom side	0.178	/	0.178	0.010	0.010	0.052	0.054	/	0.188	0.230	0.178	0.188	0.232
Band 66	Hotspot	Front side	0.254	0.222	0.476	0.083	0.056	0.123	0.126	0.015	0.559	0.599	0.491	0.547	0.617
		Back side	0.260	0.283	0.543	0.120	0.058	0.150	0.153	0.019	0.663	0.693	0.562	0.620	0.715



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

	Left side	0.039	0.005	0.044	/	/	/	/	/	0.044	0.044	0.044	0.044	0.044
	Right side	0.030	0.417	0.447	0.076	0.077	0.317	0.191	0.010	0.523	0.764	0.457	0.534	0.648
	Top side	/	0.074	0.074	0.095	/	0.118	/	0.014	0.169	0.192	0.088	0.088	0.088
	Bottom side	0.738	/	0.738	0.010	0.010	0.052	0.054	/	0.748	0.790	0.738	0.748	0.792

LTE Band (EN_DC)	Exposure position	Ant1	n78	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7	
			Ant3												
Band 2	Hotspot	Front side	0.229	0.222	0.451	0.083	0.056	0.123	0.126	0.015	0.534	0.574	0.466	0.522	0.592
		Back side	0.251	0.283	0.534	0.120	0.058	0.150	0.153	0.019	0.654	0.684	0.553	0.611	0.706
		Left side	0.369	0.005	0.374	/	/	/	/	/	0.374	0.374	0.374	0.374	0.374
		Right side	0.050	0.417	0.467	0.076	0.077	0.317	0.191	0.010	0.543	0.784	0.477	0.554	0.668
		Top side	0.053	0.074	0.127	0.095	/	0.118	/	0.014	0.222	0.245	0.141	0.141	0.141
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 12	Hotspot	Front side	0.315	0.222	0.537	0.083	0.056	0.123	0.126	0.015	0.620	0.660	0.552	0.608	0.678
		Back side	0.291	0.283	0.574	0.120	0.058	0.150	0.153	0.019	0.694	0.724	0.593	0.651	0.746
		Left side	0.553	0.005	0.558	/	/	/	/	/	0.558	0.558	0.558	0.558	0.558
		Right side	0.024	0.417	0.441	0.076	0.077	0.317	0.191	0.010	0.517	0.758	0.451	0.528	0.642
		Top side	0.016	0.074	0.090	0.095	/	0.118	/	0.014	0.185	0.208	0.104	0.104	0.104
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054
Band 66	Hotspot	Front side	0.398	0.222	0.620	0.083	0.056	0.123	0.126	0.015	0.703	0.743	0.635	0.691	0.761
		Back side	0.425	0.283	0.708	0.120	0.058	0.150	0.153	0.019	0.828	0.858	0.727	0.785	0.880
		Left side	0.601	0.005	0.606	/	/	/	/	/	0.606	0.606	0.606	0.606	0.606
		Right side	0.039	0.417	0.456	0.076	0.077	0.317	0.191	0.010	0.532	0.773	0.466	0.543	0.657
		Top side	0.100	0.074	0.174	0.095	/	0.118	/	0.014	0.269	0.292	0.188	0.188	0.188
		Bottom side	/	/	/	0.010	0.010	0.052	0.054	/	0.010	0.052	/	0.010	0.054

Product specific 10gSAR

LTE Band (EN_DC)	Exposure position	Ant1	n2	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7
			Ant0											
Band 5	Product specific 10gSAR	Front side	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
		Back side	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
		Left side	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
		Top side	/	/	/	/	0.156	/	/	/	0.156	/	/	/
		Bottom side	/	1.676	1.676	/	/	0.080	0.082	/	1.676	1.756	1.676	1.676
Band 12	Product specific 10gSAR	Front side	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
		Back side	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
		Left side	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
		Top side	/	/	/	/	0.156	/	/	/	0.156	/	/	/
		Bottom side	/	1.676	1.676	/	/	0.080	0.082	/	1.676	1.756	1.676	1.676
Band 13	Product specific 10gSAR	Front side	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
		Back side	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
		Left side	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
		Top side	/	/	/	/	0.156	/	/	/	0.156	/	/	/
		Bottom side	/	1.676	1.676	/	/	0.080	0.082	/	1.676	1.756	1.676	1.676
Band 14	Product specific 10gSAR	Front side	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
		Back side	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
		Left side	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
		Top side	/	/	/	/	0.156	/	/	/	0.156	/	/	/
		Bottom side	/	1.676	1.676	/	/	0.080	0.082	/	1.676	1.756	1.676	1.676
Band 66	Product specific 10gSAR	Front side	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
		Back side	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
		Left side	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
		Top side	/	/	/	/	0.156	/	/	/	0.156	/	/	/
		Bottom side	/	1.676	1.676	/	/	0.080	0.082	/	1.676	1.756	1.676	1.676



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

LTE Band (EN_DC)	Exposure position	Ant0	n5	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant1											
Band 2	Product specific	Front side	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259	
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	
	Right side	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575	
	Top side	/	/	/	/	0.156	/	/	/	0.156	/	/	/	
	Bottom side	0.903	/	0.903	/	/	0.080	0.082	/	0.903	0.983	0.903	0.903	0.985

LTE Band (EN_DC)	Exposure position	Ant1	n25	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant0											
Band 12	Product specific	Front side	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259	
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	
	Right side	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575	
	Top side	/	/	/	/	0.156	/	/	/	0.156	/	/	/	
	Bottom side	/	1.391	1.391	/	/	0.080	0.082	/	1.391	1.471	1.391	1.391	1.473
Band 66	Product specific	Front side	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259	
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	
	Right side	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575	
	Top side	/	/	/	/	0.156	/	/	/	0.156	/	/	/	
	Bottom side	/	1.391	1.391	/	/	0.080	0.082	/	1.391	1.471	1.391	1.391	1.473

LTE Band (EN_DC)	Exposure position	Ant0	n66	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant1											
Band 2	Product specific	Front side	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259	
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	
	Right side	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575	
	Top side	/	/	/	/	0.156	/	/	/	0.156	/	/	/	
	Bottom side	0.903	/	0.903	/	/	0.080	0.082	/	0.903	0.983	0.903	0.903	0.985

LTE Band (EN_DC)	Exposure position	Ant0	n71	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant1											
Band 2	Product specific	Front side	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259	
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	
	Right side	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575	
	Top side	/	/	/	/	0.156	/	/	/	0.156	/	/	/	
	Bottom side	0.903	/	0.903	/	/	0.080	0.082	/	0.903	0.983	0.903	0.903	0.985

LTE Band (EN_DC)	Exposure position	Ant0	n77	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WI-FI 2.4GHz ANT7	EN-DC+BT+WI-FI 5GHz ANT7
			Ant2											
Band 2	Product specific	Front side	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259	
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	
	Right side	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575	
	Top side	/	/	/	/	0.156	/	/	/	0.156	/	/	/	
	Bottom side	0.903	/	0.903	/	/	0.080	0.082	/	0.903	0.983	0.903	0.903	0.985



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

LTE Band (EN_DC)	Exposure position	Ant0	n77	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7
			Ant3											
Band 2	Product specific	Front side	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
	Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
	Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	0.903	/	0.903	/	/	0.080	0.082	/	0.903	0.983	0.903	0.903	0.985

LTE Band (EN_DC)	Exposure position	Ant0	n78	EN_DC Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	EN-DC+WIFI 2.4G	EN-DC+WIFI 5G	EN-DC+BT	EN-DC+BT+WIFI 2.4GHz ANT7	EN-DC+BT+WIFI 5GHz ANT7
			Ant2											
Band 2	Product specific	Front side	/	/	/	/	0.248	0.253	/	/	0.248	/	/	0.253
	Back side	/	/	/	/	/	0.474	0.259	/	/	0.474	/	/	0.259
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
	Right side	/	/	/	/	/	0.564	0.575	/	/	0.564	/	/	0.575
	Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	0.903	/	0.903	/	/	0.080	0.082	/	0.903	0.983	0.903	0.903	0.985

Inter-band UL CA SAR:

Inter-band UL CA	Exposure position	Ant0	LTE B12		Inter-band UL CA Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	Inter-band UL CA+WIFI 2.4G	Inter-band UL CA+WIFI 5G	Inter-band UL CA+BT	Inter-band UL CA+BT+WIFI 2.4GHz ANT7	Inter-band UL CA+BT+WIFI 5GHz ANT7
			Ant1	Ant2											
LTE Band 2	Head	Left Touch	0.029	0.386	0.415	0.481	0.013	0.376	0.022	0.121	0.896	0.791	0.536	0.549	0.558
		Left Tilt	0.012	0.062	0.074	0.298	0.019	0.241	0.024	0.098	0.372	0.315	0.172	0.191	0.196
		Right Touch	0.016	0.305	0.321	0.207	0.035	0.131	0.042	0.052	0.528	0.452	0.373	0.408	0.415
		Right Tilt	0.049	0.060	0.109	0.203	0.013	0.129	0.024	0.054	0.312	0.238	0.163	0.176	0.187
	Body worn	Front side	0.669	0.239	0.908	0.083	0.056	0.159	0.159	0.015	0.991	1.067	0.923	0.979	1.082
		Back side	0.535	0.209	0.744	0.120	0.057	0.138	0.096	0.019	0.864	0.882	0.763	0.820	0.859
	Hotspot	Front side	0.446	0.315	0.761	0.083	0.056	0.123	0.123	0.015	0.844	0.884	0.776	0.832	0.899
		Back side	0.349	0.291	0.640	0.120	0.057	0.150	0.150	0.019	0.760	0.790	0.659	0.716	0.809
		Left side	0.018	0.553	0.571	/	/	/	/	/	0.571	0.571	0.571	0.571	0.571
		Right side	0.044	0.024	0.068	0.076	0.076	0.317	0.188	0.010	0.144	0.385	0.078	0.154	0.266
		Top side	/	0.016	0.016	0.095	/	0.118	/	0.014	0.111	0.134	0.030	0.030	0.030
	Product specific 10gSAR	Bottom side	0.515	/	0.515	0.010	0.010	0.052	0.052	/	0.525	0.567	0.515	0.525	0.567
		Front side	/	/	/	/	/	0.248	0.248	/	/	0.248	/	/	0.248
		Back side	/	/	/	/	/	0.474	0.254	/	/	0.474	/	/	0.254
		Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	/	0.564	0.564	/	/	0.564	/	/	0.564
		Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	0.903	/	0.903	/	/	0.080	0.080	/	0.903	0.983	0.903	0.903	0.983	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Inter-band UL CA	Exposure position	Ant1	LTE B12		Inter-band UL CA Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	Inter-band UL CA+WIFI 2.4G	Inter-band UL CA+WIFI 5G	Inter-band UL CA+BT	Inter-band UL CA+BT+WI-FI 2.4GHz ANT7	Inter-band UL CA+BT+WI-FI 5GHz ANT7
			Ant0												
LTE Band 2	Head	Left Touch	0.427	0.089	0.516	0.481	0.013	0.376	0.022	0.121	0.997	0.892	0.637	0.650	0.659
		Left Tilt	0.184	0.052	0.236	0.298	0.019	0.241	0.024	0.098	0.534	0.477	0.334	0.353	0.358
		Right Touch	0.644	0.109	0.753	0.207	0.035	0.131	0.042	0.052	0.960	0.884	0.805	0.840	0.847
		Right Tilt	0.131	0.053	0.184	0.203	0.013	0.129	0.024	0.054	0.387	0.313	0.238	0.251	0.262
	Body worn	Front side	0.335	0.185	0.520	0.083	0.056	0.159	0.159	0.015	0.603	0.679	0.535	0.591	0.694
		Back side	0.398	0.156	0.554	0.120	0.057	0.138	0.096	0.019	0.674	0.692	0.573	0.630	0.669
	Hotspot	Front side	0.335	0.185	0.520	0.083	0.056	0.123	0.123	0.015	0.603	0.643	0.535	0.591	0.658
		Back side	0.398	0.156	0.554	0.120	0.057	0.150	0.150	0.019	0.674	0.704	0.573	0.630	0.723
		Left side	0.584	0.061	0.645	/	/	/	/	/	0.645	0.645	0.645	0.645	0.645
		Right side	0.050	0.233	0.283	0.076	0.076	0.317	0.188	0.010	0.359	0.600	0.293	0.369	0.481
		Top side	0.084	/	0.084	0.095	/	0.118	/	0.014	0.179	0.202	0.098	0.098	0.098
	Product specific 10gSAR	Bottom side	/	0.178	/	0.010	0.010	0.052	0.052	/	0.010	0.052	/	0.010	0.052
		Front side	/	/	/	/	/	0.248	0.248	/	/	0.248	/	/	0.248
		Back side	/	/	/	/	/	0.474	0.254	/	/	0.474	/	/	0.254
		Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	/	0.564	0.564	/	/	0.564	/	/	0.564
		Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	/	/	/	/	/	0.080	0.080	/	/	0.080	/	/	0.080	

Inter-band UL CA	Exposure position	Ant0	LTE B12		Inter-band UL CA Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	Inter-band UL CA+WIFI 2.4G	Inter-band UL CA+WIFI 5G	Inter-band UL CA+BT	Inter-band UL CA+BT+WI-FI 2.4GHz ANT7	Inter-band UL CA+BT+WI-FI 5GHz ANT7
			Ant1												
LTE Band 4	Head	Left Touch	0.026	0.386	0.412	0.481	0.013	0.376	0.022	0.121	0.893	0.788	0.533	0.546	0.555
		Left Tilt	0.009	0.062	0.071	0.298	0.019	0.241	0.024	0.098	0.369	0.312	0.169	0.188	0.193
		Right Touch	0.014	0.305	0.319	0.207	0.035	0.131	0.042	0.052	0.526	0.450	0.371	0.406	0.413
		Right Tilt	0.007	0.060	0.067	0.203	0.013	0.129	0.024	0.054	0.270	0.196	0.121	0.134	0.145
	Body worn	Front side	0.403	0.239	0.642	0.083	0.056	0.159	0.159	0.015	0.725	0.801	0.657	0.713	0.816
		Back side	0.350	0.209	0.559	0.120	0.057	0.138	0.096	0.019	0.679	0.697	0.578	0.635	0.674
	Hotspot	Front side	0.318	0.315	0.633	0.083	0.056	0.123	0.123	0.015	0.716	0.756	0.648	0.704	0.771
		Back side	0.270	0.291	0.561	0.120	0.057	0.150	0.150	0.019	0.681	0.711	0.580	0.637	0.730
		Left side	0.037	0.553	0.590	/	/	/	/	/	0.590	0.590	0.590	0.590	0.590
		Right side	0.038	0.024	0.062	0.076	0.076	0.317	0.188	0.010	0.138	0.379	0.072	0.148	0.260
		Top side	/	0.016	0.016	0.095	/	0.118	/	0.014	0.111	0.134	0.030	0.030	0.030
	Product specific 10gSAR	Bottom side	0.769	/	0.769	0.010	0.010	0.052	0.052	/	0.779	0.821	0.769	0.779	0.821
		Front side	/	/	/	/	/	0.248	0.248	/	/	0.248	/	/	0.248
		Back side	/	/	/	/	/	0.474	0.254	/	/	0.474	/	/	0.254
		Left side	/	/	/	/	/	/	/	/	/	/	/	/	/
		Right side	/	/	/	/	/	0.564	0.564	/	/	0.564	/	/	0.564
		Top side	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	/	/	/	/	/	0.080	0.080	/	/	0.080	/	/	0.080	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Inter-band UL CA	Exposure position	Ant1	LTE B12		Inter-band UL CA Max Summed SAR	WIFI 2.4G	WI-FI 2.4GHz ANT7	WIFI 5G	WI-FI 5GHz ANT7	Bluetooth	Inter-band UL CA+WIFI 2.4G	Inter-band UL CA+WIFI 5G	Inter-band UL CA+BT	Inter-band UL CA+BT+WIFI 2.4GHz ANT7	Inter-band UL CA+BT+WIFI 5GHz ANT7
			Ant0												
LTE Band 4	Head	Left Touch	0.371	0.089	0.460	0.481	0.013	0.376	0.022	0.121	0.941	0.836	0.581	0.594	0.603
		Left Tilt	0.193	0.052	0.245	0.298	0.019	0.241	0.024	0.098	0.543	0.486	0.343	0.362	0.367
		Right Touch	0.718	0.109	0.827	0.207	0.035	0.131	0.042	0.052	1.034	0.958	0.879	0.914	0.921
		Right Tilt	0.171	0.053	0.224	0.203	0.013	0.129	0.024	0.054	0.427	0.353	0.278	0.291	0.302
	Body worn	Front side	0.438	0.185	0.623	0.083	0.056	0.159	0.159	0.015	0.706	0.782	0.638	0.694	0.797
		Back side	0.507	0.156	0.663	0.120	0.057	0.138	0.096	0.019	0.783	0.801	0.682	0.739	0.778
	Hotspot	Front side	0.369	0.185	0.554	0.083	0.056	0.123	0.123	0.015	0.637	0.677	0.569	0.625	0.692
		Back side	0.507	0.156	0.663	0.120	0.057	0.150	0.150	0.019	0.783	0.813	0.682	0.739	0.832
		Left side	0.778	0.061	0.839	/	/	/	/	/	0.839	0.839	0.839	0.839	0.839
		Right side	0.024	0.233	0.257	0.076	0.076	0.317	0.188	0.010	0.333	0.574	0.267	0.343	0.455
		Top side	0.062	/	0.062	0.095	/	0.118	/	0.014	0.157	0.180	0.076	0.076	0.076
		Bottom side	/	/	/	0.010	0.010	0.052	0.052	/	0.010	0.052	/	0.010	0.052
		Product specific 10gSAR	Front side	/	/	/	/	/	0.248	0.248	/	/	0.248	/	/
	Back side	/	/	/	/	/	/	0.474	0.254	/	/	0.474	/	/	0.254
	Left side	/	/	/	/	/	/	/	/	/	/	/	/	/	/
	Right side	/	/	/	/	/	/	0.564	0.564	/	/	0.564	/	/	0.564
	Top side	/	/	/	/	/	/	0.156	/	/	/	0.156	/	/	/
	Bottom side	/	/	/	/	/	/	0.080	0.080	/	/	0.080	/	/	0.080



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



9 Equipment list

Test Platform		SPEAG DASY5 Professional				
Description		SAR Test System (Frequency range 300MHz-6GHz)				
Software Reference		DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)				
Hardware Reference						
Equipment	Manufacturer	Model	Serial Number	Calibration Date	Due date of calibration	
<input checked="" type="checkbox"/>	Twin Phantom	SPEAG	SAM 3	1912	NCR	NCR
<input checked="" type="checkbox"/>	Twin Phantom	SPEAG	SAM 9	1769	NCR	NCR
<input checked="" type="checkbox"/>	Twin Phantom	SPEAG	SAM 10	1563	NCR	NCR
<input checked="" type="checkbox"/>	Twin Phantom	SPEAG	SAM 12	2031	NCR	NCR
<input checked="" type="checkbox"/>	DAE	SPEAG	DAE4	702	2020-08-12	2021-08-11
<input checked="" type="checkbox"/>	DAE	SPEAG	DAE4	1663	2021-03-01	2022-02-28
<input checked="" type="checkbox"/>	DAE	SPEAG	DAE4	896	2021-02-05	2022-02-04
<input checked="" type="checkbox"/>	E-Field Probe	SPEAG	EX3DV4	3748	2020-07-29	2021-07-28
<input checked="" type="checkbox"/>	E-Field Probe	SPEAG	ES3DV3	3204	2021-02-10	2022-02-09
<input checked="" type="checkbox"/>	E-Field Probe	SPEAG	EX3DV4	3962	2021-04-26	2022-04-25
<input checked="" type="checkbox"/>	E-Field Probe	SPEAG	EX3DV4	7636	2021-03-03	2022-03-02
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D750V3	1160	2019-05-22	2022-05-21
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D835V2	4d105	2019-12-17	2022-12-16
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D1750V2	1149	2019-05-21	2022-05-20
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D1900V2	5d028	2019-12-17	2022-12-16
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D2300V2	1072	2019-05-21	2022-05-20
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D2450V2	733	2019-12-17	2022-12-16
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D2600V2	1125	2019-05-20	2022-05-19
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D3500V2	1082	2019-09-06	2022-09-05
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D3700V2	1046	2019-09-06	2022-09-05
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D3900V2	1026	2019-09-03	2022-09-02
<input checked="" type="checkbox"/>	Validation Kits	SPEAG	D5GHzV2	1165	2019-12-20	2022-12-19
<input checked="" type="checkbox"/>	Agilent Network Analyzer	Agilent	E5071C	MY46523591	2021-04-14	2022-04-13
<input checked="" type="checkbox"/>	Dielectric Probe Kit	Agilent	85070E	US01440210	NCR	NCR
<input checked="" type="checkbox"/>	Universal Radio Communication Tester	R&S	CMW500	111637	2021-04-14	2022-04-13
<input checked="" type="checkbox"/>	Radio Communication Analyzer	Anritsu	MT8821C	6201502984	2020-06-11	2021-06-10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

<input checked="" type="checkbox"/>	RF Bi-Directional Coupler	Agilent	86205-60001	MY31400031	NCR	NCR
<input checked="" type="checkbox"/>	Signal Generator	Agilent	N5171B	MY53050736	2021-04-14	2022-04-13
<input checked="" type="checkbox"/>	Preamplifier	Mini-Circuits	ZHL-42W	15542	NCR	NCR
<input checked="" type="checkbox"/>	Preamplifier	Compliance Directions Systems Inc.	AMP28-3W	073501433	NCR	NCR
<input checked="" type="checkbox"/>	Power Meter	Agilent	E4416A	GB41292095	2021-04-14	2022-04-13
<input checked="" type="checkbox"/>	Power Sensor	Agilent	8481H	MY41091234	2021-04-14	2022-04-13
<input checked="" type="checkbox"/>	Power Sensor	R&S	NRP-Z92	100025	2021-04-14	2022-04-13
<input checked="" type="checkbox"/>	Attenuator	SHX	TS2-3dB	30704	NCR	NCR
<input checked="" type="checkbox"/>	Coaxial low pass filter	Mini-Circuits	VLF-2500(+)	NA	NCR	NCR
<input checked="" type="checkbox"/>	Coaxial low pass filter	Microlab Fxr	LA-F13	NA	NCR	NCR
<input checked="" type="checkbox"/>	DC POWER SUPPLY	SAKO	SK1730SL5A	NA	NCR	NCR
<input checked="" type="checkbox"/>	Speed reading thermometer	MingGao	T809	NA	2021-04-15	2022-04-14
<input checked="" type="checkbox"/>	Humidity and Temperature Indicator	KIMTOKA	KIMTOKA	NA	2021-04-15	2022-04-14

Note: All the equipments are within the valid period when the tests are performed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

10 Calibration certificate

Please see the Appendix C

11 Photographs

Please see the Appendix D

Appendix A: Detailed System Check Results

Appendix B: Detailed Test Results

Appendix C: Calibration certificate

Appendix D: Photographs

Appendix E: Conducted RF Output Power Table

---END---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com