HMD global Oy Bertel Jungin aukio 9, 02600 Espoo, Finland UNII Declaration Letter

We have declared below	v featured for FCC ed	quipment authorizatio	on, device FCC ID: 2	AJOTTA-1390
(1) DFS Device		nt with Radar detection lar detection capabilit	· <u> </u>	
(2) Active / Passive Scar	nning , adhoc mode a	access point capabili	ty	
Frequency Band (MHz)	Active Scanning (the device can transmit a probe (beacon))	passive scanning (where the device is can listen only with no probes)	Ad Hoc Mode capability	Access point capability
2412 – 2462 MHz	■ Yes, □ No	■ Yes, □ No	■ Yes, □ No	☐ Yes, ■ No
2422 – 2452 MHz	■ Yes, □ No	■ Yes, □ No	■ Yes, □ No	☐ Yes, ■ No
5745 – 5825 MHz	■ Yes, □ No	■ Yes, □ No	■ Yes, □ No	☐ Yes, ■ No
5755 – 5795 MHz	■ Yes, □ No	■ Yes, □ No	■ Yes, □ No	☐ Yes, ■ No
5180 – 5240 MHz	■ Yes, □ No	■ Yes, □ No	■ Yes, □ No	☐ Yes, ■ No
5190 – 5230 MHz	■ Yes, □ No	■ Yes, □ No	■ Yes, □ No	☐ Yes, ■ No
5260 – 5320 MHz	☐ Yes, ■ No	■ Yes, □ No	☐ Yes, ■ No	☐ Yes, ■ No
5270 – 5310 MHz	☐ Yes, ■ No	■ Yes, □ No	☐ Yes, ■ No	☐ Yes, ■ No
5500 – 5700 MHz	☐ Yes, ■ No	■ Yes, □ No	☐ Yes, ■ No	☐ Yes, ■ No
5510 – 5670 MHz	☐ Yes, ■ No	■ Yes, □ No	☐ Yes, ■ No	☐ Yes, ■ No
(3) Country code selection If no, pls explain how was (4) Meet 15.202 requirer pls check below: ☐ A master device is dependent of transmit without receiving network by sending enal A client device is defeare under control of the	efined as a device or g an enabling signals to other ined as a device ope master. A device in c	Microsoft network ut No , perating in a mode in . In this mode it is abl devices rating in a mode in we client mode is not able	which it has the capa le to select a channel which the transmission e to initiate a network	and initiate a
(5) For client devices the scanning in some and particles or those that open of operations through so how the software and / obe modified by end user ☐ Apply, ■ No Apply (If apply, pls help to provide e	assive scanning in ot erate on non-DFS fre oftware, the application or hardware is implent or an installer.	thers) in different ban equencies) or modula on must provide softw nented to ensure that	ids (devices with multion devices which confine the confine co	tiple equipment gure the modes lescription on modes can not
If you have any question	ns, please feel free to	contact me at the ac	ddress shown below.	
Yours sincerely.				

HMD global OyBertel Jungin aukio 9, 02600 Espoo, Finland

Contact Person: Reza Serafat Applicant: HMD Global Oy Phone: +491735287964

E-Mail: Reza Serafat <u>reza.serafat@hmdglobal.com</u>