

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 1720 | 20050 | 20MHz | 1 | 0 | 20.22 |
| | | | | 1 | 50 | 20.35 |
| | | | | 1 | 99 | 20.22 |
| | | | | 50 | 0 | 19.26 |
| | | | | 50 | 25 | 19.24 |
| | | | | 50 | 50 | 19.33 |
| | 100 | 0 | | 19.44 | | |
| | 1732.5 | 20175 | | 1 | 0 | 20.19 |
| | | | | 1 | 50 | 20.38 |
| | | | | 1 | 99 | 20.34 |
| | | | | 50 | 0 | 19.51 |
| | | | | 50 | 25 | 19.40 |
| | | | | 50 | 50 | 19.39 |
| | 1745 | 20300 | | 100 | 0 | 19.27 |
| | | | | 1 | 0 | 20.25 |
| | | | | 1 | 50 | 20.30 |
| | | | | 1 | 99 | 20.19 |
| | | | | 50 | 0 | 19.50 |
| 50 | | | 25 | 19.29 | | |
| 256QAM | 1720 | 20050 | 50 | 50 | 19.40 | |
| | | | 100 | 0 | 19.45 | |
| | | | 1 | 0 | 17.36 | |
| | | | 1 | 50 | 17.45 | |
| | | | 1 | 99 | 17.49 | |
| | | | 50 | 0 | 17.40 | |
| | 1732.5 | 20175 | 50 | 25 | 17.39 | |
| | | | 50 | 50 | 17.38 | |
| | | | 100 | 0 | 17.34 | |
| | | | 1 | 0 | 17.57 | |
| | | | 1 | 50 | 17.25 | |
| | | | 1 | 99 | 17.88 | |
| | 1745 | 20300 | 50 | 0 | 17.46 | |
| | | | 50 | 25 | 17.37 | |
| | | | 50 | 50 | 17.39 | |
| | | | 100 | 0 | 17.26 | |
| | | | 1 | 0 | 17.63 | |
| | | | 1 | 50 | 17.82 | |
| | | | 1 | 99 | 17.60 | |
| | | | 50 | 0 | 17.50 | |
| | | | 50 | 25 | 17.36 | |
| | | | 50 | 50 | 17.46 | |
| | | | 100 | 0 | 17.40 | |

LTE Band 4(EN_DC)

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 1710.7 | 19957 | 1.4MHz | 1 | 0 | 20.33 |
| | | | | 1 | 2 | 20.39 |
| | | | | 1 | 5 | 20.44 |
| | | | | 3 | 0 | 20.44 |
| | | | | 3 | 1 | 20.47 |
| | | | | 3 | 3 | 20.54 |
| | 6 | 0 | | 19.53 | | |
| | 1 | 0 | | 20.39 | | |
| | 1 | 2 | | 20.57 | | |
| | 1 | 5 | | 20.37 | | |
| | 3 | 0 | | 20.54 | | |
| | 3 | 1 | | 20.45 | | |
| | 3 | 3 | | 20.51 | | |
| | 6 | 0 | | 19.58 | | |
| | 1 | 0 | | 20.54 | | |
| | 1 | 2 | | 20.59 | | |
| | 1 | 5 | | 20.53 | | |
| | 3 | 0 | | 20.55 | | |
| 3 | 1 | 20.61 | | | | |
| 3 | 3 | 20.55 | | | | |
| 6 | 0 | 19.67 | | | | |
| 16QAM | 1710.7 | 19957 | 1 | 0 | 19.72 | |
| | | | 1 | 2 | 19.84 | |
| | | | 1 | 5 | 19.95 | |
| | | | 3 | 0 | 19.60 | |
| | | | 3 | 1 | 19.66 | |
| | | | 3 | 3 | 19.52 | |
| | 6 | 0 | 18.69 | | | |
| | 1 | 0 | 19.91 | | | |
| | 1 | 2 | 19.80 | | | |
| | 1 | 5 | 20.08 | | | |
| | 3 | 0 | 19.63 | | | |
| | 3 | 1 | 19.59 | | | |
| | 3 | 3 | 19.67 | | | |
| | 6 | 0 | 18.78 | | | |
| | 1 | 0 | 19.79 | | | |
| | 1 | 2 | 20.06 | | | |
| | 1 | 5 | 19.79 | | | |
| | 3 | 0 | 19.72 | | | |
| 3 | 1 | 19.78 | | | | |
| 3 | 3 | 19.63 | | | | |
| 6 | 0 | 19.01 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 1710.7 | 19957 | 1.4MHz | 1 | 0 | 18.31 |
| | | | | 1 | 2 | 18.33 |
| | | | | 1 | 5 | 18.35 |
| | | | | 3 | 0 | 18.36 |
| | | | | 3 | 1 | 18.38 |
| | | | | 3 | 3 | 18.47 |
| | 6 | 0 | | 17.45 | | |
| | 1732.5 | 20175 | | 1 | 0 | 18.36 |
| | | | | 1 | 2 | 18.52 |
| | | | | 1 | 5 | 18.27 |
| | | | | 3 | 0 | 18.44 |
| | | | | 3 | 1 | 18.35 |
| | | | | 3 | 3 | 18.42 |
| | 6 | 0 | | 17.50 | | |
| | 1754.3 | 20393 | | 1 | 0 | 18.44 |
| | | | | 1 | 2 | 18.57 |
| | | | | 1 | 5 | 18.47 |
| | | | | 3 | 0 | 18.48 |
| 3 | | | 1 | 18.52 | | |
| 3 | | | 3 | 18.50 | | |
| 256QAM | 1710.7 | 19957 | 6 | 0 | 17.59 | |
| | | | 1 | 0 | 15.67 | |
| | | | 1 | 2 | 15.80 | |
| | | | 1 | 5 | 15.91 | |
| | | | 3 | 0 | 15.58 | |
| | | | 3 | 1 | 15.57 | |
| | 3 | 3 | 15.43 | | | |
| | 1732.5 | 20175 | 6 | 0 | 15.66 | |
| | | | 1 | 0 | 15.84 | |
| | | | 1 | 2 | 15.74 | |
| | | | 1 | 5 | 16.06 | |
| | | | 3 | 0 | 15.57 | |
| | | | 3 | 1 | 15.51 | |
| | 3 | 3 | 15.58 | | | |
| | 1754.3 | 20393 | 6 | 0 | 15.73 | |
| | | | 1 | 0 | 15.72 | |
| | | | 1 | 2 | 15.96 | |
| | | | 1 | 5 | 15.75 | |
| 3 | | | 0 | 15.68 | | |
| 3 | | | 1 | 15.74 | | |
| 3 | 3 | 15.57 | | | | |
| 6 | 0 | 15.96 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 1711.5 | 19965 | 3MHz | 1 | 0 | 20.75 |
| | | | | 1 | 7 | 20.82 |
| | | | | 1 | 14 | 20.58 |
| | | | | 8 | 0 | 19.80 |
| | | | | 8 | 4 | 19.76 |
| | | | | 8 | 7 | 19.77 |
| | 15 | 0 | | 19.84 | | |
| | 1732.5 | 20175 | | 1 | 0 | 20.77 |
| | | | | 1 | 7 | 20.78 |
| | | | | 1 | 14 | 20.66 |
| | | | | 8 | 0 | 19.75 |
| | | | | 8 | 4 | 19.91 |
| | | | | 8 | 7 | 19.79 |
| | 1753.5 | 20385 | | 15 | 0 | 19.78 |
| | | | | 1 | 0 | 20.84 |
| 1 | | | 7 | 20.67 | | |
| 1 | | | 14 | 20.87 | | |
| 8 | | | 0 | 19.79 | | |
| 8 | | | 4 | 19.90 | | |
| 16QAM | 1711.5 | 19965 | 8 | 7 | 19.88 | |
| | | | 15 | 0 | 19.94 | |
| | | | 1 | 0 | 19.55 | |
| | | | 1 | 7 | 20.01 | |
| | | | 1 | 14 | 20.17 | |
| | | | 8 | 0 | 18.61 | |
| | 1732.5 | 20175 | 8 | 4 | 18.95 | |
| | | | 8 | 7 | 18.94 | |
| | | | 15 | 0 | 18.84 | |
| | | | 1 | 0 | 20.26 | |
| | | | 1 | 7 | 19.74 | |
| | | | 1 | 14 | 19.82 | |
| | 1753.5 | 20385 | 8 | 0 | 18.76 | |
| | | | 8 | 4 | 19.13 | |
| | | | 8 | 7 | 19.10 | |
| 15 | | | 0 | 18.89 | | |
| 1 | | | 0 | 20.43 | | |
| 1 | | | 7 | 19.97 | | |
| | | | 1 | 14 | 20.00 | |
| | | | 8 | 0 | 18.98 | |
| | | | 8 | 4 | 18.82 | |
| | | | 8 | 7 | 18.72 | |
| | | | 15 | 0 | 19.11 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 1711.5 | 19965 | 3MHz | 1 | 0 | 18.71 |
| | | | | 1 | 7 | 18.76 |
| | | | | 1 | 14 | 18.49 |
| | | | | 8 | 0 | 17.76 |
| | | | | 8 | 4 | 17.67 |
| | | | | 8 | 7 | 17.70 |
| | 15 | 0 | | 17.76 | | |
| | 1732.5 | 20175 | | 1 | 0 | 18.73 |
| | | | | 1 | 7 | 18.71 |
| | | | | 1 | 14 | 18.60 |
| | | | | 8 | 0 | 17.72 |
| | | | | 8 | 4 | 17.83 |
| | | | | 8 | 7 | 17.77 |
| | 1753.5 | 20385 | | 15 | 0 | 17.68 |
| | | | | 1 | 0 | 18.78 |
| 1 | | | 7 | 18.59 | | |
| 1 | | | 14 | 18.82 | | |
| 8 | | | 0 | 17.75 | | |
| 8 | | | 4 | 17.82 | | |
| 256QAM | 1711.5 | 19965 | 8 | 7 | 17.85 | |
| | | | 15 | 0 | 17.84 | |
| | | | 1 | 0 | 15.47 | |
| | | | 1 | 7 | 15.91 | |
| | | | 1 | 14 | 16.13 | |
| | | | 8 | 0 | 15.59 | |
| | 1732.5 | 20175 | 8 | 4 | 15.91 | |
| | | | 8 | 7 | 15.85 | |
| | | | 15 | 0 | 15.82 | |
| | | | 1 | 0 | 16.20 | |
| | | | 1 | 7 | 15.65 | |
| | | | 1 | 14 | 15.77 | |
| | 1753.5 | 20385 | 8 | 0 | 15.68 | |
| | | | 8 | 4 | 16.05 | |
| | | | 8 | 7 | 16.03 | |
| 15 | | | 0 | 15.79 | | |
| 1 | | | 0 | 16.35 | | |
| 1 | | | 7 | 15.91 | | |
| | | | 1 | 14 | 15.98 | |
| | | | 8 | 0 | 15.89 | |
| | | | 8 | 4 | 15.75 | |
| | | | 8 | 7 | 15.62 | |
| | | | 15 | 0 | 16.08 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 1712.5 | 19975 | 5MHz | 1 | 0 | 20.81 |
| | | | | 1 | 13 | 20.73 |
| | | | | 1 | 24 | 20.66 |
| | | | | 12 | 0 | 19.85 |
| | | | | 12 | 6 | 19.83 |
| | | | | 12 | 13 | 19.78 |
| | 25 | 0 | | 19.81 | | |
| | 1732.5 | 20175 | | 1 | 0 | 20.73 |
| | | | | 1 | 13 | 20.77 |
| | | | | 1 | 24 | 20.70 |
| | | | | 12 | 0 | 19.82 |
| | | | | 12 | 6 | 19.74 |
| | | | | 12 | 13 | 19.82 |
| | 1752.5 | 20375 | | 25 | 0 | 19.82 |
| | | | | 1 | 0 | 20.85 |
| 1 | | | 13 | 20.71 | | |
| 1 | | | 24 | 20.79 | | |
| 12 | | | 0 | 19.87 | | |
| 12 | | | 6 | 19.84 | | |
| 16QAM | 1712.5 | 19975 | 12 | 13 | 19.91 | |
| | | | 25 | 0 | 19.93 | |
| | | | 1 | 0 | 19.86 | |
| | | | 1 | 13 | 19.73 | |
| | | | 1 | 24 | 19.87 | |
| | | | 12 | 0 | 18.93 | |
| | 1732.5 | 20175 | 12 | 6 | 18.84 | |
| | | | 12 | 13 | 18.89 | |
| | | | 25 | 0 | 18.85 | |
| | | | 1 | 0 | 20.13 | |
| | | | 1 | 13 | 20.28 | |
| | | | 1 | 24 | 19.87 | |
| | 1752.5 | 20375 | 12 | 0 | 18.80 | |
| | | | 12 | 6 | 18.76 | |
| | | | 12 | 13 | 18.87 | |
| 25 | | | 0 | 18.83 | | |
| 1 | | | 0 | 20.06 | | |
| 1 | | | 13 | 20.53 | | |
| | | | 1 | 24 | 20.32 | |
| | | | 12 | 0 | 18.94 | |
| | | | 12 | 6 | 18.93 | |
| | | | 12 | 13 | 18.83 | |
| | | | 25 | 0 | 18.90 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 1712.5 | 19975 | 5MHz | 1 | 0 | 18.77 |
| | | | | 1 | 13 | 18.68 |
| | | | | 1 | 24 | 18.63 |
| | | | | 12 | 0 | 17.76 |
| | | | | 12 | 6 | 17.81 |
| | | | | 12 | 13 | 17.71 |
| | 25 | 0 | | 17.72 | | |
| | 1732.5 | 20175 | | 1 | 0 | 18.65 |
| | | | | 1 | 13 | 18.74 |
| | | | | 1 | 24 | 18.67 |
| | | | | 12 | 0 | 17.74 |
| | | | | 12 | 6 | 17.72 |
| | | | | 12 | 13 | 17.72 |
| | 1752.5 | 20375 | | 25 | 0 | 17.77 |
| | | | | 1 | 0 | 18.77 |
| | | | | 1 | 13 | 18.64 |
| | | | | 1 | 24 | 18.69 |
| | | | | 12 | 0 | 17.85 |
| 12 | | | 6 | 17.82 | | |
| 256QAM | 1712.5 | 19975 | 12 | 13 | 17.87 | |
| | | | 25 | 0 | 17.88 | |
| | | | 1 | 0 | 15.80 | |
| | | | 1 | 13 | 15.71 | |
| | | | 1 | 24 | 15.85 | |
| | | | 12 | 0 | 15.86 | |
| | 1732.5 | 20175 | 12 | 6 | 15.78 | |
| | | | 12 | 13 | 15.80 | |
| | | | 25 | 0 | 15.76 | |
| | | | 1 | 0 | 16.10 | |
| | | | 1 | 13 | 16.18 | |
| | | | 1 | 24 | 15.84 | |
| | 1752.5 | 20375 | 12 | 0 | 15.73 | |
| | | | 12 | 6 | 15.69 | |
| | | | 12 | 13 | 15.81 | |
| | | | 25 | 0 | 15.80 | |
| | | | 1 | 0 | 16.03 | |
| | | | 1 | 13 | 16.47 | |
| | | | 1 | 24 | 16.24 | |
| | | | 12 | 0 | 15.89 | |
| | | | 12 | 6 | 15.84 | |
| | | | 12 | 13 | 15.80 | |
| | | | 25 | 0 | 15.83 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 1715 | 20000 | 10MHz | 1 | 0 | 20.76 |
| | | | | 1 | 25 | 20.56 |
| | | | | 1 | 49 | 20.35 |
| | | | | 25 | 0 | 19.78 |
| | | | | 25 | 13 | 19.77 |
| | | | | 25 | 25 | 19.75 |
| | 50 | 0 | | 19.73 | | |
| | 1732.5 | 20175 | | 1 | 0 | 20.64 |
| | | | | 1 | 25 | 20.84 |
| | | | | 1 | 49 | 20.81 |
| | | | | 25 | 0 | 19.70 |
| | | | | 25 | 13 | 19.62 |
| | | | | 25 | 25 | 19.76 |
| | 1750 | 20350 | | 50 | 0 | 19.67 |
| | | | | 1 | 0 | 20.74 |
| | | | | 1 | 25 | 20.64 |
| | | | | 1 | 49 | 20.63 |
| | | | | 25 | 0 | 19.89 |
| 25 | | | 13 | 19.90 | | |
| 16QAM | 1715 | 20000 | 25 | 25 | 19.83 | |
| | | | 25 | 0 | 18.83 | |
| | | | 25 | 13 | 18.85 | |
| | | | 25 | 25 | 18.77 | |
| | | | 50 | 0 | 18.78 | |
| | | | 1 | 0 | 20.40 | |
| | 1732.5 | 20175 | 1 | 25 | 19.94 | |
| | | | 1 | 49 | 20.00 | |
| | | | 25 | 0 | 18.86 | |
| | | | 25 | 13 | 18.76 | |
| | | | 25 | 25 | 18.89 | |
| | | | 50 | 0 | 18.86 | |
| | 1750 | 20350 | 1 | 0 | 20.15 | |
| | | | 1 | 25 | 19.90 | |
| | | | 1 | 49 | 20.45 | |
| | | | 25 | 0 | 18.86 | |
| | | | 25 | 13 | 18.93 | |
| | | | 25 | 25 | 18.76 | |
| 50 | 0 | 18.84 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 1715 | 20000 | 10MHz | 1 | 0 | 18.67 |
| | | | | 1 | 25 | 18.54 |
| | | | | 1 | 49 | 18.28 |
| | | | | 25 | 0 | 17.68 |
| | | | | 25 | 13 | 17.75 |
| | | | | 25 | 25 | 17.67 |
| | 50 | 0 | | 17.64 | | |
| | 1732.5 | 20175 | | 1 | 0 | 18.59 |
| | | | | 1 | 25 | 18.78 |
| | | | | 1 | 49 | 18.72 |
| | | | | 25 | 0 | 17.66 |
| | | | | 25 | 13 | 17.59 |
| | | | | 25 | 25 | 17.70 |
| | 1750 | 20350 | | 50 | 0 | 17.65 |
| | | | | 1 | 0 | 18.67 |
| | | | | 1 | 25 | 18.56 |
| | | | | 1 | 49 | 18.56 |
| | | | | 25 | 0 | 17.84 |
| 25 | | | 13 | 17.88 | | |
| 256QAM | 1715 | 20000 | 25 | 25 | 17.73 | |
| | | | 25 | 0 | 17.84 | |
| | | | 50 | 0 | 17.84 | |
| | | | 1 | 0 | 15.95 | |
| | | | 1 | 25 | 16.03 | |
| | | | 1 | 49 | 15.55 | |
| | 1732.5 | 20175 | 25 | 0 | 15.73 | |
| | | | 25 | 13 | 15.77 | |
| | | | 25 | 25 | 15.70 | |
| | | | 50 | 0 | 15.69 | |
| | | | 1 | 0 | 16.36 | |
| | | | 1 | 25 | 15.84 | |
| | 1750 | 20350 | 1 | 49 | 15.91 | |
| | | | 25 | 0 | 15.79 | |
| | | | 25 | 13 | 15.68 | |
| | | | 25 | 25 | 15.81 | |
| | | | 50 | 0 | 15.79 | |
| | | | 1 | 0 | 16.11 | |
| | | | 1 | 25 | 15.86 | |
| | | | 1 | 49 | 16.38 | |
| | | | 25 | 0 | 15.80 | |
| | | | 25 | 13 | 15.91 | |
| | | | 25 | 25 | 15.70 | |
| | | | 50 | 0 | 15.80 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 1717.5 | 20025 | 15MHz | 1 | 0 | 20.60 |
| | | | | 1 | 38 | 20.45 |
| | | | | 1 | 74 | 20.45 |
| | | | | 36 | 0 | 19.63 |
| | | | | 36 | 18 | 19.63 |
| | | | | 36 | 39 | 19.59 |
| | 75 | 0 | | 19.58 | | |
| | 1732.5 | 20175 | | 1 | 0 | 20.60 |
| | | | | 1 | 38 | 20.56 |
| | | | | 1 | 74 | 20.49 |
| | | | | 36 | 0 | 19.62 |
| | | | | 36 | 18 | 19.63 |
| | | | | 36 | 39 | 19.66 |
| | 1747.5 | 20325 | | 75 | 0 | 19.59 |
| | | | | 1 | 0 | 20.63 |
| | | | | 1 | 38 | 20.62 |
| | | | | 1 | 74 | 20.58 |
| | | | | 36 | 0 | 19.62 |
| 36 | | | 18 | 19.75 | | |
| 16QAM | 1717.5 | 20025 | 36 | 39 | 19.68 | |
| | | | 75 | 0 | 19.56 | |
| | | | 1 | 0 | 19.87 | |
| | | | 1 | 38 | 19.57 | |
| | | | 1 | 74 | 20.01 | |
| | | | 36 | 0 | 18.54 | |
| | 1732.5 | 20175 | 36 | 18 | 18.61 | |
| | | | 36 | 39 | 18.64 | |
| | | | 75 | 0 | 18.66 | |
| | | | 1 | 0 | 19.93 | |
| | | | 1 | 38 | 20.14 | |
| | | | 1 | 74 | 19.83 | |
| | 1747.5 | 20325 | 36 | 0 | 18.60 | |
| | | | 36 | 18 | 18.60 | |
| | | | 36 | 39 | 18.70 | |
| | | | 75 | 0 | 18.70 | |
| | | | 1 | 0 | 19.94 | |
| | | | 1 | 38 | 19.91 | |
| | | | 1 | 74 | 19.67 | |
| | | | 36 | 0 | 18.74 | |
| | | | 36 | 18 | 18.77 | |
| | | | 36 | 39 | 18.71 | |
| | | | 75 | 0 | 18.56 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 1717.5 | 20025 | 15MHz | 1 | 0 | 18.52 |
| | | | | 1 | 38 | 18.43 |
| | | | | 1 | 74 | 18.42 |
| | | | | 36 | 0 | 17.58 |
| | | | | 36 | 18 | 17.61 |
| | | | | 36 | 39 | 17.51 |
| | 75 | 0 | | 17.54 | | |
| | 1 | 0 | | 18.50 | | |
| | 1 | 38 | | 18.53 | | |
| | 1 | 74 | | 18.39 | | |
| | 36 | 0 | | 17.52 | | |
| | 36 | 18 | | 17.58 | | |
| | 36 | 39 | | 17.64 | | |
| | 75 | 0 | | 17.50 | | |
| | 1 | 0 | | 18.61 | | |
| | 1 | 38 | | 18.54 | | |
| | 1 | 74 | | 18.50 | | |
| | 256QAM | 1717.5 | | 20025 | 36 | 0 |
| 36 | | | 18 | | 17.65 | |
| 36 | | | 39 | | 17.64 | |
| 75 | | | 0 | | 17.49 | |
| 1 | | | 0 | | 15.80 | |
| 1 | | | 38 | | 15.52 | |
| 1 | | 74 | 15.98 | | | |
| 36 | | 0 | 15.51 | | | |
| 36 | | 18 | 15.54 | | | |
| 36 | | 39 | 15.56 | | | |
| 75 | | 0 | 15.60 | | | |
| 1 | | 0 | 15.91 | | | |
| 1 | | 38 | 16.10 | | | |
| 1 | | 74 | 15.80 | | | |
| 36 | | 0 | 15.52 | | | |
| 36 | | 18 | 15.50 | | | |
| 36 | | 39 | 15.64 | | | |
| 75 | | 0 | 15.60 | | | |
| 1747.5 | 20325 | 1 | 0 | 15.86 | | |
| | | 1 | 38 | 15.86 | | |
| | | 1 | 74 | 15.64 | | |
| | | 36 | 0 | 15.70 | | |
| | | 36 | 18 | 15.73 | | |
| | | 36 | 39 | 15.68 | | |
| 75 | 0 | 15.50 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 1720 | 20050 | 20MHz | 1 | 0 | 20.50 |
| | | | | 1 | 50 | 20.61 |
| | | | | 1 | 99 | 20.50 |
| | | | | 50 | 0 | 19.58 |
| | | | | 50 | 25 | 19.55 |
| | | | | 50 | 50 | 19.57 |
| | 100 | 0 | | 19.70 | | |
| | 1732.5 | 20175 | | 1 | 0 | 20.50 |
| | | | | 1 | 50 | 20.63 |
| | | | | 1 | 99 | 20.64 |
| | | | | 50 | 0 | 19.74 |
| | | | | 50 | 25 | 19.71 |
| | | | | 50 | 50 | 19.64 |
| | 1745 | 20300 | | 100 | 0 | 19.62 |
| | | | | 1 | 0 | 20.49 |
| | | | | 1 | 50 | 20.65 |
| | | | | 1 | 99 | 20.45 |
| | | | | 50 | 0 | 19.73 |
| 50 | | | 25 | 19.58 | | |
| 16QAM | 1720 | 20050 | 50 | 50 | 19.71 | |
| | | | 100 | 0 | 19.79 | |
| | | | 1 | 0 | 19.59 | |
| | | | 1 | 50 | 19.72 | |
| | | | 1 | 99 | 19.77 | |
| | | | 50 | 0 | 18.67 | |
| | 1732.5 | 20175 | 50 | 25 | 18.66 | |
| | | | 50 | 50 | 18.66 | |
| | | | 100 | 0 | 18.62 | |
| | | | 1 | 0 | 19.85 | |
| | | | 1 | 50 | 19.52 | |
| | | | 1 | 99 | 20.13 | |
| | 1745 | 20300 | 50 | 0 | 18.78 | |
| | | | 50 | 25 | 18.67 | |
| | | | 50 | 50 | 18.69 | |
| | | | 100 | 0 | 18.58 | |
| | | | 1 | 0 | 19.90 | |
| | | | 1 | 50 | 20.06 | |
| | | | 1 | 99 | 19.85 | |
| | | | 50 | 0 | 18.80 | |
| | | | 50 | 25 | 18.66 | |
| | | | 50 | 50 | 18.73 | |
| | | | 100 | 0 | 18.66 | |
| | | | 100 | 0 | 18.66 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 1720 | 20050 | 20MHz | 1 | 0 | 18.46 |
| | | | | 1 | 50 | 18.59 |
| | | | | 1 | 99 | 18.47 |
| | | | | 50 | 0 | 17.52 |
| | | | | 50 | 25 | 17.52 |
| | | | | 50 | 50 | 17.47 |
| | 100 | 0 | | 17.63 | | |
| | 1732.5 | 20175 | | 1 | 0 | 18.45 |
| | | | | 1 | 50 | 18.57 |
| | | | | 1 | 99 | 18.62 |
| | | | | 50 | 0 | 17.69 |
| | | | | 50 | 25 | 17.67 |
| | | | | 50 | 50 | 17.56 |
| | 1745 | 20300 | | 100 | 0 | 17.58 |
| | | | | 1 | 0 | 18.40 |
| | | | | 1 | 50 | 18.58 |
| | | | | 1 | 99 | 18.38 |
| | | | | 50 | 0 | 17.70 |
| 50 | | | 25 | 17.53 | | |
| 256QAM | 1720 | 20050 | 50 | 50 | 17.63 | |
| | | | 100 | 0 | 17.69 | |
| | | | 1 | 0 | 15.57 | |
| | | | 1 | 50 | 15.62 | |
| | | | 1 | 99 | 15.74 | |
| | | | 50 | 0 | 15.63 | |
| | 1732.5 | 20175 | 50 | 25 | 15.56 | |
| | | | 50 | 50 | 15.62 | |
| | | | 100 | 0 | 15.53 | |
| | | | 1 | 0 | 15.77 | |
| | | | 1 | 50 | 15.43 | |
| | | | 1 | 99 | 16.09 | |
| | 1745 | 20300 | 50 | 0 | 15.71 | |
| | | | 50 | 25 | 15.61 | |
| | | | 50 | 50 | 15.60 | |
| | | | 100 | 0 | 15.50 | |
| | | | 1 | 0 | 15.85 | |
| | | | 1 | 50 | 15.98 | |
| | | | 1 | 99 | 15.77 | |
| | | | 50 | 0 | 15.75 | |
| | | | 50 | 25 | 15.57 | |
| | | | 50 | 50 | 15.67 | |
| | | | 100 | 0 | 15.64 | |
| | | | | | | |

LTE Band 5

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 824.7 | 20407 | 1.4MHz | 1 | 0 | 22.72 |
| | | | | 1 | 2 | 22.69 |
| | | | | 1 | 5 | 22.72 |
| | | | | 3 | 0 | 22.74 |
| | | | | 3 | 2 | 22.79 |
| | | | | 3 | 3 | 22.72 |
| | 836.5 | 20525 | | 6 | 0 | 21.75 |
| | | | | 1 | 0 | 22.69 |
| | | | | 1 | 2 | 22.58 |
| | | | | 1 | 5 | 22.46 |
| | | | | 3 | 0 | 22.71 |
| | | | | 3 | 2 | 22.65 |
| | 848.3 | 20643 | | 3 | 3 | 22.72 |
| | | | | 6 | 0 | 21.78 |
| | | | | 1 | 0 | 22.42 |
| | | | | 1 | 2 | 22.72 |
| | | | | 1 | 5 | 22.64 |
| | | | | 3 | 0 | 22.60 |
| 16QAM | 824.7 | 20407 | 3 | 2 | 22.67 | |
| | | | 3 | 3 | 22.58 | |
| | | | 6 | 0 | 21.69 | |
| | | | 1 | 0 | 21.87 | |
| | | | 1 | 2 | 22.17 | |
| | | | 1 | 5 | 22.00 | |
| | 836.5 | 20525 | 3 | 0 | 21.84 | |
| | | | 3 | 2 | 21.82 | |
| | | | 3 | 3 | 21.87 | |
| | | | 6 | 0 | 20.88 | |
| | | | 1 | 0 | 22.30 | |
| | | | 1 | 2 | 21.88 | |
| | 848.3 | 20643 | 1 | 5 | 22.15 | |
| | | | 3 | 0 | 21.95 | |
| | | | 3 | 2 | 21.92 | |
| | | | 3 | 3 | 21.85 | |
| | | | 6 | 0 | 20.67 | |
| | | | 1 | 0 | 21.79 | |
| | | | 1 | 2 | 21.58 | |
| | | | 1 | 5 | 21.62 | |
| | | | 3 | 0 | 21.81 | |
| | | | 3 | 2 | 21.80 | |
| | | | 3 | 3 | 21.59 | |
| | | | 6 | 0 | 20.83 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 824.7 | 20407 | 1.4MHz | 1 | 0 | 20.62 |
| | | | | 1 | 2 | 20.67 |
| | | | | 1 | 5 | 20.68 |
| | | | | 3 | 0 | 20.70 |
| | | | | 3 | 2 | 20.76 |
| | | | | 3 | 3 | 20.69 |
| | 6 | 0 | | 19.65 | | |
| | 836.5 | 20525 | | 1 | 0 | 20.59 |
| | | | | 1 | 2 | 20.48 |
| | | | | 1 | 5 | 20.39 |
| | | | | 3 | 0 | 20.69 |
| | | | | 3 | 2 | 20.60 |
| | | | | 3 | 3 | 20.63 |
| | 6 | 0 | | 19.68 | | |
| | 848.3 | 20643 | | 1 | 0 | 20.33 |
| | | | | 1 | 2 | 20.63 |
| | | | | 1 | 5 | 20.55 |
| | | | | 3 | 0 | 20.56 |
| 3 | | | 2 | 20.57 | | |
| 3 | | | 3 | 20.55 | | |
| 256QAM | 824.7 | 20407 | 6 | 0 | 19.63 | |
| | | | 1 | 0 | 17.77 | |
| | | | 1 | 2 | 18.12 | |
| | | | 1 | 5 | 17.94 | |
| | | | 3 | 0 | 17.76 | |
| | | | 3 | 2 | 17.72 | |
| | 3 | 3 | 17.78 | | | |
| | 836.5 | 20525 | 6 | 0 | 17.78 | |
| | | | 1 | 0 | 18.28 | |
| | | | 1 | 2 | 17.85 | |
| | | | 1 | 5 | 18.07 | |
| | | | 3 | 0 | 17.86 | |
| | | | 3 | 2 | 17.87 | |
| | 3 | 3 | 17.79 | | | |
| | 848.3 | 20643 | 6 | 0 | 17.63 | |
| | | | 1 | 0 | 17.76 | |
| | | | 1 | 2 | 17.52 | |
| | | | 1 | 5 | 17.54 | |
| 3 | | | 0 | 17.78 | | |
| 3 | | | 2 | 17.71 | | |
| 3 | 3 | 17.54 | | | | |
| 6 | 0 | 17.79 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 825.5 | 20415 | 3MHz | 1 | 0 | 22.75 |
| | | | | 1 | 7 | 22.70 |
| | | | | 1 | 14 | 22.62 |
| | | | | 8 | 0 | 21.70 |
| | | | | 8 | 4 | 21.89 |
| | | | | 8 | 7 | 21.79 |
| | 15 | 0 | | 21.76 | | |
| | 836.5 | 20525 | | 1 | 0 | 22.79 |
| | | | | 1 | 7 | 22.61 |
| | | | | 1 | 14 | 22.64 |
| | | | | 8 | 0 | 21.75 |
| | | | | 8 | 4 | 21.78 |
| | | | | 8 | 7 | 21.83 |
| | 847.5 | 20635 | | 15 | 0 | 21.80 |
| | | | | 1 | 0 | 22.58 |
| 1 | | | 7 | 22.63 | | |
| 1 | | | 14 | 22.77 | | |
| 8 | | | 0 | 21.75 | | |
| 8 | | | 4 | 21.57 | | |
| 16QAM | 825.5 | 20415 | 8 | 7 | 21.72 | |
| | | | 15 | 0 | 21.79 | |
| | | | 1 | 0 | 22.35 | |
| | | | 1 | 7 | 22.17 | |
| | | | 1 | 14 | 22.03 | |
| | | | 8 | 0 | 21.06 | |
| | 836.5 | 20525 | 8 | 4 | 20.89 | |
| | | | 8 | 7 | 21.05 | |
| | | | 15 | 0 | 20.87 | |
| | | | 1 | 0 | 22.04 | |
| | | | 1 | 7 | 22.13 | |
| | | | 1 | 14 | 21.75 | |
| | 847.5 | 20635 | 8 | 0 | 20.84 | |
| | | | 8 | 4 | 20.79 | |
| | | | 8 | 7 | 20.89 | |
| 15 | | | 0 | 20.72 | | |
| 1 | | | 0 | 22.14 | | |
| 1 | | | 7 | 21.48 | | |
| | | | 1 | 14 | 22.12 | |
| | | | 8 | 0 | 20.82 | |
| | | | 8 | 4 | 20.77 | |
| | | | 8 | 7 | 20.67 | |
| | | | 15 | 0 | 20.85 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 825.5 | 20415 | 3MHz | 1 | 0 | 20.71 |
| | | | | 1 | 7 | 20.67 |
| | | | | 1 | 14 | 20.52 |
| | | | | 8 | 0 | 19.62 |
| | | | | 8 | 4 | 19.83 |
| | | | | 8 | 7 | 19.69 |
| | 15 | 0 | | 19.73 | | |
| | 836.5 | 20525 | | 1 | 0 | 20.73 |
| | | | | 1 | 7 | 20.54 |
| | | | | 1 | 14 | 20.60 |
| | | | | 8 | 0 | 19.73 |
| | | | | 8 | 4 | 19.73 |
| | | | | 8 | 7 | 19.73 |
| | 847.5 | 20635 | | 15 | 0 | 19.76 |
| | | | | 1 | 0 | 20.50 |
| 1 | | | 7 | 20.56 | | |
| 1 | | | 14 | 20.70 | | |
| 8 | | | 0 | 19.65 | | |
| 8 | | | 4 | 19.52 | | |
| 256QAM | 825.5 | 20415 | 8 | 7 | 19.64 | |
| | | | 15 | 0 | 19.70 | |
| | | | 1 | 0 | 18.30 | |
| | | | 1 | 7 | 18.11 | |
| | | | 1 | 14 | 17.93 | |
| | | | 8 | 0 | 18.00 | |
| | 836.5 | 20525 | 8 | 4 | 17.81 | |
| | | | 8 | 7 | 17.98 | |
| | | | 15 | 0 | 17.77 | |
| | | | 1 | 0 | 18.02 | |
| | | | 1 | 7 | 18.06 | |
| | | | 1 | 14 | 17.73 | |
| | 847.5 | 20635 | 8 | 0 | 17.82 | |
| | | | 8 | 4 | 17.70 | |
| | | | 8 | 7 | 17.85 | |
| 15 | | | 0 | 17.65 | | |
| 1 | | | 0 | 18.11 | | |
| 1 | | | 7 | 17.46 | | |
| | | | 1 | 14 | 18.09 | |
| | | | 8 | 0 | 17.72 | |
| | | | 8 | 4 | 17.73 | |
| | | | 8 | 7 | 17.62 | |
| | | | 15 | 0 | 17.80 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 826.5 | 20425 | 5MHz | 1 | 0 | 22.85 |
| | | | | 1 | 13 | 22.91 |
| | | | | 1 | 24 | 22.57 |
| | | | | 12 | 0 | 21.80 |
| | | | | 12 | 6 | 21.82 |
| | | | | 12 | 13 | 21.69 |
| | 25 | 0 | | 21.83 | | |
| | 836.5 | 20525 | | 1 | 0 | 22.75 |
| | | | | 1 | 13 | 22.70 |
| | | | | 1 | 24 | 22.55 |
| | | | | 12 | 0 | 21.80 |
| | | | | 12 | 6 | 21.78 |
| | | | | 12 | 13 | 21.78 |
| | 25 | 0 | | 21.71 | | |
| | 846.5 | 20625 | | 1 | 0 | 22.83 |
| | | | | 1 | 13 | 22.78 |
| | | | | 1 | 24 | 22.67 |
| | | | | 12 | 0 | 21.71 |
| 12 | | | 6 | 21.70 | | |
| 12 | | | 13 | 21.80 | | |
| 16QAM | 826.5 | 20425 | 25 | 0 | 21.64 | |
| | | | 1 | 0 | 21.83 | |
| | | | 1 | 13 | 22.13 | |
| | | | 1 | 24 | 22.00 | |
| | | | 12 | 0 | 21.01 | |
| | | | 12 | 6 | 20.84 | |
| | 12 | 13 | 20.90 | | | |
| | 25 | 0 | 20.90 | | | |
| | 836.5 | 20525 | 1 | 0 | 22.02 | |
| | | | 1 | 13 | 22.59 | |
| | | | 1 | 24 | 22.21 | |
| | | | 12 | 0 | 20.69 | |
| | | | 12 | 6 | 20.93 | |
| | | | 12 | 13 | 20.68 | |
| | 25 | 0 | 20.71 | | | |
| | 846.5 | 20625 | 1 | 0 | 21.95 | |
| | | | 1 | 13 | 22.10 | |
| | | | 1 | 24 | 22.23 | |
| 12 | | | 0 | 20.76 | | |
| 12 | | | 6 | 20.80 | | |
| 12 | | | 13 | 20.81 | | |
| 25 | 0 | 20.71 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 826.5 | 20425 | 5MHz | 1 | 0 | 20.82 |
| | | | | 1 | 13 | 20.82 |
| | | | | 1 | 24 | 20.48 |
| | | | | 12 | 0 | 19.77 |
| | | | | 12 | 6 | 19.74 |
| | | | | 12 | 13 | 19.63 |
| | 25 | 0 | | 19.81 | | |
| | 836.5 | 20525 | | 1 | 0 | 20.73 |
| | | | | 1 | 13 | 20.68 |
| | | | | 1 | 24 | 20.46 |
| | | | | 12 | 0 | 19.74 |
| | | | | 12 | 6 | 19.71 |
| | | | | 12 | 13 | 19.68 |
| | 25 | 0 | | 19.69 | | |
| | 846.5 | 20625 | | 1 | 0 | 20.76 |
| | | | | 1 | 13 | 20.68 |
| | | | | 1 | 24 | 20.63 |
| | | | | 12 | 0 | 19.69 |
| 12 | | | 6 | 19.60 | | |
| 12 | | | 13 | 19.73 | | |
| 256QAM | 826.5 | 20425 | 25 | 0 | 19.62 | |
| | | | 1 | 0 | 17.74 | |
| | | | 1 | 13 | 18.11 | |
| | | | 1 | 24 | 17.95 | |
| | | | 12 | 0 | 17.91 | |
| | | | 12 | 6 | 17.74 | |
| | 12 | 13 | 17.81 | | | |
| | 25 | 0 | 17.82 | | | |
| | 836.5 | 20525 | 1 | 0 | 17.92 | |
| | | | 1 | 13 | 18.56 | |
| | | | 1 | 24 | 18.17 | |
| | | | 12 | 0 | 17.61 | |
| | | | 12 | 6 | 17.87 | |
| | | | 12 | 13 | 17.66 | |
| | 25 | 0 | 17.64 | | | |
| | 846.5 | 20625 | 1 | 0 | 17.90 | |
| | | | 1 | 13 | 18.03 | |
| | | | 1 | 24 | 18.20 | |
| 12 | | | 0 | 17.68 | | |
| 12 | | | 6 | 17.78 | | |
| 12 | | | 13 | 17.77 | | |
| 25 | 0 | 17.64 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 829 | 20450 | 10MHz | 1 | 0 | 22.71 |
| | | | | 1 | 25 | 22.72 |
| | | | | 1 | 49 | 22.63 |
| | | | | 25 | 0 | 21.74 |
| | | | | 25 | 13 | 21.79 |
| | | | | 25 | 25 | 21.74 |
| | 50 | 0 | | 21.76 | | |
| | 1 | 0 | | 22.72 | | |
| | 1 | 25 | | 22.80 | | |
| | 1 | 49 | | 22.69 | | |
| | 25 | 0 | | 21.82 | | |
| | 25 | 13 | | 21.77 | | |
| | 25 | 25 | | 21.76 | | |
| | 50 | 0 | | 21.77 | | |
| | 1 | 0 | | 22.63 | | |
| | 1 | 25 | | 22.65 | | |
| | 1 | 49 | | 22.65 | | |
| | 25 | 0 | | 21.68 | | |
| 25 | 13 | 21.78 | | | | |
| 25 | 25 | 21.78 | | | | |
| 50 | 0 | 21.82 | | | | |
| 16QAM | 829 | 20450 | 1 | 0 | 22.15 | |
| | | | 1 | 25 | 22.25 | |
| | | | 1 | 49 | 22.33 | |
| | | | 25 | 0 | 20.79 | |
| | | | 25 | 13 | 20.82 | |
| | | | 25 | 25 | 20.81 | |
| | 50 | 0 | 20.92 | | | |
| | 1 | 0 | 22.17 | | | |
| | 1 | 25 | 22.24 | | | |
| | 1 | 49 | 22.21 | | | |
| | 25 | 0 | 20.79 | | | |
| | 25 | 13 | 20.80 | | | |
| | 25 | 25 | 20.58 | | | |
| | 50 | 0 | 20.89 | | | |
| | 1 | 0 | 22.51 | | | |
| | 1 | 25 | 21.98 | | | |
| | 1 | 49 | 21.53 | | | |
| | 25 | 0 | 20.73 | | | |
| 25 | 13 | 20.85 | | | | |
| 25 | 25 | 20.59 | | | | |
| 50 | 0 | 20.68 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 829 | 20450 | 10MHz | 1 | 0 | 20.66 |
| | | | | 1 | 25 | 20.62 |
| | | | | 1 | 49 | 20.55 |
| | | | | 25 | 0 | 19.66 |
| | | | | 25 | 13 | 19.71 |
| | | | | 25 | 25 | 19.66 |
| | 50 | 0 | | 19.71 | | |
| | 836.5 | 20525 | | 1 | 0 | 20.70 |
| | | | | 1 | 25 | 20.78 |
| | | | | 1 | 49 | 20.65 |
| | | | | 25 | 0 | 19.78 |
| | | | | 25 | 13 | 19.72 |
| | | | | 25 | 25 | 19.68 |
| | 50 | 0 | | 19.73 | | |
| | 844 | 20600 | | 1 | 0 | 20.59 |
| | | | | 1 | 25 | 20.58 |
| | | | | 1 | 49 | 20.57 |
| | | | | 25 | 0 | 19.66 |
| 25 | | | 13 | 19.72 | | |
| 25 | | | 25 | 19.70 | | |
| 256QAM | 829 | 20450 | 50 | 0 | 19.78 | |
| | | | 1 | 0 | 18.12 | |
| | | | 1 | 25 | 18.19 | |
| | | | 1 | 49 | 18.26 | |
| | | | 25 | 0 | 17.72 | |
| | | | 25 | 13 | 17.72 | |
| | 25 | 25 | 17.76 | | | |
| | 50 | 0 | 17.83 | | | |
| | 836.5 | 20525 | 1 | 0 | 18.11 | |
| | | | 1 | 25 | 18.20 | |
| | | | 1 | 49 | 18.11 | |
| | | | 25 | 0 | 17.70 | |
| | | | 25 | 13 | 17.78 | |
| | | | 25 | 25 | 17.50 | |
| | 50 | 0 | 17.82 | | | |
| | 844 | 20600 | 1 | 0 | 18.49 | |
| | | | 1 | 25 | 17.94 | |
| | | | 1 | 49 | 17.49 | |
| 25 | | | 0 | 17.64 | | |
| 25 | | | 13 | 17.76 | | |
| 25 | | | 25 | 17.54 | | |
| 50 | 0 | 17.65 | | | | |

LTE Band 5(EN_DC)

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 824.7 | 20407 | 1.4MHz | 1 | 0 | 20.95 |
| | | | | 1 | 2 | 20.92 |
| | | | | 1 | 5 | 20.92 |
| | | | | 3 | 0 | 20.94 |
| | | | | 3 | 2 | 21.00 |
| | | | | 3 | 3 | 20.92 |
| | 836.5 | 20525 | | 6 | 0 | 19.96 |
| | | | | 1 | 0 | 20.89 |
| | | | | 1 | 2 | 20.80 |
| | | | | 1 | 5 | 20.70 |
| | | | | 3 | 0 | 20.91 |
| | | | | 3 | 2 | 20.86 |
| | 848.3 | 20643 | | 3 | 3 | 20.97 |
| | | | | 6 | 0 | 20.02 |
| | | | | 1 | 0 | 20.63 |
| | | | | 1 | 2 | 20.94 |
| | | | | 1 | 5 | 20.86 |
| | | | | 3 | 0 | 20.81 |
| 16QAM | 824.7 | 20407 | 3 | 2 | 20.90 | |
| | | | 3 | 3 | 20.80 | |
| | | | 6 | 0 | 19.92 | |
| | | | 1 | 0 | 20.07 | |
| | | | 1 | 2 | 20.40 | |
| | | | 1 | 5 | 20.24 | |
| | 836.5 | 20525 | 3 | 0 | 20.07 | |
| | | | 3 | 2 | 20.07 | |
| | | | 3 | 3 | 20.09 | |
| | | | 6 | 0 | 19.08 | |
| | | | 1 | 0 | 20.51 | |
| | | | 1 | 2 | 20.12 | |
| | 848.3 | 20643 | 1 | 5 | 20.40 | |
| | | | 3 | 0 | 20.19 | |
| | | | 3 | 2 | 20.15 | |
| | | | 3 | 3 | 20.05 | |
| | | | 6 | 0 | 18.88 | |
| | | | 1 | 0 | 19.99 | |
| | | | 1 | 2 | 19.83 | |
| | | | 1 | 5 | 19.87 | |
| | | | 3 | 0 | 20.04 | |
| | | | 3 | 2 | 20.00 | |
| | | | 3 | 3 | 19.82 | |
| | | | 6 | 0 | 19.03 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 824.7 | 20407 | 1.4MHz | 1 | 0 | 18.88 |
| | | | | 1 | 2 | 18.84 |
| | | | | 1 | 5 | 18.90 |
| | | | | 3 | 0 | 18.86 |
| | | | | 3 | 2 | 18.92 |
| | | | | 3 | 3 | 18.86 |
| | 6 | 0 | | 17.87 | | |
| | 836.5 | 20525 | | 1 | 0 | 18.80 |
| | | | | 1 | 2 | 18.77 |
| | | | | 1 | 5 | 18.64 |
| | | | | 3 | 0 | 18.87 |
| | | | | 3 | 2 | 18.82 |
| | | | | 3 | 3 | 18.94 |
| | 6 | 0 | | 17.99 | | |
| | 848.3 | 20643 | | 1 | 0 | 18.54 |
| | | | | 1 | 2 | 18.85 |
| | | | | 1 | 5 | 18.77 |
| | | | | 3 | 0 | 18.72 |
| 3 | | | 2 | 18.80 | | |
| 3 | | | 3 | 18.78 | | |
| 256QAM | 824.7 | 20407 | 6 | 0 | 17.83 | |
| | | | 1 | 0 | 16.04 | |
| | | | 1 | 2 | 16.32 | |
| | | | 1 | 5 | 16.14 | |
| | | | 3 | 0 | 16.00 | |
| | | | 3 | 2 | 15.98 | |
| | 3 | 3 | 15.99 | | | |
| | 836.5 | 20525 | 6 | 0 | 16.01 | |
| | | | 1 | 0 | 16.47 | |
| | | | 1 | 2 | 16.04 | |
| | | | 1 | 5 | 16.35 | |
| | | | 3 | 0 | 16.15 | |
| | | | 3 | 2 | 16.10 | |
| | 3 | 3 | 16.03 | | | |
| | 848.3 | 20643 | 6 | 0 | 15.79 | |
| | | | 1 | 0 | 15.95 | |
| | | | 1 | 2 | 15.74 | |
| | | | 1 | 5 | 15.82 | |
| 3 | | | 0 | 15.99 | | |
| 3 | | | 2 | 15.92 | | |
| 3 | 3 | 15.72 | | | | |
| 6 | 0 | 15.97 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 825.5 | 20415 | 3MHz | 1 | 0 | 20.99 |
| | | | | 1 | 7 | 20.93 |
| | | | | 1 | 14 | 20.85 |
| | | | | 8 | 0 | 19.91 |
| | | | | 8 | 4 | 20.09 |
| | | | | 8 | 7 | 20.03 |
| | 15 | 0 | | 19.96 | | |
| | 836.5 | 20525 | | 1 | 0 | 21.01 |
| | | | | 1 | 7 | 20.85 |
| | | | | 1 | 14 | 20.85 |
| | | | | 8 | 0 | 19.95 |
| | | | | 8 | 4 | 20.01 |
| | | | | 8 | 7 | 20.04 |
| | 847.5 | 20635 | | 15 | 0 | 20.00 |
| | | | | 1 | 0 | 20.78 |
| 1 | | | 7 | 20.88 | | |
| 1 | | | 14 | 20.98 | | |
| 8 | | | 0 | 19.99 | | |
| 8 | | | 4 | 19.81 | | |
| 16QAM | 825.5 | 20415 | 8 | 7 | 19.93 | |
| | | | 15 | 0 | 19.99 | |
| | | | 1 | 0 | 20.60 | |
| | | | 1 | 7 | 20.38 | |
| | | | 1 | 14 | 20.26 | |
| | | | 8 | 0 | 19.30 | |
| | 836.5 | 20525 | 8 | 4 | 19.10 | |
| | | | 8 | 7 | 19.25 | |
| | | | 15 | 0 | 19.07 | |
| | | | 1 | 0 | 20.26 | |
| | | | 1 | 7 | 20.33 | |
| | | | 1 | 14 | 19.99 | |
| | 847.5 | 20635 | 8 | 0 | 19.04 | |
| | | | 8 | 4 | 19.00 | |
| | | | 8 | 7 | 19.09 | |
| 15 | | | 0 | 18.93 | | |
| 1 | | | 0 | 20.34 | | |
| 1 | | | 7 | 19.70 | | |
| | | | 1 | 14 | 20.37 | |
| | | | 8 | 0 | 19.02 | |
| | | | 8 | 4 | 18.97 | |
| | | | 8 | 7 | 18.92 | |
| | | | 15 | 0 | 19.07 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 825.5 | 20415 | 3MHz | 1 | 0 | 18.89 |
| | | | | 1 | 7 | 18.83 |
| | | | | 1 | 14 | 18.80 |
| | | | | 8 | 0 | 17.86 |
| | | | | 8 | 4 | 18.04 |
| | | | | 8 | 7 | 17.98 |
| | 15 | 0 | | 17.90 | | |
| | 836.5 | 20525 | | 1 | 0 | 18.93 |
| | | | | 1 | 7 | 18.76 |
| | | | | 1 | 14 | 18.75 |
| | | | | 8 | 0 | 17.88 |
| | | | | 8 | 4 | 17.96 |
| | | | | 8 | 7 | 17.98 |
| | 847.5 | 20635 | | 15 | 0 | 17.97 |
| | | | | 1 | 0 | 18.69 |
| 1 | | | 7 | 18.86 | | |
| 1 | | | 14 | 18.88 | | |
| 8 | | | 0 | 17.97 | | |
| 8 | | | 4 | 17.72 | | |
| 256QAM | 825.5 | 20415 | 8 | 7 | 17.90 | |
| | | | 15 | 0 | 17.95 | |
| | | | 1 | 0 | 16.55 | |
| | | | 1 | 7 | 16.31 | |
| | | | 1 | 14 | 16.18 | |
| | | | 8 | 0 | 16.27 | |
| | 836.5 | 20525 | 8 | 4 | 16.08 | |
| | | | 8 | 7 | 16.19 | |
| | | | 15 | 0 | 16.03 | |
| | | | 1 | 0 | 16.24 | |
| | | | 1 | 7 | 16.26 | |
| | | | 1 | 14 | 15.92 | |
| | 847.5 | 20635 | 8 | 0 | 16.02 | |
| | | | 8 | 4 | 15.94 | |
| | | | 8 | 7 | 15.99 | |
| 15 | | | 0 | 15.84 | | |
| 1 | | | 0 | 16.26 | | |
| 1 | | | 7 | 15.62 | | |
| | | | 1 | 14 | 16.35 | |
| | | | 8 | 0 | 15.98 | |
| | | | 8 | 4 | 15.92 | |
| | | | 8 | 7 | 15.86 | |
| | | | 15 | 0 | 16.03 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 826.5 | 20425 | 5MHz | 1 | 0 | 21.08 |
| | | | | 1 | 13 | 21.16 |
| | | | | 1 | 24 | 20.78 |
| | | | | 12 | 0 | 20.02 |
| | | | | 12 | 6 | 20.03 |
| | | | | 12 | 13 | 19.93 |
| | 25 | 0 | | 20.04 | | |
| | 836.5 | 20525 | | 1 | 0 | 20.96 |
| | | | | 1 | 13 | 20.91 |
| | | | | 1 | 24 | 20.78 |
| | | | | 12 | 0 | 20.03 |
| | | | | 12 | 6 | 20.00 |
| | | | | 12 | 13 | 19.99 |
| | 25 | 0 | | 19.95 | | |
| | 846.5 | 20625 | | 1 | 0 | 21.06 |
| 1 | | | 13 | 21.01 | | |
| 1 | | | 24 | 20.87 | | |
| 12 | | | 0 | 19.93 | | |
| 12 | | | 6 | 19.91 | | |
| 12 | | | 13 | 20.00 | | |
| 16QAM | 826.5 | 20425 | 25 | 0 | 19.89 | |
| | | | 1 | 0 | 20.04 | |
| | | | 1 | 13 | 20.38 | |
| | | | 1 | 24 | 20.24 | |
| | | | 12 | 0 | 19.25 | |
| | | | 12 | 6 | 19.09 | |
| | 12 | 13 | 19.12 | | | |
| | 836.5 | 20525 | 25 | 0 | 19.13 | |
| | | | 1 | 0 | 20.22 | |
| | | | 1 | 13 | 20.82 | |
| | | | 1 | 24 | 20.45 | |
| | | | 12 | 0 | 18.90 | |
| | | | 12 | 6 | 19.17 | |
| | 846.5 | 20625 | 12 | 13 | 18.93 | |
| | | | 25 | 0 | 18.91 | |
| 1 | | | 0 | 20.16 | | |
| 1 | | | 13 | 20.32 | | |
| 1 | | | 24 | 20.46 | | |
| 12 | | | 0 | 18.97 | | |
| 12 | 6 | 19.05 | | | | |
| 12 | 13 | 19.05 | | | | |
| 25 | 0 | 18.95 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 826.5 | 20425 | 5MHz | 1 | 0 | 19.05 |
| | | | | 1 | 13 | 19.12 |
| | | | | 1 | 24 | 18.68 |
| | | | | 12 | 0 | 17.99 |
| | | | | 12 | 6 | 17.99 |
| | | | | 12 | 13 | 17.85 |
| | 25 | 0 | | 17.96 | | |
| | 836.5 | 20525 | | 1 | 0 | 18.92 |
| | | | | 1 | 13 | 18.84 |
| | | | | 1 | 24 | 18.68 |
| | | | | 12 | 0 | 17.98 |
| | | | | 12 | 6 | 17.90 |
| | | | | 12 | 13 | 17.93 |
| | 25 | 0 | | 17.93 | | |
| | 846.5 | 20625 | | 1 | 0 | 19.02 |
| | | | | 1 | 13 | 18.93 |
| | | | | 1 | 24 | 18.81 |
| | | | | 12 | 0 | 17.91 |
| 12 | | | 6 | 17.81 | | |
| 12 | | | 13 | 17.93 | | |
| 256QAM | 826.5 | 20425 | 25 | 0 | 17.83 | |
| | | | 1 | 0 | 15.94 | |
| | | | 1 | 13 | 16.35 | |
| | | | 1 | 24 | 16.14 | |
| | | | 12 | 0 | 16.23 | |
| | | | 12 | 6 | 16.04 | |
| | 12 | 13 | 16.08 | | | |
| | 836.5 | 20525 | 25 | 0 | 16.09 | |
| | | | 1 | 0 | 16.20 | |
| | | | 1 | 13 | 16.72 | |
| | | | 1 | 24 | 16.42 | |
| | | | 12 | 0 | 15.84 | |
| | | | 12 | 6 | 16.15 | |
| | 12 | 13 | 15.87 | | | |
| | 846.5 | 20625 | 25 | 0 | 15.83 | |
| | | | 1 | 0 | 16.07 | |
| | | | 1 | 13 | 16.22 | |
| | | | 1 | 24 | 16.42 | |
| 12 | | | 0 | 15.90 | | |
| 12 | | | 6 | 15.95 | | |
| 12 | 13 | 16.03 | | | | |
| 25 | 0 | 15.87 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 829 | 20450 | 10MHz | 1 | 0 | 20.95 |
| | | | | 1 | 25 | 20.95 |
| | | | | 1 | 49 | 20.88 |
| | | | | 25 | 0 | 19.95 |
| | | | | 25 | 13 | 20.03 |
| | | | | 25 | 25 | 19.97 |
| | 50 | 0 | | 19.97 | | |
| | 836.5 | 20525 | | 1 | 0 | 20.92 |
| | | | | 1 | 25 | 21.03 |
| | | | | 1 | 49 | 20.91 |
| | | | | 25 | 0 | 20.06 |
| | | | | 25 | 13 | 20.00 |
| | | | | 25 | 25 | 19.96 |
| | 844 | 20600 | | 50 | 0 | 19.99 |
| | | | | 1 | 0 | 20.84 |
| | | | | 1 | 25 | 20.88 |
| | | | | 1 | 49 | 20.89 |
| | | | | 25 | 0 | 19.91 |
| 25 | | | 13 | 19.99 | | |
| 16QAM | 829 | 20450 | 25 | 25 | 20.01 | |
| | | | 50 | 0 | 20.06 | |
| | | | 1 | 0 | 20.38 | |
| | | | 1 | 25 | 20.46 | |
| | | | 1 | 49 | 20.54 | |
| | | | 25 | 0 | 19.02 | |
| | 836.5 | 20525 | 25 | 13 | 19.04 | |
| | | | 25 | 25 | 19.04 | |
| | | | 50 | 0 | 19.12 | |
| | | | 1 | 0 | 20.38 | |
| | | | 1 | 25 | 20.46 | |
| | | | 1 | 49 | 20.42 | |
| | 844 | 20600 | 25 | 0 | 19.02 | |
| | | | 25 | 13 | 19.03 | |
| | | | 25 | 25 | 18.82 | |
| | | | 50 | 0 | 19.13 | |
| | | | 1 | 0 | 20.71 | |
| | | | 1 | 25 | 20.22 | |
| | | | 1 | 49 | 19.74 | |
| | | | 25 | 0 | 18.94 | |
| | | | 25 | 13 | 19.10 | |
| | | | 25 | 25 | 18.79 | |
| | | | 50 | 0 | 18.93 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 829 | 20450 | 10MHz | 1 | 0 | 18.91 |
| | | | | 1 | 25 | 18.90 |
| | | | | 1 | 49 | 18.84 |
| | | | | 25 | 0 | 17.91 |
| | | | | 25 | 13 | 17.96 |
| | | | | 25 | 25 | 17.94 |
| | 50 | 0 | | 17.87 | | |
| | 836.5 | 20525 | | 1 | 0 | 18.83 |
| | | | | 1 | 25 | 18.99 |
| | | | | 1 | 49 | 18.88 |
| | | | | 25 | 0 | 18.01 |
| | | | | 25 | 13 | 17.91 |
| | | | | 25 | 25 | 17.87 |
| | 844 | 20600 | | 50 | 0 | 17.95 |
| | | | | 1 | 0 | 18.74 |
| | | | | 1 | 25 | 18.86 |
| | | | | 1 | 49 | 18.79 |
| | | | | 25 | 0 | 17.86 |
| 25 | | | 13 | 17.90 | | |
| 256QAM | 829 | 20450 | 25 | 25 | 17.97 | |
| | | | 50 | 0 | 18.02 | |
| | | | 1 | 0 | 16.33 | |
| | | | 1 | 25 | 16.43 | |
| | | | 1 | 49 | 16.44 | |
| | | | 25 | 0 | 15.95 | |
| | 836.5 | 20525 | 25 | 13 | 15.96 | |
| | | | 25 | 25 | 15.99 | |
| | | | 50 | 0 | 16.02 | |
| | | | 1 | 0 | 16.29 | |
| | | | 1 | 25 | 16.39 | |
| | | | 1 | 49 | 16.39 | |
| | 844 | 20600 | 25 | 0 | 15.99 | |
| | | | 25 | 13 | 16.01 | |
| | | | 25 | 25 | 15.75 | |
| | | | 50 | 0 | 16.04 | |
| | | | 1 | 0 | 16.64 | |
| | | | 1 | 25 | 16.14 | |
| | | | 1 | 49 | 15.68 | |
| | | | 25 | 0 | 15.87 | |
| | | | 25 | 13 | 16.05 | |
| | | | 25 | 25 | 15.73 | |
| | | | 50 | 0 | 15.90 | |
| | | | | | | |

LTE Band 7(Full power)

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2502.5 | 20775 | 5MHz | 1 | 0 | 22.86 |
| | | | | 1 | 13 | 22.91 |
| | | | | 1 | 24 | 22.84 |
| | | | | 12 | 0 | 21.79 |
| | | | | 12 | 6 | 21.84 |
| | | | | 12 | 13 | 21.88 |
| | 25 | 0 | | 21.74 | | |
| | 2535 | 21100 | | 1 | 0 | 22.60 |
| | | | | 1 | 13 | 22.56 |
| | | | | 1 | 24 | 22.68 |
| | | | | 12 | 0 | 21.53 |
| | | | | 12 | 6 | 21.56 |
| | | | | 12 | 13 | 21.48 |
| | 25 | 0 | | 21.44 | | |
| | 2567.5 | 21425 | | 1 | 0 | 22.16 |
| | | | | 1 | 13 | 22.15 |
| | | | | 1 | 24 | 22.07 |
| | | | | 12 | 0 | 21.16 |
| 12 | | | 6 | 21.21 | | |
| 12 | | | 13 | 21.23 | | |
| 16QAM | 2502.5 | 20775 | 1 | 0 | 22.29 | |
| | | | 1 | 13 | 21.94 | |
| | | | 1 | 24 | 21.92 | |
| | | | 12 | 0 | 20.81 | |
| | | | 12 | 6 | 20.81 | |
| | | | 12 | 13 | 20.84 | |
| | 25 | 0 | 20.78 | | | |
| | 2535 | 21100 | 1 | 0 | 21.75 | |
| | | | 1 | 13 | 22.34 | |
| | | | 1 | 24 | 21.76 | |
| | | | 12 | 0 | 20.58 | |
| | | | 12 | 6 | 20.60 | |
| | | | 12 | 13 | 20.70 | |
| | 25 | 0 | 20.58 | | | |
| | 2567.5 | 21425 | 1 | 0 | 21.82 | |
| | | | 1 | 13 | 21.51 | |
| | | | 1 | 24 | 21.68 | |
| | | | 12 | 0 | 20.38 | |
| 12 | | | 6 | 20.39 | | |
| 12 | | | 13 | 20.47 | | |
| 25 | 0 | 20.42 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2502.5 | 20775 | 5MHz | 1 | 0 | 21.19 |
| | | | | 1 | 13 | 20.84 |
| | | | | 1 | 24 | 20.83 |
| | | | | 12 | 0 | 19.75 |
| | | | | 12 | 6 | 19.78 |
| | | | | 12 | 13 | 19.79 |
| | 25 | 0 | | 19.73 | | |
| | 1 | 0 | | 20.71 | | |
| | 1 | 13 | | 21.31 | | |
| | 1 | 24 | | 20.68 | | |
| | 12 | 0 | | 19.50 | | |
| | 12 | 6 | | 19.50 | | |
| | 12 | 13 | | 19.62 | | |
| | 25 | 0 | | 19.51 | | |
| | 1 | 0 | | 20.80 | | |
| | 1 | 13 | | 20.44 | | |
| | 1 | 24 | | 20.63 | | |
| | 12 | 0 | | 19.36 | | |
| 12 | 6 | 19.32 | | | | |
| 12 | 13 | 19.41 | | | | |
| 25 | 0 | 19.34 | | | | |
| 256QAM | 2502.5 | 20775 | 1 | 0 | 18.23 | |
| | | | 1 | 13 | 17.87 | |
| | | | 1 | 24 | 17.87 | |
| | | | 12 | 0 | 17.72 | |
| | | | 12 | 6 | 17.71 | |
| | | | 12 | 13 | 17.76 | |
| | 25 | 0 | 17.74 | | | |
| | 1 | 0 | 17.67 | | | |
| | 1 | 13 | 18.26 | | | |
| | 1 | 24 | 17.70 | | | |
| | 12 | 0 | 17.50 | | | |
| | 12 | 6 | 17.54 | | | |
| | 12 | 13 | 17.67 | | | |
| | 25 | 0 | 17.49 | | | |
| | 1 | 0 | 17.79 | | | |
| | 1 | 13 | 17.41 | | | |
| | 1 | 24 | 17.66 | | | |
| | 12 | 0 | 17.30 | | | |
| 12 | 6 | 17.30 | | | | |
| 12 | 13 | 17.45 | | | | |
| 25 | 0 | 17.38 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2505 | 20800 | 10MHz | 1 | 0 | 22.86 |
| | | | | 1 | 25 | 22.61 |
| | | | | 1 | 49 | 22.90 |
| | | | | 25 | 0 | 21.76 |
| | | | | 25 | 13 | 21.83 |
| | | | | 25 | 25 | 21.84 |
| | 50 | 0 | | 21.79 | | |
| | 2535 | 21100 | | 1 | 0 | 22.60 |
| | | | | 1 | 25 | 22.46 |
| | | | | 1 | 49 | 22.08 |
| | | | | 25 | 0 | 21.57 |
| | | | | 25 | 13 | 21.47 |
| | | | | 25 | 25 | 21.62 |
| | 2565 | 21400 | | 50 | 0 | 21.49 |
| | | | | 1 | 0 | 22.29 |
| | | | | 1 | 25 | 22.11 |
| | | | | 1 | 49 | 22.47 |
| | | | | 25 | 0 | 21.29 |
| 25 | | | 13 | 21.28 | | |
| 16QAM | 2505 | 20800 | 25 | 25 | 21.35 | |
| | | | 50 | 0 | 21.40 | |
| | | | 1 | 0 | 22.21 | |
| | | | 1 | 25 | 21.62 | |
| | | | 1 | 49 | 21.79 | |
| | | | 25 | 0 | 20.84 | |
| | 2535 | 21100 | 25 | 13 | 20.91 | |
| | | | 25 | 25 | 20.88 | |
| | | | 50 | 0 | 20.81 | |
| | | | 1 | 0 | 21.96 | |
| | | | 1 | 25 | 22.11 | |
| | | | 1 | 49 | 21.75 | |
| | 2565 | 21400 | 25 | 0 | 20.68 | |
| | | | 25 | 13 | 20.48 | |
| | | | 25 | 25 | 20.47 | |
| | | | 50 | 0 | 20.56 | |
| | | | 1 | 0 | 21.75 | |
| | | | 1 | 25 | 21.46 | |
| | | | 1 | 49 | 21.81 | |
| | | | 25 | 0 | 20.34 | |
| | | | 25 | 13 | 20.22 | |
| | | | 25 | 25 | 20.27 | |
| | | | 50 | 0 | 20.30 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2505 | 20800 | 10MHz | 1 | 0 | 21.11 |
| | | | | 1 | 25 | 20.55 |
| | | | | 1 | 49 | 20.74 |
| | | | | 25 | 0 | 19.75 |
| | | | | 25 | 13 | 19.84 |
| | | | | 25 | 25 | 19.84 |
| | 50 | 0 | | 19.77 | | |
| | 2535 | 21100 | | 1 | 0 | 20.88 |
| | | | | 1 | 25 | 21.01 |
| | | | | 1 | 49 | 20.65 |
| | | | | 25 | 0 | 19.66 |
| | | | | 25 | 13 | 19.44 |
| | | | | 25 | 25 | 19.38 |
| | 2565 | 21400 | | 50 | 0 | 19.47 |
| | | | | 1 | 0 | 20.68 |
| | | | | 1 | 25 | 20.41 |
| | | | | 1 | 49 | 20.76 |
| | | | | 25 | 0 | 19.29 |
| 25 | | | 13 | 19.20 | | |
| 256QAM | 2505 | 20800 | 25 | 25 | 19.17 | |
| | | | 50 | 0 | 19.27 | |
| | | | 1 | 0 | 18.16 | |
| | | | 1 | 25 | 17.53 | |
| | | | 1 | 49 | 17.72 | |
| | | | 25 | 0 | 17.82 | |
| | 2535 | 21100 | 25 | 13 | 17.84 | |
| | | | 25 | 25 | 17.82 | |
| | | | 50 | 0 | 17.72 | |
| | | | 1 | 0 | 17.90 | |
| | | | 1 | 25 | 18.05 | |
| | | | 1 | 49 | 17.66 | |
| | 2565 | 21400 | 25 | 0 | 17.64 | |
| | | | 25 | 13 | 17.44 | |
| | | | 25 | 25 | 17.44 | |
| | | | 50 | 0 | 17.50 | |
| | | | 1 | 0 | 17.65 | |
| | | | 1 | 25 | 17.44 | |
| | | | 1 | 49 | 17.72 | |
| | | | 25 | 0 | 17.32 | |
| | | | 25 | 13 | 17.19 | |
| | | | 25 | 25 | 17.25 | |
| | | | 50 | 0 | 17.23 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2507.5 | 20825 | 15MHz | 1 | 0 | 22.88 |
| | | | | 1 | 38 | 22.86 |
| | | | | 1 | 74 | 22.94 |
| | | | | 36 | 0 | 22.16 |
| | | | | 36 | 18 | 22.10 |
| | | | | 36 | 39 | 22.14 |
| | 75 | 0 | | 22.16 | | |
| | 1 | 0 | | 22.88 | | |
| | 1 | 38 | | 22.74 | | |
| | 1 | 74 | | 22.72 | | |
| | 36 | 0 | | 21.99 | | |
| | 36 | 18 | | 21.85 | | |
| | 36 | 39 | | 21.95 | | |
| | 75 | 0 | | 21.90 | | |
| | 1 | 0 | | 22.69 | | |
| | 1 | 38 | | 22.71 | | |
| | 1 | 74 | | 22.52 | | |
| | 36 | 0 | | 21.66 | | |
| 36 | 18 | 21.61 | | | | |
| 36 | 39 | 21.54 | | | | |
| 75 | 0 | 21.77 | | | | |
| 16QAM | 2507.5 | 20825 | 1 | 0 | 22.39 | |
| | | | 1 | 38 | 22.24 | |
| | | | 1 | 74 | 22.48 | |
| | | | 36 | 0 | 21.05 | |
| | | | 36 | 18 | 21.06 | |
| | | | 36 | 39 | 21.30 | |
| | 75 | 0 | 21.20 | | | |
| | 1 | 0 | 22.54 | | | |
| | 1 | 38 | 22.50 | | | |
| | 1 | 74 | 22.17 | | | |
| | 36 | 0 | 21.08 | | | |
| | 36 | 18 | 20.84 | | | |
| | 36 | 39 | 20.84 | | | |
| | 75 | 0 | 20.90 | | | |
| | 1 | 0 | 21.87 | | | |
| | 1 | 38 | 21.83 | | | |
| | 1 | 74 | 22.09 | | | |
| | 36 | 0 | 20.72 | | | |
| 36 | 18 | 20.79 | | | | |
| 36 | 39 | 20.61 | | | | |
| 75 | 0 | 20.73 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2507.5 | 20825 | 15MHz | 1 | 0 | 21.34 |
| | | | | 1 | 38 | 21.14 |
| | | | | 1 | 74 | 21.45 |
| | | | | 36 | 0 | 20.02 |
| | | | | 36 | 18 | 20.04 |
| | | | | 36 | 39 | 20.26 |
| | 75 | 0 | | 20.13 | | |
| | 2535 | 21100 | | 1 | 0 | 21.50 |
| | | | | 1 | 38 | 21.42 |
| | | | | 1 | 74 | 21.12 |
| | | | | 36 | 0 | 20.00 |
| | | | | 36 | 18 | 19.82 |
| | | | | 36 | 39 | 19.77 |
| | 2562.5 | 21375 | | 75 | 0 | 19.83 |
| | | | | 1 | 0 | 20.83 |
| | | | | 1 | 38 | 20.80 |
| | | | | 1 | 74 | 21.01 |
| | | | | 36 | 0 | 19.65 |
| 36 | | | 18 | 19.72 | | |
| 256QAM | 2507.5 | 20825 | 36 | 39 | 19.56 | |
| | | | 75 | 0 | 19.69 | |
| | | | 1 | 0 | 18.32 | |
| | | | 1 | 38 | 18.20 | |
| | | | 1 | 74 | 18.41 | |
| | | | 36 | 0 | 17.98 | |
| | 2535 | 21100 | 36 | 18 | 18.02 | |
| | | | 36 | 39 | 18.26 | |
| | | | 75 | 0 | 18.15 | |
| | | | 1 | 0 | 18.44 | |
| | | | 1 | 38 | 18.48 | |
| | | | 1 | 74 | 18.15 | |
| | 2562.5 | 21375 | 36 | 0 | 18.01 | |
| | | | 36 | 18 | 17.76 | |
| | | | 36 | 39 | 17.77 | |
| | | | 75 | 0 | 17.85 | |
| | | | 1 | 0 | 17.80 | |
| | | | 1 | 38 | 17.80 | |
| | | 1 | 74 | 18.07 | | |
| | | 36 | 0 | 17.65 | | |
| | | 36 | 18 | 17.69 | | |
| | | 36 | 39 | 17.56 | | |
| | | 75 | 0 | 17.71 | | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2510 | 20850 | 20MHz | 1 | 0 | 23.01 |
| | | | | 1 | 50 | 23.08 |
| | | | | 1 | 99 | 22.99 |
| | | | | 50 | 0 | 22.07 |
| | | | | 50 | 25 | 22.03 |
| | | | | 50 | 50 | 22.06 |
| | 100 | 0 | | 22.52 | | |
| | 2535 | 21100 | | 1 | 0 | 22.98 |
| | | | | 1 | 50 | 23.17 |
| | | | | 1 | 99 | 23.01 |
| | | | | 50 | 0 | 22.10 |
| | | | | 50 | 25 | 22.04 |
| | | | | 50 | 50 | 22.13 |
| | 2560 | 21350 | | 100 | 0 | 22.18 |
| | | | | 1 | 0 | 22.95 |
| | | | | 1 | 50 | 23.32 |
| | | | | 1 | 99 | 22.90 |
| | | | | 50 | 0 | 22.18 |
| 50 | | | 25 | 22.03 | | |
| 16QAM | 2510 | 20850 | 50 | 50 | 21.96 | |
| | | | 100 | 0 | 21.92 | |
| | | | 1 | 0 | 22.40 | |
| | | | 1 | 50 | 22.75 | |
| | | | 1 | 99 | 22.45 | |
| | | | 50 | 0 | 21.45 | |
| | 2535 | 21100 | 50 | 25 | 21.35 | |
| | | | 50 | 50 | 21.41 | |
| | | | 100 | 0 | 21.35 | |
| | | | 1 | 0 | 22.56 | |
| | | | 1 | 50 | 22.32 | |
| | | | 1 | 99 | 22.74 | |
| | 2560 | 21350 | 50 | 0 | 21.35 | |
| | | | 50 | 25 | 21.21 | |
| | | | 50 | 50 | 21.19 | |
| | | | 100 | 0 | 21.26 | |
| | | | 1 | 0 | 22.09 | |
| | | | 1 | 50 | 21.96 | |
| | | | 1 | 99 | 21.89 | |
| | | | 50 | 0 | 21.03 | |
| | | | 50 | 25 | 21.07 | |
| | | | 50 | 50 | 20.91 | |
| | | | 100 | 0 | 20.98 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2510 | 20850 | 20MHz | 1 | 0 | 21.35 |
| | | | | 1 | 50 | 21.71 |
| | | | | 1 | 99 | 21.37 |
| | | | | 50 | 0 | 20.41 |
| | | | | 50 | 25 | 20.29 |
| | | | | 50 | 50 | 20.31 |
| | 100 | 0 | | 20.25 | | |
| | 2535 | 21100 | | 1 | 0 | 21.53 |
| | | | | 1 | 50 | 21.26 |
| | | | | 1 | 99 | 21.70 |
| | | | | 50 | 0 | 20.27 |
| | | | | 50 | 25 | 20.13 |
| | | | | 50 | 50 | 20.14 |
| | 2560 | 21350 | | 100 | 0 | 20.22 |
| | | | | 1 | 0 | 21.00 |
| | | | | 1 | 50 | 20.89 |
| | | | | 1 | 99 | 20.83 |
| | | | | 50 | 0 | 19.97 |
| 50 | | | 25 | 20.05 | | |
| 256QAM | 2510 | 20850 | 50 | 50 | 19.87 | |
| | | | 100 | 0 | 19.95 | |
| | | | 1 | 0 | 18.35 | |
| | | | 1 | 50 | 18.69 | |
| | | | 1 | 99 | 18.40 | |
| | | | 50 | 0 | 18.41 | |
| | 2535 | 21100 | 50 | 25 | 18.30 | |
| | | | 50 | 50 | 18.39 | |
| | | | 100 | 0 | 18.29 | |
| | | | 1 | 0 | 18.51 | |
| | | | 1 | 50 | 18.28 | |
| | | | 1 | 99 | 18.65 | |
| | 2560 | 21350 | 50 | 0 | 18.28 | |
| | | | 50 | 25 | 18.12 | |
| | | | 50 | 50 | 18.16 | |
| | | | 100 | 0 | 18.19 | |
| | | | 1 | 0 | 18.05 | |
| | | | 1 | 50 | 17.87 | |
| | | 1 | 99 | 17.81 | | |
| | | 50 | 0 | 17.98 | | |
| | | 50 | 25 | 18.03 | | |
| | | 50 | 50 | 17.89 | | |
| | | 100 | 0 | 17.91 | | |
| | | | | | | |

LTE Band 7(Hotspot on)

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2502.5 | 20775 | 5MHz | 1 | 0 | 20.76 |
| | | | | 1 | 13 | 20.81 |
| | | | | 1 | 24 | 20.79 |
| | | | | 12 | 0 | 19.71 |
| | | | | 12 | 6 | 19.78 |
| | | | | 12 | 13 | 19.78 |
| | | | | 25 | 0 | 19.66 |
| | 2535 | 21100 | | 1 | 0 | 20.53 |
| | | | | 1 | 13 | 20.51 |
| | | | | 1 | 24 | 20.60 |
| | | | | 12 | 0 | 19.44 |
| | | | | 12 | 6 | 19.51 |
| | | | | 12 | 13 | 19.38 |
| | | | | 25 | 0 | 19.37 |
| | 2567.5 | 21425 | | 1 | 0 | 20.09 |
| 1 | | | 13 | 20.06 | | |
| 1 | | | 24 | 20.12 | | |
| 12 | | | 0 | 19.10 | | |
| 12 | | | 6 | 19.13 | | |
| 12 | | | 13 | 19.17 | | |
| 25 | | | 0 | 19.16 | | |
| 16QAM | 2502.5 | 20775 | 1 | 0 | 20.24 | |
| | | | 1 | 13 | 19.89 | |
| | | | 1 | 24 | 19.82 | |
| | | | 12 | 0 | 18.72 | |
| | | | 12 | 6 | 18.73 | |
| | | | 12 | 13 | 18.78 | |
| | | | 25 | 0 | 18.68 | |
| | 2535 | 21100 | 1 | 0 | 19.68 | |
| | | | 1 | 13 | 20.28 | |
| | | | 1 | 24 | 19.69 | |
| | | | 12 | 0 | 18.51 | |
| | | | 12 | 6 | 18.52 | |
| | | | 12 | 13 | 18.61 | |
| | | | 25 | 0 | 18.53 | |
| | 2567.5 | 21425 | 1 | 0 | 19.75 | |
| 1 | | | 13 | 19.41 | | |
| 1 | | | 24 | 19.61 | | |
| 12 | | | 0 | 18.32 | | |
| 12 | | | 6 | 18.31 | | |
| 12 | | | 13 | 18.39 | | |
| 25 | | | 0 | 18.37 | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2502.5 | 20775 | 5MHz | 1 | 0 | 18.68 |
| | | | | 1 | 13 | 18.73 |
| | | | | 1 | 24 | 18.74 |
| | | | | 12 | 0 | 17.66 |
| | | | | 12 | 6 | 17.74 |
| | | | | 12 | 13 | 17.74 |
| | 2535 | 21100 | | 25 | 0 | 17.61 |
| | | | | 1 | 0 | 18.50 |
| | | | | 1 | 13 | 18.47 |
| | | | | 1 | 24 | 18.51 |
| | | | | 12 | 0 | 17.34 |
| | | | | 12 | 6 | 17.44 |
| | 2567.5 | 21425 | | 12 | 13 | 17.36 |
| | | | | 25 | 0 | 17.32 |
| | | | | 1 | 0 | 18.09 |
| | | | | 1 | 13 | 18.00 |
| | | | | 1 | 24 | 18.06 |
| | | | | 12 | 0 | 17.00 |
| 256QAM | 2502.5 | 20775 | 12 | 6 | 17.05 | |
| | | | 12 | 13 | 17.07 | |
| | | | 25 | 0 | 17.08 | |
| | | | 1 | 0 | 16.18 | |
| | | | 1 | 13 | 15.81 | |
| | | | 1 | 24 | 15.74 | |
| | 2535 | 21100 | 12 | 0 | 15.62 | |
| | | | 12 | 6 | 15.63 | |
| | | | 12 | 13 | 15.73 | |
| | | | 25 | 0 | 15.58 | |
| | | | 1 | 0 | 15.59 | |
| | | | 1 | 13 | 16.24 | |
| | 2567.5 | 21425 | 1 | 24 | 15.60 | |
| | | | 12 | 0 | 15.46 | |
| | | | 12 | 6 | 15.48 | |
| | | | 12 | 13 | 15.51 | |
| | | | 25 | 0 | 15.51 | |
| | | | 1 | 0 | 15.69 | |
| | | | 1 | 13 | 15.33 | |
| | | | 1 | 24 | 15.59 | |
| | | | 12 | 0 | 15.25 | |
| | | | 12 | 6 | 15.23 | |
| | | | 12 | 13 | 15.29 | |
| | | | 25 | 0 | 15.35 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2505 | 20800 | 10MHz | 1 | 0 | 20.81 |
| | | | | 1 | 25 | 20.54 |
| | | | | 1 | 49 | 20.81 |
| | | | | 25 | 0 | 19.66 |
| | | | | 25 | 13 | 19.78 |
| | | | | 25 | 25 | 19.79 |
| | 50 | 0 | | 19.74 | | |
| | 2535 | 21100 | | 1 | 0 | 20.55 |
| | | | | 1 | 25 | 20.37 |
| | | | | 1 | 49 | 20.00 |
| | | | | 25 | 0 | 19.48 |
| | | | | 25 | 13 | 19.42 |
| | | | | 25 | 25 | 19.53 |
| | 2565 | 21400 | | 50 | 0 | 19.41 |
| | | | | 1 | 0 | 20.19 |
| | | | | 1 | 25 | 20.03 |
| | | | | 1 | 49 | 20.39 |
| | | | | 25 | 0 | 19.23 |
| 25 | | | 13 | 19.20 | | |
| 16QAM | 2505 | 20800 | 25 | 25 | 19.29 | |
| | | | 50 | 0 | 19.35 | |
| | | | 1 | 0 | 20.16 | |
| | | | 1 | 25 | 19.54 | |
| | | | 1 | 49 | 19.73 | |
| | | | 25 | 0 | 18.74 | |
| | 25 | 13 | 18.86 | | | |
| | 2535 | 21100 | 25 | 25 | 18.83 | |
| | | | 50 | 0 | 18.71 | |
| | | | 1 | 0 | 19.89 | |
| | | | 1 | 25 | 20.02 | |
| | | | 1 | 49 | 19.66 | |
| | | | 25 | 0 | 18.61 | |
| | 2565 | 21400 | 25 | 13 | 18.43 | |
| | | | 25 | 25 | 18.40 | |
| | | | 50 | 0 | 18.49 | |
| | | | 1 | 0 | 19.67 | |
| | | | 1 | 25 | 19.40 | |
| 1 | | | 49 | 19.72 | | |
| 25 | 0 | 18.28 | | | | |
| 25 | 13 | 18.16 | | | | |
| 25 | 25 | 18.19 | | | | |
| 50 | 0 | 18.22 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2505 | 20800 | 10MHz | 1 | 0 | 18.71 |
| | | | | 1 | 25 | 18.45 |
| | | | | 1 | 49 | 18.75 |
| | | | | 25 | 0 | 17.61 |
| | | | | 25 | 13 | 17.73 |
| | | | | 25 | 25 | 17.73 |
| | 50 | 0 | | 17.66 | | |
| | 2535 | 21100 | | 1 | 0 | 18.52 |
| | | | | 1 | 25 | 18.27 |
| | | | | 1 | 49 | 18.07 |
| | | | | 25 | 0 | 17.40 |
| | | | | 25 | 13 | 17.38 |
| | | | | 25 | 25 | 17.47 |
| | 2565 | 21400 | | 50 | 0 | 17.32 |
| | | | | 1 | 0 | 18.09 |
| | | | | 1 | 25 | 18.00 |
| | | | | 1 | 49 | 18.37 |
| | | | | 25 | 0 | 17.17 |
| 25 | | | 13 | 17.10 | | |
| 256QAM | 2505 | 20800 | 25 | 25 | 17.23 | |
| | | | 50 | 0 | 17.32 | |
| | | | 1 | 0 | 16.07 | |
| | | | 1 | 25 | 15.52 | |
| | | | 1 | 49 | 15.63 | |
| | | | 25 | 0 | 15.64 | |
| | 2535 | 21100 | 25 | 13 | 15.80 | |
| | | | 25 | 25 | 15.75 | |
| | | | 50 | 0 | 15.68 | |
| | | | 1 | 0 | 15.79 | |
| | | | 1 | 25 | 15.98 | |
| | | | 1 | 49 | 15.58 | |
| | 2565 | 21400 | 25 | 0 | 15.55 | |
| | | | 25 | 13 | 15.36 | |
| | | | 25 | 25 | 15.30 | |
| | | | 50 | 0 | 15.44 | |
| | | | 1 | 0 | 15.58 | |
| | | | 1 | 25 | 15.30 | |
| | | | 1 | 49 | 15.65 | |
| | | | 25 | 0 | 15.24 | |
| | | | 25 | 13 | 15.10 | |
| | | | 25 | 25 | 15.13 | |
| | | | 50 | 0 | 15.13 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2507.5 | 20825 | 15MHz | 1 | 0 | 20.80 |
| | | | | 1 | 38 | 20.78 |
| | | | | 1 | 74 | 20.87 |
| | | | | 36 | 0 | 20.07 |
| | | | | 36 | 18 | 20.05 |
| | | | | 36 | 39 | 20.04 |
| | 75 | 0 | | 20.11 | | |
| | 1 | 0 | | 20.79 | | |
| | 1 | 38 | | 20.69 | | |
| | 1 | 74 | | 20.62 | | |
| | 36 | 0 | | 19.90 | | |
| | 36 | 18 | | 19.78 | | |
| | 36 | 39 | | 19.90 | | |
| | 75 | 0 | | 19.80 | | |
| | 1 | 0 | | 20.60 | | |
| | 1 | 38 | | 20.66 | | |
| | 1 | 74 | | 20.62 | | |
| | 16QAM | 2507.5 | | 20825 | 15MHz | 36 |
| 36 | | | 18 | | | 19.53 |
| 36 | | | 39 | | | 19.82 |
| 75 | | | 0 | | | 19.67 |
| 1 | | | 0 | | | 20.30 |
| 1 | | | 38 | | | 20.15 |
| 1 | | 74 | 20.43 | | | |
| 36 | | 0 | 18.95 | | | |
| 36 | | 18 | 18.97 | | | |
| 36 | | 39 | 19.21 | | | |
| 75 | | 0 | 19.12 | | | |
| 1 | | 0 | 20.46 | | | |
| 1 | | 38 | 20.41 | | | |
| 1 | | 74 | 20.07 | | | |
| 36 | | 0 | 18.98 | | | |
| 36 | | 18 | 18.75 | | | |
| 36 | | 39 | 18.74 | | | |
| 75 | | 0 | 18.82 | | | |
| 2562.5 | 21375 | 21375 | 15MHz | 1 | 0 | 19.78 |
| | | | | 1 | 38 | 19.77 |
| | | | | 1 | 74 | 20.04 |
| | | | | 36 | 0 | 18.66 |
| | | | | 36 | 18 | 18.70 |
| | | | | 36 | 39 | 18.54 |
| 75 | 0 | 18.64 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2507.5 | 20825 | 15MHz | 1 | 0 | 18.72 |
| | | | | 1 | 38 | 18.73 |
| | | | | 1 | 74 | 18.80 |
| | | | | 36 | 0 | 18.00 |
| | | | | 36 | 18 | 17.99 |
| | | | | 36 | 39 | 18.01 |
| | 75 | 0 | | 18.02 | | |
| | 2535 | 21100 | | 1 | 0 | 18.75 |
| | | | | 1 | 38 | 18.64 |
| | | | | 1 | 74 | 18.54 |
| | | | | 36 | 0 | 17.85 |
| | | | | 36 | 18 | 17.68 |
| | | | | 36 | 39 | 17.84 |
| | 2562.5 | 21375 | | 75 | 0 | 17.74 |
| | | | | 1 | 0 | 18.57 |
| | | | | 1 | 38 | 18.60 |
| | | | | 1 | 74 | 18.54 |
| | | | | 36 | 0 | 17.47 |
| 36 | | | 18 | 17.47 | | |
| 256QAM | 2507.5 | 20825 | 36 | 39 | 17.79 | |
| | | | 75 | 0 | 17.61 | |
| | | | 1 | 0 | 16.23 | |
| | | | 1 | 38 | 16.12 | |
| | | | 1 | 74 | 16.34 | |
| | | | 36 | 0 | 15.88 | |
| | 2535 | 21100 | 36 | 18 | 15.87 | |
| | | | 36 | 39 | 16.13 | |
| | | | 75 | 0 | 16.10 | |
| | | | 1 | 0 | 16.43 | |
| | | | 1 | 38 | 16.37 | |
| | | | 1 | 74 | 16.05 | |
| | 2562.5 | 21375 | 36 | 0 | 15.92 | |
| | | | 36 | 18 | 15.71 | |
| | | | 36 | 39 | 15.72 | |
| | | | 75 | 0 | 15.76 | |
| | | | 1 | 0 | 15.74 | |
| | | | 1 | 38 | 15.70 | |
| | | | 1 | 74 | 16.01 | |
| | | | 36 | 0 | 15.64 | |
| | | | 36 | 18 | 15.62 | |
| | | | 36 | 39 | 15.52 | |
| | | | 75 | 0 | 15.61 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2510 | 20850 | 20MHz | 1 | 0 | 20.91 |
| | | | | 1 | 50 | 21.00 |
| | | | | 1 | 99 | 20.89 |
| | | | | 50 | 0 | 20.17 |
| | | | | 50 | 25 | 20.15 |
| | | | | 50 | 50 | 20.16 |
| | 100 | 0 | | 20.33 | | |
| | 2535 | 21100 | | 1 | 0 | 20.91 |
| | | | | 1 | 50 | 20.99 |
| | | | | 1 | 99 | 20.92 |
| | | | | 50 | 0 | 20.15 |
| | | | | 50 | 25 | 20.08 |
| | | | | 50 | 50 | 20.05 |
| | 2560 | 21350 | | 100 | 0 | 20.12 |
| | | | | 1 | 0 | 20.88 |
| | | | | 1 | 50 | 21.11 |
| | | | | 1 | 99 | 20.85 |
| | | | | 50 | 0 | 20.18 |
| 50 | | | 25 | 19.93 | | |
| 16QAM | 2510 | 20850 | 50 | 50 | 19.86 | |
| | | | 100 | 0 | 19.84 | |
| | | | 1 | 0 | 20.34 | |
| | | | 1 | 50 | 20.69 | |
| | | | 1 | 99 | 20.35 | |
| | | | 50 | 0 | 19.40 | |
| | 2535 | 21100 | 50 | 25 | 19.30 | |
| | | | 50 | 50 | 19.33 | |
| | | | 100 | 0 | 19.29 | |
| | | | 1 | 0 | 20.50 | |
| | | | 1 | 50 | 20.22 | |
| | | | 1 | 99 | 20.66 | |
| | 2560 | 21350 | 50 | 0 | 19.25 | |
| | | | 50 | 25 | 19.13 | |
| | | | 50 | 50 | 19.09 | |
| | | | 100 | 0 | 19.21 | |
| | | | 1 | 0 | 20.03 | |
| | | | 1 | 50 | 19.91 | |
| | | | 1 | 99 | 19.81 | |
| | | | 50 | 0 | 18.96 | |
| | | | 50 | 25 | 18.97 | |
| | | | 50 | 50 | 18.86 | |
| | | | 100 | 0 | 18.88 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2510 | 20850 | 20MHz | 1 | 0 | 18.86 |
| | | | | 1 | 50 | 18.86 |
| | | | | 1 | 99 | 18.83 |
| | | | | 50 | 0 | 18.15 |
| | | | | 50 | 25 | 18.06 |
| | | | | 50 | 50 | 18.07 |
| | 100 | 0 | | 18.28 | | |
| | 2535 | 21100 | | 1 | 0 | 18.86 |
| | | | | 1 | 50 | 18.83 |
| | | | | 1 | 99 | 18.85 |
| | | | | 50 | 0 | 18.11 |
| | | | | 50 | 25 | 18.05 |
| | | | | 50 | 50 | 18.00 |
| | 2560 | 21350 | | 100 | 0 | 18.09 |
| | | | | 1 | 0 | 18.80 |
| | | | | 1 | 50 | 18.95 |
| | | | | 1 | 99 | 18.76 |
| | | | | 50 | 0 | 18.14 |
| 50 | | | 25 | 17.90 | | |
| 256QAM | 2510 | 20850 | 50 | 50 | 17.77 | |
| | | | 100 | 0 | 17.81 | |
| | | | 1 | 0 | 16.24 | |
| | | | 1 | 50 | 16.65 | |
| | | | 1 | 99 | 16.30 | |
| | | | 50 | 0 | 16.31 | |
| | 2535 | 21100 | 50 | 25 | 16.24 | |
| | | | 50 | 50 | 16.29 | |
| | | | 100 | 0 | 16.26 | |
| | | | 1 | 0 | 16.43 | |
| | | | 1 | 50 | 16.13 | |
| | | | 1 | 99 | 16.59 | |
| | 2560 | 21350 | 50 | 0 | 16.15 | |
| | | | 50 | 25 | 16.03 | |
| | | | 50 | 50 | 16.06 | |
| | | | 100 | 0 | 16.14 | |
| | | | 1 | 0 | 16.00 | |
| | | | 1 | 50 | 15.85 | |
| | | 1 | 99 | 15.73 | | |
| | | 50 | 0 | 15.86 | | |
| | | 50 | 25 | 15.89 | | |
| | | 50 | 50 | 15.83 | | |
| | | 100 | 0 | 15.80 | | |

LTE Band 7(EN_DC Full power)

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2502.5 | 20775 | 5MHz | 1 | 0 | 21.11 |
| | | | | 1 | 13 | 21.15 |
| | | | | 1 | 24 | 21.05 |
| | | | | 12 | 0 | 20.04 |
| | | | | 12 | 6 | 20.04 |
| | | | | 12 | 13 | 20.11 |
| | 25 | 0 | | 19.96 | | |
| | 2535 | 21100 | | 1 | 0 | 20.85 |
| | | | | 1 | 13 | 20.79 |
| | | | | 1 | 24 | 20.93 |
| | | | | 12 | 0 | 19.73 |
| | | | | 12 | 6 | 19.79 |
| | | | | 12 | 13 | 19.71 |
| | 25 | 0 | | 19.66 | | |
| | 2567.5 | 21425 | | 1 | 0 | 20.40 |
| | | | | 1 | 13 | 20.38 |
| | | | | 1 | 24 | 20.28 |
| | | | | 12 | 0 | 19.38 |
| 12 | | | 6 | 19.42 | | |
| 12 | | | 13 | 19.48 | | |
| 25 | 0 | 19.47 | | | | |
| 16QAM | 2502.5 | 20775 | 1 | 0 | 20.51 | |
| | | | 1 | 13 | 20.14 | |
| | | | 1 | 24 | 20.13 | |
| | | | 12 | 0 | 19.03 | |
| | | | 12 | 6 | 19.05 | |
| | | | 12 | 13 | 19.05 | |
| | 25 | 0 | 19.01 | | | |
| | 2535 | 21100 | 1 | 0 | 19.99 | |
| | | | 1 | 13 | 20.56 | |
| | | | 1 | 24 | 19.96 | |
| | | | 12 | 0 | 18.80 | |
| | | | 12 | 6 | 18.82 | |
| | | | 12 | 13 | 18.95 | |
| | 25 | 0 | 18.79 | | | |
| | 2567.5 | 21425 | 1 | 0 | 20.06 | |
| | | | 1 | 13 | 19.76 | |
| | | | 1 | 24 | 19.90 | |
| | | | 12 | 0 | 18.59 | |
| 12 | | | 6 | 18.64 | | |
| 12 | | | 13 | 18.70 | | |
| 25 | 0 | 18.64 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2502.5 | 20775 | 5MHz | 1 | 0 | 19.08 |
| | | | | 1 | 13 | 19.13 |
| | | | | 1 | 24 | 18.98 |
| | | | | 12 | 0 | 17.99 |
| | | | | 12 | 6 | 17.94 |
| | | | | 12 | 13 | 18.09 |
| | 25 | 0 | | 17.87 | | |
| | 1 | 0 | | 18.78 | | |
| | 1 | 13 | | 18.73 | | |
| | 1 | 24 | | 18.84 | | |
| | 12 | 0 | | 17.71 | | |
| | 12 | 6 | | 17.77 | | |
| | 12 | 13 | | 17.61 | | |
| | 25 | 0 | | 17.58 | | |
| | 1 | 0 | | 18.37 | | |
| | 1 | 13 | | 18.33 | | |
| | 1 | 24 | | 18.26 | | |
| | 12 | 0 | | 17.35 | | |
| 12 | 6 | 17.32 | | | | |
| 12 | 13 | 17.40 | | | | |
| 25 | 0 | 17.44 | | | | |
| 256QAM | 2502.5 | 20775 | 1 | 0 | 16.47 | |
| | | | 1 | 13 | 16.08 | |
| | | | 1 | 24 | 16.10 | |
| | | | 12 | 0 | 15.97 | |
| | | | 12 | 6 | 16.01 | |
| | | | 12 | 13 | 16.03 | |
| | 25 | 0 | 15.96 | | | |
| | 1 | 0 | 15.91 | | | |
| | 1 | 13 | 16.49 | | | |
| | 1 | 24 | 15.90 | | | |
| | 12 | 0 | 15.73 | | | |
| | 12 | 6 | 15.79 | | | |
| | 12 | 13 | 15.93 | | | |
| | 25 | 0 | 15.72 | | | |
| | 1 | 0 | 16.00 | | | |
| | 1 | 13 | 15.70 | | | |
| | 1 | 24 | 15.88 | | | |
| | 12 | 0 | 15.56 | | | |
| 12 | 6 | 15.60 | | | | |
| 12 | 13 | 15.61 | | | | |
| 25 | 0 | 15.57 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2505 | 20800 | 10MHz | 1 | 0 | 21.08 |
| | | | | 1 | 25 | 20.85 |
| | | | | 1 | 49 | 21.13 |
| | | | | 25 | 0 | 19.98 |
| | | | | 25 | 13 | 20.05 |
| | | | | 25 | 25 | 20.08 |
| | 50 | 0 | | 20.00 | | |
| | 2535 | 21100 | | 1 | 0 | 20.82 |
| | | | | 1 | 25 | 20.67 |
| | | | | 1 | 49 | 20.33 |
| | | | | 25 | 0 | 19.78 |
| | | | | 25 | 13 | 19.67 |
| | | | | 25 | 25 | 19.86 |
| | 2565 | 21400 | | 50 | 0 | 19.71 |
| | | | | 1 | 0 | 20.51 |
| | | | | 1 | 25 | 20.32 |
| | | | | 1 | 49 | 20.71 |
| | | | | 25 | 0 | 19.54 |
| 25 | | | 13 | 19.49 | | |
| 16QAM | 2505 | 20800 | 25 | 25 | 19.57 | |
| | | | 50 | 0 | 19.65 | |
| | | | 1 | 0 | 20.43 | |
| | | | 1 | 25 | 19.86 | |
| | | | 1 | 49 | 20.00 | |
| | | | 25 | 0 | 19.08 | |
| | 2535 | 21100 | 25 | 13 | 19.15 | |
| | | | 25 | 25 | 19.09 | |
| | | | 50 | 0 | 19.02 | |
| | | | 1 | 0 | 20.21 | |
| | | | 1 | 25 | 20.31 | |
| | | | 1 | 49 | 19.95 | |
| | 2565 | 21400 | 25 | 0 | 18.88 | |
| | | | 25 | 13 | 18.69 | |
| | | | 25 | 25 | 18.68 | |
| | | | 50 | 0 | 18.78 | |
| | | | 1 | 0 | 19.96 | |
| | | | 1 | 25 | 19.67 | |
| | | | 1 | 49 | 20.05 | |
| | | | 25 | 0 | 18.56 | |
| | | | 25 | 13 | 18.47 | |
| | | | 25 | 25 | 18.47 | |
| | | | 50 | 0 | 18.54 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2505 | 20800 | 10MHz | 1 | 0 | 18.98 |
| | | | | 1 | 25 | 18.75 |
| | | | | 1 | 49 | 19.05 |
| | | | | 25 | 0 | 17.92 |
| | | | | 25 | 13 | 18.00 |
| | | | | 25 | 25 | 18.06 |
| | 50 | 0 | | 17.98 | | |
| | 2535 | 21100 | | 1 | 0 | 18.80 |
| | | | | 1 | 25 | 18.58 |
| | | | | 1 | 49 | 18.24 |
| | | | | 25 | 0 | 17.68 |
| | | | | 25 | 13 | 17.59 |
| | | | | 25 | 25 | 17.76 |
| | 2565 | 21400 | | 50 | 0 | 17.65 |
| | | | | 1 | 0 | 18.48 |
| | | | | 1 | 25 | 18.26 |
| | | | | 1 | 49 | 18.66 |
| | | | | 25 | 0 | 17.44 |
| 25 | | | 13 | 17.40 | | |
| 256QAM | 2505 | 20800 | 25 | 25 | 17.50 | |
| | | | 50 | 0 | 17.61 | |
| | | | 1 | 0 | 16.35 | |
| | | | 1 | 25 | 15.76 | |
| | | | 1 | 49 | 15.90 | |
| | | | 25 | 0 | 16.00 | |
| | 2535 | 21100 | 25 | 13 | 16.08 | |
| | | | 25 | 25 | 15.99 | |
| | | | 50 | 0 | 16.00 | |
| | | | 1 | 0 | 16.19 | |
| | | | 1 | 25 | 16.26 | |
| | | | 1 | 49 | 15.89 | |
| | 2565 | 21400 | 25 | 0 | 15.79 | |
| | | | 25 | 13 | 15.62 | |
| | | | 25 | 25 | 15.64 | |
| | | | 50 | 0 | 15.71 | |
| | | | 1 | 0 | 15.90 | |
| | | | 1 | 25 | 15.60 | |
| | | | 1 | 49 | 15.96 | |
| | | | 25 | 0 | 15.51 | |
| | | | 25 | 13 | 15.43 | |
| | | | 25 | 25 | 15.38 | |
| | | | 50 | 0 | 15.47 | |
| | | | 50 | 0 | 15.47 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2507.5 | 20825 | 15MHz | 1 | 0 | 21.10 |
| | | | | 1 | 38 | 21.09 |
| | | | | 1 | 74 | 21.17 |
| | | | | 36 | 0 | 20.37 |
| | | | | 36 | 18 | 20.31 |
| | | | | 36 | 39 | 20.35 |
| | 75 | 0 | | 20.40 | | |
| | 2535 | 21100 | | 1 | 0 | 21.12 |
| | | | | 1 | 38 | 20.97 |
| | | | | 1 | 74 | 20.97 |
| | | | | 36 | 0 | 20.24 |
| | | | | 36 | 18 | 20.05 |
| | | | | 36 | 39 | 20.18 |
| | 2562.5 | 21375 | | 75 | 0 | 20.10 |
| | | | | 1 | 0 | 20.91 |
| | | | | 1 | 38 | 20.95 |
| | | | | 1 | 74 | 20.73 |
| | | | | 36 | 0 | 19.91 |
| 36 | | | 18 | 19.83 | | |
| 16QAM | 2507.5 | 20825 | 36 | 39 | 19.78 | |
| | | | 75 | 0 | 20.02 | |
| | | | 1 | 0 | 20.64 | |
| | | | 1 | 38 | 20.44 | |
| | | | 1 | 74 | 20.71 | |
| | | | 36 | 0 | 19.28 | |
| | 2535 | 21100 | 36 | 18 | 19.31 | |
| | | | 36 | 39 | 19.52 | |
| | | | 75 | 0 | 19.45 | |
| | | | 1 | 0 | 20.75 | |
| | | | 1 | 38 | 20.74 | |
| | | | 1 | 74 | 20.41 | |
| | 2562.5 | 21375 | 36 | 0 | 19.31 | |
| | | | 36 | 18 | 19.08 | |
| | | | 36 | 39 | 19.05 | |
| | | | 75 | 0 | 19.14 | |
| | | | 1 | 0 | 20.07 | |
| | | | 1 | 38 | 20.06 | |
| | | | 1 | 74 | 20.32 | |
| | | | 36 | 0 | 18.97 | |
| | | | 36 | 18 | 19.03 | |
| | | | 36 | 39 | 18.86 | |
| | | | 75 | 0 | 18.96 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2507.5 | 20825 | 15MHz | 1 | 0 | 19.00 |
| | | | | 1 | 38 | 19.02 |
| | | | | 1 | 74 | 19.09 |
| | | | | 36 | 0 | 18.33 |
| | | | | 36 | 18 | 18.21 |
| | | | | 36 | 39 | 18.29 |
| | 75 | 0 | | 18.36 | | |
| | 2535 | 21100 | | 1 | 0 | 19.02 |
| | | | | 1 | 38 | 18.94 |
| | | | | 1 | 74 | 18.91 |
| | | | | 36 | 0 | 18.16 |
| | | | | 36 | 18 | 17.95 |
| | | | | 36 | 39 | 18.10 |
| | 2562.5 | 21375 | | 75 | 0 | 18.01 |
| | | | | 1 | 0 | 18.88 |
| | | | | 1 | 38 | 18.93 |
| | | | | 1 | 74 | 18.66 |
| | | | | 36 | 0 | 17.86 |
| 36 | | | 18 | 17.79 | | |
| 256QAM | 2507.5 | 20825 | 36 | 39 | 17.69 | |
| | | | 75 | 0 | 17.99 | |
| | | | 1 | 0 | 16.59 | |
| | | | 1 | 38 | 16.42 | |
| | | | 1 | 74 | 16.68 | |
| | | | 36 | 0 | 16.18 | |
| | 2535 | 21100 | 36 | 18 | 16.22 | |
| | | | 36 | 39 | 16.46 | |
| | | | 75 | 0 | 16.38 | |
| | | | 1 | 0 | 16.65 | |
| | | | 1 | 38 | 16.66 | |
| | | | 1 | 74 | 16.31 | |
| | 2562.5 | 21375 | 36 | 0 | 16.22 | |
| | | | 36 | 18 | 16.06 | |
| | | | 36 | 39 | 15.97 | |
| | | | 75 | 0 | 16.08 | |
| | | | 1 | 0 | 15.98 | |
| | | | 1 | 38 | 16.02 | |
| | | | 1 | 74 | 16.27 | |
| | | | 36 | 0 | 15.91 | |
| | | | 36 | 18 | 16.00 | |
| | | | 36 | 39 | 15.80 | |
| | | | 75 | 0 | 15.91 | |
| | | | 75 | 0 | 15.91 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2510 | 20850 | 20MHz | 1 | 0 | 21.27 |
| | | | | 1 | 50 | 21.22 |
| | | | | 1 | 99 | 20.32 |
| | | | | 50 | 0 | 20.28 |
| | | | | 50 | 25 | 20.29 |
| | | | | 50 | 50 | 20.65 |
| | 100 | 0 | | 20.65 | | |
| | 2535 | 21100 | | 1 | 0 | 21.25 |
| | | | | 1 | 50 | 21.24 |
| | | | | 1 | 99 | 20.34 |
| | | | | 50 | 0 | 20.24 |
| | | | | 50 | 25 | 20.38 |
| | | | | 50 | 50 | 20.40 |
| | 2560 | 21350 | | 100 | 0 | 20.79 |
| | | | | 1 | 0 | 21.30 |
| | | | | 1 | 50 | 21.10 |
| | | | | 1 | 99 | 20.39 |
| | | | | 50 | 0 | 20.27 |
| 50 | | | 25 | 20.17 | | |
| 16QAM | 2510 | 20850 | 50 | 50 | 20.12 | |
| | | | 100 | 0 | 20.29 | |
| | | | 1 | 0 | 20.96 | |
| | | | 1 | 50 | 20.66 | |
| | | | 1 | 99 | 19.67 | |
| | | | 50 | 0 | 19.57 | |
| | 2535 | 21100 | 50 | 25 | 19.66 | |
| | | | 50 | 50 | 19.57 | |
| | | | 100 | 0 | 19.53 | |
| | | | 1 | 0 | 20.55 | |
| | | | 1 | 50 | 20.94 | |
| | | | 1 | 99 | 19.59 | |
| | 2560 | 21350 | 50 | 0 | 19.41 | |
| | | | 50 | 25 | 19.44 | |
| | | | 50 | 50 | 19.51 | |
| | | | 100 | 0 | 19.49 | |
| | | | 1 | 0 | 20.21 | |
| | | | 1 | 50 | 20.13 | |
| | | | 1 | 99 | 19.26 | |
| | | | 50 | 0 | 19.31 | |
| | | | 50 | 25 | 19.16 | |
| | | | 50 | 50 | 19.23 | |
| | | | 100 | 0 | 19.27 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2510 | 20850 | 20MHz | 1 | 0 | 19.23 |
| | | | | 1 | 50 | 19.18 |
| | | | | 1 | 99 | 18.26 |
| | | | | 50 | 0 | 18.23 |
| | | | | 50 | 25 | 18.25 |
| | | | | 50 | 50 | 18.58 |
| | 100 | 0 | | 18.55 | | |
| | 2535 | 21100 | | 1 | 0 | 19.23 |
| | | | | 1 | 50 | 19.17 |
| | | | | 1 | 99 | 18.31 |
| | | | | 50 | 0 | 18.19 |
| | | | | 50 | 25 | 18.30 |
| | | | | 50 | 50 | 18.35 |
| | 2560 | 21350 | | 100 | 0 | 18.71 |
| | | | | 1 | 0 | 19.23 |
| | | | | 1 | 50 | 19.06 |
| | | | | 1 | 99 | 18.29 |
| | | | | 50 | 0 | 18.21 |
| 50 | | | 25 | 18.14 | | |
| 256QAM | 2510 | 20850 | 50 | 50 | 18.04 | |
| | | | 100 | 0 | 18.27 | |
| | | | 1 | 0 | 16.90 | |
| | | | 1 | 50 | 16.58 | |
| | | | 1 | 99 | 15.64 | |
| | | | 50 | 0 | 16.55 | |
| | 2535 | 21100 | 50 | 25 | 16.56 | |
| | | | 50 | 50 | 16.54 | |
| | | | 100 | 0 | 16.48 | |
| | | | 1 | 0 | 16.53 | |
| | | | 1 | 50 | 16.85 | |
| | | | 1 | 99 | 15.54 | |
| | 2560 | 21350 | 50 | 0 | 16.32 | |
| | | | 50 | 25 | 16.36 | |
| | | | 50 | 50 | 16.47 | |
| | | | 100 | 0 | 16.41 | |
| | | | 1 | 0 | 16.12 | |
| | | | 1 | 50 | 16.04 | |
| | | | 1 | 99 | 15.17 | |
| | | | 50 | 0 | 16.25 | |
| | | | 50 | 25 | 16.08 | |
| | | | 50 | 50 | 16.19 | |
| | | | 100 | 0 | 16.24 | |
| | | | | | | |

LTE Band 7(EN_DC Hotspot on)

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2502.5 | 20775 | 5MHz | 1 | 0 | 18.06 |
| | | | | 1 | 13 | 18.06 |
| | | | | 1 | 24 | 17.99 |
| | | | | 12 | 0 | 16.97 |
| | | | | 12 | 6 | 17.00 |
| | | | | 12 | 13 | 17.02 |
| | 25 | 0 | | 16.89 | | |
| | 2535 | 21100 | | 1 | 0 | 17.79 |
| | | | | 1 | 13 | 17.73 |
| | | | | 1 | 24 | 17.89 |
| | | | | 12 | 0 | 16.71 |
| | | | | 12 | 6 | 16.69 |
| | | | | 12 | 13 | 16.64 |
| | 2567.5 | 21425 | | 25 | 0 | 16.62 |
| | | | | 1 | 0 | 17.32 |
| | | | | 1 | 13 | 17.30 |
| | | | | 1 | 24 | 17.19 |
| | | | | 12 | 0 | 16.29 |
| 12 | | | 6 | 16.38 | | |
| 16QAM | 2502.5 | 20775 | 12 | 13 | 16.43 | |
| | | | 25 | 0 | 16.40 | |
| | | | 1 | 0 | 17.43 | |
| | | | 1 | 13 | 17.05 | |
| | | | 1 | 24 | 17.09 | |
| | | | 12 | 0 | 16.00 | |
| | 2535 | 21100 | 12 | 6 | 15.95 | |
| | | | 12 | 13 | 15.96 | |
| | | | 25 | 0 | 15.94 | |
| | | | 1 | 0 | 16.89 | |
| | | | 1 | 13 | 17.48 | |
| | | | 1 | 24 | 16.87 | |
| | 2567.5 | 21425 | 12 | 0 | 15.77 | |
| | | | 12 | 6 | 15.74 | |
| | | | 12 | 13 | 15.89 | |
| | | | 25 | 0 | 15.69 | |
| | | | 1 | 0 | 17.04 | |
| | | | 1 | 13 | 16.68 | |
| | | 1 | 24 | 16.82 | | |
| | | 12 | 0 | 15.56 | | |
| | | 12 | 6 | 15.61 | | |
| | | 12 | 13 | 15.64 | | |
| | | 25 | 0 | 15.58 | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2502.5 | 20775 | 5MHz | 1 | 0 | 16.03 |
| | | | | 1 | 13 | 16.10 |
| | | | | 1 | 24 | 15.96 |
| | | | | 12 | 0 | 14.94 |
| | | | | 12 | 6 | 14.84 |
| | | | | 12 | 13 | 15.07 |
| | 25 | 0 | | 14.83 | | |
| | 2535 | 21100 | | 1 | 0 | 15.72 |
| | | | | 1 | 13 | 15.64 |
| | | | | 1 | 24 | 15.82 |
| | | | | 12 | 0 | 14.63 |
| | | | | 12 | 6 | 14.71 |
| | | | | 12 | 13 | 14.52 |
| | 2567.5 | 21425 | | 25 | 0 | 14.55 |
| | | | | 1 | 0 | 15.27 |
| | | | | 1 | 13 | 15.25 |
| | | | | 1 | 24 | 15.16 |
| | | | | 12 | 0 | 14.30 |
| 12 | | | 6 | 14.22 | | |
| 256QAM | 2502.5 | 20775 | 12 | 13 | 14.36 | |
| | | | 25 | 0 | 14.39 | |
| | | | 1 | 0 | 13.39 | |
| | | | 1 | 13 | 13.05 | |
| | | | 1 | 24 | 13.07 | |
| | | | 12 | 0 | 12.95 | |
| | 12 | 6 | 12.92 | | | |
| | 2535 | 21100 | 12 | 13 | 12.94 | |
| | | | 25 | 0 | 12.87 | |
| | | | 1 | 0 | 12.86 | |
| | | | 1 | 13 | 13.43 | |
| | | | 1 | 24 | 12.86 | |
| | | | 12 | 0 | 12.64 | |
| | 2567.5 | 21425 | 12 | 6 | 12.72 | |
| | | | 12 | 13 | 12.90 | |
| | | | 25 | 0 | 12.67 | |
| | | | 1 | 0 | 12.93 | |
| | | | 1 | 13 | 12.66 | |
| 1 | | | 24 | 12.86 | | |
| 12 | 0 | 12.48 | | | | |
| 12 | 6 | 12.53 | | | | |
| 12 | 13 | 12.54 | | | | |
| 25 | 0 | 12.48 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2505 | 20800 | 10MHz | 1 | 0 | 17.99 |
| | | | | 1 | 25 | 17.78 |
| | | | | 1 | 49 | 18.10 |
| | | | | 25 | 0 | 16.94 |
| | | | | 25 | 13 | 17.01 |
| | | | | 25 | 25 | 17.06 |
| | 50 | 0 | | 16.93 | | |
| | 2535 | 21100 | | 1 | 0 | 17.72 |
| | | | | 1 | 25 | 17.63 |
| | | | | 1 | 49 | 17.30 |
| | | | | 25 | 0 | 16.71 |
| | | | | 25 | 13 | 16.61 |
| | | | | 25 | 25 | 16.82 |
| | 2565 | 21400 | | 50 | 0 | 16.65 |
| | | | | 1 | 0 | 17.46 |
| | | | | 1 | 25 | 17.24 |
| | | | | 1 | 49 | 17.69 |
| | | | | 25 | 0 | 16.51 |
| 25 | | | 13 | 16.46 | | |
| 16QAM | 2505 | 20800 | 25 | 25 | 16.55 | |
| | | | 50 | 0 | 16.56 | |
| | | | 1 | 0 | 17.41 | |
| | | | 1 | 25 | 16.76 | |
| | | | 1 | 49 | 16.95 | |
| | | | 25 | 0 | 16.00 | |
| | 2535 | 21100 | 25 | 13 | 16.11 | |
| | | | 25 | 25 | 16.04 | |
| | | | 50 | 0 | 15.93 | |
| | | | 1 | 0 | 17.13 | |
| | | | 1 | 25 | 17.25 | |
| | | | 1 | 49 | 16.86 | |
| | 2565 | 21400 | 25 | 0 | 15.85 | |
| | | | 25 | 13 | 15.61 | |
| | | | 25 | 25 | 15.64 | |
| | | | 50 | 0 | 15.68 | |
| | | | 1 | 0 | 16.90 | |
| | | | 1 | 25 | 16.65 | |
| | | | 1 | 49 | 16.96 | |
| | | | 25 | 0 | 15.54 | |
| | | | 25 | 13 | 15.45 | |
| | | | 25 | 25 | 15.38 | |
| | | | 50 | 0 | 15.48 | |
| | | | 50 | 0 | 15.48 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2505 | 20800 | 10MHz | 1 | 0 | 15.94 |
| | | | | 1 | 25 | 15.70 |
| | | | | 1 | 49 | 16.02 |
| | | | | 25 | 0 | 14.84 |
| | | | | 25 | 13 | 14.98 |
| | | | | 25 | 25 | 14.99 |
| | 50 | 0 | | 14.88 | | |
| | 2535 | 21100 | | 1 | 0 | 15.73 |
| | | | | 1 | 25 | 15.52 |
| | | | | 1 | 49 | 15.22 |
| | | | | 25 | 0 | 14.65 |
| | | | | 25 | 13 | 14.57 |
| | | | | 25 | 25 | 14.70 |
| | 2565 | 21400 | | 50 | 0 | 14.63 |
| | | | | 1 | 0 | 15.43 |
| | | | | 1 | 25 | 15.19 |
| | | | | 1 | 49 | 15.62 |
| | | | | 25 | 0 | 14.42 |
| 25 | | | 13 | 14.33 | | |
| 256QAM | 2505 | 20800 | 25 | 25 | 14.46 | |
| | | | 50 | 0 | 14.56 | |
| | | | 1 | 0 | 13.26 | |
| | | | 1 | 25 | 12.73 | |
| | | | 1 | 49 | 12.80 | |
| | | | 25 | 0 | 12.91 | |
| | 2535 | 21100 | 25 | 13 | 13.01 | |
| | | | 25 | 25 | 12.93 | |
| | | | 50 | 0 | 12.98 | |
| | | | 1 | 0 | 13.13 | |
| | | | 1 | 25 | 13.17 | |
| | | | 1 | 49 | 12.82 | |
| | 2565 | 21400 | 25 | 0 | 12.75 | |
| | | | 25 | 13 | 12.59 | |
| | | | 25 | 25 | 12.62 | |
| | | | 50 | 0 | 12.62 | |
| | | | 1 | 0 | 12.86 | |
| | | | 1 | 25 | 12.51 | |
| | | | 1 | 49 | 12.86 | |
| | | | 25 | 0 | 12.45 | |
| | | | 25 | 13 | 12.38 | |
| | | | 25 | 25 | 12.30 | |
| | | | 50 | 0 | 12.45 | |
| | | | 50 | 0 | 12.45 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2507.5 | 20825 | 15MHz | 1 | 0 | 18.01 |
| | | | | 1 | 38 | 18.02 |
| | | | | 1 | 74 | 18.09 |
| | | | | 36 | 0 | 17.29 |
| | | | | 36 | 18 | 17.21 |
| | | | | 36 | 39 | 17.26 |
| | | | | 75 | 0 | 17.37 |
| | 2535 | 21100 | | 1 | 0 | 18.02 |
| | | | | 1 | 38 | 17.91 |
| | | | | 1 | 74 | 17.95 |
| | | | | 36 | 0 | 17.18 |
| | | | | 36 | 18 | 16.95 |
| | | | | 36 | 39 | 17.16 |
| | | | | 75 | 0 | 17.01 |
| | 2562.5 | 21375 | | 1 | 0 | 17.89 |
| | | | | 1 | 38 | 17.91 |
| | | | | 1 | 74 | 17.70 |
| | | | | 36 | 0 | 16.81 |
| | | | | 36 | 18 | 16.77 |
| | | | | 36 | 39 | 16.72 |
| | | | | 75 | 0 | 17.00 |
| 16QAM | 2507.5 | 20825 | 1 | 0 | 17.57 | |
| | | | 1 | 38 | 17.40 | |
| | | | 1 | 74 | 17.69 | |
| | | | 36 | 0 | 16.22 | |
| | | | 36 | 18 | 16.22 | |
| | | | 36 | 39 | 16.47 | |
| | | | 75 | 0 | 16.39 | |
| | 2535 | 21100 | 1 | 0 | 17.65 | |
| | | | 1 | 38 | 17.64 | |
| | | | 1 | 74 | 17.32 | |
| | | | 36 | 0 | 16.22 | |
| | | | 36 | 18 | 16.03 | |
| | | | 36 | 39 | 15.99 | |
| | | | 75 | 0 | 16.12 | |
| | 2562.5 | 21375 | 1 | 0 | 16.99 | |
| | | | 1 | 38 | 17.04 | |
| | | | 1 | 74 | 17.29 | |
| | | | 36 | 0 | 15.92 | |
| | | | 36 | 18 | 15.96 | |
| | | | 36 | 39 | 15.84 | |
| | | | 75 | 0 | 15.86 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2507.5 | 20825 | 15MHz | 1 | 0 | 15.98 |
| | | | | 1 | 38 | 15.97 |
| | | | | 1 | 74 | 16.03 |
| | | | | 36 | 0 | 15.25 |
| | | | | 36 | 18 | 15.19 |
| | | | | 36 | 39 | 15.22 |
| | 75 | 0 | | 15.33 | | |
| | 1 | 0 | | 15.96 | | |
| | 1 | 38 | | 15.90 | | |
| | 1 | 74 | | 15.89 | | |
| | 36 | 0 | | 15.13 | | |
| | 36 | 18 | | 14.90 | | |
| | 36 | 39 | | 15.05 | | |
| | 75 | 0 | | 14.94 | | |
| | 1 | 0 | | 15.84 | | |
| | 1 | 38 | | 15.84 | | |
| | 1 | 74 | | 15.59 | | |
| | 36 | 0 | | 14.83 | | |
| 36 | 18 | 14.69 | | | | |
| 36 | 39 | 14.59 | | | | |
| 75 | 0 | 14.90 | | | | |
| 256QAM | 2507.5 | 20825 | 1 | 0 | 13.53 | |
| | | | 1 | 38 | 13.39 | |
| | | | 1 | 74 | 13.62 | |
| | | | 36 | 0 | 13.09 | |
| | | | 36 | 18 | 13.17 | |
| | | | 36 | 39 | 13.43 | |
| | 75 | 0 | 13.31 | | | |
| | 1 | 0 | 13.60 | | | |
| | 1 | 38 | 13.57 | | | |
| | 1 | 74 | 13.23 | | | |
| | 36 | 0 | 13.20 | | | |
| | 36 | 18 | 13.00 | | | |
| | 36 | 39 | 12.95 | | | |
| | 75 | 0 | 13.02 | | | |
| | 1 | 0 | 12.91 | | | |
| | 1 | 38 | 12.97 | | | |
| | 1 | 74 | 13.23 | | | |
| | 36 | 0 | 12.87 | | | |
| 36 | 18 | 12.98 | | | | |
| 36 | 39 | 12.74 | | | | |
| 75 | 0 | 12.88 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 2510 | 20850 | 20MHz | 1 | 0 | 18.21 |
| | | | | 1 | 50 | 18.18 |
| | | | | 1 | 99 | 17.29 |
| | | | | 50 | 0 | 17.25 |
| | | | | 50 | 25 | 17.26 |
| | | | | 50 | 50 | 17.60 |
| | 100 | 0 | | 17.59 | | |
| | 2535 | 21100 | | 1 | 0 | 18.15 |
| | | | | 1 | 50 | 18.22 |
| | | | | 1 | 99 | 17.24 |
| | | | | 50 | 0 | 17.22 |
| | | | | 50 | 25 | 17.28 |
| | | | | 50 | 50 | 17.37 |
| | 100 | 0 | | 17.70 | | |
| | 2560 | 21350 | | 1 | 0 | 18.25 |
| | | | | 1 | 50 | 18.08 |
| | | | | 1 | 99 | 17.35 |
| | | | | 50 | 0 | 17.22 |
| 50 | | | 25 | 17.09 | | |
| 50 | | | 50 | 17.10 | | |
| 100 | 0 | 17.23 | | | | |
| 16QAM | 2510 | 20850 | 1 | 0 | 17.93 | |
| | | | 1 | 50 | 17.56 | |
| | | | 1 | 99 | 16.60 | |
| | | | 50 | 0 | 16.51 | |
| | | | 50 | 25 | 16.63 | |
| | | | 50 | 50 | 16.47 | |
| | 100 | 0 | 16.48 | | | |
| | 2535 | 21100 | 1 | 0 | 17.51 | |
| | | | 1 | 50 | 17.87 | |
| | | | 1 | 99 | 16.53 | |
| | | | 50 | 0 | 16.36 | |
| | | | 50 | 25 | 16.38 | |
| | | | 50 | 50 | 16.43 | |
| | 100 | 0 | 16.47 | | | |
| | 2560 | 21350 | 1 | 0 | 17.19 | |
| | | | 1 | 50 | 17.03 | |
| | | | 1 | 99 | 16.24 | |
| | | | 50 | 0 | 16.26 | |
| 50 | | | 25 | 16.12 | | |
| 50 | | | 50 | 16.15 | | |
| 100 | 0 | 16.17 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 2510 | 20850 | 20MHz | 1 | 0 | 16.14 |
| | | | | 1 | 50 | 16.13 |
| | | | | 1 | 99 | 15.18 |
| | | | | 50 | 0 | 15.21 |
| | | | | 50 | 25 | 15.21 |
| | | | | 50 | 50 | 15.54 |
| | 100 | 0 | | 15.48 | | |
| | 2535 | 21100 | | 1 | 0 | 16.20 |
| | | | | 1 | 50 | 16.07 |
| | | | | 1 | 99 | 15.29 |
| | | | | 50 | 0 | 15.17 |
| | | | | 50 | 25 | 15.26 |
| | | | | 50 | 50 | 15.29 |
| | 2560 | 21350 | | 100 | 0 | 15.68 |
| | | | | 1 | 0 | 16.13 |
| | | | | 1 | 50 | 15.98 |
| | | | | 1 | 99 | 15.23 |
| | | | | 50 | 0 | 15.13 |
| 50 | | | 25 | 15.07 | | |
| 256QAM | 2510 | 20850 | 50 | 50 | 14.96 | |
| | | | 100 | 0 | 15.17 | |
| | | | 1 | 0 | 13.87 | |
| | | | 1 | 50 | 13.55 | |
| | | | 1 | 99 | 12.58 | |
| | | | 50 | 0 | 13.46 | |
| | 2535 | 21100 | 50 | 25 | 13.49 | |
| | | | 50 | 50 | 13.52 | |
| | | | 100 | 0 | 13.44 | |
| | | | 1 | 0 | 13.49 | |
| | | | 1 | 50 | 13.79 | |
| | | | 1 | 99 | 12.46 | |
| | 2560 | 21350 | 50 | 0 | 13.29 | |
| | | | 50 | 25 | 13.27 | |
| | | | 50 | 50 | 13.41 | |
| | | | 100 | 0 | 13.35 | |
| | | | 1 | 0 | 13.09 | |
| | | | 1 | 50 | 13.00 | |
| | | | 1 | 99 | 12.13 | |
| | | | 50 | 0 | 13.16 | |
| | | | 50 | 25 | 13.04 | |
| | | | 50 | 50 | 13.16 | |
| | | | 100 | 0 | 13.19 | |
| | | | | | | |

LTE Band 12

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 699.7 | 23017 | 1.4MHz | 1 | 0 | 22.46 |
| | | | | 1 | 2 | 22.41 |
| | | | | 1 | 5 | 22.30 |
| | | | | 3 | 0 | 22.47 |
| | | | | 3 | 2 | 22.47 |
| | | | | 3 | 3 | 22.41 |
| | 707.5 | 23095 | | 6 | 0 | 21.45 |
| | | | | 1 | 0 | 22.47 |
| | | | | 1 | 2 | 22.50 |
| | | | | 1 | 5 | 22.36 |
| | | | | 3 | 0 | 22.37 |
| | | | | 3 | 2 | 22.50 |
| | 715.3 | 23173 | | 3 | 3 | 22.49 |
| | | | | 6 | 0 | 21.41 |
| | | | | 1 | 0 | 22.54 |
| | | | | 1 | 2 | 22.61 |
| | | | | 1 | 5 | 22.38 |
| | | | | 3 | 0 | 22.53 |
| 16QAM | 699.7 | 23017 | 3 | 2 | 22.51 | |
| | | | 3 | 3 | 22.41 | |
| | | | 6 | 0 | 21.56 | |
| | | | 1 | 0 | 21.47 | |
| | | | 1 | 2 | 21.60 | |
| | | | 1 | 5 | 21.95 | |
| | 707.5 | 23095 | 3 | 0 | 21.67 | |
| | | | 3 | 2 | 21.72 | |
| | | | 3 | 3 | 21.66 | |
| | | | 6 | 0 | 20.49 | |
| | | | 1 | 0 | 21.82 | |
| | | | 1 | 2 | 22.06 | |
| | 715.3 | 23173 | 1 | 5 | 21.83 | |
| | | | 3 | 0 | 21.36 | |
| | | | 3 | 2 | 21.54 | |
| | | | 3 | 3 | 21.80 | |
| | | | 6 | 0 | 20.63 | |
| | | | 1 | 0 | 21.67 | |
| | | | 1 | 2 | 21.43 | |
| | | | 1 | 5 | 21.90 | |
| | | | 3 | 0 | 21.58 | |
| | | | 3 | 2 | 21.62 | |
| | | | 3 | 3 | 21.47 | |
| | | | 6 | 0 | 20.70 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 699.7 | 23017 | 1.4MHz | 1 | 0 | 20.44 |
| | | | | 1 | 2 | 20.53 |
| | | | | 1 | 5 | 20.91 |
| | | | | 3 | 0 | 20.64 |
| | | | | 3 | 2 | 20.65 |
| | | | | 3 | 3 | 20.57 |
| | 707.5 | 23095 | | 6 | 0 | 19.43 |
| | | | | 1 | 0 | 20.75 |
| | | | | 1 | 2 | 21.00 |
| | | | | 1 | 5 | 20.77 |
| | | | | 3 | 0 | 20.26 |
| | | | | 3 | 2 | 20.51 |
| | 715.3 | 23173 | | 3 | 3 | 20.78 |
| | | | | 6 | 0 | 19.57 |
| | | | | 1 | 0 | 20.61 |
| | | | | 1 | 2 | 20.36 |
| | | | | 1 | 5 | 20.81 |
| | | | | 3 | 0 | 20.54 |
| 256QAM | 699.7 | 23017 | 3 | 2 | 20.53 | |
| | | | 3 | 3 | 20.41 | |
| | | | 6 | 0 | 19.64 | |
| | | | 1 | 0 | 17.41 | |
| | | | 1 | 2 | 17.54 | |
| | | | 1 | 5 | 17.93 | |
| | 707.5 | 23095 | 3 | 0 | 17.60 | |
| | | | 3 | 2 | 17.66 | |
| | | | 3 | 3 | 17.58 | |
| | | | 6 | 0 | 17.43 | |
| | | | 1 | 0 | 17.74 | |
| | | | 1 | 2 | 18.00 | |
| | 715.3 | 23173 | 1 | 5 | 17.81 | |
| | | | 3 | 0 | 17.27 | |
| | | | 3 | 2 | 17.46 | |
| | | | 3 | 3 | 17.75 | |
| | | | 6 | 0 | 17.57 | |
| | | | 1 | 0 | 17.64 | |
| | | | 1 | 2 | 17.34 | |
| | | | 1 | 5 | 17.85 | |
| | | | 3 | 0 | 17.55 | |
| | | | 3 | 2 | 17.52 | |
| | | | 3 | 3 | 17.44 | |
| | | | 6 | 0 | 17.66 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 700.5 | 23025 | 3MHz | 1 | 0 | 22.51 |
| | | | | 1 | 7 | 22.45 |
| | | | | 1 | 14 | 22.33 |
| | | | | 8 | 0 | 21.60 |
| | | | | 8 | 4 | 21.72 |
| | | | | 8 | 7 | 21.36 |
| | 15 | 0 | | 21.48 | | |
| | 707.5 | 23095 | | 1 | 0 | 22.43 |
| | | | | 1 | 7 | 22.42 |
| | | | | 1 | 14 | 22.48 |
| | | | | 8 | 0 | 21.57 |
| | | | | 8 | 4 | 21.63 |
| | | | | 8 | 7 | 21.53 |
| | 714.5 | 23165 | | 15 | 0 | 21.43 |
| | | | | 1 | 0 | 22.40 |
| 1 | | | 7 | 22.81 | | |
| 1 | | | 14 | 22.52 | | |
| 8 | | | 0 | 21.63 | | |
| 8 | | | 4 | 21.69 | | |
| 16QAM | 700.5 | 23025 | 8 | 7 | 21.62 | |
| | | | 15 | 0 | 21.43 | |
| | | | 1 | 0 | 21.97 | |
| | | | 1 | 7 | 21.62 | |
| | | | 1 | 14 | 22.01 | |
| | | | 8 | 0 | 20.68 | |
| | 707.5 | 23095 | 8 | 4 | 20.49 | |
| | | | 8 | 7 | 20.52 | |
| | | | 15 | 0 | 20.53 | |
| | | | 1 | 0 | 21.76 | |
| | | | 1 | 7 | 21.71 | |
| | | | 1 | 14 | 21.71 | |
| | 714.5 | 23165 | 8 | 0 | 20.55 | |
| | | | 8 | 4 | 20.69 | |
| | | | 8 | 7 | 20.61 | |
| 15 | | | 0 | 20.59 | | |
| 1 | | | 0 | 21.63 | | |
| 1 | | | 7 | 21.74 | | |
| | | | 1 | 14 | 21.70 | |
| | | | 8 | 0 | 20.53 | |
| | | | 8 | 4 | 20.61 | |
| | | | 8 | 7 | 20.55 | |
| | | | 15 | 0 | 20.57 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 700.5 | 23025 | 3MHz | 1 | 0 | 20.87 |
| | | | | 1 | 7 | 20.57 |
| | | | | 1 | 14 | 20.99 |
| | | | | 8 | 0 | 19.65 |
| | | | | 8 | 4 | 19.46 |
| | | | | 8 | 7 | 19.45 |
| | 15 | 0 | | 19.50 | | |
| | 707.5 | 23095 | | 1 | 0 | 20.71 |
| | | | | 1 | 7 | 20.62 |
| | | | | 1 | 14 | 20.68 |
| | | | | 8 | 0 | 19.52 |
| | | | | 8 | 4 | 19.63 |
| | | | | 8 | 7 | 19.54 |
| | 15 | 0 | | 19.53 | | |
| | 714.5 | 23165 | | 1 | 0 | 20.61 |
| 1 | | | 7 | 20.70 | | |
| 1 | | | 14 | 20.65 | | |
| 8 | | | 0 | 19.49 | | |
| 8 | | | 4 | 19.57 | | |
| 8 | | | 7 | 19.53 | | |
| 256QAM | 700.5 | 23025 | 15 | 0 | 19.53 | |
| | | | 1 | 0 | 17.92 | |
| | | | 1 | 7 | 17.54 | |
| | | | 1 | 14 | 17.95 | |
| | | | 8 | 0 | 17.59 | |
| | | | 8 | 4 | 17.40 | |
| | 8 | 7 | 17.50 | | | |
| | 707.5 | 23095 | 15 | 0 | 17.46 | |
| | | | 1 | 0 | 17.73 | |
| | | | 1 | 7 | 17.63 | |
| | | | 1 | 14 | 17.61 | |
| | | | 8 | 0 | 17.51 | |
| | | | 8 | 4 | 17.66 | |
| | 714.5 | 23165 | 8 | 7 | 17.57 | |
| | | | 15 | 0 | 17.52 | |
| 1 | | | 0 | 17.54 | | |
| 1 | | | 7 | 17.72 | | |
| 1 | | | 14 | 17.63 | | |
| 8 | | | 0 | 17.48 | | |
| 8 | 4 | 17.55 | | | | |
| 8 | 7 | 17.48 | | | | |
| 15 | 0 | 17.48 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 701.5 | 23035 | 5MHz | 1 | 0 | 22.33 |
| | | | | 1 | 13 | 22.38 |
| | | | | 1 | 24 | 22.23 |
| | | | | 12 | 0 | 21.58 |
| | | | | 12 | 6 | 21.43 |
| | | | | 12 | 13 | 21.40 |
| | 25 | 0 | | 21.61 | | |
| | 1 | 0 | | 22.41 | | |
| | 1 | 13 | | 22.50 | | |
| | 1 | 24 | | 22.46 | | |
| | 12 | 0 | | 21.48 | | |
| | 12 | 6 | | 21.46 | | |
| | 12 | 13 | | 21.56 | | |
| | 25 | 0 | | 21.52 | | |
| | 1 | 0 | | 22.59 | | |
| | 1 | 13 | | 22.49 | | |
| | 1 | 24 | | 22.46 | | |
| | 12 | 0 | | 21.59 | | |
| 12 | 6 | 21.59 | | | | |
| 12 | 13 | 21.60 | | | | |
| 25 | 0 | 21.50 | | | | |
| 16QAM | 701.5 | 23035 | 1 | 0 | 21.72 | |
| | | | 1 | 13 | 22.15 | |
| | | | 1 | 24 | 22.11 | |
| | | | 12 | 0 | 20.65 | |
| | | | 12 | 6 | 20.59 | |
| | | | 12 | 13 | 20.67 | |
| | 25 | 0 | 20.44 | | | |
| | 1 | 0 | 21.48 | | | |
| | 1 | 13 | 21.88 | | | |
| | 1 | 24 | 22.05 | | | |
| | 12 | 0 | 20.59 | | | |
| | 12 | 6 | 20.53 | | | |
| | 12 | 13 | 20.71 | | | |
| | 25 | 0 | 20.47 | | | |
| | 1 | 0 | 21.62 | | | |
| | 1 | 13 | 22.05 | | | |
| | 1 | 24 | 22.19 | | | |
| | 12 | 0 | 20.51 | | | |
| 12 | 6 | 20.66 | | | | |
| 12 | 13 | 20.63 | | | | |
| 25 | 0 | 20.55 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 701.5 | 23035 | 5MHz | 1 | 0 | 20.69 |
| | | | | 1 | 13 | 21.07 |
| | | | | 1 | 24 | 21.02 |
| | | | | 12 | 0 | 19.55 |
| | | | | 12 | 6 | 19.49 |
| | | | | 12 | 13 | 19.65 |
| | 25 | 0 | | 19.37 | | |
| | 707.5 | 23095 | | 1 | 0 | 20.40 |
| | | | | 1 | 13 | 20.78 |
| | | | | 1 | 24 | 20.95 |
| | | | | 12 | 0 | 19.51 |
| | | | | 12 | 6 | 19.43 |
| | | | | 12 | 13 | 19.66 |
| | 25 | 0 | | 19.44 | | |
| | 713.5 | 23155 | | 1 | 0 | 20.54 |
| | | | | 1 | 13 | 20.97 |
| | | | | 1 | 24 | 21.17 |
| | | | | 12 | 0 | 19.43 |
| 12 | | | 6 | 19.64 | | |
| 12 | | | 13 | 19.57 | | |
| 256QAM | 701.5 | 23035 | 25 | 0 | 19.52 | |
| | | | 1 | 0 | 17.66 | |
| | | | 1 | 13 | 18.05 | |
| | | | 1 | 24 | 18.05 | |
| | | | 12 | 0 | 17.62 | |
| | | | 12 | 6 | 17.51 | |
| | 12 | 13 | 17.62 | | | |
| | 25 | 0 | 17.41 | | | |
| | 707.5 | 23095 | 1 | 0 | 17.38 | |
| | | | 1 | 13 | 17.84 | |
| | | | 1 | 24 | 18.03 | |
| | | | 12 | 0 | 17.55 | |
| | | | 12 | 6 | 17.46 | |
| | | | 12 | 13 | 17.61 | |
| | 25 | 0 | 17.43 | | | |
| | 713.5 | 23155 | 1 | 0 | 17.56 | |
| | | | 1 | 13 | 17.99 | |
| | | | 1 | 24 | 18.15 | |
| 12 | | | 0 | 17.41 | | |
| 12 | | | 6 | 17.62 | | |
| 12 | | | 13 | 17.57 | | |
| 25 | 0 | 17.45 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 704 | 23060 | 10MHz | 1 | 0 | 22.39 |
| | | | | 1 | 25 | 22.46 |
| | | | | 1 | 49 | 22.61 |
| | | | | 25 | 0 | 21.48 |
| | | | | 25 | 13 | 21.53 |
| | | | | 25 | 25 | 21.59 |
| | 50 | 0 | | 21.52 | | |
| | 707.5 | 23095 | | 1 | 0 | 22.28 |
| | | | | 1 | 25 | 22.77 |
| | | | | 1 | 49 | 22.77 |
| | | | | 25 | 0 | 21.58 |
| | | | | 25 | 13 | 21.49 |
| | | | | 25 | 25 | 21.64 |
| | 711 | 23130 | | 50 | 0 | 21.54 |
| | | | | 1 | 0 | 22.58 |
| | | | | 1 | 25 | 22.77 |
| | | | | 1 | 49 | 22.43 |
| | | | | 25 | 0 | 21.68 |
| 25 | | | 13 | 21.53 | | |
| 16QAM | 704 | 23060 | 25 | 25 | 21.65 | |
| | | | 50 | 0 | 21.56 | |
| | | | 1 | 0 | 21.88 | |
| | | | 1 | 25 | 21.92 | |
| | | | 1 | 49 | 21.76 | |
| | | | 25 | 0 | 20.53 | |
| | 707.5 | 23095 | 25 | 13 | 20.56 | |
| | | | 25 | 25 | 20.44 | |
| | | | 50 | 0 | 20.68 | |
| | | | 1 | 0 | 21.62 | |
| | | | 1 | 25 | 21.66 | |
| | | | 1 | 49 | 22.19 | |
| | 711 | 23130 | 25 | 0 | 20.40 | |
| | | | 25 | 13 | 20.65 | |
| | | | 25 | 25 | 20.56 | |
| | | | 50 | 0 | 20.61 | |
| | | | 1 | 0 | 21.90 | |
| | | | 1 | 25 | 21.73 | |
| | | | 1 | 49 | 21.66 | |
| | | | 25 | 0 | 20.53 | |
| | | | 25 | 13 | 20.47 | |
| | | | 25 | 25 | 20.74 | |
| | | | 50 | 0 | 20.60 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 704 | 23060 | 10MHz | 1 | 0 | 20.84 |
| | | | | 1 | 25 | 20.83 |
| | | | | 1 | 49 | 20.69 |
| | | | | 25 | 0 | 19.45 |
| | | | | 25 | 13 | 19.53 |
| | | | | 25 | 25 | 19.38 |
| | 50 | 0 | | 19.61 | | |
| | 707.5 | 23095 | | 1 | 0 | 20.60 |
| | | | | 1 | 25 | 20.63 |
| | | | | 1 | 49 | 21.11 |
| | | | | 25 | 0 | 19.33 |
| | | | | 25 | 13 | 19.55 |
| | | | | 25 | 25 | 19.50 |
| | 50 | 0 | | 19.56 | | |
| | 711 | 23130 | | 1 | 0 | 20.85 |
| | | | | 1 | 25 | 20.69 |
| | | | | 1 | 49 | 20.59 |
| | | | | 25 | 0 | 19.44 |
| 25 | | | 13 | 19.43 | | |
| 25 | | | 25 | 19.69 | | |
| 256QAM | 704 | 23060 | 50 | 0 | 19.52 | |
| | | | 1 | 0 | 17.85 | |
| | | | 1 | 25 | 17.82 | |
| | | | 1 | 49 | 17.70 | |
| | | | 25 | 0 | 17.50 | |
| | | | 25 | 13 | 17.48 | |
| | 25 | 25 | 17.37 | | | |
| | 50 | 0 | 17.64 | | | |
| | 707.5 | 23095 | 1 | 0 | 17.58 | |
| | | | 1 | 25 | 17.56 | |
| | | | 1 | 49 | 18.09 | |
| | | | 25 | 0 | 17.30 | |
| | | | 25 | 13 | 17.58 | |
| | | | 25 | 25 | 17.51 | |
| | 50 | 0 | 17.57 | | | |
| | 711 | 23130 | 1 | 0 | 17.83 | |
| | | | 1 | 25 | 17.65 | |
| | | | 1 | 49 | 17.64 | |
| 25 | | | 0 | 17.47 | | |
| 25 | | | 13 | 17.45 | | |
| 25 | | | 25 | 17.69 | | |
| 50 | 0 | 17.57 | | | | |

LTE Band 12(EN_DC)

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 699.7 | 23017 | 1.4MHz | 1 | 0 | 20.71 |
| | | | | 1 | 2 | 20.66 |
| | | | | 1 | 5 | 20.54 |
| | | | | 3 | 0 | 20.67 |
| | | | | 3 | 2 | 20.69 |
| | | | | 3 | 3 | 20.64 |
| | 6 | 0 | | 19.67 | | |
| | 1 | 0 | | 20.67 | | |
| | 1 | 2 | | 20.72 | | |
| | 1 | 5 | | 20.59 | | |
| | 3 | 0 | | 20.58 | | |
| | 3 | 2 | | 20.71 | | |
| | 3 | 3 | | 20.74 | | |
| | 6 | 0 | | 19.65 | | |
| | 1 | 0 | | 20.75 | | |
| | 1 | 2 | | 20.81 | | |
| | 1 | 5 | | 20.63 | | |
| | 16QAM | 699.7 | | 23017 | 1.4MHz | 3 |
| 3 | | | 2 | | | 20.74 |
| 3 | | | 3 | | | 20.66 |
| 6 | | | 0 | | | 19.81 |
| 1 | | | 0 | | | 19.68 |
| 1 | | | 2 | | | 19.85 |
| 1 | | 5 | 20.20 | | | |
| 3 | | 0 | 19.90 | | | |
| 3 | | 2 | 19.92 | | | |
| 3 | | 3 | 19.89 | | | |
| 6 | | 0 | 18.74 | | | |
| 1 | | 0 | 20.04 | | | |
| 1 | | 2 | 20.26 | | | |
| 1 | | 5 | 20.06 | | | |
| 3 | | 0 | 19.56 | | | |
| 3 | | 2 | 19.75 | | | |
| 3 | | 3 | 20.02 | | | |
| 6 | | 0 | 18.83 | | | |
| 715.3 | 23173 | 23173 | 1.4MHz | 1 | 0 | 19.92 |
| | | | | 1 | 2 | 19.68 |
| | | | | 1 | 5 | 20.13 |
| | | | | 3 | 0 | 19.83 |
| | | | | 3 | 2 | 19.84 |
| | | | | 3 | 3 | 19.68 |
| 6 | 0 | 18.90 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 699.7 | 23017 | 1.4MHz | 1 | 0 | 18.61 |
| | | | | 1 | 2 | 18.63 |
| | | | | 1 | 5 | 18.49 |
| | | | | 3 | 0 | 18.65 |
| | | | | 3 | 2 | 18.67 |
| | | | | 3 | 3 | 18.57 |
| | 6 | 0 | | 17.65 | | |
| | 707.5 | 23095 | | 1 | 0 | 18.61 |
| | | | | 1 | 2 | 18.65 |
| | | | | 1 | 5 | 18.52 |
| | | | | 3 | 0 | 18.56 |
| | | | | 3 | 2 | 18.63 |
| | | | | 3 | 3 | 18.69 |
| | 6 | 0 | | 17.56 | | |
| | 715.3 | 23173 | | 1 | 0 | 18.71 |
| | | | | 1 | 2 | 18.79 |
| | | | | 1 | 5 | 18.61 |
| | | | | 3 | 0 | 18.71 |
| 3 | | | 2 | 18.69 | | |
| 3 | | | 3 | 18.60 | | |
| 6 | 0 | 17.74 | | | | |
| 256QAM | 699.7 | 23017 | 1 | 0 | 15.63 | |
| | | | 1 | 2 | 15.78 | |
| | | | 1 | 5 | 16.12 | |
| | | | 3 | 0 | 15.83 | |
| | | | 3 | 2 | 15.85 | |
| | | | 3 | 3 | 15.85 | |
| | 6 | 0 | 15.68 | | | |
| | 707.5 | 23095 | 1 | 0 | 15.94 | |
| | | | 1 | 2 | 16.23 | |
| | | | 1 | 5 | 16.02 | |
| | | | 3 | 0 | 15.46 | |
| | | | 3 | 2 | 15.68 | |
| | | | 3 | 3 | 15.96 | |
| | 6 | 0 | 15.77 | | | |
| | 715.3 | 23173 | 1 | 0 | 15.82 | |
| | | | 1 | 2 | 15.66 | |
| | | | 1 | 5 | 16.09 | |
| | | | 3 | 0 | 15.78 | |
| 3 | | | 2 | 15.75 | | |
| 3 | | | 3 | 15.65 | | |
| 6 | 0 | 15.81 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 700.5 | 23025 | 3MHz | 1 | 0 | 20.72 |
| | | | | 1 | 7 | 20.67 |
| | | | | 1 | 14 | 20.56 |
| | | | | 8 | 0 | 19.82 |
| | | | | 8 | 4 | 19.95 |
| | | | | 8 | 7 | 19.56 |
| | 15 | 0 | | 19.70 | | |
| | 707.5 | 23095 | | 1 | 0 | 20.65 |
| | | | | 1 | 7 | 20.66 |
| | | | | 1 | 14 | 20.73 |
| | | | | 8 | 0 | 19.80 |
| | | | | 8 | 4 | 19.88 |
| | | | | 8 | 7 | 19.76 |
| | 714.5 | 23165 | | 15 | 0 | 19.66 |
| | | | | 1 | 0 | 20.63 |
| 1 | | | 7 | 21.01 | | |
| 1 | | | 14 | 20.77 | | |
| 8 | | | 0 | 19.84 | | |
| 8 | | | 4 | 19.89 | | |
| 16QAM | 700.5 | 23025 | 8 | 7 | 19.82 | |
| | | | 15 | 0 | 19.68 | |
| | | | 1 | 0 | 20.21 | |
| | | | 1 | 7 | 19.87 | |
| | | | 1 | 14 | 20.25 | |
| | | | 8 | 0 | 18.92 | |
| | 707.5 | 23095 | 8 | 4 | 18.70 | |
| | | | 8 | 7 | 18.73 | |
| | | | 15 | 0 | 18.78 | |
| | | | 1 | 0 | 19.98 | |
| | | | 1 | 7 | 19.91 | |
| | | | 1 | 14 | 19.94 | |
| | 714.5 | 23165 | 8 | 0 | 18.75 | |
| | | | 8 | 4 | 18.92 | |
| | | | 8 | 7 | 18.81 | |
| 15 | | | 0 | 18.83 | | |
| 1 | | | 0 | 19.83 | | |
| 1 | | | 7 | 19.97 | | |
| | | | 1 | 14 | 19.93 | |
| | | | 8 | 0 | 18.78 | |
| | | | 8 | 4 | 18.86 | |
| | | | 8 | 7 | 18.76 | |
| | | | 15 | 0 | 18.77 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) | |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|-------|
| 64QAM | 700.5 | 23025 | 3MHz | 1 | 0 | 18.62 | |
| | | | | 1 | 7 | 18.58 | |
| | | | | 1 | 14 | 18.53 | |
| | | | | 8 | 0 | 17.80 | |
| | | | | 8 | 4 | 17.88 | |
| | | | | 8 | 7 | 17.54 | |
| | 15 | 0 | | 17.65 | | | |
| | 707.5 | 23095 | | 1 | 0 | 18.61 | |
| | | | | 1 | 7 | 18.63 | |
| | | | | 1 | 14 | 18.66 | |
| | | | | 8 | 0 | 17.73 | |
| | | | | 8 | 4 | 17.82 | |
| | | | | 8 | 7 | 17.66 | |
| | 15 | 0 | | 17.61 | | | |
| | 714.5 | 23165 | | 1 | 0 | 18.56 | |
| 1 | | | 7 | 18.97 | | | |
| 1 | | | 14 | 18.68 | | | |
| 8 | | | 0 | 17.78 | | | |
| 8 | | | 4 | 17.81 | | | |
| 8 | | | 7 | 17.79 | | | |
| 15 | | | 0 | 17.60 | | | |
| 256QAM | | | 700.5 | 23025 | 1 | 0 | 16.19 |
| | | | | | 1 | 7 | 15.79 |
| | 1 | 14 | | | 16.20 | | |
| | 8 | 0 | | | 15.84 | | |
| | 8 | 4 | | | 15.66 | | |
| | 8 | 7 | | | 15.66 | | |
| | 15 | 0 | 15.74 | | | | |
| | 707.5 | 23095 | 1 | 0 | 15.88 | | |
| | | | 1 | 7 | 15.87 | | |
| | | | 1 | 14 | 15.87 | | |
| | | | 8 | 0 | 15.73 | | |
| | | | 8 | 4 | 15.84 | | |
| | | | 8 | 7 | 15.75 | | |
| | 15 | 0 | 15.73 | | | | |
| | 714.5 | 23165 | 1 | 0 | 15.76 | | |
| 1 | | | 7 | 15.95 | | | |
| 1 | | | 14 | 15.90 | | | |
| 8 | | | 0 | 15.70 | | | |
| 8 | | | 4 | 15.84 | | | |
| 8 | | | 7 | 15.66 | | | |
| 15 | 0 | 15.71 | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 701.5 | 23035 | 5MHz | 1 | 0 | 20.57 |
| | | | | 1 | 13 | 20.60 |
| | | | | 1 | 24 | 20.48 |
| | | | | 12 | 0 | 19.79 |
| | | | | 12 | 6 | 19.65 |
| | | | | 12 | 13 | 19.64 |
| | 25 | 0 | | 19.85 | | |
| | 707.5 | 23095 | | 1 | 0 | 20.64 |
| | | | | 1 | 13 | 20.72 |
| | | | | 1 | 24 | 20.71 |
| | | | | 12 | 0 | 19.71 |
| | | | | 12 | 6 | 19.67 |
| | | | | 12 | 13 | 19.81 |
| | 25 | 0 | | 19.74 | | |
| | 713.5 | 23155 | | 1 | 0 | 20.80 |
| | | | | 1 | 13 | 20.70 |
| | | | | 1 | 24 | 20.68 |
| | | | | 12 | 0 | 19.83 |
| 12 | | | 6 | 19.80 | | |
| 12 | | | 13 | 19.84 | | |
| 16QAM | 701.5 | 23035 | 25 | 0 | 19.70 | |
| | | | 1 | 0 | 19.93 | |
| | | | 1 | 13 | 20.36 | |
| | | | 1 | 24 | 20.33 | |
| | | | 12 | 0 | 18.88 | |
| | | | 12 | 6 | 18.82 | |
| | 12 | 13 | 18.87 | | | |
| | 25 | 0 | 18.68 | | | |
| | 707.5 | 23095 | 1 | 0 | 19.69 | |
| | | | 1 | 13 | 20.10 | |
| | | | 1 | 24 | 20.27 | |
| | | | 12 | 0 | 18.83 | |
| | | | 12 | 6 | 18.73 | |
| | | | 12 | 13 | 18.91 | |
| | 25 | 0 | 18.70 | | | |
| | 713.5 | 23155 | 1 | 0 | 19.82 | |
| | | | 1 | 13 | 20.28 | |
| | | | 1 | 24 | 20.43 | |
| 12 | | | 0 | 18.72 | | |
| 12 | | | 6 | 18.91 | | |
| 12 | | | 13 | 18.85 | | |
| 25 | 0 | 18.75 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 701.5 | 23035 | 5MHz | 1 | 0 | 18.52 |
| | | | | 1 | 13 | 18.54 |
| | | | | 1 | 24 | 18.42 |
| | | | | 12 | 0 | 17.71 |
| | | | | 12 | 6 | 17.55 |
| | | | | 12 | 13 | 17.59 |
| | 25 | 0 | | 17.76 | | |
| | 707.5 | 23095 | | 1 | 0 | 18.56 |
| | | | | 1 | 13 | 18.63 |
| | | | | 1 | 24 | 18.64 |
| | | | | 12 | 0 | 17.61 |
| | | | | 12 | 6 | 17.58 |
| | | | | 12 | 13 | 17.77 |
| | 25 | 0 | | 17.71 | | |
| | 713.5 | 23155 | | 1 | 0 | 18.75 |
| | | | | 1 | 13 | 18.66 |
| | | | | 1 | 24 | 18.64 |
| | | | | 12 | 0 | 17.81 |
| 12 | | | 6 | 17.73 | | |
| 12 | | | 13 | 17.82 | | |
| 25 | 0 | 17.63 | | | | |
| 256QAM | 701.5 | 23035 | 1 | 0 | 15.86 | |
| | | | 1 | 13 | 16.28 | |
| | | | 1 | 24 | 16.26 | |
| | | | 12 | 0 | 15.80 | |
| | | | 12 | 6 | 15.79 | |
| | | | 12 | 13 | 15.78 | |
| | 25 | 0 | 15.61 | | | |
| | 707.5 | 23095 | 1 | 0 | 15.67 | |
| | | | 1 | 13 | 16.00 | |
| | | | 1 | 24 | 16.21 | |
| | | | 12 | 0 | 15.77 | |
| | | | 12 | 6 | 15.68 | |
| | | | 12 | 13 | 15.86 | |
| | 25 | 0 | 15.63 | | | |
| | 713.5 | 23155 | 1 | 0 | 15.77 | |
| | | | 1 | 13 | 16.24 | |
| | | | 1 | 24 | 16.39 | |
| | | | 12 | 0 | 15.63 | |
| 12 | | | 6 | 15.87 | | |
| 12 | | | 13 | 15.82 | | |
| 25 | 0 | 15.73 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 704 | 23060 | 10MHz | 1 | 0 | 20.60 |
| | | | | 1 | 25 | 20.68 |
| | | | | 1 | 49 | 20.82 |
| | | | | 25 | 0 | 19.70 |
| | | | | 25 | 13 | 19.76 |
| | | | | 25 | 25 | 19.81 |
| | 50 | 0 | | 19.76 | | |
| | 707.5 | 23095 | | 1 | 0 | 20.48 |
| | | | | 1 | 25 | 20.56 |
| | | | | 1 | 49 | 20.73 |
| | | | | 25 | 0 | 19.83 |
| | | | | 25 | 13 | 19.69 |
| | | | | 25 | 25 | 19.86 |
| | 711 | 23130 | | 50 | 0 | 19.74 |
| | | | | 1 | 0 | 20.82 |
| | | | | 1 | 25 | 20.97 |
| | | | | 1 | 49 | 20.66 |
| | | | | 25 | 0 | 19.90 |
| 25 | | | 13 | 19.76 | | |
| 16QAM | 704 | 23060 | 25 | 25 | 19.85 | |
| | | | 50 | 0 | 19.80 | |
| | | | 1 | 0 | 20.09 | |
| | | | 1 | 25 | 20.15 | |
| | | | 1 | 49 | 19.96 | |
| | | | 25 | 0 | 18.76 | |
| | 707.5 | 23095 | 25 | 13 | 18.76 | |
| | | | 25 | 25 | 18.68 | |
| | | | 50 | 0 | 18.89 | |
| | | | 1 | 0 | 19.83 | |
| | | | 1 | 25 | 19.90 | |
| | | | 1 | 49 | 20.44 | |
| | 711 | 23130 | 25 | 0 | 18.62 | |
| | | | 25 | 13 | 18.86 | |
| | | | 25 | 25 | 18.81 | |
| | | | 50 | 0 | 18.81 | |
| | | | 1 | 0 | 20.13 | |
| | | | 1 | 25 | 19.96 | |
| | | | 1 | 49 | 19.88 | |
| | | | 25 | 0 | 18.75 | |
| | | | 25 | 13 | 18.72 | |
| | | | 25 | 25 | 18.94 | |
| | | | 50 | 0 | 18.84 | |
| | | | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 704 | 23060 | 10MHz | 1 | 0 | 18.50 |
| | | | | 1 | 25 | 18.58 |
| | | | | 1 | 49 | 18.76 |
| | | | | 25 | 0 | 17.67 |
| | | | | 25 | 13 | 17.66 |
| | | | | 25 | 25 | 17.78 |
| | 50 | 0 | | 17.70 | | |
| | 707.5 | 23095 | | 1 | 0 | 18.43 |
| | | | | 1 | 25 | 18.53 |
| | | | | 1 | 49 | 18.64 |
| | | | | 25 | 0 | 17.75 |
| | | | | 25 | 13 | 17.66 |
| | | | | 25 | 25 | 17.81 |
| | 711 | 23130 | | 50 | 0 | 17.70 |
| | | | | 1 | 0 | 18.72 |
| | | | | 1 | 25 | 18.91 |
| | | | | 1 | 49 | 18.63 |
| | | | | 25 | 0 | 17.84 |
| 25 | | | 13 | 17.69 | | |
| 256QAM | 704 | 23060 | 25 | 25 | 17.77 | |
| | | | 50 | 0 | 17.71 | |
| | | | 1 | 0 | 16.04 | |
| | | | 1 | 25 | 16.06 | |
| | | | 1 | 49 | 15.92 | |
| | | | 25 | 0 | 15.67 | |
| | 707.5 | 23095 | 25 | 13 | 15.69 | |
| | | | 25 | 25 | 15.65 | |
| | | | 50 | 0 | 15.86 | |
| | | | 1 | 0 | 15.81 | |
| | | | 1 | 25 | 15.80 | |
| | | | 1 | 49 | 16.36 | |
| | 711 | 23130 | 25 | 0 | 15.52 | |
| | | | 25 | 13 | 15.79 | |
| | | | 25 | 25 | 15.76 | |
| | | | 50 | 0 | 15.76 | |
| | | | 1 | 0 | 16.06 | |
| | | | 1 | 25 | 15.93 | |
| | | | 1 | 49 | 15.85 | |
| | | | 25 | 0 | 15.72 | |
| | | | 25 | 13 | 15.64 | |
| | | | 25 | 25 | 15.88 | |
| | | | 50 | 0 | 15.76 | |
| | | | | | | |

LTE Band 13

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 779.5 | 23205 | 5MHz | 1 | 0 | 22.91 |
| | | | | 1 | 13 | 22.81 |
| | | | | 1 | 24 | 22.54 |
| | | | | 12 | 0 | 21.81 |
| | | | | 12 | 6 | 21.93 |
| | | | | 12 | 13 | 21.92 |
| | | | | 25 | 0 | 21.91 |
| | 782 | 23230 | | 1 | 0 | 22.80 |
| | | | | 1 | 13 | 22.78 |
| | | | | 1 | 24 | 22.81 |
| | | | | 12 | 0 | 21.82 |
| | | | | 12 | 6 | 21.76 |
| | | | | 12 | 13 | 21.86 |
| | | | | 25 | 0 | 21.74 |
| | | | | 784.5 | 23255 | 1 |
| 1 | 13 | 22.88 | | | | |
| 1 | 24 | 22.82 | | | | |
| 12 | 0 | 21.78 | | | | |
| 12 | 6 | 21.90 | | | | |
| 12 | 13 | 21.83 | | | | |
| 25 | 0 | 21.84 | | | | |
| 16QAM | 779.5 | 23205 | 1 | | | 0 |
| | | | 1 | 13 | 22.47 | |
| | | | 1 | 24 | 21.93 | |
| | | | 12 | 0 | 20.81 | |
| | | | 12 | 6 | 20.93 | |
| | | | 12 | 13 | 20.96 | |
| | | | 25 | 0 | 20.96 | |
| | 782 | 23230 | 1 | 0 | 21.96 | |
| | | | 1 | 13 | 22.44 | |
| | | | 1 | 24 | 22.44 | |
| | | | 12 | 0 | 20.86 | |
| | | | 12 | 6 | 20.91 | |
| | | | 12 | 13 | 20.98 | |
| | | | 25 | 0 | 20.80 | |
| | | | 784.5 | 23255 | 1 | 0 |
| 1 | 13 | 22.31 | | | | |
| 1 | 24 | 22.46 | | | | |
| 12 | 0 | 20.82 | | | | |
| 12 | 6 | 20.94 | | | | |
| 12 | 13 | 20.93 | | | | |
| 25 | 0 | 20.92 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 779.5 | 23205 | 5MHz | 1 | 0 | 20.89 |
| | | | | 1 | 13 | 20.72 |
| | | | | 1 | 24 | 20.50 |
| | | | | 12 | 0 | 19.73 |
| | | | | 12 | 6 | 19.83 |
| | | | | 12 | 13 | 19.89 |
| | 25 | 0 | | 19.86 | | |
| | 1 | 0 | | 20.77 | | |
| | 1 | 13 | | 20.68 | | |
| | 1 | 24 | | 20.79 | | |
| | 12 | 0 | | 19.77 | | |
| | 12 | 6 | | 19.69 | | |
| | 12 | 13 | | 19.78 | | |
| | 25 | 0 | | 19.64 | | |
| | 1 | 0 | | 20.59 | | |
| | 1 | 13 | | 20.84 | | |
| | 1 | 24 | | 20.77 | | |
| | 12 | 0 | | 19.76 | | |
| 12 | 6 | 19.84 | | | | |
| 12 | 13 | 19.76 | | | | |
| 25 | 0 | 19.78 | | | | |
| 256QAM | 779.5 | 23205 | 1 | 0 | 18.66 | |
| | | | 1 | 13 | 18.38 | |
| | | | 1 | 24 | 17.86 | |
| | | | 12 | 0 | 17.75 | |
| | | | 12 | 6 | 17.90 | |
| | | | 12 | 13 | 17.86 | |
| | 25 | 0 | 17.89 | | | |
| | 1 | 0 | 17.89 | | | |
| | 1 | 13 | 18.39 | | | |
| | 1 | 24 | 18.34 | | | |
| | 12 | 0 | 17.82 | | | |
| | 12 | 6 | 17.87 | | | |
| | 12 | 13 | 17.93 | | | |
| | 25 | 0 | 17.77 | | | |
| | 1 | 0 | 17.97 | | | |
| | 1 | 13 | 18.21 | | | |
| | 1 | 24 | 18.41 | | | |
| | 12 | 0 | 17.80 | | | |
| 12 | 6 | 17.91 | | | | |
| 12 | 13 | 17.91 | | | | |
| 25 | 0 | 17.88 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | NA | NA | 10MHz | 1 | 0 | NA |
| | | | | 1 | 25 | NA |
| | | | | 1 | 49 | NA |
| | | | | 25 | 0 | NA |
| | | | | 25 | 13 | NA |
| | | | | 25 | 25 | NA |
| | | | | 50 | 0 | NA |
| | 782 | 23230 | | 1 | 0 | 22.88 |
| | | | | 1 | 25 | 22.99 |
| | | | | 1 | 49 | 22.76 |
| | | | | 25 | 0 | 21.90 |
| | | | | 25 | 13 | 21.87 |
| | | | | 25 | 25 | 21.89 |
| | | | | 50 | 0 | 21.81 |
| | NA | NA | | 1 | 0 | NA |
| | | | | 1 | 25 | NA |
| | | | | 1 | 49 | NA |
| | | | | 25 | 0 | NA |
| | | | | 25 | 13 | NA |
| | | | | 25 | 25 | NA |
| | | | | 50 | 0 | NA |
| 16QAM | NA | NA | 1 | 0 | NA | |
| | | | 1 | 25 | NA | |
| | | | 1 | 49 | NA | |
| | | | 25 | 0 | NA | |
| | | | 25 | 13 | NA | |
| | | | 25 | 25 | NA | |
| | | | 50 | 0 | NA | |
| | 782 | 23230 | 1 | 0 | 22.36 | |
| | | | 1 | 25 | 22.10 | |
| | | | 1 | 49 | 21.93 | |
| | | | 25 | 0 | 20.87 | |
| | | | 25 | 13 | 20.92 | |
| | | | 25 | 25 | 20.77 | |
| | | | 50 | 0 | 20.88 | |
| | NA | NA | 1 | 0 | NA | |
| | | | 1 | 25 | NA | |
| | | | 1 | 49 | NA | |
| | | | 25 | 0 | NA | |
| | | | 25 | 13 | NA | |
| | | | 25 | 25 | NA | |
| | | | 50 | 0 | NA | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | NA | NA | 10MHz | 1 | 0 | NA |
| | | | | 1 | 25 | NA |
| | | | | 1 | 49 | NA |
| | | | | 25 | 0 | NA |
| | | | | 25 | 13 | NA |
| | | | | 25 | 25 | NA |
| | | | | 50 | 0 | NA |
| | 782 | 23230 | | 1 | 0 | 20.78 |
| | | | | 1 | 25 | 20.91 |
| | | | | 1 | 49 | 20.67 |
| | | | | 25 | 0 | 19.87 |
| | | | | 25 | 13 | 19.79 |
| | | | | 25 | 25 | 19.86 |
| | | | | 50 | 0 | 19.73 |
| | NA | NA | | 1 | 0 | NA |
| | | | | 1 | 25 | NA |
| | | | | 1 | 49 | NA |
| | | | | 25 | 0 | NA |
| | | | | 25 | 13 | NA |
| | | | | 25 | 25 | NA |
| | | | | 50 | 0 | NA |
| 256QAM | NA | NA | 1 | 0 | NA | |
| | | | 1 | 25 | NA | |
| | | | 1 | 49 | NA | |
| | | | 25 | 0 | NA | |
| | | | 25 | 13 | NA | |
| | | | 25 | 25 | NA | |
| | | | 50 | 0 | NA | |
| | 782 | 23230 | 1 | 0 | 18.31 | |
| | | | 1 | 25 | 18.03 | |
| | | | 1 | 49 | 17.84 | |
| | | | 25 | 0 | 17.82 | |
| | | | 25 | 13 | 17.82 | |
| | | | 25 | 25 | 17.75 | |
| | | | 50 | 0 | 17.81 | |
| | NA | NA | 1 | 0 | NA | |
| | | | 1 | 25 | NA | |
| | | | 1 | 49 | NA | |
| | | | 25 | 0 | NA | |
| | | | 25 | 13 | NA | |
| | | | 25 | 25 | NA | |
| | | | 50 | 0 | NA | |

LTE Band 13(EN_DC)

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 779.5 | 23205 | 5MHz | 1 | 0 | 21.14 |
| | | | | 1 | 13 | 21.04 |
| | | | | 1 | 24 | 20.76 |
| | | | | 12 | 0 | 20.02 |
| | | | | 12 | 6 | 20.15 |
| | | | | 12 | 13 | 20.14 |
| | 25 | 0 | | 20.15 | | |
| | 1 | 0 | | 21.00 | | |
| | 1 | 13 | | 21.01 | | |
| | 1 | 24 | | 21.03 | | |
| | 12 | 0 | | 20.06 | | |
| | 12 | 6 | | 20.01 | | |
| | 12 | 13 | | 20.11 | | |
| | 25 | 0 | | 19.95 | | |
| | 1 | 0 | | 20.91 | | |
| | 1 | 13 | | 21.10 | | |
| | 1 | 24 | | 21.04 | | |
| | 12 | 0 | | 20.02 | | |
| 12 | 6 | 20.14 | | | | |
| 12 | 13 | 20.04 | | | | |
| 25 | 0 | 20.05 | | | | |
| 16QAM | 779.5 | 23205 | 1 | 0 | 20.90 | |
| | | | 1 | 13 | 20.69 | |
| | | | 1 | 24 | 20.15 | |
| | | | 12 | 0 | 19.05 | |
| | | | 12 | 6 | 19.15 | |
| | | | 12 | 13 | 19.16 | |
| | 25 | 0 | 19.17 | | | |
| | 1 | 0 | 20.16 | | | |
| | 1 | 13 | 20.66 | | | |
| | 1 | 24 | 20.69 | | | |
| | 12 | 0 | 19.11 | | | |
| | 12 | 6 | 19.12 | | | |
| | 12 | 13 | 19.19 | | | |
| | 25 | 0 | 19.05 | | | |
| | 1 | 0 | 20.26 | | | |
| | 1 | 13 | 20.55 | | | |
| | 1 | 24 | 20.68 | | | |
| | 12 | 0 | 19.03 | | | |
| 12 | 6 | 19.19 | | | | |
| 12 | 13 | 19.14 | | | | |
| 25 | 0 | 19.16 | | | | |
| 784.5 | 23255 | 1 | 0 | 20.91 | | |
| | | 1 | 13 | 21.10 | | |
| | | 1 | 24 | 21.04 | | |
| | | 12 | 0 | 20.02 | | |
| | | 12 | 6 | 20.14 | | |
| | | 12 | 13 | 20.04 | | |
| 25 | 0 | 20.05 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 779.5 | 23205 | 5MHz | 1 | 0 | 19.11 |
| | | | | 1 | 13 | 18.98 |
| | | | | 1 | 24 | 18.69 |
| | | | | 12 | 0 | 17.96 |
| | | | | 12 | 6 | 18.08 |
| | | | | 12 | 13 | 18.10 |
| | 25 | 0 | | 18.13 | | |
| | 782 | 23230 | | 1 | 0 | 18.98 |
| | | | | 1 | 13 | 18.94 |
| | | | | 1 | 24 | 18.94 |
| | | | | 12 | 0 | 18.04 |
| | | | | 12 | 6 | 17.92 |
| | | | | 12 | 13 | 18.04 |
| | 25 | 0 | | 17.90 | | |
| | 784.5 | 23255 | | 1 | 0 | 18.82 |
| | | | | 1 | 13 | 19.02 |
| | | | | 1 | 24 | 18.98 |
| | | | | 12 | 0 | 17.95 |
| 12 | | | 6 | 18.09 | | |
| 12 | | | 13 | 17.97 | | |
| 25 | 0 | 18.02 | | | | |
| 256QAM | 779.5 | 23205 | 1 | 0 | 16.84 | |
| | | | 1 | 13 | 16.65 | |
| | | | 1 | 24 | 16.08 | |
| | | | 12 | 0 | 16.00 | |
| | | | 12 | 6 | 16.05 | |
| | | | 12 | 13 | 16.09 | |
| | 25 | 0 | 16.08 | | | |
| | 782 | 23230 | 1 | 0 | 16.13 | |
| | | | 1 | 13 | 16.62 | |
| | | | 1 | 24 | 16.66 | |
| | | | 12 | 0 | 16.02 | |
| | | | 12 | 6 | 16.09 | |
| | | | 12 | 13 | 16.13 | |
| | 25 | 0 | 15.96 | | | |
| | 784.5 | 23255 | 1 | 0 | 16.16 | |
| | | | 1 | 13 | 16.48 | |
| | | | 1 | 24 | 16.60 | |
| | | | 12 | 0 | 15.93 | |
| 12 | | | 6 | 16.13 | | |
| 12 | | | 13 | 16.04 | | |
| 25 | 0 | 16.10 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | NA | NA | 10MHz | 1 | 0 | NA |
| | | | | 1 | 25 | NA |
| | | | | 1 | 49 | NA |
| | | | | 25 | 0 | NA |
| | | | | 25 | 13 | NA |
| | | | | 25 | 25 | NA |
| | 50 | 0 | | NA | | |
| | 782 | 23230 | | 1 | 0 | 21.12 |
| | | | | 1 | 25 | 21.24 |
| | | | | 1 | 49 | 21.01 |
| | | | | 25 | 0 | 20.13 |
| | | | | 25 | 13 | 20.10 |
| | | | | 25 | 25 | 20.12 |
| | NA | NA | | 50 | 0 | 20.01 |
| | | | | 1 | 0 | NA |
| | | | | 1 | 25 | NA |
| | | | | 1 | 49 | NA |
| | | | | 25 | 0 | NA |
| 25 | | | 13 | NA | | |
| 16QAM | NA | NA | 25 | 25 | NA | |
| | | | 50 | 0 | NA | |
| | | | 1 | 0 | NA | |
| | | | 1 | 25 | NA | |
| | | | 1 | 49 | NA | |
| | | | 25 | 0 | NA | |
| | 782 | 23230 | 25 | 13 | NA | |
| | | | 25 | 25 | NA | |
| | | | 50 | 0 | NA | |
| | | | 1 | 0 | 20.60 | |
| | | | 1 | 25 | 20.35 | |
| | | | 1 | 49 | 20.17 | |
| | NA | NA | 25 | 0 | 19.12 | |
| | | | 25 | 13 | 19.17 | |
| | | | 25 | 25 | 18.99 | |
| | | | 50 | 0 | 19.08 | |
| | | | 1 | 0 | NA | |
| | | | 1 | 25 | NA | |
| NA | NA | 1 | 49 | NA | | |
| | | 25 | 0 | NA | | |
| | | 25 | 13 | NA | | |
| | | 25 | 25 | NA | | |
| | | 50 | 0 | NA | | |
| | | 50 | 0 | NA | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | NA | NA | 10MHz | 1 | 0 | NA |
| | | | | 1 | 25 | NA |
| | | | | 1 | 49 | NA |
| | | | | 25 | 0 | NA |
| | | | | 25 | 13 | NA |
| | | | | 25 | 25 | NA |
| | | | | 50 | 0 | NA |
| | 782 | 23230 | | 1 | 0 | 19.02 |
| | | | | 1 | 25 | 19.19 |
| | | | | 1 | 49 | 18.91 |
| | | | | 25 | 0 | 18.05 |
| | | | | 25 | 13 | 18.04 |
| | | | | 25 | 25 | 18.09 |
| | | | | 50 | 0 | 17.94 |
| | NA | NA | | 1 | 0 | NA |
| | | | | 1 | 25 | NA |
| | | | | 1 | 49 | NA |
| | | | | 25 | 0 | NA |
| | | | | 25 | 13 | NA |
| | | | | 25 | 25 | NA |
| | | | | 50 | 0 | NA |
| 256QAM | NA | NA | 1 | 0 | NA | |
| | | | 1 | 25 | NA | |
| | | | 1 | 49 | NA | |
| | | | 25 | 0 | NA | |
| | | | 25 | 13 | NA | |
| | | | 25 | 25 | NA | |
| | | | 50 | 0 | NA | |
| | 782 | 23230 | 1 | 0 | 16.58 | |
| | | | 1 | 25 | 16.31 | |
| | | | 1 | 49 | 16.11 | |
| | | | 25 | 0 | 16.05 | |
| | | | 25 | 13 | 16.10 | |
| | | | 25 | 25 | 15.90 | |
| | | | 50 | 0 | 15.99 | |
| | NA | NA | 1 | 0 | NA | |
| | | | 1 | 25 | NA | |
| | | | 1 | 49 | NA | |
| | | | 25 | 0 | NA | |
| | | | 25 | 13 | NA | |
| | | | 25 | 25 | NA | |
| | | | 50 | 0 | NA | |

LTE Band 17

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 706.5 | 23755 | 5MHz | 1 | 0 | 22.50 |
| | | | | 1 | 13 | 22.52 |
| | | | | 1 | 24 | 22.39 |
| | | | | 12 | 0 | 21.48 |
| | | | | 12 | 6 | 21.62 |
| | | | | 12 | 13 | 21.45 |
| | | | | 25 | 0 | 21.55 |
| | 710 | 23790 | | 1 | 0 | 22.53 |
| | | | | 1 | 13 | 22.44 |
| | | | | 1 | 24 | 22.44 |
| | | | | 12 | 0 | 21.66 |
| | | | | 12 | 6 | 21.58 |
| | | | | 12 | 13 | 21.58 |
| | | | | 25 | 0 | 21.56 |
| | | | | 713.5 | 23825 | 1 |
| 1 | 13 | 22.48 | | | | |
| 1 | 24 | 22.48 | | | | |
| 12 | 0 | 21.70 | | | | |
| 12 | 6 | 21.60 | | | | |
| 12 | 13 | 21.62 | | | | |
| 25 | 0 | 21.49 | | | | |
| 16QAM | 706.5 | 23755 | 1 | | | 0 |
| | | | 1 | 13 | 21.75 | |
| | | | 1 | 24 | 21.62 | |
| | | | 12 | 0 | 20.58 | |
| | | | 12 | 6 | 20.61 | |
| | | | 12 | 13 | 20.57 | |
| | | | 25 | 0 | 20.49 | |
| | 710 | 23790 | 1 | 0 | 21.75 | |
| | | | 1 | 13 | 22.18 | |
| | | | 1 | 24 | 21.50 | |
| | | | 12 | 0 | 20.72 | |
| | | | 12 | 6 | 20.57 | |
| | | | 12 | 13 | 20.67 | |
| | | | 25 | 0 | 20.58 | |
| | | | 713.5 | 23825 | 1 | 0 |
| 1 | 13 | 22.16 | | | | |
| 1 | 24 | 21.85 | | | | |
| 12 | 0 | 20.66 | | | | |
| 12 | 6 | 20.58 | | | | |
| 12 | 13 | 20.68 | | | | |
| 25 | 0 | 20.69 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 706.5 | 23755 | 5MHz | 1 | 0 | 20.44 |
| | | | | 1 | 13 | 20.48 |
| | | | | 1 | 24 | 20.32 |
| | | | | 12 | 0 | 19.42 |
| | | | | 12 | 6 | 19.58 |
| | | | | 12 | 13 | 19.41 |
| | 25 | 0 | | 19.52 | | |
| | 1 | 0 | | 20.43 | | |
| | 1 | 13 | | 20.41 | | |
| | 1 | 24 | | 20.40 | | |
| | 12 | 0 | | 19.61 | | |
| | 12 | 6 | | 19.55 | | |
| | 12 | 13 | | 19.48 | | |
| | 25 | 0 | | 19.47 | | |
| | 1 | 0 | | 20.56 | | |
| | 1 | 13 | | 20.38 | | |
| | 1 | 24 | | 20.40 | | |
| | 12 | 0 | | 19.68 | | |
| 12 | 6 | 19.56 | | | | |
| 12 | 13 | 19.60 | | | | |
| 25 | 0 | 19.45 | | | | |
| 256QAM | 706.5 | 23755 | 1 | 0 | 18.13 | |
| | | | 1 | 13 | 17.67 | |
| | | | 1 | 24 | 17.53 | |
| | | | 12 | 0 | 17.54 | |
| | | | 12 | 6 | 17.57 | |
| | | | 12 | 13 | 17.48 | |
| | 25 | 0 | 17.41 | | | |
| | 1 | 0 | 17.72 | | | |
| | 1 | 13 | 18.09 | | | |
| | 1 | 24 | 17.46 | | | |
| | 12 | 0 | 17.65 | | | |
| | 12 | 6 | 17.55 | | | |
| | 12 | 13 | 17.58 | | | |
| | 25 | 0 | 17.53 | | | |
| | 1 | 0 | 18.14 | | | |
| | 1 | 13 | 18.06 | | | |
| | 1 | 24 | 17.80 | | | |
| | 12 | 0 | 17.62 | | | |
| 12 | 6 | 17.49 | | | | |
| 12 | 13 | 17.60 | | | | |
| 25 | 0 | 17.64 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 709 | 23780 | 10MHz | 1 | 0 | 22.54 |
| | | | | 1 | 25 | 22.60 |
| | | | | 1 | 49 | 22.44 |
| | | | | 25 | 0 | 21.56 |
| | | | | 25 | 13 | 21.59 |
| | | | | 25 | 25 | 21.66 |
| | 50 | 0 | | 21.63 | | |
| | 710 | 23790 | | 1 | 0 | 22.51 |
| | | | | 1 | 25 | 22.62 |
| | | | | 1 | 49 | 22.49 |
| | | | | 25 | 0 | 21.73 |
| | | | | 25 | 13 | 21.56 |
| | | | | 25 | 25 | 21.71 |
| | 711 | 23800 | | 50 | 0 | 21.49 |
| | | | | 1 | 0 | 22.46 |
| | | | | 1 | 25 | 22.55 |
| | | | | 1 | 49 | 22.43 |
| | | | | 25 | 0 | 21.60 |
| 25 | | | 13 | 21.56 | | |
| 16QAM | 709 | 23780 | 25 | 25 | 21.72 | |
| | | | 50 | 0 | 21.60 | |
| | | | 1 | 0 | 21.80 | |
| | | | 1 | 25 | 21.93 | |
| | | | 1 | 49 | 21.58 | |
| | | | 25 | 0 | 20.50 | |
| | 710 | 23790 | 25 | 13 | 20.72 | |
| | | | 25 | 25 | 20.65 | |
| | | | 50 | 0 | 20.56 | |
| | | | 1 | 0 | 22.25 | |
| | | | 1 | 25 | 22.08 | |
| | | | 1 | 49 | 22.04 | |
| | 711 | 23800 | 25 | 0 | 20.59 | |
| | | | 25 | 13 | 20.66 | |
| | | | 25 | 25 | 20.65 | |
| | | | 50 | 0 | 20.58 | |
| | | | 1 | 0 | 21.84 | |
| | | | 1 | 25 | 22.16 | |
| | | | 1 | 49 | 22.12 | |
| | | | 25 | 0 | 20.53 | |
| | | | 25 | 13 | 20.64 | |
| | | | 25 | 25 | 20.72 | |
| | | | 50 | 0 | 20.65 | |
| | | | 50 | 0 | 20.65 | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 709 | 23780 | 10MHz | 1 | 0 | 20.50 |
| | | | | 1 | 25 | 20.58 |
| | | | | 1 | 49 | 20.34 |
| | | | | 25 | 0 | 19.49 |
| | | | | 25 | 13 | 19.52 |
| | | | | 25 | 25 | 19.56 |
| | 50 | 0 | | 19.60 | | |
| | 710 | 23790 | | 1 | 0 | 20.46 |
| | | | | 1 | 25 | 20.52 |
| | | | | 1 | 49 | 20.41 |
| | | | | 25 | 0 | 19.69 |
| | | | | 25 | 13 | 19.50 |
| | | | | 25 | 25 | 19.63 |
| | 711 | 23800 | | 50 | 0 | 19.39 |
| | | | | 1 | 0 | 20.42 |
| | | | | 1 | 25 | 20.50 |
| | | | | 1 | 49 | 20.41 |
| | | | | 25 | 0 | 19.52 |
| 25 | | | 13 | 19.46 | | |
| 256QAM | 709 | 23780 | 25 | 25 | 19.65 | |
| | | | 25 | 0 | 19.50 | |
| | | | 1 | 0 | 17.76 | |
| | | | 1 | 25 | 17.84 | |
| | | | 1 | 49 | 17.50 | |
| | | | 25 | 0 | 17.40 | |
| | 710 | 23790 | 25 | 13 | 17.67 | |
| | | | 25 | 25 | 17.62 | |
| | | | 50 | 0 | 17.49 | |
| | | | 1 | 0 | 18.23 | |
| | | | 1 | 25 | 18.01 | |
| | | | 1 | 49 | 18.00 | |
| | 711 | 23800 | 25 | 0 | 17.51 | |
| | | | 25 | 13 | 17.62 | |
| | | | 25 | 25 | 17.57 | |
| | | | 50 | 0 | 17.52 | |
| | | | 1 | 0 | 17.74 | |
| | | | 1 | 25 | 18.11 | |
| | | | 1 | 49 | 18.06 | |
| | | | 25 | 0 | 17.49 | |
| | | | 25 | 13 | 17.58 | |
| | | | 25 | 25 | 17.68 | |
| | | | 50 | 0 | 17.60 | |
| | | | | | | |

LTE Band 25

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| QPSK | 1850.7 | 26047 | 1.4MHz | 1 | 0 | 22.51 |
| | | | | 1 | 2 | 22.75 |
| | | | | 1 | 5 | 22.67 |
| | | | | 3 | 0 | 22.72 |
| | | | | 3 | 2 | 22.79 |
| | | | | 3 | 3 | 22.65 |
| | 6 | 0 | | 21.78 | | |
| | 1 | 0 | | 22.43 | | |
| | 1 | 2 | | 22.76 | | |
| | 1 | 5 | | 22.61 | | |
| | 3 | 0 | | 22.60 | | |
| | 3 | 2 | | 22.70 | | |
| | 3 | 3 | | 22.55 | | |
| | 6 | 0 | | 21.68 | | |
| | 1 | 0 | | 22.12 | | |
| | 1 | 2 | | 22.22 | | |
| | 1 | 5 | | 22.27 | | |
| | 3 | 0 | | 22.23 | | |
| 3 | 2 | 22.25 | | | | |
| 3 | 3 | 22.25 | | | | |
| 6 | 0 | 21.35 | | | | |
| 16QAM | 1850.7 | 26047 | 1 | 0 | 22.43 | |
| | | | 1 | 2 | 21.93 | |
| | | | 1 | 5 | 22.14 | |
| | | | 3 | 0 | 21.62 | |
| | | | 3 | 2 | 21.86 | |
| | | | 3 | 3 | 21.74 | |
| | 6 | 0 | 21.12 | | | |
| | 1 | 0 | 22.25 | | | |
| | 1 | 2 | 22.11 | | | |
| | 1 | 5 | 22.18 | | | |
| | 3 | 0 | 21.69 | | | |
| | 3 | 2 | 21.79 | | | |
| | 3 | 3 | 21.61 | | | |
| | 6 | 0 | 20.83 | | | |
| | 1 | 0 | 21.35 | | | |
| | 1 | 2 | 21.92 | | | |
| | 1 | 5 | 21.52 | | | |
| | 3 | 0 | 21.47 | | | |
| 3 | 2 | 21.40 | | | | |
| 3 | 3 | 21.29 | | | | |
| 6 | 0 | 20.74 | | | | |

| Modulation | Carrier frequency(MHz) | UL Channel | Bandwidth | RB size | RB offset | Conducted Power(dBm) |
|------------|------------------------|------------|-----------|---------|-----------|----------------------|
| 64QAM | 1850.7 | 26047 | 1.4MHz | 1 | 0 | 21.40 |
| | | | | 1 | 2 | 20.85 |
| | | | | 1 | 5 | 21.11 |
| | | | | 3 | 0 | 20.53 |
| | | | | 3 | 2 | 20.83 |
| | | | | 3 | 3 | 20.69 |
| | 6 | 0 | | 20.05 | | |
| | 1882.5 | 26365 | | 1 | 0 | 21.15 |
| | | | | 1 | 2 | 21.02 |
| | | | | 1 | 5 | 21.16 |
| | | | | 3 | 0 | 20.65 |
| | | | | 3 | 2 | 20.71 |
| | | | | 3 | 3 | 20.57 |
| | 1914.3 | 26683 | | 6 | 0 | 19.73 |
| | | | | 1 | 0 | 20.31 |
| | | | | 1 | 2 | 20.87 |
| | | | | 1 | 5 | 20.45 |
| | | | | 3 | 0 | 20.43 |
| 3 | | | 2 | 20.38 | | |
| 256QAM | 1850.7 | 26047 | 3 | 3 | 20.22 | |
| | | | 6 | 0 | 19.67 | |
| | | | 1 | 0 | 18.39 | |
| | | | 1 | 2 | 17.88 | |
| | | | 1 | 5 | 18.08 | |
| | | | 3 | 0 | 17.52 | |
| | 1882.5 | 26365 | 3 | 2 | 17.81 | |
| | | | 3 | 3 | 17.70 | |
| | | | 6 | 0 | 18.06 | |
| | | | 1 | 0 | 18.17 | |
| | | | 1 | 2 | 18.05 | |
| | | | 1 | 5 | 18.15 | |
| | 1914.3 | 26683 | 3 | 0 | 17.64 | |
| | | | 3 | 2 | 17.75 | |
| | | | 3 | 3 | 17.56 | |
| | | | 6 | 0 | 17.81 | |
| | | | 1 | 0 | 17.25 | |
| | | | 1 | 2 | 17.90 | |
| | | | 1 | 5 | 17.50 | |
| | | | 3 | 0 | 17.39 | |
| | | | 3 | 2 | 17.31 | |
| | | | 3 | 3 | 17.21 | |
| | | | 6 | 0 | 17.65 | |
| | | | | | | |