

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1851.5	26055	3MHz	1	0	22.92
				1	7	22.83
				1	14	22.83
				8	0	21.93
				8	4	21.96
				8	7	22.07
	15	0		21.98		
	1882.5	26365		1	0	22.88
				1	7	22.67
				1	14	22.99
				8	0	21.95
				8	4	21.85
				8	7	22.01
	1913.5	26675		15	0	21.90
				1	0	22.57
1			7	22.28		
1			14	22.51		
8			0	21.60		
8			4	21.56		
16QAM	1851.5	26055	8	7	21.66	
			15	0	21.79	
			1	0	22.14	
			1	7	21.48	
			1	14	22.11	
			8	0	20.93	
	1882.5	26365	8	4	20.99	
			8	7	21.15	
			15	0	20.93	
			1	0	22.54	
			1	7	21.55	
			1	14	22.17	
	1913.5	26675	8	0	20.90	
			8	4	21.12	
			8	7	20.83	
15			0	20.88		
1			0	22.06		
1			7	22.48		
			1	14	21.96	
			8	0	20.71	
			8	4	20.79	
			8	7	20.97	
			15	0	20.77	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1851.5	26055	3MHz	1	0	21.05
				1	7	20.45
				1	14	21.06
				8	0	19.86
				8	4	19.97
				8	7	20.13
	15	0		19.91		
	1882.5	26365		1	0	21.46
				1	7	20.46
				1	14	21.12
				8	0	19.85
				8	4	20.09
				8	7	19.77
	1913.5	26675		15	0	19.86
				1	0	21.00
1			7	21.46		
1			14	20.91		
8			0	19.63		
8			4	19.76		
256QAM	1851.5	26055	8	7	19.88	
			15	0	19.67	
			1	0	18.06	
			1	7	17.40	
			1	14	18.06	
			8	0	17.85	
	1882.5	26365	8	4	17.92	
			8	7	18.13	
			15	0	17.91	
			1	0	18.46	
			1	7	17.45	
			1	14	18.14	
	1913.5	26675	8	0	17.84	
			8	4	18.10	
			8	7	17.81	
15			0	17.81		
1			0	18.03		
1			7	18.39		
			1	14	17.90	
			8	0	17.67	
			8	4	17.76	
			8	7	17.92	
			15	0	17.67	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1852.5	26065	5MHz	1	0	22.93
				1	13	22.80
				1	24	23.05
				12	0	22.00
				12	6	22.10
				12	13	21.96
	25	0		22.03		
	1882.5	26365		1	0	22.89
				1	13	22.71
				1	24	22.75
				12	0	21.82
				12	6	21.91
				12	13	21.90
	1912.5	26665		25	0	21.83
				1	0	22.69
				1	13	22.47
				1	24	22.32
				12	0	21.65
12			6	21.58		
16QAM	1852.5	26065	12	13	21.65	
			25	0	21.66	
			1	0	22.09	
			1	13	22.13	
			1	24	22.13	
			12	0	21.12	
	12	6	21.06			
	1882.5	26365	12	13	21.13	
			25	0	21.04	
			1	0	22.63	
			1	13	21.97	
			1	24	22.52	
			12	0	20.96	
	1912.5	26665	12	6	21.01	
			12	13	20.69	
			25	0	20.95	
			1	0	21.58	
			1	13	21.71	
1			24	22.22		
12	0	20.72				
12	6	20.65				
12	13	20.55				
25	0	20.74				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1852.5	26065	5MHz	1	0	20.99
				1	13	21.11
				1	24	21.05
				12	0	20.09
				12	6	19.99
				12	13	20.10
	25	0		20.01		
	1882.5	26365		1	0	21.59
				1	13	20.93
				1	24	21.43
				12	0	19.92
				12	6	19.91
				12	13	19.65
	1912.5	26665		25	0	19.93
				1	0	20.52
				1	13	20.68
				1	24	21.16
				12	0	19.63
12			6	19.58		
256QAM	1852.5	26065	12	13	19.50	
			25	0	19.64	
			1	0	18.05	
			1	13	18.11	
			1	24	18.07	
			12	0	18.05	
	12	6	18.02			
	1882.5	26365	12	13	18.06	
			25	0	17.95	
			1	0	18.58	
			1	13	17.94	
			1	24	18.50	
			12	0	17.92	
	1912.5	26665	12	6	17.91	
			12	13	17.64	
			25	0	17.87	
			1	0	17.53	
			1	13	17.69	
1			24	18.18		
12	0	17.70				
12	6	17.61				
12	13	17.51				
25	0	17.72				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1855	26090	10MHz	1	0	22.98
				1	25	22.71
				1	49	22.65
				25	0	22.01
				25	13	21.96
				25	25	21.94
	50	0		21.94		
	1	0		22.92		
	1	25		22.75		
	1	49		22.57		
	25	0		21.85		
	25	13		21.74		
	25	25		21.83		
	50	0		21.72		
	1	0		22.62		
	1	25		22.29		
	1	49		22.57		
	16QAM	1855		26090	10MHz	25
25			13			21.67
25			25			21.67
50			0			21.55
1			0			22.68
1			25			21.97
1		49	22.02			
25		0	21.05			
25		13	20.93			
25		25	20.95			
50		0	21.05			
1		0	22.17			
1		25	21.82			
1		49	22.25			
25		0	20.86			
25		13	20.93			
25		25	20.98			
50		0	20.79			
1910	26640	26640	10MHz	1	0	21.40
				1	25	21.48
				1	49	22.08
				25	0	20.52
				25	13	20.65
				25	25	20.65
				50	0	20.57

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1855	26090	10MHz	1	0	21.60
				1	25	20.87
				1	49	20.99
				25	0	19.96
				25	13	19.83
				25	25	19.92
	50	0		19.97		
	1882.5	26365		1	0	21.15
				1	25	20.75
				1	49	21.18
				25	0	19.84
				25	13	19.91
				25	25	19.96
	1910	26640		50	0	19.73
				1	0	20.35
				1	25	20.41
				1	49	21.05
				25	0	19.43
25			13	19.58		
256QAM	1855	26090	25	25	19.58	
			50	0	19.53	
			1	0	18.64	
			1	25	17.92	
			1	49	17.95	
			25	0	17.95	
	1882.5	26365	25	13	17.85	
			25	25	17.87	
			50	0	18.03	
			1	0	18.12	
			1	25	17.78	
			1	49	18.20	
	1910	26640	25	0	17.77	
			25	13	17.83	
			25	25	17.90	
			50	0	17.73	
			1	0	17.37	
			1	25	17.38	
			1	49	18.04	
			25	0	17.49	
			25	13	17.63	
			25	25	17.58	
			50	0	17.52	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1857.5	26115	15MHz	1	0	22.77
				1	38	22.65
				1	74	22.58
				36	0	21.91
				36	18	21.85
				36	39	21.82
	75	0		21.81		
	1	0		22.73		
	1	38		22.65		
	1	74		22.53		
	36	0		21.81		
	36	18		21.76		
	36	39		21.68		
	75	0		21.69		
	1	0		22.63		
	1	38		22.38		
	1	74		22.44		
	36	0		21.59		
36	18	21.48				
36	39	21.57				
75	0	21.58				
16QAM	1857.5	26115	1	0	22.09	
			1	38	22.14	
			1	74	21.66	
			36	0	20.86	
			36	18	20.88	
			36	39	20.89	
	75	0	20.91			
	1	0	21.96			
	1	38	21.83			
	1	74	21.77			
	36	0	20.70			
	36	18	20.58			
	36	39	20.75			
	75	0	20.73			
	1	0	22.24			
	1	38	22.07			
	1	74	21.36			
	36	0	20.56			
36	18	20.69				
36	39	20.50				
75	0	20.63				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1857.5	26115	15MHz	1	0	21.04
				1	38	21.11
				1	74	20.64
				36	0	19.77
				36	18	19.80
				36	39	19.80
	75	0		19.86		
	1	0		20.93		
	1	38		20.73		
	1	74		20.68		
	36	0		19.64		
	36	18		19.55		
	36	39		19.70		
	75	0		19.71		
	1	0		21.19		
	1	38		20.99		
	1	74		20.30		
	256QAM	1857.5		26115	15MHz	36
36			18			19.65
36			39			19.44
75			0			19.61
1			0			18.01
1			38			18.04
1		74	17.62			
36		0	17.77			
36		18	17.84			
36		39	17.81			
75		0	17.84			
1		0	17.86			
1		38	17.77			
1		74	17.73			
36		0	17.66			
36		18	17.51			
36		39	17.67			
75		0	17.69			
1	0	18.20				
1	38	17.99				
1	74	17.33				
1907.5	26615	26615	15MHz	36	0	17.48
				36	18	17.62
				36	39	17.41
				75	0	17.55

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1860	26140	20MHz	1	0	22.88
				1	50	22.55
				1	99	22.68
				50	0	21.77
				50	25	21.87
				50	50	21.78
	100	0		21.92		
	1882.5	26365		1	0	22.84
				1	50	22.61
				1	99	22.62
				50	0	21.77
				50	25	21.66
				50	50	21.73
	1905	26590		100	0	21.79
				1	0	22.68
				1	50	22.38
				1	99	22.36
				50	0	21.58
50			25	21.64		
16QAM	1860	26140	50	50	21.53	
			100	0	21.48	
			1	0	22.23	
			1	50	21.79	
			1	99	21.85	
			50	0	20.74	
	1882.5	26365	50	25	20.83	
			50	50	20.80	
			100	0	20.90	
			1	0	22.31	
			1	50	21.88	
			1	99	21.81	
	1905	26590	50	0	20.86	
			50	25	20.79	
			50	50	20.72	
			100	0	20.78	
			1	0	21.67	
			1	50	21.44	
			1	99	21.36	
			50	0	20.61	
			50	25	20.49	
			50	50	20.54	
			100	0	20.68	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1860	26140	20MHz	1	0	21.13
				1	50	20.70
				1	99	20.76
				50	0	19.72
				50	25	19.77
				50	50	19.78
	100	0		19.82		
	1882.5	26365		1	0	21.24
				1	50	20.81
				1	99	20.73
				50	0	19.84
				50	25	19.69
				50	50	19.64
	1905	26590		100	0	19.71
				1	0	20.65
				1	50	20.38
				1	99	20.32
				50	0	19.55
50			25	19.42		
256QAM	1860	26140	50	50	19.50	
			100	0	19.61	
			1	0	18.13	
			1	50	17.77	
			1	99	17.79	
			50	0	17.68	
	1882.5	26365	50	25	17.73	
			50	50	17.74	
			100	0	17.82	
			1	0	18.29	
			1	50	17.83	
			1	99	17.72	
	1905	26590	50	0	17.76	
			50	25	17.75	
			50	50	17.64	
			100	0	17.69	
			1	0	17.58	
			1	50	17.41	
			1	99	17.32	
			50	0	17.57	
			50	25	17.47	
			50	50	17.51	
			100	0	17.62	

LTE Band 26

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	814.7	26697	1.4MHz	1	0	22.69
				1	2	22.85
				1	5	22.74
				3	0	22.83
				3	1	22.78
				3	3	22.71
	6	0		21.79		
	831.5	26865		1	0	22.44
				1	2	22.52
				1	5	22.41
				3	0	22.63
				3	1	22.74
				3	3	22.56
	6	0		21.70		
	814.3	27033		1	0	22.28
				1	2	22.51
				1	5	22.38
				3	0	22.50
3			1	22.57		
3			3	22.54		
16QAM	814.7	26697	6	0	21.58	
			1	0	22.11	
			1	2	22.00	
			1	5	21.68	
			3	0	21.85	
			3	1	21.75	
	3	3	21.71			
	831.5	26865	6	0	20.71	
			1	0	21.71	
			1	2	22.16	
			1	5	22.29	
			3	0	21.78	
			3	1	21.51	
	3	3	21.74			
	814.3	27033	6	0	21.05	
			1	0	22.05	
			1	2	21.81	
			1	5	21.91	
3			0	21.72		
3			1	21.72		
3	3	21.64				
6	0	20.46				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	814.7	26697	1.4MHz	1	0	20.62
				1	2	20.75
				1	5	20.69
				3	0	20.79
				3	1	20.75
				3	3	20.68
	831.5	26865		6	0	19.76
				1	0	20.40
				1	2	20.42
				1	5	20.35
				3	0	20.56
				3	1	20.64
	814.3	27033		3	3	20.54
				6	0	19.68
				1	0	20.24
				1	2	20.46
				1	5	20.32
				3	0	20.41
256QAM	814.7	26697	3	1	20.55	
			3	3	20.51	
			6	0	19.55	
			1	0	18.03	
			1	2	17.93	
			1	5	17.58	
	831.5	26865	3	0	17.80	
			3	1	17.72	
			3	3	17.66	
			6	0	17.66	
			1	0	17.64	
			1	2	18.10	
	814.3	27033	1	5	18.25	
			3	0	17.70	
			3	1	17.43	
			3	3	17.71	
			6	0	18.02	
			1	0	18.01	
			1	2	17.79	
			1	5	17.82	
			3	0	17.67	
			3	1	17.65	
			3	3	17.57	
			6	0	17.44	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	815.5	26705	3MHz	1	0	22.83
				1	7	22.44
				1	14	22.59
				8	0	21.84
				8	4	21.69
				8	7	21.73
	15	0		21.89		
	831.5	26865		1	0	22.55
				1	7	22.70
				1	14	22.57
				8	0	21.68
				8	4	21.61
				8	7	21.71
	846.5	27025		15	0	21.75
				1	0	22.38
1			7	22.60		
1			14	22.59		
8			0	21.58		
8			4	21.77		
16QAM	815.5	26705	8	7	21.58	
			15	0	21.63	
			1	0	21.63	
			1	7	22.06	
			1	14	22.01	
			8	0	20.99	
	831.5	26865	8	4	20.82	
			8	7	20.84	
			15	0	20.86	
			1	0	21.99	
			1	7	21.77	
			1	14	22.26	
	846.5	27025	8	0	20.80	
			8	4	20.75	
			8	7	20.84	
15			0	20.68		
1			0	22.07		
1			7	21.51		
			1	14	21.52	
			8	0	20.52	
			8	4	20.65	
			8	7	20.63	
			15	0	20.63	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	815.5	26705	3MHz	1	0	20.80
				1	7	20.38
				1	14	20.52
				8	0	19.82
				8	4	19.60
				8	7	19.69
	15	0		19.85		
	831.5	26865		1	0	20.50
				1	7	20.67
				1	14	20.53
				8	0	19.61
				8	4	19.55
				8	7	19.68
	846.5	27025		15	0	19.69
				1	0	20.31
1			7	20.55		
1			14	20.55		
8			0	19.53		
8			4	19.70		
256QAM	815.5	26705	8	7	19.50	
			15	0	19.61	
			1	0	17.55	
			1	7	18.01	
			1	14	17.97	
			8	0	17.96	
	831.5	26865	8	4	17.78	
			8	7	17.81	
			15	0	17.79	
			1	0	17.97	
			1	7	17.67	
			1	14	18.23	
	846.5	27025	8	0	17.70	
			8	4	17.67	
			8	7	17.78	
15			0	17.59		
1			0	17.98		
1			7	17.44		
			1	14	17.50	
			8	0	17.47	
			8	4	17.56	
			8	7	17.55	
			15	0	17.61	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	816.5	26715	5MHz	1	0	22.72
				1	13	22.52
				1	24	22.70
				12	0	21.93
				12	6	21.81
				12	13	21.86
	25	0		21.87		
	831.5	26865		1	0	22.65
				1	13	22.55
				1	24	22.69
				12	0	21.64
				12	6	21.63
				12	13	21.73
	846.5	27015		25	0	21.81
				1	0	22.58
				1	13	22.43
				1	24	22.60
				12	0	21.67
12			6	21.75		
16QAM	816.5	26715	12	13	21.64	
			25	0	21.69	
			1	0	22.11	
			1	13	21.98	
			1	24	21.82	
			12	0	20.91	
	831.5	26865	12	6	20.91	
			12	13	20.97	
			25	0	20.98	
			1	0	21.77	
			1	13	22.50	
			1	24	21.81	
	846.5	27015	12	0	20.77	
			12	6	20.71	
			12	13	20.91	
			25	0	20.78	
			1	0	22.10	
			1	13	21.81	
			1	24	21.65	
			12	0	20.76	
			12	6	20.77	
			12	13	20.66	
			25	0	20.72	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	816.5	26715	5MHz	1	0	20.67
				1	13	20.42
				1	24	20.66
				12	0	19.83
				12	6	19.76
				12	13	19.80
	25	0		19.81		
	831.5	26865		1	0	20.58
				1	13	20.51
				1	24	20.64
				12	0	19.61
				12	6	19.59
				12	13	19.65
	25	0		19.76		
	846.5	27015		1	0	20.48
				1	13	20.35
				1	24	20.57
				12	0	19.65
12			6	19.72		
12			13	19.54		
256QAM	816.5	26715	25	0	19.63	
			1	0	18.03	
			1	13	17.92	
			1	24	17.73	
			12	0	17.86	
			12	6	17.86	
	12	13	17.88			
	25	0	17.88			
	831.5	26865	1	0	17.68	
			1	13	18.40	
			1	24	17.78	
			12	0	17.72	
			12	6	17.64	
			12	13	17.83	
	25	0	17.73			
	846.5	27015	1	0	18.05	
			1	13	17.79	
			1	24	17.60	
12			0	17.67		
12			6	17.75		
12			13	17.62		
25	0	17.62				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	819	26740	10MHz	1	0	22.89
				1	25	22.53
				1	49	22.47
				25	0	21.92
				25	13	21.80
				25	25	21.78
	50	0		21.89		
	831.5	26865		1	0	22.60
				1	25	22.49
				1	49	22.55
				25	0	21.78
				25	13	21.84
				25	25	21.78
	844	26990		50	0	21.78
				1	0	22.55
				1	25	22.63
				1	49	22.52
				25	0	21.65
25			13	21.67		
16QAM	819	26740	25	25	21.73	
			50	0	21.60	
			1	0	21.99	
			1	25	22.14	
			1	49	22.26	
			25	0	20.81	
	831.5	26865	25	13	20.93	
			25	25	20.73	
			50	0	20.80	
			1	0	22.31	
			1	25	21.87	
			1	49	22.11	
	844	26990	25	0	20.68	
			25	13	20.86	
			25	25	20.72	
			50	0	20.77	
			1	0	22.24	
			1	25	21.75	
			1	49	22.02	
			25	0	20.66	
			25	13	20.79	
			25	25	20.72	
			50	0	20.61	
			50	0	20.61	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	819	26740	10MHz	1	0	20.86
				1	25	20.50
				1	49	20.45
				25	0	19.82
				25	13	19.77
				25	25	19.76
	50	0		19.86		
	831.5	26865		1	0	20.56
				1	25	20.42
				1	49	20.48
				25	0	19.73
				25	13	19.79
				25	25	19.74
	844	26990		50	0	19.70
				1	0	20.49
				1	25	20.61
				1	49	20.46
				25	0	19.56
25			13	19.63		
256QAM	819	26740	25	25	19.63	
			50	0	19.52	
			1	0	17.94	
			1	25	18.09	
			1	49	18.21	
			25	0	17.72	
	831.5	26865	25	13	17.90	
			25	25	17.68	
			50	0	17.78	
			1	0	18.21	
			1	25	17.83	
			1	49	18.01	
	844	26990	25	0	17.65	
			25	13	17.84	
			25	25	17.63	
			50	0	17.75	
			1	0	18.17	
			1	25	17.71	
			1	49	18.00	
			25	0	17.56	
			25	13	17.76	
			25	25	17.65	
			50	0	17.53	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	821.5	26765	15MHz	1	0	22.43
				1	38	22.49
				1	74	22.48
				36	0	21.70
				36	18	21.70
				36	39	21.73
	75	0		21.73		
	1	0		22.57		
	1	38		22.74		
	1	74		22.56		
	36	0		21.73		
	36	18		21.57		
	36	39		21.63		
	75	0		21.69		
	1	0		22.52		
	1	38		22.66		
	1	74		22.30		
	16QAM	821.5		26765	15MHz	36
36			18			21.51
36			39			21.52
75			0			21.57
1			0			22.04
1			38			21.72
1		74	21.84			
36		0	20.74			
36		18	20.64			
36		39	20.72			
75		0	20.70			
1		0	21.79			
1		38	21.81			
1		74	21.54			
36		0	20.50			
36		18	20.59			
36		39	20.73			
75		0	20.64			
841.5	26965	26965	15MHz	1	0	22.02
				1	38	22.00
				1	74	21.55
				36	0	20.65
				36	18	20.49
				36	39	20.46
75	0	20.57				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	821.5	26765	15MHz	1	0	20.33
				1	38	20.47
				1	74	20.46
				36	0	19.61
				36	18	19.68
				36	39	19.63
	75	0		19.68		
	1	0		20.55		
	1	38		20.71		
	1	74		20.49		
	36	0		19.65		
	36	18		19.49		
	36	39		19.59		
	75	0		19.65		
	1	0		20.43		
	1	38		20.64		
	1	74		20.21		
	256QAM	821.5		26765	36	0
36			18		19.42	
36			39		19.45	
75			0		19.50	
1			0		17.99	
1			38		17.68	
1		74	17.75			
36		0	17.69			
36		18	17.58			
36		39	17.70			
75		0	17.64			
1		0	17.74			
1		38	17.76			
1		74	17.44			
36		0	17.43			
36		18	17.51			
36		39	17.64			
75		0	17.59			
841.5	26965	1	0	17.92		
		1	38	17.97		
		1	74	17.49		
		36	0	17.60		
		36	18	17.45		
		36	39	17.42		
75	0	17.53				

LTE Band 38(Receiver off)

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2572.5	37775	5MHz	1	0	22.42
				1	13	22.41
				1	24	22.40
				12	0	21.53
				12	6	21.56
				12	13	21.48
	25	0		21.48		
	2595	38000		1	0	22.25
				1	13	22.20
				1	24	22.05
				12	0	21.37
				12	6	21.33
				12	13	21.23
	2617.5	38225		25	0	21.24
				1	0	22.04
				1	13	22.00
				1	24	22.02
				12	0	21.09
12			6	21.05		
16QAM	2572.5	37775	12	13	21.10	
			25	0	21.02	
			1	0	21.50	
			1	13	21.38	
			1	24	21.48	
			12	0	20.51	
	12	6	20.47			
	2595	38000	12	13	20.46	
			25	0	20.54	
			1	0	21.25	
			1	13	21.36	
			1	24	21.30	
			12	0	20.29	
	2617.5	38225	12	6	20.22	
			12	13	20.12	
			25	0	20.34	
			1	0	21.24	
			1	13	21.20	
1			24	21.19		
12	0	20.39				
12	6	20.30				
12	13	20.23				
25	0	20.24				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2572.5	37775	5MHz	1	0	20.48
				1	13	20.28
				1	24	20.40
				12	0	19.45
				12	6	19.41
				12	13	19.38
	25	0		19.45		
	2595	38000		1	0	20.17
				1	13	20.31
				1	24	20.27
				12	0	19.24
				12	6	19.13
				12	13	19.03
	25	0		19.30		
	2617.5	38225		1	0	20.19
				1	13	20.18
				1	24	20.16
				12	0	19.29
12			6	19.24		
12			13	19.15		
256QAM	2572.5	37775	25	0	19.17	
			1	0	17.48	
			1	13	17.32	
			1	24	17.45	
			12	0	17.48	
			12	6	17.42	
	12	13	17.41			
	25	0	17.50			
	2595	38000	1	0	17.19	
			1	13	17.31	
			1	24	17.27	
			12	0	17.24	
			12	6	17.16	
			12	13	17.08	
	25	0	17.29			
	2617.5	38225	1	0	17.15	
			1	13	17.12	
			1	24	17.17	
12			0	17.35		
12			6	17.26		
12			13	17.19		
25	0	17.19				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2575	37800	10MHz	1	0	22.36
				1	25	22.42
				1	49	22.35
				25	0	21.47
				25	13	21.54
				25	25	21.44
	50	0		21.50		
	2595	38000		1	0	22.13
				1	25	22.23
				1	49	22.22
				25	0	21.32
				25	13	21.40
				25	25	21.29
	2615	38200		50	0	21.42
				1	0	22.02
				1	25	22.08
				1	49	22.15
				25	0	21.29
25			13	21.29		
16QAM	2575	37800	25	25	21.27	
			50	0	21.23	
			1	0	21.57	
			1	25	21.65	
			1	49	21.53	
			25	0	20.61	
	2595	38000	25	13	20.52	
			25	25	20.55	
			50	0	20.57	
			1	0	21.43	
			1	25	21.50	
			1	49	21.44	
	2615	38200	25	0	20.54	
			25	13	20.61	
			25	25	20.50	
			50	0	20.50	
			1	0	21.31	
			1	25	21.59	
			1	49	21.27	
			25	0	20.39	
			25	13	20.34	
			25	25	20.14	
			50	0	20.33	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2575	37800	10MHz	1	0	20.48
				1	25	20.63
				1	49	20.51
				25	0	19.54
				25	13	19.44
				25	25	19.47
	50	0		19.50		
	2595	38000		1	0	20.35
				1	25	20.42
				1	49	20.35
				25	0	19.51
				25	13	19.56
				25	25	19.44
	2615	38200		50	0	19.46
				1	0	20.23
				1	25	20.52
				1	49	20.18
				25	0	19.37
25			13	19.25		
256QAM	2575	37800	25	25	19.08	
			50	0	19.30	
			1	0	17.53	
			1	25	17.56	
			1	49	17.51	
			25	0	17.58	
	2595	38000	25	13	17.45	
			25	25	17.53	
			50	0	17.55	
			1	0	17.38	
			1	25	17.46	
			1	49	17.35	
	2615	38200	25	0	17.51	
			25	13	17.57	
			25	25	17.41	
			50	0	17.46	
			1	0	17.22	
			1	25	17.56	
			1	49	17.22	
			25	0	17.32	
			25	13	17.25	
			25	25	17.08	
			50	0	17.26	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2577.5	37825	15MHz	1	0	22.55
				1	38	22.39
				1	74	22.48
				36	0	21.61
				36	18	21.51
				36	39	21.41
	75	0		21.47		
	2595	38000		1	0	22.24
				1	38	22.30
				1	74	22.23
				36	0	21.33
				36	18	21.48
				36	39	21.30
	2612.5	38175		75	0	21.46
				1	0	22.25
				1	38	22.03
				1	74	22.11
				36	0	21.21
36			18	21.28		
16QAM	2577.5	37825	36	39	21.27	
			75	0	21.25	
			1	0	21.70	
			1	38	21.62	
			1	74	21.60	
			36	0	20.64	
	2595	38000	36	18	20.50	
			36	39	20.51	
			75	0	20.60	
			1	0	21.57	
			1	38	21.56	
			1	74	21.37	
	2612.5	38175	36	0	20.43	
			36	18	20.40	
			36	39	20.33	
			75	0	20.43	
			1	0	21.30	
			1	38	21.38	
			1	74	21.33	
			36	0	20.14	
			36	18	20.28	
			36	39	20.22	
			75	0	20.26	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2577.5	37825	15MHz	1	0	20.67
				1	38	20.58
				1	74	20.57
				36	0	19.54
				36	18	19.46
				36	39	19.47
	75	0		19.55		
	2595	38000		1	0	20.53
				1	38	20.54
				1	74	20.31
				36	0	19.40
				36	18	19.37
				36	39	19.24
	2612.5	38175		75	0	19.37
				1	0	20.27
				1	38	20.30
				1	74	20.31
				36	0	19.06
36			18	19.22		
256QAM	2577.5	37825	36	39	19.15	
			75	0	19.21	
			1	0	17.61	
			1	38	17.57	
			1	74	17.51	
			36	0	17.62	
	2595	38000	36	18	17.48	
			36	39	17.43	
			75	0	17.50	
			1	0	17.53	
			1	38	17.49	
			1	74	17.33	
	2612.5	38175	36	0	17.33	
			36	18	17.33	
			36	39	17.28	
			75	0	17.38	
			1	0	17.25	
			1	38	17.36	
			1	74	17.27	
			36	0	17.12	
			36	18	17.20	
			36	39	17.15	
			75	0	17.20	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2580	37850	20MHz	1	0	22.30
				1	50	22.32
				1	99	22.30
				50	0	21.47
				50	25	21.45
				50	50	21.46
	100	0		21.53		
	2595	38000		1	0	22.04
				1	50	22.01
				1	99	22.34
				50	0	21.50
				50	25	21.19
				50	50	21.02
	2610	38150		100	0	21.18
				1	0	22.05
				1	50	22.01
				1	99	22.10
				50	0	21.01
50			25	21.15		
16QAM	2580	37850	50	50	21.16	
			100	0	21.00	
			1	0	21.72	
			1	50	21.60	
			1	99	21.64	
			50	0	20.66	
	2595	38000	50	25	20.52	
			50	50	20.16	
			100	0	20.18	
			1	0	21.27	
			1	50	21.08	
			1	99	21.18	
	2610	38150	50	0	20.20	
			50	25	20.18	
			50	50	20.10	
			100	0	20.19	
			1	0	21.14	
			1	50	21.07	
			1	99	21.07	
			50	0	20.01	
			50	25	20.10	
			50	50	20.01	
			100	0	20.10	
			100	0	20.10	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2580	37850	20MHz	1	0	20.68
				1	50	20.58
				1	99	20.54
				50	0	19.61
				50	25	19.44
				50	50	19.12
	100	0		19.11		
	2595	38000		1	0	20.19
				1	50	20.01
				1	99	20.13
				50	0	19.17
				50	25	19.16
				50	50	19.08
	100	0		19.10		
	2610	38150		1	0	20.07
				1	50	20.04
				1	99	20.08
				50	0	19.04
50			25	19.01		
50			50	19.06		
256QAM	2580	37850	100	0	19.01	
			1	0	17.69	
			1	50	17.50	
			1	99	17.58	
			50	0	17.64	
			50	25	17.42	
	50	50	17.12			
	2595	38000	100	0	17.11	
			1	0	17.18	
			1	50	17.00	
			1	99	17.08	
			50	0	17.14	
			50	25	17.09	
	2610	38150	50	50	17.04	
			100	0	17.12	
			1	0	17.09	
			1	50	17.05	
			1	99	17.04	
50			0	17.04		
50	25	17.07				
50	50	17.04				
100	0	17.08				

LTE Band 38(Receiver on)

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2572.5	37775	5MHz	1	0	18.46
				1	13	18.46
				1	24	18.36
				12	0	17.56
				12	6	17.54
				12	13	17.49
	25	0		17.52		
	1	0		18.30		
	1	13		18.20		
	1	24		18.03		
	12	0		17.34		
	12	6		17.32		
	12	13		17.22		
	25	0		17.26		
	1	0		18.08		
	1	13		18.00		
	1	24		18.07		
	12	0		17.13		
12	6	17.03				
12	13	17.12				
25	0	17.00				
16QAM	2572.5	37775	1	0	17.46	
			1	13	17.39	
			1	24	17.46	
			12	0	16.53	
			12	6	16.47	
			12	13	16.45	
	25	0	16.49			
	1	0	17.23			
	1	13	17.36			
	1	24	17.31			
	12	0	16.32			
	12	6	16.26			
	12	13	16.16			
	25	0	16.34			
	1	0	17.21			
	1	13	17.22			
	1	24	17.16			
	12	0	16.40			
12	6	16.28				
12	13	16.23				
25	0	16.24				
	2617.5	38225				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2572.5	37775	5MHz	1	0	16.41
				1	13	16.43
				1	24	16.27
				12	0	15.47
				12	6	15.44
				12	13	15.43
	25	0		15.44		
	2595	38000		1	0	16.25
				1	13	16.15
				1	24	16.06
				12	0	15.30
				12	6	15.25
				12	13	15.13
	25	0		15.23		
	2617.5	38225		1	0	16.08
				1	13	16.05
				1	24	16.05
				12	0	15.06
12			6	15.01		
12			13	15.07		
25	0	15.03				
256QAM	2572.5	37775	1	0	13.38	
			1	13	13.31	
			1	24	13.37	
			12	0	13.51	
			12	6	13.42	
			12	13	13.39	
	25	0	13.47			
	2595	38000	1	0	13.19	
			1	13	13.32	
			1	24	13.27	
			12	0	13.23	
			12	6	13.22	
			12	13	13.10	
	25	0	13.28			
	2617.5	38225	1	0	13.15	
			1	13	13.16	
			1	24	13.12	
			12	0	13.32	
12			6	13.23		
12			13	13.15		
25	0	13.14				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2575	37800	10MHz	1	0	18.35
				1	25	18.43
				1	49	18.31
				25	0	17.45
				25	13	17.55
				25	25	17.43
	50	0		17.45		
	2595	38000		1	0	18.11
				1	25	18.20
				1	49	18.25
				25	0	17.32
				25	13	17.35
				25	25	17.30
	2615	38200		50	0	17.46
				1	0	18.00
				1	25	18.05
				1	49	18.12
				25	0	17.33
25			13	17.29		
16QAM	2575	37800	25	25	17.29	
			50	0	17.18	
			1	0	17.55	
			1	25	17.65	
			1	49	17.54	
			25	0	16.59	
	2595	38000	25	13	16.48	
			25	25	16.53	
			50	0	16.52	
			1	0	17.46	
			1	25	17.48	
			1	49	17.49	
	2615	38200	25	0	16.53	
			25	13	16.58	
			25	25	16.53	
			50	0	16.49	
			1	0	17.34	
			1	25	17.62	
			1	49	17.25	
			25	0	16.42	
			25	13	16.37	
			25	25	16.18	
			50	0	16.28	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2575	37800	10MHz	1	0	16.31
				1	25	16.33
				1	49	16.27
				25	0	15.41
				25	13	15.50
				25	25	15.35
	50	0		15.36		
	2595	38000		1	0	16.07
				1	25	16.11
				1	49	16.18
				25	0	15.28
				25	13	15.29
				25	25	15.22
	2615	38200		50	0	15.43
				1	0	16.06
				1	25	16.03
				1	49	16.10
				25	0	15.31
25			13	15.19		
256QAM	2575	37800	25	25	15.24	
			50	0	15.11	
			1	0	13.51	
			1	25	13.59	
			1	49	13.49	
			25	0	13.56	
	2595	38000	25	13	13.46	
			25	25	13.49	
			50	0	13.46	
			1	0	13.41	
			1	25	13.39	
			1	49	13.47	
	2615	38200	25	0	13.50	
			25	13	13.48	
			25	25	13.48	
			50	0	13.44	
			1	0	13.26	
			1	25	13.55	
			1	49	13.23	
			25	0	13.38	
			25	13	13.29	
			25	25	13.08	
			50	0	13.24	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2577.5	37825	15MHz	1	0	18.53
				1	38	18.34
				1	74	18.46
				36	0	17.58
				36	18	17.48
				36	39	17.44
	75	0		17.47		
	2595	38000		1	0	18.28
				1	38	18.25
				1	74	18.24
				36	0	17.28
				36	18	17.44
				36	39	17.28
	2612.5	38175		75	0	17.41
				1	0	18.30
				1	38	18.03
				1	74	18.06
				36	0	17.17
36			18	17.30		
16QAM	2577.5	37825	36	39	17.32	
			75	0	17.25	
			1	0	17.67	
			1	38	17.67	
			1	74	17.55	
			36	0	16.64	
	2595	38000	36	18	16.46	
			36	39	16.56	
			75	0	16.62	
			1	0	17.57	
			1	38	17.57	
			1	74	17.38	
	2612.5	38175	36	0	16.47	
			36	18	16.41	
			36	39	16.28	
			75	0	16.44	
			1	0	17.29	
			1	38	17.34	
			1	74	17.38	
			36	0	16.18	
			36	18	16.25	
			36	39	16.26	
			75	0	16.22	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2577.5	37825	15MHz	1	0	16.47
				1	38	16.24
				1	74	16.36
				36	0	15.52
				36	18	15.44
				36	39	15.42
	75	0		15.43		
	2595	38000		1	0	16.20
				1	38	16.23
				1	74	16.16
				36	0	15.22
				36	18	15.35
				36	39	15.23
	2612.5	38175		75	0	15.36
				1	0	16.25
				1	38	16.09
				1	74	16.02
				36	0	15.14
36			18	15.23		
256QAM	2577.5	37825	36	39	15.24	
			75	0	15.21	
			1	0	13.64	
			1	38	13.59	
			1	74	13.47	
			36	0	13.62	
	2595	38000	36	18	13.39	
			36	39	13.53	
			75	0	13.58	
			1	0	13.49	
			1	38	13.47	
			1	74	13.30	
	2612.5	38175	36	0	13.43	
			36	18	13.36	
			36	39	13.22	
			75	0	13.36	
			1	0	13.20	
			1	38	13.25	
		1	74	13.32		
		36	0	13.10		
		36	18	13.15		
		36	39	13.19		
		75	0	13.16		

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2580	37850	20MHz	1	0	18.32
				1	50	18.29
				1	99	18.33
				50	0	17.58
				50	25	17.56
				50	50	17.48
	100	0		17.51		
	2595	38000		1	0	18.00
				1	50	18.05
				1	99	18.34
				50	0	17.59
				50	25	17.15
				50	50	17.04
	2610	38150		100	0	17.17
				1	0	18.10
				1	50	18.06
				1	99	18.20
				50	0	17.04
50			25	17.17		
16QAM	2580	37850	50	50	17.21	
			100	0	17.03	
			1	0	17.75	
			1	50	17.63	
			1	99	17.68	
			50	0	16.71	
	2595	38000	50	25	16.56	
			50	50	16.11	
			100	0	16.13	
			1	0	17.25	
			1	50	17.05	
			1	99	17.21	
	2610	38150	50	0	16.17	
			50	25	16.17	
			50	50	16.09	
			100	0	16.23	
			1	0	17.13	
			1	50	17.05	
			1	99	17.12	
			50	0	16.05	
			50	25	16.09	
			50	50	16.05	
			100	0	16.11	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2580	37850	20MHz	1	0	16.25
				1	50	16.23
				1	99	16.29
				50	0	15.50
				50	25	15.52
				50	50	15.45
	100	0		15.42		
	2595	38000		1	0	16.08
				1	50	16.05
				1	99	16.24
				50	0	15.50
				50	25	15.05
				50	50	15.02
	100	0		15.14		
	2610	38150		1	0	16.08
				1	50	16.01
				1	99	16.13
				50	0	15.07
50			25	15.11		
50			50	15.16		
256QAM	2580	37850	100	0	15.06	
			1	0	13.67	
			1	50	13.59	
			1	99	13.58	
			50	0	13.65	
			50	25	13.46	
	50	50	13.01			
	2595	38000	100	0	13.10	
			1	0	13.15	
			1	50	13.03	
			1	99	13.13	
			50	0	13.08	
			50	25	13.09	
	50	50	13.06			
	2610	38150	100	0	13.16	
			1	0	13.11	
			1	50	13.01	
			1	99	13.06	
50			0	13.08		
50			25	13.05		
50	50	13.02				
100	0	13.05				

LTE Band 41(Receiver off)

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2498.5	39675	5MHz	1	0	23.06
				1	13	23.07
				1	24	22.96
				12	0	22.20
				12	6	22.26
				12	13	22.08
				25	0	22.19
	2545.8	40148		1	0	22.97
				1	13	22.97
				1	24	22.91
				12	0	22.15
				12	6	22.19
				12	13	22.02
				25	0	22.11
	2593	40620		1	0	23.06
				1	13	23.02
				1	24	22.97
				12	0	22.21
				12	6	22.27
				12	13	22.12
				25	0	22.17
	2640.3	41093		1	0	22.88
				1	13	22.92
				1	24	22.84
12			0	22.08		
12			6	22.12		
12			13	21.94		
25			0	22.04		
2687.5	41565	1	0	22.90		
		1	13	22.90		
		1	24	22.86		
		12	0	22.09		
		12	6	22.11		
		12	13	21.96		
		25	0	22.06		
16QAM	2498.5	39675	1	0	22.29	
			1	13	22.35	
			1	24	22.33	
			12	0	21.09	
			12	6	21.27	
	2545.8	40148	12	13	21.04	
			25	0	21.29	
			1	0	22.24	
			1	13	22.29	
			1	24	22.28	
12	0	21.00				
12	6	21.20				
12	13	20.98				

	2593	40620	25	0	21.20
			1	0	22.32
			1	13	22.35
			1	24	22.33
			12	0	21.08
			12	6	21.25
	12	13	21.05		
	25	0	21.25		
	2640.3	41093	1	0	22.17
			1	13	22.20
			1	24	22.22
			12	0	20.93
			12	6	21.10
			12	13	20.89
	2687.5	41565	25	0	21.12
			1	0	22.17
			1	13	22.22
			1	24	22.22
12			0	20.92	
12			6	21.14	
12	13	20.92			
25	0	21.11			

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2498.5	39675	5MHz	1	0	21.00
				1	13	21.03
				1	24	20.88
				12	0	20.18
				12	6	20.20
				12	13	19.99
	25	0		20.17		
	2545.8	40148		1	0	20.91
				1	13	20.87
				1	24	20.85
				12	0	20.09
				12	6	20.13
				12	13	19.95
	2593	40620		25	0	20.03
				1	0	20.99
				1	13	20.92
				1	24	20.93
				12	0	20.15
				12	6	20.18
	12	13		20.02		
	25	0		20.10		
	2640.3	41093		1	0	20.82
				1	13	20.82
				1	24	20.82
12			0	19.98		
12			6	20.04		

	2687.5	41565	12	13	19.84			
			25	0	19.95			
			1	0	20.82			
			1	13	20.81			
			1	24	20.79			
			12	0	20.04			
			12	6	20.07			
			12	13	19.87			
			25	0	20.04			
			1	0	18.23			
			1	13	18.30			
				2498.5	39675	1	24	18.25
12	0	18.05						
12	6	18.19						
12	13	18.00						
25	0	18.27						
1	0	18.15						
1	13	18.25						
1	24	18.21						
12	0	17.91						
12	6	18.15						
12	13	17.92						
	2545.8	40148				25	0	18.10
			1	0	18.29			
			1	13	18.25			
			1	24	18.24			
			12	0	18.02			
			12	6	18.20			
			12	13	18.00			
			25	0	18.15			
			1	0	18.09			
			1	13	18.16			
			1	24	18.19			
				2593	40620	12	0	17.86
12	6	18.08						
12	13	17.82						
25	0	18.08						
1	0	18.15						
1	13	18.19						
1	24	18.20						
12	0	17.82						
12	6	18.10						
12	13	17.82						
25	0	18.07						
	2640.3	41093				12	13	17.82
			25	0	18.08			
			1	0	18.15			
			1	13	18.19			
			1	24	18.20			
			12	0	17.82			
			12	6	18.10			
			12	13	17.82			
			25	0	18.07			
				2687.5	41565	12	13	17.82
						25	0	18.07

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2501	39700	10MHz	1	0	23.18
				1	25	23.09
				1	49	23.13
				25	0	22.41

	2547	40160	25	13	22.39
			25	25	22.49
			50	0	22.49
			1	0	23.14
			1	25	23.19
			1	49	23.16
			25	0	22.24
			25	13	22.33
			25	25	22.16
			50	0	22.20
	2593	40620	1	0	23.21
			1	25	23.15
			1	49	23.16
			25	0	22.32
			25	13	22.43
			25	25	22.26
			50	0	22.30
			1	0	23.09
			1	25	23.10
			1	49	23.09
2638	41080	25	0	22.14	
		25	13	22.26	
		25	25	22.10	
		50	0	22.12	
		1	0	23.04	
		1	25	23.13	
		1	49	23.10	
		25	0	22.18	
		25	13	22.27	
		25	25	22.10	
2685	41540	50	0	22.14	
		1	0	22.58	
		1	25	22.20	
		1	49	22.52	
		25	0	21.54	
		25	13	21.43	
		25	25	21.50	
		50	0	21.46	
		1	0	22.39	
		1	25	22.16	
16QAM	2547	40160	1	49	22.25
			25	0	21.36
			25	13	21.31
			25	25	21.32
			50	0	21.33
			1	0	22.47
			1	25	22.24
			1	49	22.35
			25	0	21.41
			25	13	21.36
2593	40620	25	25	21.37	

	2638	41080		50	0	21.41
				1	0	22.30
				1	25	22.06
				1	49	22.16
				25	0	21.31
				25	13	21.22
				25	25	21.26
	2685	41540		50	0	21.27
				1	0	22.32
				1	25	22.11
				1	49	22.17
				25	0	21.26
				25	13	21.26
				25	25	21.25
			50	0	21.24	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2501	39700	10MHz	1	0	21.15
				1	25	20.99
				1	49	21.07
				25	0	20.38
				25	13	20.37
				25	25	20.41
				50	0	20.40
	2547	40160		1	0	21.12
				1	25	21.17
				1	49	21.11
				25	0	20.20
				25	13	20.27
				25	25	20.10
				50	0	20.11
	2593	40620		1	0	21.11
				1	25	21.11
				1	49	21.06
				25	0	20.26
				25	13	20.41
				25	25	20.23
				50	0	20.28
	2638	41080		1	0	21.07
				1	25	21.08
				1	49	20.99
				25	0	20.05
				25	13	20.18
				25	25	20.04
				50	0	20.06
2685	41540	1	0	21.00		
		1	25	21.06		
		1	49	21.08		
		25	0	20.12		
		25	13	20.19		

				25	25	20.04	
				50	0	20.05	
256QAM	2501	39700		1	0	18.54	
				1	25	18.13	
				1	49	18.50	
				25	0	18.51	
				25	13	18.33	
				25	25	18.48	
				50	0	18.36	
				1	0	18.33	
	2547	40160			1	25	18.11
					1	49	18.19
					25	0	18.27
					25	13	18.23
					25	25	18.25
					50	0	18.28
					1	0	18.45
					1	25	18.20
	2593	40620			1	49	18.29
					25	0	18.37
					25	13	18.33
					25	25	18.33
					50	0	18.34
					1	0	18.21
					1	25	18.02
					1	49	18.06
	2638	41080			25	0	18.25
					25	13	18.16
					25	25	18.16
					50	0	18.25
1			0		18.27		
1			25		18.06		
1			49		18.14		
25			0		18.19		
2685	41540		25	13	18.23		
			25	25	18.22		
			50	0	18.19		

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2503.5	39725	15MHz	1	0	23.09
				1	38	23.04
				1	74	23.13
				36	0	22.28
				36	18	22.35
				36	39	22.09
	2548.3	40173		75	0	22.31
				1	0	23.01
				1	38	22.96
				1	74	23.07
				36	0	22.20

			36	18	22.25
			36	39	22.04
			75	0	22.25
			1	0	23.08
			1	38	23.01
			1	74	23.14
			36	0	22.29
			36	18	22.34
			36	39	22.09
			75	0	22.33
			1	0	22.96
			1	38	22.86
			1	74	23.01
			36	0	22.11
			36	18	22.15
36	39	21.97			
75	0	22.15			
			1	0	22.91
			1	38	22.91
			1	74	23.02
			36	0	22.11
			36	18	22.19
			36	39	21.98
			75	0	22.20
			1	0	22.49
			1	38	22.29
			1	74	22.15
			36	0	21.34
			36	18	21.30
			36	39	21.28
			75	0	21.24
1	38	22.24			
1	74	22.07			
36	0	21.24			
36	18	21.24			
36	39	21.22			
75	0	21.16			
1	0	22.54			
1	38	22.29			
1	74	22.16			
36	0	21.31			
36	18	21.31			
36	39	21.31			
75	0	21.23			
			1	38	22.16
			1	74	21.97
			36	0	21.14
			36	18	21.18
			36	39	21.15

	2682.5	41515		75	0	21.11
				1	0	22.37
				1	38	22.16
				1	74	22.00
				36	0	21.19
				36	18	21.18
				36	39	21.17
				75	0	21.11

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2503.5	39750	15MHz	1	0	21.05
				1	38	20.95
				1	74	21.03
				36	0	20.21
				36	18	20.30
				36	39	20.03
				75	0	20.24
	2548.3	40185		1	0	20.92
				1	38	20.94
				1	74	21.02
				36	0	20.14
				36	18	20.21
				36	39	20.00
				75	0	20.17
	2593	40620		1	0	21.02
				1	38	20.94
				1	74	21.11
				36	0	20.23
				36	18	20.29
				36	39	20.05
				75	0	20.25
	2637.8	41055		1	0	20.94
				1	38	20.83
				1	74	20.98
				36	0	20.05
				36	18	20.12
				36	39	19.95
				75	0	20.11
	2682.5	41490		1	0	20.82
				1	38	20.89
				1	74	20.98
				36	0	20.03
				36	18	20.09
				36	39	19.91
				75	0	20.16
	256QAM	2503.5		39750	1	0
1			38		18.19	
1			74		18.13	
36			0		18.28	
36			18		18.27	

	2548.3	40185	36	39	18.24
			75	0	18.14
			1	0	18.38
			1	38	18.16
			1	74	18.02
			36	0	18.18
			36	18	18.20
			36	39	18.19
			75	0	18.08
	2593	40620	1	0	18.45
			1	38	18.27
			1	74	18.11
			36	0	18.27
			36	18	18.26
			36	39	18.26
			75	0	18.21
			1	0	18.31
			1	38	18.09
	2637.8	41055	1	74	17.95
			36	0	18.07
			36	18	18.11
36			39	18.09	
75			0	18.07	
1			0	18.34	
1			38	18.09	
1			74	17.90	
36			0	18.15	
2682.5	41490	36	18	18.09	
		36	39	18.15	
		75	0	18.06	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2506	39750	20MHz	1	0	22.87
				1	50	22.99
				1	99	23.07
				50	0	22.06
				50	25	22.01
				50	50	21.86
				100	0	21.86
				1	0	22.82
				1	50	22.94
	1	99		23.02		
	2549.5	40185		50	0	21.98
				50	25	21.96
				50	50	21.79
				100	0	21.78
				1	0	22.91
				1	50	23.04
				1	99	23.20
				50	0	22.07
2593			40620	1	0	22.91
	1	50		23.04		
	1	99		23.20		

	2636.5	41055	50	25	22.04			
			50	50	21.86			
			100	0	21.86			
			1	0	22.72			
			1	50	22.89			
			1	99	22.95			
			50	0	21.93			
			50	25	21.91			
			50	50	21.71			
			100	0	21.70			
			1	0	22.89			
			1	50	22.95			
			1	99	22.96			
			50	0	21.90			
	2680	41490	50	25	21.74			
			50	50	21.71			
			100	0	21.89			
			1	0	22.05			
			1	50	21.90			
			1	99	21.95			
			50	0	20.84			
			50	25	20.98			
			50	50	20.86			
			100	0	20.89			
			1	0	21.99			
			1	50	21.80			
			1	99	21.89			
			50	0	20.78			
16QAM	2549.5	40185	50	25	20.89			
			50	50	20.81			
			100	0	20.83			
			1	0	22.04			
			1	50	21.89			
			1	99	21.99			
			50	0	20.85			
			50	25	20.94			
			50	50	20.86			
			100	0	20.93			
			1	0	21.94			
			1	50	21.72			
			1	99	21.81			
			50	0	20.73			
	2593	40620	50	25	20.83			
			50	50	20.74			
			100	0	20.75			
			1	0	21.72			
			1	50	21.80			
			1	99	21.68			
			50	0	20.79			
			50	25	20.73			
			50	50	20.74			
				2636.5	41055	100	0	20.75
						1	0	21.72
						1	50	21.80
						1	99	21.68
						50	0	20.79
50	25	20.73						
50	50	20.74						
	2680	41490				100	0	20.75
						1	0	21.72
						1	50	21.80
						1	99	21.68
						50	0	20.79
						50	25	20.73
						50	50	20.74

				100	0	20.94
--	--	--	--	-----	---	-------

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2506	39750	20MHz	1	0	20.81
				1	50	20.91
				1	99	21.03
				50	0	19.97
				50	25	19.91
				50	50	19.83
				100	0	19.76
	2549.5	40185		1	0	20.73
				1	50	20.84
				1	99	20.92
				50	0	19.88
				50	25	19.88
				50	50	19.69
				100	0	19.75
	2593	40620		1	0	20.84
				1	50	20.94
				1	99	21.18
				50	0	19.98
				50	25	19.96
				50	50	19.77
				100	0	19.79
	2636.5	41055		1	0	20.69
				1	50	20.79
				1	99	20.93
				50	0	19.84
				50	25	19.82
				50	50	19.63
				100	0	19.62
2680	41490	1	0	20.87		
		1	50	20.86		
		1	99	20.88		
		50	0	19.86		
		50	25	19.68		
		50	50	19.63		
		100	0	19.85		
256QAM	2506	39750	1	0	18.01	
			1	50	17.85	
			1	99	17.86	
			50	0	17.81	
			50	25	17.93	
			50	50	17.82	
			100	0	17.79	
	2549.5	40185	1	0	17.93	
			1	50	17.78	
			1	99	17.82	
			50	0	17.68	
			50	25	17.82	

	2593	40620	50	50	17.76
			100	0	17.75
			1	0	18.01
			1	50	17.86
			1	99	17.95
			50	0	17.77
			50	25	17.85
			50	50	17.81
			100	0	17.88
			1	0	17.86
	2636.5	41055	1	50	17.63
			1	99	17.76
			50	0	17.71
			50	25	17.76
			50	50	17.66
			100	0	17.70
			1	0	17.68
			1	50	17.76
	2680	41490	1	99	17.59
			50	0	17.75
50			25	17.69	
50			50	17.68	
100			0	17.87	

LTE Band 41(Receiver on)

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2498.5	39675	5MHz	1	0	19.04
				1	13	19.07
				1	24	18.96
				12	0	18.21
				12	6	18.29
				12	13	18.08
				25	0	18.22
	2545.8	40148		1	0	19.00
				1	13	18.99
				1	24	18.96
				12	0	18.13
				12	6	18.23
				12	13	18.06
				25	0	18.13
	2593	40620		1	0	19.11
				1	13	19.00
				1	24	18.97
				12	0	18.20
				12	6	18.32
				12	13	18.12
				25	0	18.16
	2640.3	41093		1	0	18.91
				1	13	18.88
				1	24	18.87
12			0	18.13		
12			6	18.07		
12			13	17.96		
25			0	18.04		
2687.5	41565	1	0	18.89		
		1	13	18.88		
		1	24	18.87		
		12	0	18.13		
		12	6	18.13		
		12	13	17.98		
		25	0	18.05		
16QAM	2498.5	39675	1	0	18.31	
			1	13	18.36	
			1	24	18.35	
			12	0	17.04	
			12	6	17.23	
			12	13	17.09	
			25	0	17.27	
	2545.8	40148	1	0	18.26	
			1	13	18.32	
			1	24	18.31	
			12	0	17.02	
			12	6	17.23	
			12	13	16.97	

	2593	40620		25	0	17.19
				1	0	18.30
				1	13	18.35
				1	24	18.36
				12	0	17.07
				12	6	17.29
				12	13	17.08
	25	0		17.28		
	1	0		18.12		
	1	13		18.16		
	1	24		18.25		
	12	0		16.90		
	12	6		17.14		
	12	13		16.91		
	25	0		17.15		
2687.5	41565		1	0	18.19	
			1	13	18.25	
			1	24	18.21	
			12	0	16.89	
			12	6	17.13	
			12	13	16.91	
			25	0	17.10	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)	
64QAM	2498.5	39675	5MHz	1	0	17.00	
				1	13	16.97	
				1	24	16.87	
				12	0	16.17	
				12	6	16.26	
				12	13	16.06	
				25	0	16.13	
	1	0		16.90			
	1	13		16.97			
	1	24		16.92			
	12	0		16.06			
	12	6		16.15			
	12	13		16.00			
	25	0		16.05			
	1	0		17.06			
	1	13		16.92			
	1	24		16.92			
	12	0		16.16			
	12	6		16.22			
	12	13		16.03			
	25	0		16.12			
	2593	40620			1	0	16.82
					1	13	16.80
					1	24	16.77
12			0		16.11		
12			6		16.02		
2640.3	41093		1	0	16.82		
			1	13	16.80		
			1	24	16.77		
			12	0	16.11		
			12	6	16.02		

	2687.5	41565	12	13	15.91
			25	0	15.97
			1	0	16.84
			1	13	16.78
			1	24	16.82
			12	0	16.07
			12	6	16.07
			12	13	15.90
			25	0	16.01
			1	0	14.27
				2498.5	39675
1	24	14.31			
12	0	13.99			
12	6	14.20			
12	13	14.03			
25	0	14.19			
1	0	14.20			
1	13	14.27			
1	24	14.22			
12	0	13.96			
	2545.8	40148			
			12	13	13.90
			25	0	14.10
			1	0	14.22
			1	13	14.33
			1	24	14.32
			12	0	14.02
			12	6	14.26
			12	13	14.04
			25	0	14.20
				2593	40620
1	13	14.12			
1	24	14.19			
12	0	13.84			
12	6	14.07			
12	13	13.89			
25	0	14.13			
1	0	14.14			
1	13	14.19			
1	24	14.12			
	2640.3	41093			
			12	6	14.08
			12	13	13.83
			25	0	14.07
			1	0	14.14
			1	13	14.19
			1	24	14.12
			12	0	13.85
			12	6	14.08
			12	13	13.83
				2687.5	41565

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2501	39700	10MHz	1	0	19.23
				1	25	19.12
				1	49	19.12
				25	0	18.43

	2547	40160	25	13	18.38
			25	25	18.54
			50	0	18.53
			1	0	19.12
			1	25	19.19
			1	49	19.15
			25	0	18.19
			25	13	18.31
			25	25	18.12
			50	0	18.22
	2593	40620	1	0	19.22
			1	25	19.12
			1	49	19.18
			25	0	18.33
			25	13	18.46
			25	25	18.23
			50	0	18.25
			1	0	19.13
			1	25	19.07
			1	49	19.12
2638	41080	25	0	18.12	
		25	13	18.26	
		25	25	18.14	
		50	0	18.16	
		1	0	19.03	
		1	25	19.11	
		1	49	19.12	
		25	0	18.13	
		25	13	18.24	
		25	25	18.13	
2685	41540	50	0	18.12	
		1	0	18.57	
		1	25	18.25	
		1	49	18.55	
		25	0	17.50	
		25	13	17.48	
		25	25	17.46	
		50	0	17.45	
		1	0	18.42	
		1	25	18.15	
16QAM	2547	40160	1	49	18.20
			25	0	17.33
			25	13	17.31
			25	25	17.36
			50	0	17.36
			1	0	18.45
			1	25	18.26
			1	49	18.34
			25	0	17.37
			25	13	17.32
	2593	40620	25	25	17.34

	2638	41080		50	0	17.37
				1	0	18.29
				1	25	18.01
				1	49	18.15
				25	0	17.26
				25	13	17.20
				25	25	17.30
	2685	41540		50	0	17.26
				1	0	18.36
				1	25	18.09
				1	49	18.16
				25	0	17.29
				25	13	17.24
				25	25	17.30
			50	0	17.22	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2501	39700	10MHz	1	0	17.13
				1	25	17.08
				1	49	17.09
				25	0	16.38
				25	13	16.30
				25	25	16.50
				50	0	16.50
	2547	40160		1	0	17.03
				1	25	17.12
				1	49	17.11
				25	0	16.12
				25	13	16.24
				25	25	16.10
				50	0	16.16
	2593	40620		1	0	17.16
				1	25	17.04
				1	49	17.13
				25	0	16.26
				25	13	16.37
				25	25	16.14
				50	0	16.20
	2638	41080		1	0	17.08
				1	25	17.01
				1	49	17.08
				25	0	16.07
				25	13	16.18
				25	25	16.06
				50	0	16.12
	2685	41540		1	0	16.94
				1	25	17.05
				1	49	17.09
				25	0	16.07
25			13	16.21		

				25	25	16.08	
				50	0	16.04	
256QAM	2501	39700		1	0	14.50	
				1	25	14.18	
				1	49	14.46	
				25	0	14.45	
				25	13	14.44	
				25	25	14.37	
				50	0	14.38	
				1	0	14.34	
	2547	40160			1	25	14.09
					1	49	14.14
					25	0	14.23
					25	13	14.26
					25	25	14.28
					50	0	14.31
					1	0	14.43
					1	25	14.23
	2593	40620			1	49	14.24
					25	0	14.35
					25	13	14.23
					25	25	14.32
					50	0	14.33
					1	0	14.26
					1	25	13.98
					1	49	14.08
	2638	41080			25	0	14.22
					25	13	14.13
					25	25	14.23
					50	0	14.20
1			0		14.27		
1			25		13.99		
1			49		14.09		
25			0		14.27		
2685	41540		25	13	14.17		
			25	25	14.23		
			50	0	14.20		

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	2503.5	39725	15MHz	1	0	19.09
				1	38	19.04
				1	74	19.14
				36	0	18.26
				36	18	18.36
				36	39	18.05
	2548.3	40173		75	0	18.36
				1	0	18.98
				1	38	19.00
				1	74	19.03
				36	0	18.18

			36	18	18.25			
			36	39	18.07			
			75	0	18.23			
			1	0	19.11			
			1	38	18.96			
			1	74	19.09			
			36	0	18.33			
			36	18	18.36			
			36	39	18.10			
			75	0	18.36			
			1	0	18.98			
			1	38	18.83			
			1	74	18.97			
			36	0	18.07			
			36	18	18.10			
36	39	18.02						
			75	0	18.10			
			1	0	18.94			
			1	38	18.91			
			1	74	19.00			
			36	0	18.13			
			36	18	18.17			
			36	39	17.96			
			75	0	18.19			
			1	0	18.45			
			1	38	18.29			
			1	74	18.15			
			36	0	17.31			
			36	18	17.30			
			36	39	17.28			
			16QAM			75	0	17.28
1	0	18.39						
1	38	18.20						
1	74	18.05						
36	0	17.23						
36	18	17.28						
36	39	17.20						
75	0	17.17						
1	0	18.49						
1	38	18.32						
1	74	18.20						
36	0	17.33						
36	18	17.35						
36	39	17.29						
						75	0	17.25
			1	0	18.32			
			1	38	18.21			
			1	74	17.93			
			36	0	17.16			
			36	18	17.17			
			36	39	17.20			
						36	39	17.20

	2682.5	41515		75	0	17.07
				1	0	18.37
				1	38	18.13
				1	74	17.95
				36	0	17.24
				36	18	17.19
				36	39	17.19
				75	0	17.06

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2503.5	39750	15MHz	1	0	17.03
				1	38	17.01
				1	74	17.12
				36	0	16.22
				36	18	16.34
				36	39	16.00
				75	0	16.34
	2548.3	40185		1	0	16.94
				1	38	16.98
				1	74	16.94
				36	0	16.13
				36	18	16.15
				36	39	16.05
				75	0	16.13
	2593	40620		1	0	17.07
				1	38	16.91
				1	74	17.00
				36	0	16.27
				36	18	16.31
				36	39	16.02
				75	0	16.34
	2637.8	41055		1	0	16.88
				1	38	16.75
				1	74	16.88
				36	0	15.98
				36	18	16.00
				36	39	15.95
				75	0	16.07
	2682.5	41490		1	0	16.89
				1	38	16.83
				1	74	16.92
				36	0	16.05
				36	18	16.12
				36	39	15.90
				75	0	16.09
	256QAM	2503.5		39750	1	0
1			38		14.19	
1			74		14.12	
36			0		14.23	
36			18		14.24	

	2548.3	40185	36	39	14.22
			75	0	14.25
			1	0	14.33
			1	38	14.17
			1	74	13.95
			36	0	14.21
			36	18	14.24
			36	39	14.17
			75	0	14.14
	2593	40620	1	0	14.39
			1	38	14.26
			1	74	14.16
			36	0	14.31
			36	18	14.29
			36	39	14.19
			75	0	14.21
			1	0	14.26
			1	38	14.18
	2637.8	41055	1	74	13.88
			36	0	14.11
			36	18	14.10
36			39	14.15	
75			0	14.02	
1			0	14.33	
1			38	14.03	
1			74	13.92	
36			0	14.14	
2682.5	41490	36	18	14.15	
		36	39	14.16	
		75	0	14.03	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)		
QPSK	2506	39750	20MHz	1	0	18.88		
				1	50	19.01		
				1	99	19.02		
				50	0	18.03		
				50	25	18.01		
				50	50	17.81		
				100	0	17.90		
				1	0	18.78		
				1	50	18.90		
	2549.5	40185		1	99	19.01		
				50	0	17.94		
				50	25	17.94		
				50	50	17.83		
				100	0	17.83		
				2593	40620	1	0	18.96
						1	50	19.02
						1	99	19.20
						50	0	18.10

	2636.5	41055	50	25	18.09			
			50	50	17.81			
			100	0	17.91			
			1	0	18.70			
			1	50	18.86			
			1	99	19.00			
			50	0	17.92			
			50	25	17.87			
			50	50	17.76			
			100	0	17.68			
			1	0	18.84			
			1	50	18.93			
			1	99	18.95			
			50	0	17.86			
	2680	41490	50	25	17.78			
			50	50	17.67			
			100	0	17.87			
			1	0	18.08			
			1	50	17.95			
			1	99	17.99			
			50	0	16.79			
			50	25	17.02			
			50	50	16.89			
			100	0	16.94			
			1	0	17.97			
			1	50	17.77			
			1	99	17.90			
			50	0	16.79			
16QAM	2549.5	40185	50	25	16.90			
			50	50	16.79			
			100	0	16.86			
			1	0	18.04			
			1	50	17.87			
			1	99	17.94			
			50	0	16.82			
			50	25	16.96			
			50	50	16.87			
			100	0	16.90			
			1	0	17.99			
			1	50	17.67			
			1	99	17.81			
			50	0	16.71			
	2593	40620	50	25	16.81			
			50	50	16.73			
			100	0	16.74			
			1	0	17.71			
			1	50	17.79			
			1	99	17.63			
			50	0	16.75			
			50	25	16.78			
			50	50	16.76			
				2636.5	41055	50	25	16.74
						50	50	16.74
						100	0	16.74
						1	0	17.71
						1	50	17.79
1	99	17.63						
50	0	16.75						
50	25	16.78						
50	50	16.76						
	2680	41490				50	25	16.78
						50	50	16.78
						100	0	16.74
						1	0	17.71
						1	50	17.79
			1	99	17.63			
			50	0	16.75			
			50	25	16.78			
			50	50	16.76			

				100	0	16.92
--	--	--	--	-----	---	-------

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	2506	39750	20MHz	1	0	16.80
				1	50	16.96
				1	99	17.00
				50	0	15.99
				50	25	15.93
				50	50	15.71
				100	0	15.83
	2549.5	40185		1	0	16.76
				1	50	16.83
				1	99	16.95
				50	0	15.91
				50	25	15.87
				50	50	15.78
				100	0	15.81
	2593	40620		1	0	16.94
				1	50	16.95
				1	99	17.11
				50	0	16.03
				50	25	16.00
				50	50	15.79
				100	0	15.83
	2636.5	41055		1	0	16.67
				1	50	16.81
				1	99	16.94
				50	0	15.83
				50	25	15.84
				50	50	15.67
				100	0	15.60
	2680	41490		1	0	16.77
				1	50	16.89
				1	99	16.90
				50	0	15.79
				50	25	15.75
				50	50	15.59
				100	0	15.83
	256QAM	2506		39750	1	0
1			50		13.85	
1			99		13.94	
50			0		13.75	
50			25		13.97	
50			50		13.79	
100			0		13.91	
2549.5		40185	1	0	13.90	
			1	50	13.68	
			1	99	13.80	
			50	0	13.72	
			50	25	13.84	

	2593	40620	50	50	13.72
			100	0	13.82
			1	0	13.99
			1	50	13.85
			1	99	13.92
			50	0	13.80
			50	25	13.89
			50	50	13.84
			100	0	13.88
			1	0	13.90
	2636.5	41055	1	50	13.61
			1	99	13.77
			50	0	13.67
			50	25	13.78
			50	50	13.67
			100	0	13.70
			1	0	13.62
			1	50	13.70
	2680	41490	1	99	13.56
			50	0	13.66
50			25	13.69	
50			50	13.66	
100			0	13.86	

LTE Band 66

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1710.7	131979	1.4MHz	1	0	22.35
				1	2	22.33
				1	5	22.44
				3	0	22.41
				3	2	22.40
				3	3	22.49
	6	0		21.50		
	1	0		22.34		
	1	2		22.58		
	1	5		22.35		
	3	0		22.45		
	3	2		22.49		
	3	3		22.50		
	6	0		21.56		
	1	0		22.44		
	1	2		22.57		
	1	5		22.51		
	3	0		22.52		
3	2	22.57				
3	3	22.48				
6	0	21.67				
16QAM	1710.7	131979	1	0	21.72	
			1	2	21.81	
			1	5	21.91	
			3	0	21.54	
			3	2	21.65	
			3	3	21.45	
	6	0	20.70			
	1	0	21.90			
	1	2	21.74			
	1	5	22.04			
	3	0	21.57			
	3	2	21.51			
	3	3	21.63			
	6	0	20.76			
	1	0	21.74			
	1	2	22.06			
	1	5	21.78			
	3	0	21.65			
3	2	21.74				
3	3	21.54				
6	0	20.98				
1779.3	132665	1	0	21.74		
		1	2	22.06		
		1	5	21.78		
		3	0	21.65		
		3	2	21.74		
		3	3	21.54		
6	0	20.98				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1710.7	131979	1.4MHz	1	0	20.28
				1	2	20.26
				1	5	20.41
				3	0	20.33
				3	2	20.30
				3	3	20.41
	6	0		19.45		
	1745	132322		1	0	20.32
				1	2	20.46
				1	5	20.27
				3	0	20.43
				3	2	20.41
				3	3	20.48
	6	0		19.47		
	1779.3	132665		1	0	20.39
				1	2	20.45
				1	5	20.48
				3	0	20.44
3			2	20.44		
3			3	20.42		
256QAM	1710.7	131979	6	0	19.64	
			1	0	17.67	
			1	2	17.79	
			1	5	17.84	
			3	0	17.50	
			3	2	17.63	
	3	3	17.42			
	1745	132322	6	0	17.63	
			1	0	17.81	
			1	2	17.70	
			1	5	18.02	
			3	0	17.55	
			3	2	17.43	
	3	3	17.58			
	1779.3	132665	6	0	17.69	
			1	0	17.71	
			1	2	17.96	
			1	5	17.71	
3			0	17.61		
3			2	17.64		
3	3	17.52				
6	0	17.96				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1711.5	131987	3MHz	1	0	22.69
				1	7	22.79
				1	14	22.52
				8	0	21.70
				8	4	21.76
				8	7	21.74
	15	0		21.80		
	1745	132322		1	0	22.73
				1	7	22.74
				1	14	22.62
				8	0	21.69
				8	4	21.83
				8	7	21.70
	1778.5	132657		15	0	21.72
				1	0	22.80
1			7	22.66		
1			14	22.83		
8			0	21.78		
8			4	21.87		
16QAM	1711.5	131987	8	7	21.84	
			15	0	21.93	
			1	0	21.49	
			1	7	21.92	
			1	14	22.16	
			8	0	20.58	
	1745	132322	8	4	20.91	
			8	7	20.89	
			15	0	20.79	
			1	0	22.22	
			1	7	21.73	
			1	14	21.79	
	1778.5	132657	8	0	20.73	
			8	4	21.05	
			8	7	21.05	
15			0	20.90		
1			0	22.46		
1			7	21.98		
			1	14	21.90	
			8	0	20.92	
			8	4	20.78	
			8	7	20.68	
			15	0	21.02	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1711.5	131987	3MHz	1	0	20.64
				1	7	20.76
				1	14	20.50
				8	0	19.64
				8	4	19.69
				8	7	19.66
	15	0		19.77		
	1745	132322		1	0	20.66
				1	7	20.69
				1	14	20.52
				8	0	19.67
				8	4	19.74
				8	7	19.63
	1778.5	132657		15	0	19.65
				1	0	20.76
1			7	20.59		
1			14	20.73		
8			0	19.71		
8			4	19.83		
256QAM	1711.5	131987	8	7	19.80	
			15	0	19.90	
			1	0	17.41	
			1	7	17.86	
			1	14	18.12	
			8	0	17.50	
	1745	132322	8	4	17.89	
			8	7	17.86	
			15	0	17.71	
			1	0	18.13	
			1	7	17.66	
			1	14	17.70	
	1778.5	132657	8	0	17.66	
			8	4	18.03	
			8	7	18.03	
15			0	17.80		
1			0	18.42		
1			7	17.92		
			1	14	17.80	
			8	0	17.90	
			8	4	17.68	
			8	7	17.58	
			15	0	17.93	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1712.5	131997	5MHz	1	0	22.73
				1	13	22.72
				1	24	22.63
				12	0	21.76
				12	6	21.82
				12	13	21.75
	25	0		21.79		
	1745	132322		1	0	22.71
				1	13	22.74
				1	24	22.64
				12	0	21.81
				12	6	21.68
				12	13	21.83
	25	0		21.86		
	1777.5	132647		1	0	22.80
				1	13	22.62
				1	24	22.78
				12	0	21.80
12			6	21.79		
12			13	21.89		
16QAM	1712.5	131997	1	0	21.80	
			1	13	21.69	
			1	24	21.87	
			12	0	20.87	
			12	6	20.77	
			12	13	20.80	
	25	0	20.81			
	1745	132322	1	0	22.06	
			1	13	22.24	
			1	24	21.84	
			12	0	20.74	
			12	6	20.72	
			12	13	20.78	
	25	0	20.83			
	1777.5	132647	1	0	22.08	
			1	13	22.51	
			1	24	22.23	
			12	0	20.89	
12			6	20.93		
12			13	20.79		
25	0	20.83				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1712.5	131997	5MHz	1	0	20.63
				1	13	20.63
				1	24	20.61
				12	0	19.66
				12	6	19.79
				12	13	19.68
	25	0		19.70		
	1745	132322		1	0	20.69
				1	13	20.66
				1	24	20.55
				12	0	19.72
				12	6	19.63
				12	13	19.79
	25	0		19.80		
	1777.5	132647		1	0	20.70
				1	13	20.60
				1	24	20.69
				12	0	19.74
12			6	19.75		
12			13	19.86		
25	0	19.83				
256QAM	1712.5	131997	1	0	17.74	
			1	13	17.63	
			1	24	17.79	
			12	0	17.84	
			12	6	17.71	
			12	13	17.70	
	25	0	17.75			
	1745	132322	1	0	18.04	
			1	13	18.21	
			1	24	17.79	
			12	0	17.67	
			12	6	17.67	
			12	13	17.76	
	25	0	17.77			
	1777.5	132647	1	0	18.05	
			1	13	18.43	
			1	24	18.18	
			12	0	17.83	
12			6	17.87		
12			13	17.76		
25	0	17.78				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1715	132022	10MHz	1	0	22.74
				1	25	22.48
				1	49	22.31
				25	0	21.75
				25	13	21.72
				25	25	21.75
	50	0		21.64		
	1745	132322		1	0	22.62
				1	25	22.78
				1	49	22.72
				25	0	21.67
				25	13	21.62
				25	25	21.69
	1775	132622		50	0	21.58
				1	0	22.72
				1	25	22.63
				1	49	22.61
				25	0	21.85
25			13	21.78		
16QAM	1715	132022	25	25	21.79	
			50	0	21.93	
			1	0	21.95	
			1	25	22.09	
			1	49	21.60	
			25	0	20.76	
	1745	132322	25	13	20.85	
			25	25	20.69	
			50	0	20.69	
			1	0	22.42	
			1	25	21.94	
			1	49	21.96	
	1775	132622	25	0	20.78	
			25	13	20.74	
			25	25	20.89	
			50	0	20.76	
			1	0	22.15	
			1	25	21.81	
			1	49	22.45	
			25	0	20.80	
			25	13	20.92	
			25	25	20.75	
			50	0	20.78	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1715	132022	10MHz	1	0	20.64
				1	25	20.41
				1	49	20.26
				25	0	19.65
				25	13	19.66
				25	25	19.71
	50	0		19.55		
	1745	132322		1	0	20.55
				1	25	20.76
				1	49	20.67
				25	0	19.59
				25	13	19.55
				25	25	19.63
	50	0		19.50		
	1775	132622		1	0	20.62
				1	25	20.59
				1	49	20.52
				25	0	19.82
25			13	19.75		
25			25	19.72		
256QAM	1715	132022	50	0	19.87	
			1	0	17.93	
			1	25	18.00	
			1	49	17.56	
			25	0	17.71	
			25	13	17.76	
	25	25	17.59			
	1745	132322	50	0	17.61	
			1	0	18.40	
			1	25	17.88	
			1	49	17.88	
			25	0	17.69	
			25	13	17.69	
	25	25	17.81			
	1775	132622	50	0	17.74	
			1	0	18.09	
			1	25	17.74	
			1	49	18.36	
25			0	17.76		
25			13	17.86		
25	25	17.70				
50	0	17.73				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1717.5	132047	15MHz	1	0	22.57
				1	38	22.45
				1	74	22.39
				36	0	21.60
				36	18	21.57
				36	39	21.54
	75	0		21.57		
	1745	132322		1	0	22.55
				1	38	22.52
				1	74	22.43
				36	0	21.60
				36	18	21.60
				36	39	21.60
	1772.5	132597		75	0	21.57
				1	0	22.59
				1	38	22.57
				1	74	22.58
				36	0	21.61
36			18	21.74		
16QAM	1717.5	132047	36	39	21.68	
			75	0	21.50	
			1	0	21.84	
			1	38	21.59	
			1	74	21.94	
			36	0	20.47	
	1745	132322	36	18	20.56	
			36	39	20.58	
			75	0	20.55	
			1	0	21.86	
			1	38	22.10	
			1	74	21.79	
	1772.5	132597	36	0	20.56	
			36	18	20.56	
			36	39	20.71	
			75	0	20.66	
			1	0	21.91	
			1	38	21.88	
			1	74	21.63	
			36	0	20.69	
			36	18	20.69	
			36	39	20.60	
			75	0	20.57	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1717.5	132047	15MHz	1	0	20.48
				1	38	20.37
				1	74	20.36
				36	0	19.53
				36	18	19.55
				36	39	19.45
	75	0		19.52		
	1745	132322		1	0	20.50
				1	38	20.46
				1	74	20.33
				36	0	19.56
				36	18	19.53
				36	39	19.57
	1772.5	132597		75	0	19.51
				1	0	20.54
				1	38	20.51
				1	74	20.48
				36	0	19.56
36			18	19.71		
256QAM	1717.5	132047	36	39	19.61	
			75	0	19.46	
			1	0	17.80	
			1	38	17.53	
			1	74	17.88	
			36	0	17.45	
	1745	132322	36	18	17.46	
			36	39	17.55	
			75	0	17.47	
			1	0	17.84	
			1	38	18.04	
			1	74	17.75	
	1772.5	132597	36	0	17.48	
			36	18	17.51	
			36	39	17.69	
			75	0	17.63	
			1	0	17.81	
			1	38	17.83	
			1	74	17.56	
			36	0	17.64	
			36	18	17.64	
			36	39	17.50	
			75	0	17.47	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1720	132072	20MHz	1	0	22.47
				1	50	22.80
				1	99	22.47
				50	0	21.59
				50	25	21.51
				50	50	21.51
	100	0		21.65		
	1	0		22.47		
	1	50		22.88		
	1	99		22.57		
	50	0		21.71		
	50	25		21.67		
	50	50		21.60		
	100	0		21.54		
	1	0		22.48		
	1	50		22.81		
	1	99		22.43		
	50	0		21.71		
50	25	21.58				
50	50	21.69				
100	0	21.73				
16QAM	1720	132072	1	0	21.56	
			1	50	21.66	
			1	99	21.73	
			50	0	20.57	
			50	25	20.60	
			50	50	20.61	
	100	0	20.52			
	1	0	21.87			
	1	50	21.51			
	1	99	22.10			
	50	0	20.71			
	50	25	20.66			
	50	50	20.70			
	100	0	20.56			
	1	0	21.81			
	1	50	22.03			
	1	99	21.86			
	50	0	20.73			
50	25	20.64				
50	50	20.73				
100	0	20.58				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1720	132072	20MHz	1	0	20.41
				1	50	20.77
				1	99	20.38
				50	0	19.51
				50	25	19.48
				50	50	19.47
	100	0		19.61		
	1745	132322		1	0	20.37
				1	50	20.80
				1	99	20.55
				50	0	19.63
				50	25	19.65
				50	50	19.58
	1770	132572		100	0	19.49
				1	0	20.44
				1	50	20.78
				1	99	20.38
				50	0	19.69
50			25	19.55		
256QAM	1720	132072	50	50	19.61	
			100	0	19.71	
			1	0	17.54	
			1	50	17.58	
			1	99	17.70	
			50	0	17.48	
	1745	132322	50	25	17.56	
			50	50	17.55	
			100	0	17.45	
			1	0	17.78	
			1	50	17.46	
			1	99	18.02	
	1770	132572	50	0	17.63	
			50	25	17.63	
			50	50	17.64	
			100	0	17.46	
			1	0	17.75	
			1	50	17.97	
			1	99	17.84	
			50	0	17.70	
			50	25	17.55	
			50	50	17.66	
			100	0	17.54	

LTE Band 66(EN_DC)

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1710.7	131979	1.4MHz	1	0	20.60
				1	2	20.54
				1	5	20.69
				3	0	20.63
				3	2	20.63
				3	3	20.74
	6	0		19.71		
	1	0		20.57		
	1	2		20.78		
	1	5		20.57		
	3	0		20.69		
	3	2		20.74		
	3	3		20.73		
	6	0		19.76		
	1	0		20.69		
	1	2		20.77		
	1	5		20.72		
	3	0		20.73		
3	2	20.81				
3	3	20.69				
6	0	19.92				
16QAM	1710.7	131979	1	0	19.97	
			1	2	20.06	
			1	5	20.16	
			3	0	19.74	
			3	2	19.87	
			3	3	19.66	
	6	0	18.93			
	1	0	20.10			
	1	2	19.99			
	1	5	20.28			
	3	0	19.78			
	3	2	19.72			
	3	3	19.86			
	6	0	18.98			
	1	0	19.97			
	1	2	20.29			
	1	5	20.01			
	3	0	19.88			
3	2	19.98				
3	3	19.78				
6	0	19.23				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1710.7	131979	1.4MHz	1	0	18.58
				1	2	18.51
				1	5	18.67
				3	0	18.54
				3	2	18.56
				3	3	18.68
	6	0		17.68		
	1745	132322		1	0	18.51
				1	2	18.72
				1	5	18.54
				3	0	18.65
				3	2	18.72
				3	3	18.70
	6	0		17.66		
	1779.3	132665		1	0	18.63
				1	2	18.68
				1	5	18.66
				3	0	18.63
3			2	18.74		
3			3	18.63		
256QAM	1710.7	131979	6	0	17.84	
			1	0	15.87	
			1	2	15.97	
			1	5	16.08	
			3	0	15.64	
			3	2	15.77	
	3	3	15.56			
	6	0	15.89			
	1745	132322	1	0	16.07	
			1	2	15.95	
			1	5	16.24	
			3	0	15.76	
			3	2	15.68	
			3	3	15.78	
	6	0	15.95			
	1779.3	132665	1	0	15.94	
			1	2	16.22	
			1	5	15.93	
3			0	15.82		
3			2	15.88		
3			3	15.75		
6	0	16.17				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1711.5	131987	3MHz	1	0	20.91
				1	7	21.01
				1	14	20.74
				8	0	19.90
				8	4	20.00
				8	7	19.97
	15	0		20.01		
	1745	132322		1	0	20.96
				1	7	20.99
				1	14	20.84
				8	0	19.93
				8	4	20.04
				8	7	19.93
	1778.5	132657		15	0	19.95
				1	0	21.02
1			7	20.89		
1			14	21.04		
8			0	20.03		
8			4	20.10		
16QAM	1711.5	131987	8	7	20.06	
			15	0	20.16	
			1	0	19.71	
			1	7	20.16	
			1	14	20.36	
			8	0	18.78	
	1745	132322	8	4	19.13	
			8	7	19.09	
			15	0	19.02	
			1	0	20.46	
			1	7	19.95	
			1	14	20.04	
	1778.5	132657	8	0	18.94	
			8	4	19.28	
			8	7	19.29	
15			0	19.14		
1			0	20.69		
1			7	20.20		
			1	14	20.14	
			8	0	19.15	
			8	4	19.02	
			8	7	18.88	
			15	0	19.27	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)	
64QAM	1711.5	131987	3MHz	1	0	18.81	
				1	7	18.92	
				1	14	18.70	
				8	0	17.86	
				8	4	17.97	
				8	7	17.92	
	15	0		17.92			
	1745	132322		1	0	18.89	
				1	7	18.95	
				1	14	18.78	
				8	0	17.90	
				8	4	17.94	
				8	7	17.84	
	15	0		17.87			
	1778.5	132657		1	0	18.93	
1			7	18.81			
1			14	18.98			
8			0	17.97			
8			4	18.07			
8			7	18.02			
15			0	18.06			
256QAM			1711.5	131987	1	0	15.65
					1	7	16.11
	1	14			16.28		
	8	0			15.68		
	8	4			16.07		
	8	7			16.05		
	15	0	15.97				
	1745	132322	1	0	16.40		
			1	7	15.91		
			1	14	15.95		
			8	0	15.90		
			8	4	16.21		
			8	7	16.26		
	15	0	16.11				
	1778.5	132657	1	0	16.62		
1			7	16.15			
1			14	16.08			
8			0	16.12			
8			4	15.98			
8			7	15.78			
15	0	16.21					

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1712.5	131997	5MHz	1	0	20.93
				1	13	20.92
				1	24	20.87
				12	0	20.00
				12	6	20.06
				12	13	20.00
	25	0		20.02		
	1745	132322		1	0	20.94
				1	13	20.97
				1	24	20.85
				12	0	20.02
				12	6	19.93
				12	13	20.07
	25	0		20.09		
	1777.5	132647		1	0	21.00
				1	13	20.85
				1	24	21.03
				12	0	20.02
12			6	20.02		
12			13	20.12		
16QAM	1712.5	131997	25	0	20.08	
			1	0	20.05	
			1	13	19.92	
			1	24	20.07	
			12	0	19.07	
			12	6	19.01	
	12	13	19.03			
	1745	132322	25	0	19.01	
			1	0	20.26	
			1	13	20.47	
			1	24	20.06	
			12	0	18.99	
			12	6	18.93	
	12	13	19.02			
	1777.5	132647	25	0	19.07	
			1	0	20.29	
			1	13	20.72	
			1	24	20.43	
12			0	19.10		
12			6	19.16		
12	13	19.00				
25	0	19.07				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1712.5	131997	5MHz	1	0	18.86
				1	13	18.84
				1	24	18.85
				12	0	17.94
				12	6	17.97
				12	13	17.94
	25	0		17.94		
	1745	132322		1	0	18.87
				1	13	18.89
				1	24	18.83
				12	0	17.93
				12	6	17.89
				12	13	18.03
	25	0		18.06		
	1777.5	132647		1	0	18.98
				1	13	18.79
				1	24	19.00
				12	0	17.97
12			6	17.95		
12			13	18.03		
256QAM	1712.5	131997	1	0	15.95	
			1	13	15.86	
			1	24	15.98	
			12	0	16.00	
			12	6	15.95	
			12	13	15.96	
	25	0	15.97			
	1745	132322	1	0	16.23	
			1	13	16.37	
			1	24	15.98	
			12	0	15.89	
			12	6	15.91	
			12	13	15.93	
	25	0	16.05			
	1777.5	132647	1	0	16.20	
			1	13	16.65	
			1	24	16.39	
			12	0	16.02	
12			6	16.07		
12			13	15.91		
25	0	16.04				

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1715	132022	10MHz	1	0	20.96
				1	25	20.71
				1	49	20.55
				25	0	20.00
				25	13	19.92
				25	25	19.96
	50	0		19.85		
	1745	132322		1	0	20.86
				1	25	21.03
				1	49	20.94
				25	0	19.88
				25	13	19.87
				25	25	19.93
	1775	132622		50	0	19.80
				1	0	20.96
				1	25	20.88
				1	49	20.84
				25	0	20.05
25			13	20.02		
16QAM	1715	132022	25	25	20.02	
			50	0	20.16	
			1	0	20.19	
			1	25	20.33	
			1	49	19.80	
			25	0	19.01	
	1745	132322	25	13	19.05	
			25	25	18.93	
			50	0	18.93	
			1	0	20.66	
			1	25	20.14	
			1	49	20.21	
	1775	132622	25	0	19.03	
			25	13	18.95	
			25	25	19.09	
			50	0	18.98	
			1	0	20.40	
			1	25	20.05	
			1	49	20.67	
			25	0	19.03	
			25	13	19.12	
			25	25	18.96	
			50	0	18.98	
			50	0	18.98	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
64QAM	1715	132022	10MHz	1	0	18.93
				1	25	18.61
				1	49	18.50
				25	0	17.91
				25	13	17.90
				25	25	17.91
	50	0		17.78		
	1745	132322		1	0	18.82
				1	25	18.95
				1	49	18.88
				25	0	17.84
				25	13	17.80
				25	25	17.87
	1775	132622		50	0	17.77
				1	0	18.92
				1	25	18.79
				1	49	18.77
				25	0	17.97
25			13	17.97		
256QAM	1715	132022	25	25	17.92	
			50	0	18.12	
			1	0	16.14	
			1	25	16.28	
			1	49	15.70	
			25	0	15.91	
	1745	132322	25	13	15.99	
			25	25	15.89	
			50	0	15.90	
			1	0	16.59	
			1	25	16.04	
			1	49	16.16	
	1775	132622	25	0	15.93	
			25	13	15.88	
			25	25	16.06	
			50	0	15.89	
			1	0	16.33	
			1	25	15.95	
			1	49	16.60	
			25	0	16.01	
			25	13	16.08	
			25	25	15.87	
			50	0	15.89	

Modulation	Carrier frequency(MHz)	UL Channel	Bandwidth	RB size	RB offset	Conducted Power(dBm)
QPSK	1717.5	132047	15MHz	1	0	20.79
				1	38	20.66
				1	74	20.61
				36	0	19.83
				36	18	19.81
				36	39	19.78
	75	0		19.79		
	1745	132322		1	0	20.76
				1	38	20.75
				1	74	20.68
				36	0	19.80
				36	18	19.81
				36	39	19.84
	1772.5	132597		75	0	19.79
				1	0	20.80
				1	38	20.78
				1	74	20.78
				36	0	19.81
36			18	19.98		
16QAM	1717.5	132047	36	39	19.89	
			75	0	19.75	
			1	0	20.05	
			1	38	19.82	
			1	74	20.19	
			36	0	18.71	
	1745	132322	36	18	18.80	
			36	39	18.82	
			75	0	18.76	
			1	0	20.09	
			1	38	20.32	
			1	74	20.00	
	1772.5	132597	36	0	18.81	
			36	18	18.76	
			36	39	18.92	
			75	0	18.87	
			1	0	20.12	
			1	38	20.11	
			1	74	19.88	
			36	0	18.90	
			36	18	18.91	
			36	39	18.83	
			75	0	18.80	