




Test Report No.: W7L-P22090015-4RF06





**BUREAU
VERITAS**

Test Report No.: W7L-P22090015-4RF06

LTE BAND 7

FREQUENCY STABILITY B7_5MHZ TEST RESULT

Band: 7 / Bandwidth: 5MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	2502.5	25	0	20	3.27	-27.71	-0.01	-2.5 to 2.5	Pass	
					3.85	-34.20	-0.01	-2.5 to 2.5	Pass	
					4.43	14.11	0.01	-2.5 to 2.5	Pass	
				-30	3.85	-1.37	-0.00	-2.5 to 2.5	Pass	
					-20	3.85	-21.41	-0.01	-2.5 to 2.5	Pass
						-10	3.85	-2.50	-0.00	-2.5 to 2.5
				0	3.85	-35.55	-0.01	-2.5 to 2.5	Pass	
					10	3.85	-8.67	-0.00	-2.5 to 2.5	Pass
					30	3.85	-31.66	-0.01	-2.5 to 2.5	Pass
	40	3.85	-3.35		-0.00	-2.5 to 2.5	Pass			
	50	3.85	-33.73		-0.01	-2.5 to 2.5	Pass			
	2535	25	0	20	3.27	-39.38	-0.02	-2.5 to 2.5	Pass	
					3.85	11.23	0.00	-2.5 to 2.5	Pass	
					4.43	3.71	0.00	-2.5 to 2.5	Pass	
				-30	3.85	-10.20	-0.00	-2.5 to 2.5	Pass	
					-20	3.85	-22.36	-0.01	-2.5 to 2.5	Pass
						-10	3.85	-33.23	-0.01	-2.5 to 2.5
				0	3.85	-5.51	-0.00	-2.5 to 2.5	Pass	
					10	3.85	-13.35	-0.01	-2.5 to 2.5	Pass
					30	3.85	-22.77	-0.01	-2.5 to 2.5	Pass
	40	3.85	-40.68		-0.02	-2.5 to 2.5	Pass			
	50	3.85	-23.96		-0.01	-2.5 to 2.5	Pass			
	2567.5	25	0	20	3.27	-30.76	-0.01	-2.5 to 2.5	Pass	
					3.85	-43.90	-0.02	-2.5 to 2.5	Pass	
4.43					-31.90	-0.01	-2.5 to 2.5	Pass		
-30				3.85	-44.67	-0.02	-2.5 to 2.5	Pass		
				-20	3.85	-5.32	-0.00	-2.5 to 2.5	Pass	
					-10	3.85	-28.48	-0.01	-2.5 to 2.5	Pass
0				3.85	-22.47	-0.01	-2.5 to 2.5	Pass		
				10	3.85	-17.98	-0.01	-2.5 to 2.5	Pass	
				30	3.85	-19.91	-0.01	-2.5 to 2.5	Pass	
	40	3.85	-3.85	-0.00	-2.5 to 2.5	Pass				
	50	3.85	-38.40	-0.01	-2.5 to 2.5	Pass				
16QAM	2502.5	25	0	20	3.27	-42.49	-0.02	-2.5 to 2.5	Pass	
					3.85	-14.15	-0.01	-2.5 to 2.5	Pass	
					4.43	-43.22	-0.02	-2.5 to 2.5	Pass	
				-30	3.85	-30.10	-0.01	-2.5 to 2.5	Pass	
					-20	3.85	-42.00	-0.02	-2.5 to 2.5	Pass
						-10	3.85	2.05	0.00	-2.5 to 2.5
				0	3.85	-7.41	-0.00	-2.5 to 2.5	Pass	
					10	3.85	-24.98	-0.01	-2.5 to 2.5	Pass
					30	3.85	2.33	0.00	-2.5 to 2.5	Pass
	40	3.85	-8.93		-0.00	-2.5 to 2.5	Pass			
	50	3.85	-28.80		-0.01	-2.5 to 2.5	Pass			
	2535	25	0	20	3.27	-27.34	-0.01	-2.5 to 2.5	Pass	
					3.85	-38.25	-0.02	-2.5 to 2.5	Pass	
					4.43	-42.67	-0.02	-2.5 to 2.5	Pass	
				-30	3.85	10.93	0.00	-2.5 to 2.5	Pass	
					-20	3.85	5.65	0.00	-2.5 to 2.5	Pass
						-10	3.85	6.92	0.00	-2.5 to 2.5
				0	3.85	6.64	0.00	-2.5 to 2.5	Pass	
					10	3.85	9.05	0.00	-2.5 to 2.5	Pass
					30	3.85	6.27	0.00	-2.5 to 2.5	Pass
	40	3.85	8.61		0.00	-2.5 to 2.5	Pass			



**BUREAU
VERITAS**

Test Report No.: W7L-P22090015-4RF06

	2567.5	25	0	50	3.85	8.87	0.00	-2.5 to 2.5	Pass
				20	3.27	-33.29	-0.01	-2.5 to 2.5	Pass
					3.85	1.40	0.00	-2.5 to 2.5	Pass
					4.43	-20.24	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-38.12	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-17.27	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-29.91	-0.01	-2.5 to 2.5	Pass
				0	3.85	-38.34	-0.01	-2.5 to 2.5	Pass
				10	3.85	12.13	0.00	-2.5 to 2.5	Pass
				30	3.85	1.43	0.00	-2.5 to 2.5	Pass
40	3.85	-11.00	-0.00	-2.5 to 2.5	Pass				
50	3.85	-21.56	-0.01	-2.5 to 2.5	Pass				
64QAM	2502.5	25	0	20	3.27	-32.22	-0.01	-2.5 to 2.5	Pass
					3.85	-35.48	-0.01	-2.5 to 2.5	Pass
					4.43	-36.45	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-42.03	-0.02	-2.5 to 2.5	Pass
				-20	3.85	-13.60	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-9.91	-0.00	-2.5 to 2.5	Pass
				0	3.85	-12.88	-0.01	-2.5 to 2.5	Pass
				10	3.85	-18.55	-0.01	-2.5 to 2.5	Pass
				30	3.85	-17.95	-0.01	-2.5 to 2.5	Pass
				40	3.85	-18.65	-0.01	-2.5 to 2.5	Pass
	50	3.85	-18.11	-0.01	-2.5 to 2.5	Pass			
	2535	25	0	20	3.27	16.57	0.01	-2.5 to 2.5	Pass
					3.85	24.89	0.01	-2.5 to 2.5	Pass
					4.43	35.93	0.01	-2.5 to 2.5	Pass
				-30	3.85	35.75	0.01	-2.5 to 2.5	Pass
				-20	3.85	41.41	0.02	-2.5 to 2.5	Pass
				-10	3.85	-15.82	-0.01	-2.5 to 2.5	Pass
				0	3.85	-8.24	-0.00	-2.5 to 2.5	Pass
				10	3.85	4.26	0.00	-2.5 to 2.5	Pass
				30	3.85	10.37	0.00	-2.5 to 2.5	Pass
40				3.85	20.10	0.01	-2.5 to 2.5	Pass	
50	3.85	26.95	0.01	-2.5 to 2.5	Pass				
2567.5	25	0	20	3.27	-23.10	-0.01	-2.5 to 2.5	Pass	
				3.85	-25.22	-0.01	-2.5 to 2.5	Pass	
				4.43	-25.99	-0.01	-2.5 to 2.5	Pass	
			-30	3.85	-32.37	-0.01	-2.5 to 2.5	Pass	
			-20	3.85	-30.16	-0.01	-2.5 to 2.5	Pass	
			-10	3.85	-28.60	-0.01	-2.5 to 2.5	Pass	
			0	3.85	-28.09	-0.01	-2.5 to 2.5	Pass	
			10	3.85	-30.87	-0.01	-2.5 to 2.5	Pass	
			30	3.85	-25.45	-0.01	-2.5 to 2.5	Pass	
			40	3.85	-26.41	-0.01	-2.5 to 2.5	Pass	
50	3.85	-17.85	-0.01	-2.5 to 2.5	Pass				



**BUREAU
VERITAS**

Test Report No.: W7L-P22090015-4RF06

B7_10MHZ TEST RESULT

Band: 7 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2505	50	0	20	3.27	-6.39	-0.00	-2.5 to 2.5	Pass
					3.85	-19.36	-0.01	-2.5 to 2.5	Pass
					4.43	-27.07	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-30.01	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-42.86	-0.02	-2.5 to 2.5	Pass
				-10	3.85	-11.60	-0.00	-2.5 to 2.5	Pass
				0	3.85	-36.88	-0.01	-2.5 to 2.5	Pass
				10	3.85	-33.19	-0.01	-2.5 to 2.5	Pass
				30	3.85	-3.40	-0.00	-2.5 to 2.5	Pass
				40	3.85	-30.47	-0.01	-2.5 to 2.5	Pass
				50	3.85	-4.88	-0.00	-2.5 to 2.5	Pass
				2535	50	0	20	3.27	-21.64
	3.85	-22.50	-0.01					-2.5 to 2.5	Pass
	4.43	-27.72	-0.01					-2.5 to 2.5	Pass
	-30	3.85	-37.11				-0.01	-2.5 to 2.5	Pass
	-20	3.85	-47.52				-0.02	-2.5 to 2.5	Pass
	-10	3.85	-11.79				-0.00	-2.5 to 2.5	Pass
	0	3.85	1.04				0.00	-2.5 to 2.5	Pass
	10	3.85	-4.75				-0.00	-2.5 to 2.5	Pass
	30	3.85	-11.36				-0.00	-2.5 to 2.5	Pass
	40	3.85	-42.77				-0.02	-2.5 to 2.5	Pass
	50	3.85	-31.03				-0.01	-2.5 to 2.5	Pass
	2565	50	0				20	3.27	-8.63
				3.85	-26.06	-0.01		-2.5 to 2.5	Pass
4.43				-39.07	-0.02	-2.5 to 2.5		Pass	
-30				3.85	-7.21	-0.00	-2.5 to 2.5	Pass	
-20				3.85	-41.31	-0.02	-2.5 to 2.5	Pass	
-10				3.85	-31.34	-0.01	-2.5 to 2.5	Pass	
0				3.85	-36.72	-0.01	-2.5 to 2.5	Pass	
10				3.85	-51.61	-0.02	-2.5 to 2.5	Pass	
30				3.85	-28.05	-0.01	-2.5 to 2.5	Pass	
40				3.85	-11.99	-0.00	-2.5 to 2.5	Pass	
50				3.85	-41.67	-0.02	-2.5 to 2.5	Pass	
16QAM				2505	50	0	20	3.27	-23.27
	3.85	-4.49	-0.00					-2.5 to 2.5	Pass
	4.43	-9.53	-0.00					-2.5 to 2.5	Pass
	-30	3.85	-5.98				-0.00	-2.5 to 2.5	Pass
	-20	3.85	-8.25				-0.00	-2.5 to 2.5	Pass
	-10	3.85	-10.46				-0.00	-2.5 to 2.5	Pass
	0	3.85	-7.75				-0.00	-2.5 to 2.5	Pass
	10	3.85	-5.22				-0.00	-2.5 to 2.5	Pass
	30	3.85	-7.11				-0.00	-2.5 to 2.5	Pass
	40	3.85	-2.98				-0.00	-2.5 to 2.5	Pass
	50	3.85	6.82				0.00	-2.5 to 2.5	Pass
	2535	50	0				20	3.27	-41.26
				3.85	-38.40	-0.02		-2.5 to 2.5	Pass
				4.43	-37.22	-0.01		-2.5 to 2.5	Pass
				-30	3.85	-24.98	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-18.04	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-16.99	-0.01	-2.5 to 2.5	Pass
				0	3.85	-9.71	-0.00	-2.5 to 2.5	Pass
				10	3.85	-1.95	-0.00	-2.5 to 2.5	Pass
				30	3.85	2.82	0.00	-2.5 to 2.5	Pass
				40	3.85	19.98	0.01	-2.5 to 2.5	Pass
				50	3.85	26.14	0.01	-2.5 to 2.5	Pass
				2565	50	0	20	3.27	-14.30
	3.85	-36.61	-0.01					-2.5 to 2.5	Pass



**BUREAU
VERITAS**

Test Report No.: W7L-P22090015-4RF06

					4.43	-37.37	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-23.70	-0.01	-2.5 to 2.5	Pass
				-20	3.85	14.35	0.01	-2.5 to 2.5	Pass
				-10	3.85	9.80	0.00	-2.5 to 2.5	Pass
				0	3.85	-0.17	-0.00	-2.5 to 2.5	Pass
				10	3.85	4.12	0.00	-2.5 to 2.5	Pass
				30	3.85	6.48	0.00	-2.5 to 2.5	Pass
				40	3.85	10.50	0.00	-2.5 to 2.5	Pass
				50	3.85	16.18	0.01	-2.5 to 2.5	Pass
64QAM	2505	50	0	20	3.27	9.00	0.00	-2.5 to 2.5	Pass
					3.85	13.69	0.01	-2.5 to 2.5	Pass
					4.43	21.99	0.01	-2.5 to 2.5	Pass
				-30	3.85	25.96	0.01	-2.5 to 2.5	Pass
				-20	3.85	30.83	0.01	-2.5 to 2.5	Pass
				-10	3.85	28.40	0.01	-2.5 to 2.5	Pass
				0	3.85	5.38	0.00	-2.5 to 2.5	Pass
				10	3.85	24.89	0.01	-2.5 to 2.5	Pass
				30	3.85	23.42	0.01	-2.5 to 2.5	Pass
				40	3.85	18.31	0.01	-2.5 to 2.5	Pass
	50	3.85	30.89	0.01	-2.5 to 2.5	Pass			
	2535	50	0	20	3.27	35.28	0.01	-2.5 to 2.5	Pass
					3.85	37.95	0.01	-2.5 to 2.5	Pass
					4.43	-10.63	-0.00	-2.5 to 2.5	Pass
				-30	3.85	-3.73	-0.00	-2.5 to 2.5	Pass
				-20	3.85	9.44	0.00	-2.5 to 2.5	Pass
				-10	3.85	27.58	0.01	-2.5 to 2.5	Pass
				0	3.85	8.27	0.00	-2.5 to 2.5	Pass
				10	3.85	19.18	0.01	-2.5 to 2.5	Pass
				30	3.85	24.08	0.01	-2.5 to 2.5	Pass
				40	3.85	5.55	0.00	-2.5 to 2.5	Pass
	50	3.85	8.74	0.00	-2.5 to 2.5	Pass			
	2565	50	0	20	3.27	28.90	0.01	-2.5 to 2.5	Pass
					3.85	30.68	0.01	-2.5 to 2.5	Pass
					4.43	41.46	0.02	-2.5 to 2.5	Pass
				-30	3.85	-4.58	-0.00	-2.5 to 2.5	Pass
				-20	3.85	5.78	0.00	-2.5 to 2.5	Pass
				-10	3.85	20.30	0.01	-2.5 to 2.5	Pass
0				3.85	28.64	0.01	-2.5 to 2.5	Pass	
10				3.85	37.27	0.01	-2.5 to 2.5	Pass	
30				3.85	27.88	0.01	-2.5 to 2.5	Pass	
40				3.85	20.91	0.01	-2.5 to 2.5	Pass	
50	3.85	3.73	0.00	-2.5 to 2.5	Pass				



**BUREAU
VERITAS**

Test Report No.: W7L-P22090015-4RF06

B7_15MHZ TEST RESULT

Band: 7 / Bandwidth: 15MHz													
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict				
		Size	Offset				Result	Limit					
QPSK	2507.5	75	0	20	3.27	-8.12	-0.00	-2.5 to 2.5	Pass				
					3.85	-18.10	-0.01	-2.5 to 2.5	Pass				
					4.43	-33.95	-0.01	-2.5 to 2.5	Pass				
				2535	75	0	-30	3.85	-18.18	-0.01	-2.5 to 2.5	Pass	
								-20	3.85	-25.82	-0.01	-2.5 to 2.5	Pass
									3.85	-19.63	-0.01	-2.5 to 2.5	Pass
							0	3.85	-17.97	-0.01	-2.5 to 2.5	Pass	
								10	3.85	-20.80	-0.01	-2.5 to 2.5	Pass
								30	3.85	-30.74	-0.01	-2.5 to 2.5	Pass
								40	3.85	-36.86	-0.01	-2.5 to 2.5	Pass
								50	3.85	7.05	0.00	-2.5 to 2.5	Pass
								2562.5	75	0	20	3.27	-12.76
	3.85	-26.28	-0.01	-2.5 to 2.5	Pass								
	4.43	-30.51	-0.01	-2.5 to 2.5	Pass								
	-30	3.85	-38.12	-0.01	-2.5 to 2.5	Pass							
		-20	3.85	-11.24	-0.00	-2.5 to 2.5	Pass						
			3.85	-20.99	-0.01	-2.5 to 2.5	Pass						
		0	3.85	-35.62	-0.01	-2.5 to 2.5	Pass						
			10	3.85	4.71	0.00	-2.5 to 2.5				Pass		
			30	3.85	-7.81	-0.00	-2.5 to 2.5				Pass		
			40	3.85	-16.64	-0.01	-2.5 to 2.5				Pass		
			50	3.85	-18.57	-0.01	-2.5 to 2.5				Pass		
			16QAM	2507.5	75	0	20				3.27	-22.82	-0.01
	3.85	-37.84						-0.01	-2.5 to 2.5	Pass			
4.43	-11.76	-0.00						-2.5 to 2.5	Pass				
-30	3.85	-33.89					-0.01	-2.5 to 2.5	Pass				
	-20	3.85					-36.88	-0.01	-2.5 to 2.5	Pass			
		3.85					-45.88	-0.02	-2.5 to 2.5	Pass			
	0	3.85					-4.85	-0.00	-2.5 to 2.5	Pass			
		10					3.85	-32.57	-0.01	-2.5 to 2.5	Pass		
		30					3.85	-44.83	-0.02	-2.5 to 2.5	Pass		
		40					3.85	-31.89	-0.01	-2.5 to 2.5	Pass		
		50					3.85	-12.02	-0.00	-2.5 to 2.5	Pass		
		2535					75	0	20	3.27	-18.75	-0.01	-2.5 to 2.5
3.85	-31.80			-0.01	-2.5 to 2.5	Pass							
4.43	1.65			0.00	-2.5 to 2.5	Pass							
-30	3.85			-10.20	-0.00	-2.5 to 2.5			Pass				
	-20			3.85	-12.85	-0.01			-2.5 to 2.5	Pass			
				3.85	-19.34	-0.01			-2.5 to 2.5	Pass			
	0			3.85	-19.74	-0.01			-2.5 to 2.5	Pass			
				10	3.85	-19.88			-0.01	-2.5 to 2.5	Pass		
				30	3.85	-21.29			-0.01	-2.5 to 2.5	Pass		
				40	3.85	-22.90			-0.01	-2.5 to 2.5	Pass		
				50	3.85	-17.44			-0.01	-2.5 to 2.5	Pass		
				2562.5	75	0			20	3.27	-27.04	-0.01	-2.5 to 2.5
3.85	-33.37	-0.01					-2.5 to 2.5	Pass					
4.43	-30.60	-0.01	-2.5 to 2.5				Pass						
-30	3.85	-30.16	-0.01				-2.5 to 2.5	Pass					
	-20	3.85	-25.75				-0.01	-2.5 to 2.5	Pass				
		3.85	-18.21				-0.01	-2.5 to 2.5	Pass				
	0	3.85	-10.00				-0.00	-2.5 to 2.5	Pass				
		10	3.85				1.92	0.00	-2.5 to 2.5	Pass			
		30	3.85				-0.79	-0.00	-2.5 to 2.5	Pass			
		40	3.85				4.91	0.00	-2.5 to 2.5	Pass			
		50	3.85				4.03	0.00	-2.5 to 2.5	Pass			
		2507.5	75				0	20	3.27	-36.05	-0.01	-2.5 to 2.5	Pass
3.85	0.94			0.00	-2.5 to 2.5	Pass							



**BUREAU
VERITAS**

Test Report No.: W7L-P22090015-4RF06

					4.43	-0.01	0.00	-2.5 to 2.5	Pass				
				-30	3.85	-12.69	-0.01	-2.5 to 2.5	Pass				
				-20	3.85	-18.45	-0.01	-2.5 to 2.5	Pass				
				-10	3.85	-13.58	-0.01	-2.5 to 2.5	Pass				
				0	3.85	-18.68	-0.01	-2.5 to 2.5	Pass				
				10	3.85	-19.34	-0.01	-2.5 to 2.5	Pass				
				30	3.85	-16.68	-0.01	-2.5 to 2.5	Pass				
				40	3.85	-13.65	-0.01	-2.5 to 2.5	Pass				
				50	3.85	-10.74	-0.00	-2.5 to 2.5	Pass				
64QAM	2507.5	75	0	20	3.27	-18.37	-0.01	-2.5 to 2.5	Pass				
					3.85	-18.93	-0.01	-2.5 to 2.5	Pass				
					4.43	-11.67	-0.00	-2.5 to 2.5	Pass				
								-30	3.85	-3.73	-0.00	-2.5 to 2.5	Pass
								-20	3.85	3.89	0.00	-2.5 to 2.5	Pass
								-10	3.85	16.46	0.01	-2.5 to 2.5	Pass
								0	3.85	19.75	0.01	-2.5 to 2.5	Pass
								10	3.85	33.16	0.01	-2.5 to 2.5	Pass
								30	3.85	31.61	0.01	-2.5 to 2.5	Pass
								40	3.85	-2.62	-0.00	-2.5 to 2.5	Pass
								50	3.85	5.54	0.00	-2.5 to 2.5	Pass
					2535	75	0	20	3.27	21.71	0.01	-2.5 to 2.5	Pass
	3.85	21.63	0.01	-2.5 to 2.5					Pass				
	4.43	2.48	0.00	-2.5 to 2.5					Pass				
								-30	3.85	12.46	0.00	-2.5 to 2.5	Pass
								-20	3.85	35.28	0.01	-2.5 to 2.5	Pass
								-10	3.85	33.46	0.01	-2.5 to 2.5	Pass
								0	3.85	26.02	0.01	-2.5 to 2.5	Pass
								10	3.85	46.36	0.02	-2.5 to 2.5	Pass
								30	3.85	-3.78	-0.00	-2.5 to 2.5	Pass
								40	3.85	0.06	0.00	-2.5 to 2.5	Pass
								50	3.85	15.74	0.01	-2.5 to 2.5	Pass
		2562.5	75	0				20	3.27	-2.42	-0.00	-2.5 to 2.5	Pass
	3.85				3.06	0.00	-2.5 to 2.5		Pass				
	4.43				10.39	0.00	-2.5 to 2.5		Pass				
								-30	3.85	24.68	0.01	-2.5 to 2.5	Pass
								-20	3.85	30.00	0.01	-2.5 to 2.5	Pass
								-10	3.85	36.84	0.01	-2.5 to 2.5	Pass
							0	3.85	10.60	0.00	-2.5 to 2.5	Pass	
							10	3.85	18.55	0.01	-2.5 to 2.5	Pass	
							30	3.85	27.71	0.01	-2.5 to 2.5	Pass	
							40	3.85	24.55	0.01	-2.5 to 2.5	Pass	
							50	3.85	-3.33	-0.00	-2.5 to 2.5	Pass	



**BUREAU
VERITAS**

Test Report No.: W7L-P22090015-4RF06

B7_20MHZ TEST RESULT

Band: 7 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2510	100	0	20	3.27	-21.04	-0.01	-2.5 to 2.5	Pass
					3.85	-8.94	-0.00	-2.5 to 2.5	Pass
					4.43	-30.11	-0.01	-2.5 to 2.5	Pass
				-30	3.85	-14.92	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-25.36	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-17.92	-0.01	-2.5 to 2.5	Pass
				0	3.85	-0.40	-0.00	-2.5 to 2.5	Pass
				10	3.85	-30.71	-0.01	-2.5 to 2.5	Pass
				30	3.85	4.78	0.00	-2.5 to 2.5	Pass
				40	3.85	-14.29	-0.01	-2.5 to 2.5	Pass
				50	3.85	-26.12	-0.01	-2.5 to 2.5	Pass
				2535	100	0	20	3.27	-25.42
	3.85	-44.22	-0.02					-2.5 to 2.5	Pass
	4.43	-25.08	-0.01					-2.5 to 2.5	Pass
	-30	3.85	-38.18				-0.02	-2.5 to 2.5	Pass
	-20	3.85	-4.08				-0.00	-2.5 to 2.5	Pass
	-10	3.85	-25.11				-0.01	-2.5 to 2.5	Pass
	0	3.85	-41.46				-0.02	-2.5 to 2.5	Pass
	10	3.85	-9.50				-0.00	-2.5 to 2.5	Pass
	30	3.85	-28.20				-0.01	-2.5 to 2.5	Pass
	40	3.85	-42.34				-0.02	-2.5 to 2.5	Pass
	50	3.85	-19.40				-0.01	-2.5 to 2.5	Pass
	2560	100	0				20	3.27	-15.46
				3.85	-35.76	-0.01		-2.5 to 2.5	Pass
4.43				-33.83	-0.01	-2.5 to 2.5		Pass	
-30				3.85	2.75	0.00	-2.5 to 2.5	Pass	
-20				3.85	-24.06	-0.01	-2.5 to 2.5	Pass	
-10				3.85	-22.90	-0.01	-2.5 to 2.5	Pass	
0				3.85	-6.78	-0.00	-2.5 to 2.5	Pass	
10				3.85	-31.20	-0.01	-2.5 to 2.5	Pass	
30				3.85	-40.94	-0.02	-2.5 to 2.5	Pass	
40				3.85	-39.12	-0.02	-2.5 to 2.5	Pass	
50				3.85	-9.14	-0.00	-2.5 to 2.5	Pass	
16QAM				2510	100	0	20	3.27	-17.62
	3.85	-32.79	-0.01					-2.5 to 2.5	Pass
	4.43	-34.08	-0.01					-2.5 to 2.5	Pass
	-30	3.85	-32.39				-0.01	-2.5 to 2.5	Pass
	-20	3.85	-22.97				-0.01	-2.5 to 2.5	Pass
	-10	3.85	-3.93				-0.00	-2.5 to 2.5	Pass
	0	3.85	5.31				0.00	-2.5 to 2.5	Pass
	10	3.85	3.46				0.00	-2.5 to 2.5	Pass
	30	3.85	7.41				0.00	-2.5 to 2.5	Pass
	40	3.85	21.73				0.01	-2.5 to 2.5	Pass
	50	3.85	30.33				0.01	-2.5 to 2.5	Pass
	2535	100	0				20	3.27	-25.41
				3.85	-22.22	-0.01		-2.5 to 2.5	Pass
				4.43	-15.21	-0.01		-2.5 to 2.5	Pass
				-30	3.85	-22.60	-0.01	-2.5 to 2.5	Pass
				-20	3.85	-13.69	-0.01	-2.5 to 2.5	Pass
				-10	3.85	-6.31	-0.00	-2.5 to 2.5	Pass
				0	3.85	6.68	0.00	-2.5 to 2.5	Pass
				10	3.85	16.69	0.01	-2.5 to 2.5	Pass
				30	3.85	18.52	0.01	-2.5 to 2.5	Pass
				40	3.85	25.86	0.01	-2.5 to 2.5	Pass
				50	3.85	9.66	0.00	-2.5 to 2.5	Pass
				2560	100	0	20	3.27	-23.57
	3.85	-30.81	-0.01					-2.5 to 2.5	Pass



**BUREAU
VERITAS**

Test Report No.: W7L-P22090015-4RF06

					4.43	-19.75	-0.01	-2.5 to 2.5	Pass				
				-30	3.85	-14.85	-0.01	-2.5 to 2.5	Pass				
				-20	3.85	-18.44	-0.01	-2.5 to 2.5	Pass				
				-10	3.85	-10.70	-0.00	-2.5 to 2.5	Pass				
				0	3.85	-4.63	-0.00	-2.5 to 2.5	Pass				
				10	3.85	4.00	0.00	-2.5 to 2.5	Pass				
				30	3.85	12.12	0.00	-2.5 to 2.5	Pass				
				40	3.85	8.84	0.00	-2.5 to 2.5	Pass				
				50	3.85	18.32	0.01	-2.5 to 2.5	Pass				
64QAM	2510	100	0	20	3.27	43.93	0.02	-2.5 to 2.5	Pass				
					3.85	20.03	0.01	-2.5 to 2.5	Pass				
					4.43	35.75	0.01	-2.5 to 2.5	Pass				
								-30	3.85	-9.83	-0.00	-2.5 to 2.5	Pass
								-20	3.85	7.05	0.00	-2.5 to 2.5	Pass
								-10	3.85	26.85	0.01	-2.5 to 2.5	Pass
								0	3.85	27.37	0.01	-2.5 to 2.5	Pass
								10	3.85	22.37	0.01	-2.5 to 2.5	Pass
								30	3.85	34.62	0.01	-2.5 to 2.5	Pass
					40	3.85	43.89	0.02	-2.5 to 2.5	Pass			
					50	3.85	52.64	0.02	-2.5 to 2.5	Pass			
		2535	100	0	20	3.27	22.29	0.01	-2.5 to 2.5	Pass			
	3.85					34.83	0.01	-2.5 to 2.5	Pass				
	4.43					6.59	0.00	-2.5 to 2.5	Pass				
								-30	3.85	16.58	0.01	-2.5 to 2.5	Pass
								-20	3.85	27.02	0.01	-2.5 to 2.5	Pass
								-10	3.85	-13.09	-0.01	-2.5 to 2.5	Pass
								0	3.85	-0.71	-0.00	-2.5 to 2.5	Pass
								10	3.85	13.55	0.01	-2.5 to 2.5	Pass
								30	3.85	28.82	0.01	-2.5 to 2.5	Pass
					40	3.85	11.56	0.00	-2.5 to 2.5	Pass			
					50	3.85	28.58	0.01	-2.5 to 2.5	Pass			
		2560	100	0	20	3.27	36.25	0.01	-2.5 to 2.5	Pass			
	3.85					25.96	0.01	-2.5 to 2.5	Pass				
	4.43					-1.89	-0.00	-2.5 to 2.5	Pass				
								-30	3.85	15.71	0.01	-2.5 to 2.5	Pass
								-20	3.85	3.93	0.00	-2.5 to 2.5	Pass
							-10	3.85	32.09	0.01	-2.5 to 2.5	Pass	
							0	3.85	11.93	0.00	-2.5 to 2.5	Pass	
							10	3.85	32.90	0.01	-2.5 to 2.5	Pass	
							30	3.85	38.65	0.02	-2.5 to 2.5	Pass	
				40	3.85	26.18	0.01	-2.5 to 2.5	Pass				
				50	3.85	10.11	0.00	-2.5 to 2.5	Pass				




**BUREAU
VERITAS**



Test Report No.: W7L-P22090015-4RF06



99% & 26DB BANDWIDTH 99%_OBW TEST RESULT



Band: 7 / NTV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
5	QPSK	2502.5	25	0	4.592	Pass
		2535	25	0	4.552	Pass
		2567.5	25	0	4.562	Pass
	16QAM	2502.5	25	0	4.555	Pass
		2535	25	0	4.565	Pass
		2567.5	25	0	4.570	Pass
	64QAM	2502.5	25	0	4.545	Pass
		2535	25	0	4.556	Pass
		2567.5	25	0	4.552	Pass
10	QPSK	2505	50	0	9.066	Pass
		2535	50	0	9.072	Pass
		2565	50	0	9.096	Pass
	16QAM	2505	50	0	9.084	Pass
		2535	50	0	9.073	Pass
		2565	50	0	9.090	Pass
	64QAM	2505	50	0	9.058	Pass
		2535	50	0	9.032	Pass
		2565	50	0	9.066	Pass
15	QPSK	2507.5	75	0	13.671	Pass
		2535	75	0	13.621	Pass
		2562.5	75	0	13.634	Pass
	16QAM	2507.5	75	0	13.647	Pass
		2535	75	0	13.662	Pass
		2562.5	75	0	13.660	Pass
	64QAM	2507.5	75	0	13.662	Pass
		2535	75	0	13.654	Pass
		2562.5	75	0	13.641	Pass
20	QPSK	2510	100	0	18.153	Pass
		2535	100	0	18.141	Pass
		2560	100	0	18.120	Pass
	16QAM	2510	100	0	18.182	Pass
		2535	100	0	18.168	Pass
		2560	100	0	18.149	Pass
	64QAM	2510	100	0	18.146	Pass
		2535	100	0	18.150	Pass
		2560	100	0	18.098	Pass



TEST GRAPH




































































26DB_OBW TEST RESULT



Band: 7 / NTV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
5	QPSK	2502.5	25	0	5.057	Pass
		2535	25	0	5.055	Pass
		2567.5	25	0	5.032	Pass
	16QAM	2502.5	25	0	5.072	Pass
		2535	25	0	5.049	Pass
		2567.5	25	0	5.073	Pass
	64QAM	2502.5	25	0	5.049	Pass
		2535	25	0	5.043	Pass
		2567.5	25	0	5.094	Pass
10	QPSK	2505	50	0	10.017	Pass
		2535	50	0	10.086	Pass
		2565	50	0	10.041	Pass
	16QAM	2505	50	0	10.033	Pass
		2535	50	0	10.045	Pass
		2565	50	0	10.036	Pass
	64QAM	2505	50	0	10.104	Pass
		2535	50	0	10.037	Pass
		2565	50	0	10.097	Pass
15	QPSK	2507.5	75	0	15.223	Pass
		2535	75	0	15.166	Pass
		2562.5	75	0	15.207	Pass
	16QAM	2507.5	75	0	15.174	Pass
		2535	75	0	15.287	Pass
		2562.5	75	0	15.143	Pass
	64QAM	2507.5	75	0	15.264	Pass
		2535	75	0	15.194	Pass
		2562.5	75	0	15.116	Pass
20	QPSK	2510	100	0	19.972	Pass
		2535	100	0	20.126	Pass
		2560	100	0	19.834	Pass
	16QAM	2510	100	0	19.985	Pass
		2535	100	0	20.185	Pass
		2560	100	0	20.014	Pass
	64QAM	2510	100	0	20.009	Pass
		2535	100	0	20.019	Pass
		2560	100	0	19.897	Pass



Test Graph

































































Test Report No.: W7L-P22090015-4RF06



PEAK-AVERAGE RATIO B7_5MHZ TEST RESULT



Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	25	0	5.25	<=13	Pass
	2535	25	0	5.15	<=13	Pass
	2567.5	25	0	5.04	<=13	Pass
16QAM	2502.5	25	0	6.19	<=13	Pass
	2535	25	0	6.14	<=13	Pass
	2567.5	25	0	6.10	<=13	Pass
64QAM	2502.5	25	0	6.52	<=13	Pass
	2535	25	0	6.47	<=13	Pass
	2567.5	25	0	6.43	<=13	Pass



Test Report No.: W7L-P22090015-4RF06



TEST GRAPH








Test Report No.: W7L-P22090015-4RF06






Test Report No.: W7L-P22090015-4RF06





Test Report No.: W7L-P22090015-4RF06







Test Report No.: W7L-P22090015-4RF06

B7_10MHZ TEST RESULT

Band: 7 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	50	0	4.67	<=13	Pass
	2535	50	0	4.65	<=13	Pass
	2565	50	0	4.60	<=13	Pass
16QAM	2505	50	0	6.15	<=13	Pass
	2535	50	0	6.04	<=13	Pass
	2565	50	0	6.07	<=13	Pass
64QAM	2505	50	0	6.41	<=13	Pass
	2535	50	0	6.39	<=13	Pass
	2565	50	0	6.37	<=13	Pass





TEST GRAPH







Test Report No.: W7L-P22090015-4RF06






Test Report No.: W7L-P22090015-4RF06






Test Report No.: W7L-P22090015-4RF06





Test Report No.: W7L-P22090015-4RF06







Test Report No.: W7L-P22090015-4RF06



B7_15MHZ TEST RESULT

Band: 7 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2507.5	75	0	5.77	<=13	Pass
	2535	75	0	5.75	<=13	Pass
	2562.5	75	0	5.77	<=13	Pass
16QAM	2507.5	75	0	6.72	<=13	Pass
	2535	75	0	6.78	<=13	Pass
	2562.5	75	0	6.78	<=13	Pass
64QAM	2507.5	75	0	6.98	<=13	Pass
	2535	75	0	6.92	<=13	Pass
	2562.5	75	0	6.88	<=13	Pass





TEST GRAPH








Test Report No.: W7L-P22090015-4RF06






Test Report No.: W7L-P22090015-4RF06





Test Report No.: W7L-P22090015-4RF06







Test Report No.: W7L-P22090015-4RF06

B7_20MHZ TEST RESULT

Band: 7 / Bandwidth: 20MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2510	100	0	6.46	<=13	Pass
	2535	100	0	6.47	<=13	Pass
	2560	100	0	6.45	<=13	Pass
16QAM	2510	100	0	7.19	<=13	Pass
	2535	100	0	7.18	<=13	Pass
	2560	100	0	7.07	<=13	Pass
64QAM	2510	100	0	7.21	<=13	Pass
	2535	100	0	7.27	<=13	Pass
	2560	100	0	7.25	<=13	Pass



TEST GRAPH










Test Report No.: W7L-P22090015-4RF06







Test Report No.: W7L-P22090015-4RF06









Test Report No.: W7L-P22090015-4RF06



SPURIOUS EMISSION B7_5MHZ TEST RESULT



Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	1	0	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	
	2535	1	0	Refer To Test Graph	Pass	
	2567.5	1	0	Refer To Test Graph	Pass	
		25	24	Refer To Test Graph	Pass	
16QAM	2502.5	1	0	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	
	2535	1	0	Refer To Test Graph	Pass	
	2567.5	1	0	Refer To Test Graph	Pass	
		25	24	Refer To Test Graph	Pass	
64QAM	2502.5	1	0	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	
	2535	1	0	Refer To Test Graph	Pass	
	2567.5	1	0	Refer To Test Graph	Pass	
		25	24	Refer To Test Graph	Pass	
		25	0	Refer To Test Graph	Pass	



TEST GRAPH








































Test Report No.: W7L-P22090015-4RF06



B7_10MHZ TEST RESULT



Band: 7 / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2565	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	2505	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2565	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
64QAM	2505	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2565	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass



TEST GRAPH

































Test Report No.: W7L-P22090015-4RF06









Test Report No.: W7L-P22090015-4RF06



B7_15MHZ TEST RESULT



Band: 7 / Bandwidth: 15MHz / NTNV							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	2507.5	1	0	Refer To Test Graph		Pass	
		75	0	Refer To Test Graph		Pass	
	2562.5	2535	1	0	Refer To Test Graph		Pass
		1		0	Refer To Test Graph		Pass
				74	Refer To Test Graph		Pass
				0	Refer To Test Graph		Pass
16QAM	2507.5	1	0	Refer To Test Graph		Pass	
		75	0	Refer To Test Graph		Pass	
	2562.5	2535	1	0	Refer To Test Graph		Pass
		1		0	Refer To Test Graph		Pass
				74	Refer To Test Graph		Pass
				0	Refer To Test Graph		Pass
64QAM	2507.5	1	0	Refer To Test Graph		Pass	
		75	0	Refer To Test Graph		Pass	
	2562.5	2535	1	0	Refer To Test Graph		Pass
		1		0	Refer To Test Graph		Pass
				74	Refer To Test Graph		Pass
				0	Refer To Test Graph		Pass



TEST GRAPH




































Test Report No.: W7L-P22090015-4RF06

B7_20MHZ TEST RESULT

Band: 7 / Bandwidth: 20MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2510	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2560	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	2510	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2560	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
64QAM	2510	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2560	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

TEST GRAPH

