





**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



11N40SISO\_Ant1\_2452\_1000~26500



BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)




## DUTY CYCLE TEST RESULT

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11B	Ant1	2412	8.41	8.47	99.29	0.03
		2437	8.42	8.48	99.29	0.03
		2462	8.41	8.47	99.29	0.03
11G	Ant1	2412	1.39	1.45	95.86	0.18
		2437	1.40	1.47	95.24	0.21
		2462	1.40	1.46	95.89	0.18
11N20SISO	Ant1	2412	1.18	1.26	93.65	0.28
		2437	1.18	1.23	95.93	0.18
		2462	1.18	1.23	95.93	0.18
11N40SISO	Ant1	2422	0.58	0.64	90.63	0.43
		2437	0.58	0.64	90.63	0.43
		2452	0.59	0.67	88.06	0.55




### TEST GRAPHS

11B\_Ant1\_2412



11B\_Ant1\_2437




11B\_Ant1\_2462




BUREAU VERITAS

Test Report No.: W7L-P22090012RF02



11G\_Ant1\_2412




11G\_Ant1\_2437




**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



11G\_Ant1\_2462




11N20SISO\_Ant1\_2412






BUREAU VERITAS

Test Report No.: W7L-P22090012RF02



11N20SISO\_Ant1\_2437




11N20SISO\_Ant1\_2462




**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



11N40SISO\_Ant1\_2422



11N40SISO\_Ant1\_2437

BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd


No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)




**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



11N40SISO\_Ant1\_2452







## 7 Appendix 2 BLE

### DTS BANDWIDTH TEST RESULT

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_125K	Ant1	2402	0.680	2401.660	2402.340	0.5	PASS
		2440	0.680	2439.656	2440.336	0.5	PASS
		2480	0.680	2479.656	2480.336	0.5	PASS
BLE_1M	Ant1	2402	0.640	2401.676	2402.316	0.5	PASS
		2440	0.656	2439.672	2440.328	0.5	PASS
		2480	0.720	2479.636	2480.356	0.5	PASS
BLE_2M	Ant1	2402	1.120	2401.424	2402.544	0.5	PASS
		2440	1.232	2439.360	2440.592	0.5	PASS
		2480	1.228	2479.352	2480.580	0.5	PASS
BLE_500K	Ant1	2402	0.660	2401.676	2402.336	0.5	PASS
		2440	0.644	2439.676	2440.320	0.5	PASS
		2480	0.648	2479.676	2480.324	0.5	PASS



BUREAU VERITAS


Test Report No.: W7L-P22090012RF02

### TEST GRAPHS

BLE\_125K\_Ant1\_2402



BLE\_125K\_Ant1\_2440




BLE\_125K\_Ant1\_2480



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_1M\_Ant1\_2402




BLE\_1M\_Ant1\_2440



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_1M\_Ant1\_2480



BLE\_2M\_Ant1\_2402






**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_2M\_Ant1\_2440



BLE\_2M\_Ant1\_2480



**BUREAU  
VERITAS**

### Test Report No.: W7L-P22090012RF02



BLE\_500K\_Ant1\_2402




BLE\_500K\_Ant1\_2440



BUREAU VERITAS

Test Report No.: W7L-P22090012RF02



BLE\_500K\_Ant1\_2480





## OCCUPIED CHANNEL BANDWIDTH


### TEST RESULT

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_125K	Ant1	2402	1.0402	2401.476	2402.516	---	---
		2440	1.0415	2439.475	2440.517	---	---
		2480	1.0418	2479.474	2480.516	---	---
BLE_1M	Ant1	2402	1.0122	2401.496	2402.508	---	---
		2440	1.0089	2439.495	2440.504	---	---
		2480	1.0089	2479.496	2480.505	---	---
BLE_2M	Ant1	2402	2.0216	2401.004	2403.026	---	---
		2440	2.0192	2439.004	2441.023	---	---
		2480	2.0254	2479.000	2481.025	---	---
BLE_500K	Ant1	2402	1.0148	2401.488	2402.503	---	---
		2440	1.0146	2439.489	2440.504	---	---
		2480	1.0082	2479.492	2480.501	---	---





### TEST GRAPHS






**BUREAU  
VERITAS**

### Test Report No.: W7L-P22090012RF02



BLE\_1M\_Ant1\_2402



BLE\_1M\_Ant1\_2440

BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)




**BUREAU  
VERITAS**

### Test Report No.: W7L-P22090012RF02



BLE\_1M\_Ant1\_2480



BLE\_2M\_Ant1\_2402

BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)




**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_2M\_Ant1\_2440




BLE\_2M\_Ant1\_2480






**BUREAU  
VERITAS**

### Test Report No.: W7L-P22090012RF02



BLE\_500K\_Ant1\_2402



BLE\_500K\_Ant1\_2440

BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd


No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)




**BUREAU  
VERITAS**

### Test Report No.: W7L-P22090012RF02



### BLE\_500K\_Ant1\_2480



BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)



## MAXIMUM CONDUCTED OUTPUT POWER

### TEST RESULT PEAK

TestMode	Antenna	Freq. [MHz]	Average Power [dBm]	Peak Power [dBm]	Peak Power [mW]	Limit [dBm]	Verdict	Power setting
BLE_125K	Ant1	2402	3.34	3.82	2.41	≤30	PASS	Default
		2440	3.84	4.31	2.70	≤30	PASS	Default
		2480	2.88	3.52	2.25	≤30	PASS	Default
BLE_1M	Ant1	2402	2.57	3.72	2.36	≤30	PASS	Default
		2440	3.04	4.25	2.66	≤30	PASS	Default
		2480	2.13	3.33	2.15	≤30	PASS	Default
BLE_2M	Ant1	2402	1.26	3.76	2.38	≤30	PASS	Default
		2440	1.72	4.23	2.65	≤30	PASS	Default
		2480	0.87	3.29	2.13	≤30	PASS	Default
BLE_500K	Ant1	2402	2.48	3.90	2.45	≤30	PASS	Default
		2440	2.98	<b>4.40</b>	<b>2.75</b>	≤30	PASS	Default
		2480	2.02	3.49	2.23	≤30	PASS	Default



## MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_125K	Ant1	2402	-4.89	≤8.00	PASS
		2440	-4.95	≤8.00	PASS
		2480	-5.69	≤8.00	PASS
BLE_1M	Ant1	2402	-14.80	≤8.00	PASS
		2440	-14.70	≤8.00	PASS
		2480	-15.54	≤8.00	PASS
BLE_2M	Ant1	2402	-17.96	≤8.00	PASS
		2440	-18.02	≤8.00	PASS
		2480	-18.85	≤8.00	PASS
BLE_500K	Ant1	2402	-4.88	≤8.00	PASS
		2440	-4.90	≤8.00	PASS
		2480	-5.66	≤8.00	PASS




BUREAU VERITAS

Test Report No.: W7L-P22090012RF02

### TEST GRAPHS

BLE\_125K\_Ant1\_2402



BLE\_125K\_Ant1\_2440




BLE\_125K\_Ant1\_2480





**BUREAU  
VERITAS**

### Test Report No.: W7L-P22090012RF02



BLE\_1M\_Ant1\_2402



BLE\_1M\_Ant1\_2440



**BUREAU  
VERITAS**

Test Report No.: W7L-P22090012RF02



BLE\_1M\_Ant1\_2480



BLE\_2M\_Ant1\_2402



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_2M\_Ant1\_2440




BLE\_2M\_Ant1\_2480



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_500K\_Ant1\_2402



BLE\_500K\_Ant1\_2440






**BUREAU  
VERITAS**

Test Report No.: W7L-P22090012RF02



BLE\_500K\_Ant1\_2480







## REFERENCE LEVEL MEASUREMENT

### TEST RESULT

TestMode	Antenna	Freq(MHz)	Max.Point[MHz]	Result[dBm]
BLE_125K	Ant1	2402	2401.79	-0.52
		2440	2439.77	0.34
		2480	2480.00	-2.58
BLE_1M	Ant1	2402	2401.75	1.35
		2440	2439.75	1.36
		2480	2479.74	0.60
BLE_2M	Ant1	2402	2401.50	1.11
		2440	2439.49	1.01
		2480	2479.49	0.36
BLE_500K	Ant1	2402	2401.75	1.37
		2440	2439.74	1.37
		2480	2479.75	0.59



BUREAU  
VERITAS

Test Report No.: W7L-P22090012RF02

## TEST GRAPHS





**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_1M\_Ant1\_2402



BLE\_1M\_Ant1\_2440



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_1M\_Ant1\_2480



BLE\_2M\_Ant1\_2402



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_2M\_Ant1\_2440



BLE\_2M\_Ant1\_2480





**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_500K\_Ant1\_2402



BLE\_500K\_Ant1\_2440



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_500K\_Ant1\_2480





## **BAND EDGE MEASUREMENTS**


### **TEST RESULT**

TestMode	Antenna	ChName	Frequency [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
BLE_125K	Ant1	Low	2402	-0.52	-44.63	≤-20.52	PASS
		High	2480	-2.58	-42.95	≤-22.58	PASS
BLE_1M	Ant1	Low	2402	1.35	-45.00	≤-18.65	PASS
		High	2480	0.60	-44.04	≤-19.4	PASS
BLE_2M	Ant1	Low	2402	1.11	-42.46	≤-18.89	PASS
		High	2480	0.36	-44.02	≤-19.64	PASS
BLE_500K	Ant1	Low	2402	1.37	-43.61	≤-18.63	PASS
		High	2480	0.59	-44.04	≤-19.41	PASS




### TEST GRAPHS

BLE\_125K\_Ant1\_Low\_2402



BLE\_125K\_Ant1\_High\_2480




BLE\_1M\_Ant1\_Low\_2402




**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_1M\_Ant1\_High\_2480




BLE\_2M\_Ant1\_Low\_2402






**BUREAU  
VERITAS**

### Test Report No.: W7L-P22090012RF02



BLE\_2M\_Ant1\_High\_2480



BLE\_500K\_Ant1\_Low\_2402

BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd


No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)




**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_500K\_Ant1\_High\_2480



BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)



### CONDUCTED SPURIOUS EMISSION

### TEST RESULT

TestMode	Antenna	Frequency [MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_125K	Ant1	2402	30~1000	-0.52	-43.27	≤-20.52	PASS
			1000~26500	-0.52	-28.08	≤-20.52	PASS
		2440	30~1000	0.34	-43.73	≤-19.66	PASS
			1000~26500	0.34	-27.79	≤-19.66	PASS
		2480	30~1000	-2.58	-42.86	≤-22.58	PASS
			1000~26500	-2.58	-27.61	≤-22.58	PASS
BLE_1M	Ant1	2402	30~1000	1.35	-43.37	≤-18.65	PASS
			1000~26500	1.35	-27.67	≤-18.65	PASS
		2440	30~1000	1.36	-43.15	≤-18.64	PASS
			1000~26500	1.36	-27.48	≤-18.64	PASS
		2480	30~1000	0.60	-42.95	≤-19.4	PASS
			1000~26500	0.60	-27.09	≤-19.4	PASS
BLE_2M	Ant1	2402	30~1000	1.11	-43.27	≤-18.89	PASS
			1000~26500	1.11	-26.68	≤-18.89	PASS
		2440	30~1000	1.01	-42.91	≤-18.99	PASS
			1000~26500	1.01	-27.87	≤-18.99	PASS
		2480	30~1000	0.36	-43.23	≤-19.64	PASS
			1000~26500	0.36	-27.46	≤-19.64	PASS
BLE_500K	Ant1	2402	30~1000	1.37	-43.15	≤-18.63	PASS
			1000~26500	1.37	-27.48	≤-18.63	PASS
		2440	30~1000	1.37	-43.43	≤-18.63	PASS
			1000~26500	1.37	-28.02	≤-18.63	PASS
		2480	30~1000	0.59	-43.06	≤-19.41	PASS
			1000~26500	0.59	-27.04	≤-19.41	PASS



BUREAU VERITAS

Test Report No.: W7L-P22090012RF02

### TEST GRAPHS

BLE\_125K\_Ant1\_2402\_30~1000



BLE\_125K\_Ant1\_2402\_1000~26500




BLE\_125K\_Ant1\_2440\_30~1000





**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_125K\_Ant1\_2440\_1000~26500




BLE\_125K\_Ant1\_2480\_30~1000





**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_125K\_Ant1\_2480\_1000~26500



BLE\_1M\_Ant1\_2402\_30~1000

BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_1M\_Ant1\_2402\_1000~26500




BLE\_1M\_Ant1\_2440\_30~1000



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_1M\_Ant1\_2440\_1000~26500




BLE\_1M\_Ant1\_2480\_30~1000



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_1M\_Ant1\_2480\_1000~26500




BLE\_2M\_Ant1\_2402\_30~1000





**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_2M\_Ant1\_2402\_1000~26500




BLE\_2M\_Ant1\_2440\_30~1000





**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_2M\_Ant1\_2440\_1000~26500



BLE\_2M\_Ant1\_2480\_30~1000

BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd


No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_2M\_Ant1\_2480\_1000~26500




BLE\_500K\_Ant1\_2402\_30~1000



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_500K\_Ant1\_2402\_1000~26500




BLE\_500K\_Ant1\_2440\_30~1000



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_500K\_Ant1\_2440\_1000~26500




BLE\_500K\_Ant1\_2480\_30~1000





**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_500K\_Ant1\_2480\_1000~26500



BV 7Layers Communications Technology  
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan  
Avenue, North Area, Hi-Tech Industrial Park, Nanshan  
District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)





## DUTY CYCLE TEST RESULT

TestMode	Antenna	Frequency[MHz]	ON Time[ms]	Period [ms]	Duty Cycle [%]
BLE_125K	Ant1	2402	13.02	13.74	94.76
		2440	13.02	13.74	94.76
		2480	13.02	13.74	94.76
BLE_1M	Ant1	2402	1.64	1.88	87.23
		2440	1.64	1.88	87.23
		2480	1.64	1.88	87.23
BLE_2M	Ant1	2402	0.82	1.25	65.60
		2440	0.82	1.25	65.60
		2480	0.82	1.25	65.60
BLE_500K	Ant1	2402	3.56	4.38	81.28
		2440	3.56	4.38	81.28
		2480	3.56	4.38	81.28




### TEST GRAPHS






**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_1M\_Ant1\_2402




BLE\_1M\_Ant1\_2440




BUREAU VERITAS

Test Report No.: W7L-P22090012RF02



BLE\_1M\_Ant1\_2480




BLE\_2M\_Ant1\_2402




**BUREAU  
VERITAS**

**Test Report No.: W7L-P22090012RF02**



BLE\_2M\_Ant1\_2440




BLE\_2M\_Ant1\_2480






BUREAU VERITAS

Test Report No.: W7L-P22090012RF02



BLE\_500K\_Ant1\_2402



BLE\_500K\_Ant1\_2440

BV 7Layers Communications Technology (Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan Avenue, North Area, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566  
Fax: +86 755 8869 6577  
Email: [customerservice.sw@bureauveritas.com](mailto:customerservice.sw@bureauveritas.com)