LTE CA Band 66C, 20MHz+5MHz (-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755	24.760	24.639

LTE CA Band 66C, 20MHz+5MHz Bandwidth, QPSK (-26dBc BW)



Date: 17.FEB.2023 13:54:47

LTE CA Band 66C, 20MHz+5MHz Bandwidth, 16QAM (-26dBc BW)



Date: 17.FEB.2023 13:55:11

LTE CA Band 66C, 20MHz+10MHz (-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755	29.567	29.567

LTE CA Band 66C, 20MHz+10MHz Bandwidth, QPSK (-26dBc BW)



LTE CA Band 66C, 20MHz+10MHz Bandwidth, 16QAM (-26dBc BW)



LTE CA Band 66C, 20MHz+15MHz (-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755	34.663	34.663

LTE CA Band 66C, 20MHz+15MHz Bandwidth, QPSK (-26dBc BW)



Date: 17.FEB.2023 13:57:44

LTE CA Band 66C, 20MHz+15MHz Bandwidth, 16QAM (-26dBc BW)



Date: 17.FEB.2023 13:58:08

LTE CA Band 66C, 20MHz+20MHz (-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755	39.808	39.808

LTE CA Band 66C, 20MHz+20MHz Bandwidth, QPSK (-26dBc BW)



LTE CA Band 66C, 20MHz+20MHz Bandwidth, 16QAM (-26dBc BW)



Note: Expanded measurement uncertainty is U = 3428 Hz, k = 2.

A.6 Band Edge Compliance

A.6.1 Measurement limit

Part 22.917, Part 24.238 and Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

Part 27.53(m) specifies for mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Part 27.53(c) states for operations in the 746-758 MHz band and the 776-788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:(1) On any frequency outside the 746-758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB;(2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB;(4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations.

Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee’s frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least 43 + 10 log (P) dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee’s frequency block, a resolution bandwidth of at least 30 kHz may be employed.

Part 90.691 states that out-of-band emission requirement shall apply only to the ‘‘outer’’ channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:For any frequency removed from the EA licensee’s frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116\text{Log}_{10}(f/6.1)$ decibels or 50 + 10 $\text{Log}_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz. For any frequency removed from the EA licensee’s frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 43 + $10\text{Log}_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency

removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

Part 27.53(n) states for mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed −13 dBm/MHz. Compliance with this paragraph (n)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed, but limited to a maximum of 200 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz.

Part 96.41(e) states for channel and frequency assignments made by a CBSD to End User Devices, the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed −13 dBm/MHz within 0 to B megahertz (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B megahertz below the lower CBSD-assigned channel edge. At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSD-assigned channel edge, the conducted power of any End User Device emission shall not exceed −25 dBm/MHz. Notwithstanding the emission limits in this paragraph, the Adjacent Channel Leakage Ratio for End User Devices shall be at least 30 dB. The conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.

The spectrum analyzer readings are corrected by [10 log (1/duty cycle)] for the non-continuous transmitting scenario.

A.6.2 Measurement result

Only the worst case result is given below

LTE band 2

OBW: 1RB-low_offset



LOW BAND EDGE BLOCK-1RB-low_offset



OBW: 1RB-high_offset



Date: 13.FEB.2023 09:07:15

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 09:08:29

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 09:04:50

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 09:09:19

LTE band 4

OBW: 1RB-low_offset



Date: 13.FEB.2023 09:11:40

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 09:12:55

OBW: 1RB-high_offset



Date: 13.FEB.2023 09:15:55

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 09:17:09

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 09:13:34

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 09:18:43

LTE band 5

OBW: 1RB-low_offset



Date: 13.FEB.2023 11:12:14

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 11:13:28

OBW: 1RB-high_offset



Date: 13.FEB.2023 11:15:51

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 11:17:06

LOW BAND EDGE BLOCK-10MHz-100%RB



Date: 13.FEB.2023 11:14:18

HIGH BAND EDGE BLOCK-10MHz-100%RB



Date: 13.FEB.2023 11:17:39

LTE band 7

OBW: 1RB-low_offset



Date: 13.FEB.2023 09:21:05

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 09:22:26



Date: 13.FEB.2023 09:24:15



Date: 13.FEB.2023 09:24:43

OBW: 1RB-high_offset



Date: 13.FEB.2023 09:26:19

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 09:27:40



Date: 13.FEB.2023 09:29:29



Date: 13.FEB.2023 09:29:57

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 6.DEC.2022 15:47:48



Date: 6.DEC.2022 15:49:30

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 6.DEC.2022 15:52:28



Date: 6.DEC.2022 15:54:09

LTE band 12

OBW: 1RB-low_offset



Date: 13.FEB.2023 11:19:17

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 11:19:37

OBW: 1RB-high_offset



Date: 13.FEB.2023 11:20:13

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 11:20:32

LOW BAND EDGE BLOCK-10MHz-100%RB



Date: 6.DEC.2022 17:24:41

HIGH BAND EDGE BLOCK-10MHz-100%RB



Date: 6.DEC.2022 17:26:12

LTE band 13

OBW: 1RB-low_offset



Date: 13.FEB.2023 11:21:53

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 11:22:12



Date: 13.FEB.2023 11:22:51

OBW: 1RB-high_offset



Date: 13.FEB.2023 11:23:27

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 11:23:46



Date: 13.FEB.2023 11:24:25

LOW BAND EDGE BLOCK-10MHz-100%RB



Date: 6.DEC.2022 17:27:48



Date: 6.DEC.2022 17:28:27

HIGH BAND EDGE BLOCK-10MHz-100%RB



Date: 6.DEC.2022 17:29:58



Date: 6.DEC.2022 17:30:37

LTE band 17

OBW: 1RB-low_offset



Date: 13.FEB.2023 11:25:06

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 11:25:25

OBW: 1RB-high_offset



Date: 13.FEB.2023 11:27:32

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 11:27:51

LOW BAND EDGE BLOCK-10MHz-100%RB



Date: 13.FEB.2023 11:25:59

HIGH BAND EDGE BLOCK-10MHz-100%RB



Date: 13.FEB.2023 11:28:25

LTE band 25

OBW: 1RB-low_offset



Date: 13.FEB.2023 09:30:53

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 09:32:08

OBW: 1RB-high_offset



Date: 13.FEB.2023 09:33:48

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 09:35:03

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 6.DEC.2022 15:55:47

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 6.DEC.2022 15:57:19

LTE band 26(814MHz~824MHz)

OBW: 1RB-low_offset



Date: 13.FEB.2023 11:40:28

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 11:42:00

LOW Emission Mask -1RB-low_offset



Date: 13.FEB.2023 11:44:18

OBW: 1RB-high_offset



Date: 13.FEB.2023 11:45:00

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 11:46:32

HIGH Emission Mask -1RB-high_offset



Date: 13.FEB.2023 11:48:49

LOW Emission Mask -10MHz-100%RB



Date: 6.DEC.2022 17:47:31

LOW BAND EDGE BLOCK-10MHz-100%RB



Date: 6.DEC.2022 17:47:08

HIGH Emission Mask -10MHz-100%RB



Date: 6.DEC.2022 17:49:27

HIGH BAND EDGE BLOCK-10MHz-100%RB



Date: 6.DEC.2022 17:49:05

LTE band 26(824MHz~849MHz)

OBW: 1RB-low_offset



Date: 13.FEB.2023 11:30:08

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 11:31:22

OBW: 1RB-high_offset



HIGH BAND EDGE BLOCK-1RB-high_offset



LOW BAND EDGE BLOCK-15MHz-100%RB



Date: 6.DEC.2022 17:32:17

HIGH BAND EDGE BLOCK-15MHz-100%RB



Date: 6.DEC.2022 17:33:49

LTE band 38

OBW: 1RB-low_offset



Date: 13.FEB.2023 09:41:53

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 09:42:34



Date: 13.FEB.2023 09:43:21



Date: 13.FEB.2023 09:43:39

OBW: 1RB-high_offset



HIGH BAND EDGE BLOCK-1RB-high_offset





Date: 13.FEB.2023 09:49:08



Date: 13.FEB.2023 09:49:25

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 09:44:40



Date: 13.FEB.2023 09:45:19

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 09:50:26



Date: 13.FEB.2023 09:51:05

LTE band 41

OBW: 1RB-low_offset



Date: 13.FEB.2023 09:53:32

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 09:54:14



Date: 13.FEB.2023 09:54:58



Date: 13.FEB.2023 09:55:16

OBW: 1RB-high_offset



Date: 13.FEB.2023 09:55:52

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 09:56:33



Date: 13.FEB.2023 09:57:20



Date: 13.FEB.2023 09:57:38

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 6.DEC.2022 16:03:09



Date: 6.DEC.2022 16:03:53



Date: 6.DEC.2022 16:04:11

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 6.DEC.2022 16:06:05



Date: 6.DEC.2022 16:06:44

LTE band 42

OBW: 1RB-low_offset



Date: 13.FEB.2023 10:18:43

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 10:19:24



Date: 13.FEB.2023 10:20:03

OBW: 1RB-high_offset



Date: 13.FEB.2023 10:20:46

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 10:21:28



Date: 13.FEB.2023 10:22:07

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 17.JAN.2023 12:45:14



Date: 17.JAN.2023 12:45:53

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 17.JAN.2023 12:47:49



Date: 17.JAN.2023 12:48:27

LTE band 42(3550MHz-3600MHz)

OBW: 1RB-low_offset



Date: 13.FEB.2023 10:22:45

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 10:23:26



Date: 13.FEB.2023 10:24:55



Date: 13.FEB.2023 10:25:12



Date: 13.FEB.2023 10:25:28



Date: 13.FEB.2023 10:24:08



Date: 13.FEB.2023 10:26:07

OBW: 1RB-high_offset



Date: 13.FEB.2023 10:31:27

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 10:32:09



Date: 13.FEB.2023 10:33:37



Date: 13.FEB.2023 10:33:55



Date: 13.FEB.2023 10:32:50



Date: 13.FEB.2023 10:34:34

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 10:27:10



Date: 13.FEB.2023 10:28:37



Date: 13.FEB.2023 10:28:55



Date: 13.FEB.2023 10:27:51



Date: 13.FEB.2023 10:29:34

ACLR



Date: 13.FEB.2023 10:30:51

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 10:35:31



Date: 13.FEB.2023 10:36:51



Date: 13.FEB.2023 10:36:12



Date: 13.FEB.2023 10:37:31

ACLR



Tx Channel
Bandwidth 20 MHz

Power 19.45 dBm

Adjacent Channel
Bandwidth 20 MHz
Spacing 20 MHz

Lower -39.23 dB
Upper -40.55 dB

Date: 13.FEB.2023 10:38:49

LTE band 43_(3600MHz-3700MHz)

OBW: 1RB-low_offset



Date: 13.FEB.2023 10:40:06

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 10:40:47



Date: 13.FEB.2023 10:42:15



Date: 13.FEB.2023 10:42:33



Date: 13.FEB.2023 10:42:49



Date: 13.FEB.2023 10:41:28



Date: 13.FEB.2023 10:43:28

OBW: 1RB-high_offset



Date: 13.FEB.2023 10:48:49

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 10:49:30



Date: 13.FEB.2023 10:50:59



Date: 13.FEB.2023 10:51:16



Date: 13.FEB.2023 10:50:12



Date: 13.FEB.2023 10:51:55

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 10:44:31



Date: 13.FEB.2023 10:45:59



Date: 13.FEB.2023 10:46:16



Date: 13.FEB.2023 10:45:12



Date: 13.FEB.2023 10:46:55

ACLR



Tx Channel			
Bandwidth	20 MHz	Power	19.73 dBm
Adjacent Channel			
Bandwidth	20 MHz	Lower	-40.39 dB
Spacing	20 MHz	Upper	-43.27 dB

Date: 13.FEB.2023 10:48:13

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 10:52:53



Date: 13.FEB.2023 10:54:20



Date: 13.FEB.2023 10:54:38



Date: 13.FEB.2023 10:53:34



Date: 13.FEB.2023 10:55:17

ACLR



Date: 13.FEB.2023 10:56:35

LTE band 48

OBW: 1RB-low_offset



Date: 13.FEB.2023 10:10:44

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 10:11:26



Date: 13.FEB.2023 10:12:54



Date: 13.FEB.2023 10:13:11



Date: 13.FEB.2023 10:13:27



Date: 13.FEB.2023 10:12:07



Date: 13.FEB.2023 10:14:06

OBW: 1RB-high_offset



Date: 13.FEB.2023 10:14:49

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 10:15:30



Date: 13.FEB.2023 10:16:58



Date: 13.FEB.2023 10:17:16



Date: 13.FEB.2023 10:16:12



Date: 13.FEB.2023 10:17:55

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 6.DEC.2022 18:11:41



Date: 6.DEC.2022 18:13:08



Date: 6.DEC.2022 18:13:26



Date: 6.DEC.2022 18:12:22



Date: 6.DEC.2022 18:14:04

ACLR



Date: 6.DEC.2022 18:15:22

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 6.DEC.2022 18:16:18



Date: 6.DEC.2022 18:17:45



Date: 6.DEC.2022 18:18:03



Date: 6.DEC.2022 18:16:59



Date: 6.DEC.2022 18:18:41

ACLR



Date: 6.DEC.2022 18:19:59

LTE band 66

OBW: 1RB-low_offset



Date: 13.FEB.2023 09:36:27

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 09:37:41

OBW: 1RB-high_offset



HIGH BAND EDGE BLOCK-1RB-high_offset



LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 6.DEC.2022 15:58:55

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 6.DEC.2022 16:00:27

LTE band 71

OBW: 1RB-low_offset



Date: 13.FEB.2023 11:09:07

LOW BAND EDGE BLOCK-1RB-low_offset



Date: 13.FEB.2023 11:09:26

OBW: 1RB-high_offset



Date: 13.FEB.2023 11:10:09

HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 13.FEB.2023 11:10:28

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 10.FEB.2023 10:03:25

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 10.FEB.2023 10:04:57

LTE CA Band 7C

Only the worst case result is given below

OBW: 1RB-low_offset



Date: 13.FEB.2023 13:39:02

LOW BAND EDGE BLOCK-20MHz+15MHz-1RB



Date: 13.FEB.2023 13:39:24



Date: 13.FEB.2023 13:39:43

OBW: 1RB-high_offset



Date: 13.FEB.2023 13:40:45

HIGH BAND EDGE BLOCK-20MHz+15MHz-1RB



Date: 13.FEB.2023 13:41:07



Date: 13.FEB.2023 13:41:26

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 13:42:30



Date: 13.FEB.2023 13:42:49

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 13:43:49



Date: 13.FEB.2023 13:44:08

LTE CA Band 38C

Only the worst case result is given below

OBW: 1RB-low_offset



Date: 13.FEB.2023 14:16:43

LOW BAND EDGE BLOCK-20MHz+20MHz-1RB



Date: 13.FEB.2023 14:17:27



Date: 13.FEB.2023 14:18:12

OBW: 1RB-high_offset



Date: 13.FEB.2023 14:19:13

HIGH BAND EDGE BLOCK- 20MHz+20MHz-1RB



Date: 13.FEB.2023 14:19:57



Date: 13.FEB.2023 14:20:42

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 13:45:33



Date: 13.FEB.2023 13:46:17

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 13.FEB.2023 13:47:42



Date: 13.FEB.2023 13:48:26

LTE CA Band 41C

Only the worst case result is given below

OBW: 1RB-low_offset



Date: 13.FEB.2023 13:49:43

LOW BAND EDGE BLOCK-20MHz+10MHz-1RB



Date: 13.FEB.2023 13:50:27



Date: 13.FEB.2023 13:51:12

OBW: 1RB-high_offset



Date: 13.FEB.2023 13:52:13

HIGH BAND EDGE BLOCK-20MHz+10MHz-1RB



Date: 13.FEB.2023 13:52:57