




DUTY CYCLE

TEST RESULT

TestMode	Antenna Frequency[MHz]		Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11B	Ant0	2412	8.193	8.232	99.52
11G	Ant0	2412	1.361	1.396	97.49
11N20	Ant0	2412	1.276	1.321	96.59



TEST GRAPHS










7 Appendix 2 BLE DTS BANDWIDTH

TEST RESULT

TestMode	Antenna	na Channel DTS BW [MHz]		FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	0.666	2401.664	2402.330	0.5	PASS
BLE_1M	Ant1	2440	0.663	2439.664	2440.327	0.5	PASS
		2480	0.666	2479.661	2480.327	0.5	PASS




TEST GRAPHS














OCCUPIED CHANNEL BANDWIDTH


TEST RESULT

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	1.0130	2401.496	2402.509		PASS
BLE_1M	Ant1	2440	1.0130	2439.496	2440.509		PASS
		2480	1.0130	2479.496	2480.509		PASS




TEST GRAPHS











MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT PEAK

TestMod	A 4	01	Peak	Peak	Conducted	\/andiat	Power
е	Antenna	a Channel	Powert[dBm]	Powert[mw]	Limit[dBm]	Verdict	setting
	Ant1	2402	0.86	1.22	≤30	PASS	Defult
1M		2440	0.37	1.09	≤30	PASS	Defult
		2480	-0.94	0.81	≤30	PASS	Defult

TEST RESULT AVERAGE

TestMode	Antenna	Channel	Average Power	Conducted Limit[dBm]	Verdict	Power setting
	Ant1	2402	0.57	1	PASS	Defult
1M		2440	-0.14	1	PASS	Defult
		2480	-1.21	1	PASS	Defult




MAXIMUM POWER SPECTRAL DENSITY

TEST RESULT


TestMode	Antenna	Channel	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
		2402	-14.77	≤8	PASS
BLE_1M	Ant1	2440	-16.06	≤8	PASS
		2480	-18.42	≤8	PASS




TEST GRAPHS














BAND EDGE MEASUREMENTS

TEST RESULT


TestMode	Antenna	Antenna ChName		RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	1.53	-48.47	≤-18.47	PASS
		High	2480	-2.10	-49.24	≤-22.10	PASS



TEST GRAPHS










CONDUCTED SPURIOUS EMISSION TEST RESULT


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
		2402	30~3000	1.53	-48.50	≤-18.47	PASS
		2402	2000~26500	1.53	-41.87	≤-18.47	PASS
DIE 1M		2440	30~3000	0.14	-49.59	≤-19.86	PASS
BLE_IM			2000~26500	0.14	-42.20	≤-19.86	PASS
		2400	30~3000	-2.10	-49.15	≤-22.10	PASS
		2480	2000~26500	-2.10	-42.01	≤-22.10	PASS




TEST GRAPHS



























DUTY CYCLE TEST RESULT

TestMode	Antenna	Channel	ON Time [ms]	Period [ms]	х	DC [%]	xFactor	Limit	Verdict
BLE_1M	Ant1	2440	1.636	1.88	0.8698	86.98	0.61		PASS



TEST GRAPHS



---END---