





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,267.500	94.31			12.97	H	328	1.00
3	5,350.000	40.56	54.00	13.44	13.20	H	328	1.00
3	5,350.500	40.57	54.00	13.43	13.20	H	328	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,260.500	100.09			12.96	V	207.4	1.00
3	5,350.000	52.51	74.00	21.49	13.20	V	49.9	2.00
3	5,361.000	53.99	74.00	20.01	13.20	V	311.3	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,281.000	88.83			13.02	V	53.1	1.00
3	5,350.000	39.06	54.00	14.94	13.20	V	53.1	1.00
3	5,357.000	38.92	54.00	15.08	13.20	V	250.7	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5270MHz: Fundamental frequency.



CHANNEL	TX Channel 62	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,297.500	103.66			13.07	H	318.5	1.00
4	5,350.000	65.03	74.00	8.97	13.20	H	359	1.00
4	5,352.000	65.29	74.00	8.71	13.20	H	318.5	1.00






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.500	91.20			13.10	H	324.5	1.00
4	5,350.000	49.52	54.00	4.48	13.20	H	324.5	1.00
4	5,350.500	49.18	54.00	4.82	13.20	H	324.5	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,306.500	98.90			13.09	V	237.1	1.00
4	5,350.000	59.30	74.00	14.70	13.20	V	237.1	1.00
4	5,350.500	60.56	74.00	13.44	13.20	V	237.1	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.500	86.11			13.10	V	257.5	1.00
4	5,350.000	43.36	54.00	10.64	13.20	V	43.6	1.00
4	5,350.500	43.17	54.00	10.83	13.20	V	43.6	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5310MHz: Fundamental frequency.




802.11ac (20MHz)

CHANNEL	TX Channel 52	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,259.000	98.75			12.96	H	304.1	1.00
4	5,350.000	39.18	54.00	14.82	13.20	H	1	1.00
4	5,351.500	39.11	54.00	14.89	13.20	H	350.1	1.00






Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.500	111.52			12.96	H	307.8	1.00
4	5,350.000	52.51	74.00	21.49	13.20	H	202.6	1.00
4	5,378.000	54.34	74.00	19.66	13.20	H	1	2.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.500	93.92			12.96	V	48.3	1.00
4	5,350.000	38.72	54.00	15.28	13.20	V	253.9	1.00
4	5,373.500	38.87	54.00	15.13	13.20	V	202.6	1.00



Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.500	104.99			12.96	V	210.9	1.00
4	5,350.000	52.95	74.00	21.05	13.20	V	0.9	2.00
4	5,384.000	54.19	74.00	19.81	13.20	V	265.8	1.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5260MHz: Fundamental frequency.




CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,299.000	109.87			13.07	H	1	1.00
6	5,350.000	55.38	74.00	18.62	13.20	H	1	1.00
6	5,352.000	54.67	74.00	19.33	13.20	H	1	1.00




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,299.000	97.45			13.07	H	1	1.00
6	5,350.000	40.41	54.00	13.59	13.20	H	1	1.00
6	5,350.500	40.38	54.00	13.62	13.20	H	1	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,298.500	104.15			13.07	V	256.3	1.00
6	5,350.000	52.79	74.00	21.21	13.20	V	355	2.00
6	5,352.000	54.12	74.00	19.88	13.20	V	177.7	2.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,298.500	92.20			13.07	V	247.9	1.00
6	5,350.000	38.89	54.00	15.11	13.20	V	195.4	1.00
6	5,350.500	38.90	54.00	15.10	13.20	V	195.4	1.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5300MHz: Fundamental frequency.




CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,322.000	110.80			13.14	H	1	1.00
7	5,350.000	62.71	74.00	11.29	13.20	H	1	1.00
7	5,350.500	63.94	74.00	10.06	13.20	H	352.6	1.00




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,321.000	98.16			13.14	H	1	1.00
7	5,350.000	46.42	54.00	7.58	13.20	H	208.4	1.00
7	5,350.500	46.20	54.00	7.80	13.20	H	208.4	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,321.500	104.89			13.14	V	256.3	1.00
7	5,350.000	55.57	74.00	18.43	13.20	V	48.3	1.00
7	5,350.500	55.53	74.00	18.47	13.20	V	48.3	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,318.500	92.39			13.13	V	256.2	1.00
7	5,350.000	41.04	54.00	12.96	13.20	V	204.9	1.00
7	5,350.500	40.83	54.00	13.17	13.20	V	204.9	1.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5320MHz: Fundamental frequency.




802.11ac (40MHz)


CHANNEL	TX Channel 54	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,266.500	107.46			12.97	H	336.3	1.00
3	5,350.000	53.95	74.00	20.05	13.20	H	359.1	1.00
3	5,354.500	55.35	74.00	18.65	13.20	H	359.1	1.00




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,267.000	94.51			12.97	H	338.5	1.00
3	5,350.000	40.72	54.00	13.28	13.20	H	338.5	1.00
3	5,352.000	40.40	54.00	13.60	13.20	H	338.5	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,276.000	100.73			13.00	V	228.8	1.00
3	5,350.000	52.37	74.00	21.63	13.20	V	228.8	1.00
3	5,446.500	53.95	74.00	20.05	13.28	V	170.2	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,272.000	89.48			12.99	V	53.1	1.00
3	5,350.000	39.06	54.00	14.94	13.20	V	222.8	1.00
3	5,353.500	39.02	54.00	14.98	13.20	V	222.8	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5270MHz: Fundamental frequency.




CHANNEL	TX Channel 62	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,312.000	104.45			13.11	H	324.4	1.00
4	5,350.000	65.13	74.00	8.87	13.20	H	1	1.00
4	5,353.000	65.58	74.00	8.42	13.20	H	324.4	1.00




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.500	91.09			13.10	H	319.7	1.00
4	5,350.000	49.62	54.00	4.38	13.20	H	319.7	1.00
4	5,351.000	48.95	54.00	5.05	13.20	H	319.7	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.000	98.67			13.10	V	228.8	1.00
4	5,350.000	59.84	74.00	14.16	13.20	V	228.8	1.00
4	5,352.000	60.14	74.00	13.86	13.20	V	228.8	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.500	86.33			13.10	V	235.9	1.00
4	5,350.000	45.82	54.00	8.18	13.20	V	235.9	1.00
4	5,350.500	45.50	54.00	8.50	13.20	V	235.9	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5310MHz: Fundamental frequency.




802.11ac (80MHz)

CHANNEL	TX Channel 58	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,284.000	99.22			13.03	H	1	1.00
2	5,350.000	64.04	74.00	9.96	13.20	H	289.8	1.00
2	5,350.367	64.84	74.00	9.16	13.20	H	340.4	1.00




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,287.300	85.80			13.04	H	329.3	1.00
2	5,350.000	49.14	54.00	4.86	13.20	H	329.3	1.00
2	5,352.200	49.39	54.00	4.61	13.20	H	329.3	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,296.100	93.83			13.06	V	243.2	1.00
2	5,350.000	58.67	74.00	15.33	13.20	V	243.2	1.00
2	5,350.367	59.04	74.00	14.96	13.20	V	243.2	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,266.767	81.10			12.97	V	238.3	1.00
2	5,350.000	45.93	54.00	8.07	13.20	V	238.3	1.00
2	5,352.200	46.12	54.00	7.88	13.20	V	238.3	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5290MHz: Fundamental frequency.




Band 3

802.11a


CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,452.000	55.01	74.00	18.99	13.28	H	314.9	1.00
8	5,460.000	55.00	74.00	19.00	13.28	H	359	1.00
8	5,498.500	108.81			13.30	H	314.9	1.00




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,459.000	41.00	54.00	13.00	13.28	H	359	1.00
8	5,460.000	41.14	54.00	12.86	13.28	H	359	1.00
8	5,499.000	95.08			13.30	H	359	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,431.500	54.67	74.00	19.33	13.28	V	359.1	1.00
8	5,460.000	52.84	74.00	21.16	13.28	V	358.1	1.00
8	5,499.000	101.13			13.30	V	233.6	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,459.000	38.96	54.00	15.04	13.28	V	4.9	1.00
8	5,460.000	39.11	54.00	14.89	13.28	V	4.9	1.00
8	5,501.000	78.35			13.30	V	359	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.




CHANNEL	TX Channel 116	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,452.500	53.74	74.00	20.26	13.28	H	5	1.00
9	5,460.000	52.44	74.00	21.56	13.28	H	309.2	2.00
9	5,578.500	108.03			13.39	H	359	1.00




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,458.500	39.08	54.00	14.92	13.28	H	359.1	1.00
9	5,460.000	39.08	54.00	14.92	13.28	H	359.1	1.00
9	5,579.000	95.13			13.39	H	359.1	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,438.500	53.66	74.00	20.34	13.28	V	185.8	1.00
9	5,460.000	52.14	74.00	21.86	13.28	V	147.9	2.00
9	5,579.000	100.71			13.39	V	203	2.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,459.500	38.90	54.00	15.10	13.28	V	4.9	1.00
9	5,460.000	38.92	54.00	15.08	13.28	V	4.9	1.00
9	5,573.000	78.13			13.38	V	355	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5580MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,698.325	106.37			4.48	H	359	1.00
10	5,725.000	56.40	68.20	11.80	4.49	H	359	1.00
10	5,725.625	57.04	68.20	11.16	4.49	H	359	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,698.000	97.17			4.48	V	359	2.00
10	5,725.000	52.79	68.20	15.41	4.49	V	1.9	2.00
10	5,727.575	58.27	68.20	9.93	4.49	V	214.6	2.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5700MHz: Fundamental frequency.
- #: Out of restricted band.



CHANNEL	TX Channel 144	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,718.000	106.08			4.49	H	355.5	2.00
9	5,850.000	52.80	68.20	15.40	5.37	H	355.5	2.00
9	5,871.500	53.94	68.20	14.26	5.42	H	168.1	2.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,718.000	102.53			4.49	V	165.7	2.00
9	5,850.000	52.75	68.20	15.45	5.37	V	165.7	2.00
9	5,855.500	53.93	68.20	14.27	5.39	V	1	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5720MHz: Fundamental frequency.
3. #: Out of restricted band.




802.11n (20MHz)


CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	54.63	74.00	19.37	3.76	H	300.9	1.00
7	5,460.000	54.16	74.00	19.84	3.76	H	358.5	1.00
7	5,501.550	107.08			3.86	H	300.9	1.00




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,458.800	40.23	54.00	13.77	3.76	H	1	1.00
7	5,460.000	40.34	54.00	13.66	3.76	H	1	1.00
7	5,501.100	94.27			3.86	H	359.1	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,432.700	52.74	74.00	21.26	3.70	V	359.1	1.00
7	5,460.000	52.15	74.00	21.85	3.76	V	111.9	2.00
7	5,502.000	93.88			3.86	V	5.2	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	37.86	54.00	16.14	3.76	V	5.2	1.00
7	5,460.000	37.83	54.00	16.17	3.76	V	5.2	1.00
7	5,501.100	81.13			3.86	V	359	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.




CHANNEL	TX Channel 116	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,431.500	54.66	74.00	19.34	13.28	H	338.5	1.00
9	5,460.000	52.55	74.00	21.45	13.28	H	132.4	2.00
9	5,581.500	107.51			13.39	H	359.1	1.00




Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,458.000	39.08	54.00	14.92	13.28	H	359	1.00
9	5,460.000	39.08	54.00	14.92	13.28	H	359	1.00
9	5,579.000	94.92			13.39	H	359	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,455.000	53.57	74.00	20.43	13.28	V	354.3	2.00
9	5,460.000	52.52	74.00	21.48	13.28	V	10	2.00
9	5,579.000	99.57			13.39	V	190.9	2.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,459.500	38.92	54.00	15.08	13.28	V	4.9	1.00
9	5,460.000	38.90	54.00	15.10	13.28	V	4.9	1.00
9	5,573.500	78.45			13.38	V	355	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5580MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,701.250	105.67			4.48	H	354.9	2.00
10	5,725.000	61.43	68.20	6.77	4.49	H	242.2	1.00
10	5,725.950	58.04	68.20	10.16	4.49	H	242.2	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,698.975	96.79			4.48	V	354.9	2.00
10	5,725.000	55.03	68.20	13.17	4.49	V	359	2.00
10	5,725.950	53.70	68.20	14.50	4.49	V	359	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5700MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 144	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,719.000	106.10			4.49	H	354.8	2.00
9	5,850.000	52.80	68.20	15.40	5.37	H	115.4	2.00
9	5,855.500	54.74	68.20	13.46	5.39	H	359	2.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,718.500	99.77			4.49	V	42.6	1.00
9	5,850.000	53.29	68.20	14.91	5.37	V	359.1	1.00
9	5,864.500	54.43	68.20	13.77	5.41	V	1	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5720MHz: Fundamental frequency.
3. #: Out of restricted band.




802.11n (40MHz)

CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.000	67.98	74.00	6.02	3.76	H	359.9	1.00
5	5,460.000	67.63	74.00	6.37	3.77	H	359.9	1.00
5	5,512.500	103.18			3.89	H	359.9	1.00





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	46.53	54.00	7.47	3.76	H	5.1	1.00
5	5,460.000	47.00	54.00	7.00	3.77	H	5.1	1.00
5	5,507.500	89.95			3.88	H	359.9	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	61.12	74.00	12.88	3.76	V	172	1.00
5	5,460.000	60.17	74.00	13.83	3.77	V	172	1.00
5	5,512.000	94.49			3.89	V	291.4	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	39.53	54.00	14.47	3.76	V	312.4	1.00
5	5,460.000	39.73	54.00	14.27	3.77	V	312.4	1.00
5	5,507.500	81.38			3.88	V	193.5	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5510MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 110	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,455.375	53.29	74.00	20.71	3.75	H	331.8	2.00
6	5,460.000	52.03	74.00	21.97	3.76	H	359.9	1.00
6	5,551.440	102.73			3.99	H	359.9	1.00





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,453.563	38.47	54.00	15.53	3.75	H	4.2	1.00
6	5,460.000	38.46	54.00	15.54	3.76	H	4.2	1.00
6	5,552.888	89.52			4.00	H	332	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,439.788	52.44	74.00	21.56	3.72	V	136	2.00
6	5,460.000	52.00	74.00	22.00	3.76	V	334.2	2.00
6	5,562.313	93.77			4.04	V	185.6	2.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,449.575	37.58	54.00	16.42	3.74	V	359.4	1.00
6	5,460.000	37.37	54.00	16.63	3.76	V	321.9	1.00
6	5,552.163	80.49			4.00	V	209	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 134	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,667.000	100.79			4.41	H	299.8	1.00
7	5,725.000	55.89	68.20	12.31	4.49	H	299.8	1.00
7	5,728.000	57.52	68.20	10.68	4.49	H	200.1	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,686.000	96.03			4.45	V	252.1	1.00
7	5,725.000	52.39	68.20	15.81	4.49	V	160.6	2.00
7	5,732.500	53.30	68.20	14.90	4.50	V	227	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5670MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 142	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,711.900	100.90			4.49	H	276.6	1.00
8	5,850.000	52.77	68.20	15.43	5.37	H	235.3	2.00
8	5,876.900	54.43	68.20	13.77	5.43	H	0.7	2.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,725.833	95.30			4.49	V	212.1	1.00
8	5,850.000	52.95	68.20	15.25	5.37	V	339.2	1.00
8	5,884.233	53.47	68.20	14.73	5.45	V	235.8	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5710MHz: Fundamental frequency.
3. #: Out of restricted band.



**BUREAU
VERITAS**


Test Report No.: PSU-NQN2402040109RF07

802.11ac (20MHz)


CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,458.350	54.97	74.00	19.03	3.76	H	1	1.00
7	5,460.000	54.97	74.00	19.03	3.76	H	1	1.00
7	5,502.000	107.20			3.86	H	359	1.00




Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	40.74	54.00	13.26	3.76	H	359	1.00
7	5,460.000	40.75	54.00	13.25	3.76	H	359	1.00
7	5,501.100	94.59			3.86	H	359	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,448.000	53.35	74.00	20.65	3.74	V	359	1.00
7	5,460.000	51.49	74.00	22.51	3.76	V	164.5	2.00
7	5,501.550	94.69			3.86	V	55.6	2.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,459.250	37.79	54.00	16.21	3.76	V	354.8	2.00
7	5,460.000	37.77	54.00	16.23	3.76	V	354.8	2.00
7	5,501.100	84.08			3.86	V	354.8	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 116	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,443.500	54.48	74.00	19.52	13.28	H	152.3	1.00
9	5,460.000	52.91	74.00	21.09	13.28	H	359.1	1.00
9	5,579.000	107.81			13.39	H	310.1	1.00






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,459.000	39.13	54.00	14.87	13.28	H	353.4	1.00
9	5,460.000	39.08	54.00	14.92	13.28	H	1	1.00
9	5,579.000	95.93			13.39	H	312.5	1.00




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,438.000	54.95	74.00	19.05	13.28	V	100.9	1.00
9	5,460.000	53.07	74.00	20.93	13.28	V	0.9	2.00
9	5,579.000	101.35			13.39	V	48.3	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,459.500	38.95	54.00	15.05	13.28	V	102.1	1.00
9	5,460.000	38.88	54.00	15.12	13.28	V	1	1.00
9	5,579.000	88.51			13.39	V	49.5	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5580MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,702.880	105.23			4.48	H	355.4	2.00
10	5,725.000	60.01	68.20	8.19	4.49	H	243.4	1.00
10	5,725.625	58.27	68.20	9.93	4.49	H	291.2	1.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,698.975	96.17			4.48	V	354.9	2.00
10	5,725.000	54.30	68.20	13.90	4.49	V	359	2.00
10	5,730.500	53.47	68.20	14.73	4.49	V	213.4	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5700MHz: Fundamental frequency.
3. #: Out of restricted band.



CHANNEL	TX Channel 144	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)


ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,718.500	105.70			4.49	H	354.9	2.00
9	5,850.000	53.89	68.20	14.31	5.37	H	18.6	2.00
9	5,860.000	55.19	68.20	13.01	5.40	H	0.9	2.00



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,722.000	100.85			4.49	V	45	1.00
9	5,850.000	52.60	68.20	15.60	5.37	V	45	1.00
9	5,851.000	53.96	68.20	14.24	5.38	V	281.6	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5720MHz: Fundamental frequency.
3. #: Out of restricted band.




802.11ac (40MHz)

CHANNEL	TX Channel 102	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	67.76	74.00	6.24	3.76	H	360	1.00
5	5,460.000	67.44	74.00	6.56	3.77	H	0.1	1.00
5	5,512.000	103.18			3.89	H	360	1.00



Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,459.500	45.71	54.00	8.29	3.76	H	4.2	1.00
5	5,460.000	46.15	54.00	7.85	3.77	H	4.2	1.00
5	5,508.000	89.58			3.88	H	320.2	1.00

