



Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,439.900	51.90	74.00	22.10	3.72	V	345.8	1.00
7	5,460.000	51.42	74.00	22.58	3.76	V	97.6	2.00
7	5,494.800	96.66			3.85	V	354.2	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.




**802.11ax (20MHz)(RU52):**

<b>CHANNEL</b>	TX Channel 116	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,442.750	52.69	74.00	21.31	3.73	H	0.9	2.00
8	5,460.000	51.84	74.00	22.16	3.76	H	359.1	1.00
8	5,583.850	99.02			4.14	H	350.1	1.00






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,439.775	37.28	54.00	16.72	3.72	H	56.8	1.00
8	5,460.000	37.12	54.00	16.88	3.76	H	262.5	1.00
8	5,583.000	80.84			4.14	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,448.700	52.22	74.00	21.78	3.74	V	311.6	2.00
8	5,460.000	50.63	74.00	23.37	3.76	V	357.4	1.00
8	5,574.925	95.35			4.10	V	354.9	2.00





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,442.750	37.33	54.00	16.67	3.73	V	311.5	2.00
8	5,460.000	37.14	54.00	16.86	3.76	V	358.2	1.00
8	5,583.000	81.06			4.14	V	311.5	2.00



**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5580MHz: Fundamental frequency.
3. #: Out of restricted band.




802.11ax (20MHz)(RU52):

CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,703.850	99.78			4.48	H	358.6	1.00
10	5,725.000	52.26	68.20	15.94	4.49	H	148.9	1.00
10	5,726.600	52.64	68.20	15.56	4.49	H	5	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,713.500	99.85			4.49	H	347.3	1.00
9	5,850.000	51.83	68.20	16.37	5.37	H	97.6	1.00
9	5,896.000	53.59	68.20	14.61	5.47	H	1	1.00



**REMARKS:**

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5700MHz: Fundamental frequency.
- #: Out of restricted band.




802.11ax (20MHz)(RU52):

<b>CHANNEL</b>	TX Channel 144	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,694.750	97.22			4.47	V	313.8	2.00
10	5,725.000	52.00	68.20	16.20	4.49	V	109.4	2.00
10	5,733.425	52.84	68.20	15.36	4.50	V	0.9	2.00







ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,713.500	96.41			4.49	V	285.2	1.00
9	5,850.000	52.14	68.20	16.06	5.37	V	1	2.00
9	5,857.000	53.50	68.20	14.70	5.39	V	5.1	1.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5720MHz: Fundamental frequency.
- #: Out of restricted band.




**802.11ax (20MHz)(RU106):**

<b>CHANNEL</b>	TX Channel 100	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,458.800	52.25	74.00	21.75	3.76	H	1	1.00
7	5,460.000	51.38	74.00	22.62	3.76	H	3.8	1.00
7	5,505.150	100.13			3.87	H	3.8	1.00






**BUREAU  
VERITAS**

Test Report No.: PSU-NQN2403180115RF03

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,449.350	37.49	54.00	16.51	3.74	H	49.8	1.00
7	5,460.000	37.32	54.00	16.68	3.76	H	359.1	1.00
7	5,504.700	82.24			3.87	H	5.2	1.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,450.250	37.30	54.00	16.70	3.74	V	247	2.00
7	5,460.000	37.18	54.00	16.82	3.76	V	359	1.00
7	5,503.350	78.48			3.87	V	202.7	1.00





Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,453.400	52.24	74.00	21.76	3.75	V	311.6	2.00
7	5,460.000	50.89	74.00	23.11	3.76	V	1	1.00
7	5,501.550	98.13			3.86	V	106	2.00



**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.




**802.11ax (20MHz)(RU106):**

<b>CHANNEL</b>	TX Channel 116	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)


**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,445.725	52.14	74.00	21.86	3.73	H	1	2.00
8	5,460.000	51.33	74.00	22.67	3.76	H	195.5	2.00
8	5,581.300	100.16			4.13	H	165.8	1.00






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,451.250	37.34	54.00	16.66	3.75	H	311.6	2.00
8	5,460.000	37.19	54.00	16.81	3.76	H	356.2	2.00
8	5,583.000	81.78			4.14	H	323.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,448.275	51.94	74.00	22.06	3.74	V	99.9	2.00
8	5,460.000	50.44	74.00	23.56	3.76	V	247	1.00
8	5,581.725	99.02			4.13	V	99.9	2.00







Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,452.100	37.22	54.00	16.78	3.75	V	90.4	2.00
8	5,460.000	37.15	54.00	16.85	3.76	V	90.4	2.00
8	5,583.425	79.31			4.14	V	5.1	1.00



**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5580MHz: Fundamental frequency.
3. #: Out of restricted band.




**802.11ax (20MHz)(RU106):**

<b>CHANNEL</b>	TX Channel 140	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,700.930	101.86			4.48	H	249.4	2.00
10	5,725.000	52.44	68.20	15.76	4.49	H	249.4	2.00
10	5,735.700	53.05	68.20	15.15	4.52	H	359	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,698.975	94.71			4.48	V	359.1	1.00
10	5,725.000	51.25	68.20	16.95	4.49	V	5.8	1.00
10	5,728.875	53.26	68.20	14.94	4.49	V	1	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5700MHz: Fundamental frequency.
3. #: Out of restricted band.




**802.11ax (20MHz)(RU106):**

<b>CHANNEL</b>	TX Channel 144	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,714.500	100.20			4.49	H	359.1	1.00
9	5,850.000	52.20	68.20	16.00	5.37	H	355	2.00
9	5,886.000	53.46	68.20	14.74	5.45	H	107.2	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,717.500	93.98			4.49	V	353.8	1.00
9	5,850.000	51.80	68.20	16.40	5.37	V	0.9	2.00
9	5,895.500	53.36	68.20	14.84	5.47	V	7.3	2.00



**REMARKS:**

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5720MHz: Fundamental frequency.
- #: Out of restricted band.




**802.11ax (20MHz)(RU242):**

<b>CHANNEL</b>	TX Channel 100	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,449.800	52.50	74.00	21.50	3.74	H	245.8	2.00
7	5,460.000	51.74	74.00	22.26	3.76	H	268.4	1.00
7	5,501.100	96.19			3.86	H	1	1.00






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,451.150	37.24	54.00	16.76	3.74	H	355.5	2.00
7	5,460.000	37.13	54.00	16.87	3.76	H	359.1	1.00
7	5,504.700	78.47			3.87	H	5.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,457.900	52.03	74.00	21.97	3.76	V	359.1	1.00
7	5,460.000	51.60	74.00	22.40	3.76	V	350.6	1.00
7	5,505.150	89.30			3.87	V	354.9	2.00







Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,448.900	37.15	54.00	16.85	3.74	V	97.7	2.00
7	5,460.000	37.08	54.00	16.92	3.76	V	1.8	2.00
7	5,504.700	72.85			3.87	V	97.7	2.00



**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.




**802.11ax (20MHz)(RU242):**

<b>CHANNEL</b>	TX Channel 116	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,452.950	52.16	74.00	21.84	3.75	H	312.7	2.00
8	5,460.000	50.71	74.00	23.29	3.76	H	306.8	1.00
8	5,581.300	97.41			4.13	H	1	1.00






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,439.775	37.23	54.00	16.77	3.72	H	359	1.00
8	5,460.000	37.10	54.00	16.90	3.76	H	205.1	1.00
8	5,583.000	79.37			4.14	H	351.2	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,458.475	51.99	74.00	22.01	3.76	V	322.3	1.00
8	5,460.000	51.34	74.00	22.66	3.76	V	1	1.00
8	5,581.300	91.42			4.13	V	110.7	2.00





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,440.200	37.17	54.00	16.83	3.72	V	230.3	2.00
8	5,460.000	37.02	54.00	16.98	3.76	V	359.1	1.00
8	5,583.000	76.34			4.14	V	126.2	2.00



**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5580MHz: Fundamental frequency.
3. #: Out of restricted band.




**802.11ax (20MHz)(RU242):**

<b>CHANNEL</b>	TX Channel 140	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,694.750	95.08			4.47	H	355	2.00
10	5,725.000	52.94	68.20	15.26	4.49	H	53.4	2.00
10	5,730.175	53.28	68.20	14.92	4.49	H	0.9	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,697.675	92.52			4.48	V	110.6	2.00
10	5,725.000	52.05	68.20	16.15	4.49	V	354.8	2.00
10	5,744.150	52.62	68.20	15.58	4.58	V	1	2.00



**REMARKS:**

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5700MHz: Fundamental frequency.
- #: Out of restricted band.




**802.11ax (20MHz)(RU242):**

<b>CHANNEL</b>	TX Channel 144	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,725.000	93.87			4.49	H	247	2.00
9	5,850.000	52.37	68.20	15.83	5.38	H	304.3	1.00
9	5,898.000	53.26	68.20	14.94	5.48	H	3.1	2.00








**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,714.500	90.38			4.49	V	98.8	1.00
9	5,850.000	52.75	68.20	15.45	5.38	V	4.5	1.00
9	5,868.000	53.22	68.20	14.98	5.41	V	3.1	2.00



**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5720MHz: Fundamental frequency.
3. #: Out of restricted band.




**802.11ax (40MHz) (RU484):**

<b>CHANNEL</b>	TX Channel 102	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)


**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,441.000	52.75	74.00	21.25	3.72	H	248.7	2.00
5	5,460.000	51.65	74.00	22.35	3.76	H	165.8	2.00
5	5,511.000	95.36			3.88	H	359.1	1.00






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,449.500	37.36	54.00	16.64	3.74	H	30.2	1.00
5	5,460.000	37.27	54.00	16.73	3.76	H	30.2	1.00
5	5,513.500	76.17			3.89	H	356.2	1.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,440.000	52.35	74.00	21.65	3.72	V	169.9	2.00
5	5,460.000	51.91	74.00	22.09	3.76	V	143	2.00
5	5,523.000	93.44			3.92	V	329.9	2.00





Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,450.500	37.28	54.00	16.72	3.74	V	231.4	1.00
5	5,460.000	37.23	54.00	16.77	3.76	V	231.4	1.00
5	5,517.500	72.87			3.90	V	106	2.00



**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5510MHz: Fundamental frequency.
3. #: Out of restricted band.




**802.11ax (40MHz) (RU484):**

<b>CHANNEL</b>	TX Channel 110	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)


**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,453.925	52.19	74.00	21.81	3.75	H	359	2.00
6	5,460.000	51.09	74.00	22.91	3.76	H	4.1	2.00
6	5,540.563	94.55			3.96	H	359	1.00






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,441.238	37.32	54.00	16.68	3.72	H	359	1.00
6	5,460.000	37.15	54.00	16.85	3.76	H	354.9	2.00
6	5,555.425	75.84			4.01	H	5.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,438.338	52.47	74.00	21.53	3.71	V	248.2	1.00
6	5,460.000	51.23	74.00	22.77	3.76	V	359.1	1.00
6	5,547.813	91.97			3.98	V	329.3	2.00







Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,430.000	37.29	54.00	16.71	3.70	V	330.5	2.00
6	5,460.000	37.05	54.00	16.95	3.76	V	359.1	1.00
6	5,532.588	74.57			3.94	V	330.5	2.00



**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5500MHz: Fundamental frequency.
3. #: Out of restricted band.




**802.11ax (40MHz) (RU484):**

<b>CHANNEL</b>	TX Channel 134	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,676.000	92.39			4.43	H	306.6	1.00
7	5,725.000	51.76	68.20	16.44	4.49	H	158.6	2.00
7	5,743.000	52.83	68.20	15.37	4.57	H	251.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,663.000	92.28			4.40	V	289.8	2.00
7	5,725.000	52.06	68.20	16.14	4.49	V	224.8	2.00
7	5,745.500	52.81	68.20	15.39	4.59	V	30.8	1.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5670MHz: Fundamental frequency.
- #: Out of restricted band.




**802.11ax (40MHz) (RU484):**

<b>CHANNEL</b>	TX Channel 142	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,706.767	92.09			4.49	H	340.6	1.00
8	5,850.000	53.73	68.20	14.47	5.38	H	49.1	2.00
8	5,862.967	53.78	68.20	14.42	5.40	H	227.9	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,710.800	91.22			4.49	V	300.1	2.00
8	5,850.000	53.22	68.20	14.98	5.38	V	272.6	2.00
8	5,875.800	53.59	68.20	14.61	5.43	V	48	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5710MHz: Fundamental frequency.
3. #: Out of restricted band.




**802.11ax (80MHz) (RU996):**

<b>CHANNEL</b>	TX Channel 106	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)


**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,453.500	53.22	74.00	20.78	3.75	H	359	2.00
3	5,460.000	52.10	74.00	21.90	3.76	H	5	1.00
3	5,534.000	96.13			3.94	H	359.1	1.00






Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,453.117	38.87	54.00	15.13	3.75	H	5.1	1.00
3	5,460.000	38.38	54.00	15.62	3.76	H	5.1	1.00
3	5,513.300	76.91			3.89	H	359	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,401.750	51.82	74.00	22.18	3.63	V	12	2.00
3	5,460.000	51.07	74.00	22.93	3.76	V	12	2.00
3	5,545.500	92.74			3.98	V	359	1.00







Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,456.950	37.92	54.00	16.08	3.76	V	110.7	2.00
3	5,460.000	37.63	54.00	16.37	3.76	V	110.7	2.00
3	5,562.750	75.35			4.05	V	110.7	2.00



**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5530MHz: Fundamental frequency.
3. #: Out of restricted band.




**802.11ax (80MHz) (RU996):**

<b>CHANNEL</b>	TX Channel 122	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,613.675	97.05			4.28	H	359	1.00
4	5,725.000	51.70	68.20	16.50	4.49	H	359	1.00
4	5,744.775	52.94	68.20	15.26	4.58	H	0.9	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,612.725	94.27			4.28	V	72.4	2.00
4	5,725.000	52.09	68.20	16.11	4.49	V	19.6	2.00
4	5,738.125	52.35	68.20	15.85	4.54	V	1	1.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5610MHz: Fundamental frequency.
- #: Out of restricted band.




**802.11ax (80MHz) (RU996):**

<b>CHANNEL</b>	TX Channel 138	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,717.133	95.16			4.49	H	48.5	1.00
5	5,850.000	51.72	68.20	16.48	5.37	H	261.3	2.00
5	5,899.133	53.59	68.20	14.61	5.48	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,659.933	89.58			4.40	V	61.7	2.00
5	5,850.000	52.59	68.20	15.61	5.37	V	1	2.00
5	5,862.733	52.83	68.20	15.37	5.40	V	13.5	2.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5690MHz: Fundamental frequency.
- #: Out of restricted band.




Band 4:

802.11a

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,612.000	51.84	68.20	16.36	11.30	H	98.5	1.00
12	5,751.000	90.07			11.74	H	12.2	2.00
12	5,985.500	52.51	68.20	15.69	12.40	H	359	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,607.000	51.33	68.20	16.87	11.29	V	5	1.00
12	5,740.500	92.12			11.72	V	99.8	1.00
12	5,996.000	52.87	68.20	15.33	12.46	V	107.3	2.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5745MHz: Fundamental frequency.




**BUREAU  
VERITAS**

**Test Report No.: PSU-NQN2403180115RF03**

<b>CHANNEL</b>	TX Channel 157	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,647.500	51.34	68.20	16.86	11.44	H	359	1.00
12	5,786.000	92.15			11.87	H	65	1.00
12	5,999.500	53.51	68.20	14.69	12.48	H	1	2.00








ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,617.000	51.39	68.20	16.81	11.32	V	349.9	1.00
12	5,791.000	93.79			11.88	V	224.1	1.00
12	5,998.000	52.09	68.20	16.11	12.47	V	210.1	2.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5785MHz: Fundamental frequency.



<b>CHANNEL</b>	TX Channel 165	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,623.000	51.18	68.20	17.02	11.34	H	1.1	2.00
12	5,831.000	92.53			11.96	H	106.8	1.00
12	5,992.000	53.26	68.20	14.94	12.44	H	1.1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,642.500	50.94	68.20	17.26	11.42	V	314.1	2.00
12	5,821.500	91.55			11.95	V	208.9	2.00
12	5,934.000	52.54	68.20	15.66	12.19	V	54.7	2.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5825MHz: Fundamental frequency.




**802.11n (20MHz)**

<b>CHANNEL</b>	TX Channel 149	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,646.500	50.87	68.20	17.33	11.43	H	359	1.00
12	5,746.500	92.15			11.73	H	169	1.00
12	5,998.500	52.62	68.20	15.58	12.48	H	355	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,611.500	51.00	68.20	17.20	11.30	V	336.3	1.00
12	5,747.500	93.93			11.73	V	222.9	1.00
12	5,928.000	52.38	68.20	15.82	12.18	V	355.1	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
2. 5745MHz: Fundamental frequency.




**BUREAU  
VERITAS**

Test Report No.: PSU-NQN2403180115RF03

<b>CHANNEL</b>	TX Channel 157	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,647.000	51.05	68.20	17.15	11.43	H	359.1	1.00
12	5,786.500	91.30			11.87	H	169	1.00
12	5,991.000	53.02	68.20	15.18	12.43	H	226.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,649.500	51.04	68.20	17.16	11.44	V	1	1.00
12	5,786.500	91.18			11.87	V	222.9	1.00
12	5,960.000	52.78	68.20	15.42	12.24	V	179	2.00



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5785MHz: Fundamental frequency.



<b>CHANNEL</b>	TX Channel 165	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
12	5,642.000	51.17	68.20	17.03	11.41	H	359	2.00
12	5,826.500	91.64			11.96	H	167.8	1.00
12	5,973.500	53.10	68.20	15.10	12.32	H	134.7	2.00

