




BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CH 354500

MODE	TX channel 354500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,531.500	-50.35	-13.00	37.35	20.64	H	203	2.00
4	5,297.250	-49.63	-13.00	36.63	23.59	H	203	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 354500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,531.500	-50.55	-13.00	37.55	21.15	V	1.2	2.00
4	5,297.250	-50.58	-13.00	37.58	24.12	V	1	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-51.85	-13.00	38.85	20.43	H	2.3	2.00
4	5,206.500	-46.50	-13.00	33.50	23.47	H	2.3	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-49.83	-13.00	36.83	21.15	V	1	1.00
4	5,208.000	-49.46	-13.00	36.46	24.07	V	275.4	1.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

N66(ANT3)

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,485.500	-47.20	-13.00	34.20	15.71	H	359	2.00
2	5,228.500	-38.58	-13.00	25.58	18.03	H	257.7	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,485.500	-46.51	-13.00	33.51	15.47	V	1	1.00
2	5,228.500	-40.45	-13.00	27.45	18.00	V	359	2.00






Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,481.000	-46.17	-13.00	33.17	15.79	H	106	1.00
2	5,221.000	-37.55	-13.00	24.55	18.11	H	10.6	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,481.000	-46.15	-13.00	33.15	15.54	V	359	2.00
2	5,221.500	-41.22	-13.00	28.22	18.09	V	1	1.00





BUREAU VERITAS


Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 15MHz / QPSK

CH 343500

MODE	TX channel 343500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,421.500	-46.38	-13.00	33.38	15.97	H	251.8	2.00
2	5,132.500	-42.36	-13.00	29.36	17.57	H	30.6	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 343500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,421.500	-46.53	-13.00	33.53	15.77	V	359	1.00
2	5,132.500	-42.32	-13.00	29.32	17.44	V	145.4	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CH34900

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,476.500	-46.30	-13.00	33.30	15.86	H	359	1.00
2	5,215.500	-34.20	-13.00	21.20	18.17	H	250.5	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,476.500	-46.35	-13.00	33.35	15.61	V	354.2	1.00
2	5,215.500	-33.01	-13.00	20.01	18.16	V	255.4	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CH 354500

MODE	TX channel 354500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,531.500	-45.91	-13.00	32.91	15.24	H	105.9	1.00
2	5,297.250	-41.70	-13.00	28.70	17.29	H	31.8	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 354500	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,531.500	-47.43	-13.00	34.43	15.12	V	127.4	1.00
2	5,297.250	-42.50	-13.00	29.50	17.18	V	127.4	1.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,472.000	-45.71	-13.00	32.71	15.94	H	359	2.00
2	5,208.000	-35.21	-13.00	22.21	18.22	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,472.000	-45.49	-13.00	32.49	15.68	V	0.9	2.00
2	5,208.000	-37.48	-13.00	24.48	18.20	V	248.2	2.00






Test Report No.: PSU-NQN2403180115RF15

N71(ANT0)

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,356.500	-47.69	-13.00	34.69	22.37	H	359	2.00
2	2,034.750	-42.76	-13.00	29.76	26.97	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,356.500	-47.26	-13.00	34.26	23.34	V	35.5	2.00
2	2,034.750	-43.82	-13.00	30.82	27.52	V	333.9	1.00






Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 10MHz / QPSK

CH 133600:

MODE	TX channel 133600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,327.000	-46.22	-13.00	33.22	22.36	H	1	1.00
2	1,990.500	-41.14	-13.00	28.14	27.54	H	33.2	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 133600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,327.000	-45.98	-13.00	32.98	23.40	V	308	2.00
2	1,990.500	-42.75	-13.00	29.75	27.51	V	343.6	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CH 136100:

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,352.000	-47.08	-13.00	34.08	22.43	H	53.2	1.00
2	2,028.000	-43.84	-13.00	30.84	27.14	H	359.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,352.000	-46.13	-13.00	33.13	23.27	V	0.9	2.00
2	2,028.000	-41.92	-13.00	28.92	27.70	V	0.9	2.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CH 138600:

MODE	TX channel 138600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,377.000	-47.92	-13.00	34.92	21.92	H	50.7	1.00
2	2,065.500	-43.13	-13.00	30.13	26.64	H	318.5	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 138600	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,377.000	-45.02	-13.00	32.02	22.87	V	359.1	1.00
2	2,065.500	-41.15	-13.00	28.15	28.01	V	177.4	1.00






Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,347.500	-46.76	-13.00	33.76	22.50	H	37.9	2.00
2	2,021.250	-42.61	-13.00	29.61	27.20	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,347.500	-45.44	-13.00	32.44	23.20	V	359	2.00
2	2,021.250	-42.83	-13.00	29.83	27.70	V	323.3	1.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,343.000	-46.10	-13.00	33.10	22.33	H	305.7	2.00
2	2,014.500	-43.28	-13.00	30.28	27.20	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,343.000	-46.14	-13.00	33.14	23.15	V	1	2.00
2	2,014.500	-43.13	-13.00	30.13	27.56	V	326.8	1.00





Test Report No.: PSU-NQN2403180115RF15

N77 (Part 27Q)


Note: For frequency above 18GHz, the emission was tested 20db below the limit so the data not recorded in the sheet.

CHANNEL BANDWIDTH: 20MHz / QPSK

CH 630668

MODE	TX channel 630668	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,900.000	-47.41	-13.00	34.41	26.85	H	145.6	2.00
6	10,350.000	-54.92	-13.00	41.92	15.80	H	1	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 630668	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,900.000	-45.54	-13.00	32.54	26.80	V	221.7	1.00
6	10,350.000	-55.89	-13.00	42.89	15.51	V	359.1	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CH 633334

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,982.020	-42.21	-13.00	29.21	30.56	H	351.8	1.00
6	10,473.030	-53.92	-13.00	40.92	16.42	H	103.7	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,982.020	-41.78	-13.00	28.78	30.61	V	351.8	1.00
6	10,473.030	-54.07	-13.00	41.07	16.20	V	1	2.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CH 636000

MODE	TX channel 636000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,062.000	-45.28	-13.00	32.28	26.87	H	1	1.00
6	10,593.000	-53.37	-13.00	40.37	16.71	H	358.6	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 636000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,062.000	-47.22	-13.00	34.22	26.67	V	358.8	1.00
6	10,593.000	-52.61	-13.00	39.61	16.39	V	359	1.00






Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 30MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,973.020	-42.53	-13.00	29.53	30.51	H	359.1	1.00
6	10,459.530	-52.91	-13.00	39.91	16.36	H	359.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,973.020	-43.63	-13.00	30.63	30.55	V	206.2	1.00
6	10,459.530	-53.91	-13.00	40.91	16.15	V	285	1.00






Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,964.020	-42.62	-13.00	29.62	30.45	H	7.8	2.00
6	10,446.030	-53.84	-13.00	40.84	16.29	H	1	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,964.020	-43.89	-13.00	30.89	30.50	V	202.6	1.00
6	10,446.030	-54.48	-13.00	41.48	16.11	V	359	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 60MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,946.020	-43.45	-13.00	30.45	30.32	H	1	2.00
6	10,419.030	-55.68	-13.00	42.68	16.16	H	51.1	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,946.020	-42.27	-13.00	29.27	30.37	V	359	2.00
6	10,419.030	-53.94	-13.00	40.94	16.01	V	3.9	2.00






Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH:80MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,928.020	-42.81	-13.00	29.81	30.27	H	203.8	1.00
6	10,392.030	-54.71	-13.00	41.71	16.02	H	0.9	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,928.020	-42.18	-13.00	29.18	30.29	V	353.4	1.00
6	10,392.030	-54.36	-13.00	41.36	15.81	V	359	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 100MHz / QPSK

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,910.020	-44.14	-13.00	31.14	30.29	H	1	1.00
6	10,365.030	-54.05	-13.00	41.05	15.88	H	358.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	6,910.020	-43.07	-13.00	30.07	30.26	V	1	2.00
6	10,365.030	-52.72	-13.00	39.72	15.62	V	1	1.00





BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15


N77(Part 270):

CHANNEL BANDWIDTH: 20MHz / QPSK

CH 647334

MODE	TX channel 647334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,397.000	-45.17	-13.00	32.17	27.11	H	147.9	2.00
6	11,095.000	-53.44	-13.00	40.44	16.86	H	94.1	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 647334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,397.000	-45.74	-13.00	32.74	27.03	V	1	1.00
6	11,095.000	-50.44	-13.00	37.44	17.06	V	359	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CH656000

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,662.000	-41.39	-13.00	28.39	30.30	H	152.7	2.00
6	11,493.000	-52.02	-13.00	39.02	18.20	H	359.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,662.000	-40.78	-13.00	27.78	30.15	V	5.8	2.00
6	11,493.000	-51.63	-13.00	38.63	18.30	V	256.2	1.00






Test Report No.: PSU-NQN2403180115RF15

CH 664666

MODE	TX channel 664666	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,397.000	-46.01	-13.00	33.01	27.11	H	358.2	1.00
6	11,095.000	-52.62	-13.00	39.62	16.86	H	89.4	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,397.000	-46.07	-13.00	33.07	27.03	V	4.7	2.00
6	11,095.000	-51.46	-13.00	38.46	17.06	V	359	2.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 30MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,653.000	-43.48	-13.00	30.48	30.28	H	353.4	1.00
6	11,479.500	-52.25	-13.00	39.25	18.19	H	2.5	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,653.000	-43.29	-13.00	30.29	30.13	V	359.1	1.00
6	11,479.500	-52.14	-13.00	39.14	18.29	V	359	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 40MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,644.000	-43.02	-13.00	30.02	30.26	H	1	1.00
6	11,466.000	-52.52	-13.00	39.52	18.19	H	256.2	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,644.000	-42.66	-13.00	29.66	30.10	V	1	1.00
6	11,466.000	-52.63	-13.00	39.63	18.29	V	2	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 60MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,626.000	-41.97	-13.00	28.97	30.23	H	208.5	1.00
6	11,439.000	-52.40	-13.00	39.40	18.10	H	259.8	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,626.000	-43.49	-13.00	30.49	30.05	V	1	1.00
6	11,439.000	-52.30	-13.00	39.30	18.19	V	103.7	2.00






BUREAU
VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 80MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,608.000	-42.46	-13.00	29.46	30.19	H	359	1.00
6	11,412.000	-52.03	-13.00	39.03	17.89	H	2.2	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,608.000	-42.33	-13.00	29.33	29.99	V	359.1	1.00
6	11,412.000	-52.52	-13.00	39.52	17.98	V	2.5	2.00






Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: 100MHz / QPSK

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,590.000	-42.33	-13.00	29.33	30.16	H	151.4	2.00
6	11,385.000	-53.29	-13.00	40.29	17.73	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	7,590.000	-41.03	-13.00	28.03	29.94	V	359	2.00
6	11,385.000	-52.92	-13.00	39.92	17.79	V	359.1	1.00





Test Report No.: PSU-NQN2403180115RF15


ENDC

DC_5A_N2A

CHANNEL BANDWIDTH: (50+100) MHz

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-46.32	-13.00	33.32	23.75	H	352.6	1.00
3	2,473.500	-49.62	-13.00	36.62	19.31	H	359	2.00
4	3,702.000	-51.59	-13.00	38.59	20.97	H	359	1.00
4	5,553.000	-50.30	-13.00	37.30	23.75	H	152.2	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-45.87	-13.00	32.87	23.30	V	51.8	1.00
3	2,473.500	-50.80	-13.00	37.80	19.56	V	70.2	2.00
4	3,702.000	-50.94	-13.00	37.94	21.56	V	208.8	2.00
4	5,553.000	-50.76	-13.00	37.76	24.45	V	0.9	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (50+100) MHz

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-45.16	-13.00	32.16	24.37	H	24.7	2.00
3	2,496.000	-50.22	-13.00	37.22	19.88	H	358.6	1.00
4	3,742.000	-50.95	-13.00	37.95	20.95	H	161	2.00
4	5,613.000	-49.51	-13.00	36.51	23.99	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-46.80	-13.00	33.80	23.25	V	79.8	2.00
3	2,496.000	-48.87	-13.00	35.87	20.16	V	1	1.00
4	3,742.000	-49.83	-13.00	36.83	21.60	V	359	1.00
4	5,613.000	-49.48	-13.00	36.48	24.43	V	359	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (50+100) MHz

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-44.04	-13.00	31.04	24.60	H	280.2	1.00
3	2,518.500	-50.00	-13.00	37.00	19.48	H	256.7	2.00
4	3,782.000	-51.30	-13.00	38.30	21.58	H	1.8	2.00
4	5,673.000	-48.36	-13.00	35.36	24.20	H	359.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-45.82	-13.00	32.82	23.51	V	309.3	2.00
3	2,518.500	-50.15	-13.00	37.15	20.32	V	65.4	2.00
4	3,782.000	-49.95	-13.00	36.95	21.78	V	207.7	2.00
4	5,673.000	-49.55	-13.00	36.55	24.60	V	359	2.00





BUREAU VERITAS


Test Report No.: PSU-NQN2403180115RF15

DC_12A-N2A

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-47.88	-13.00	34.88	21.95	H	359.1	1.00
2	2,098.500	-42.67	-13.00	29.67	27.44	H	1	1.00
4	3,702.000	-52.77	-13.00	39.77	20.97	H	1	2.00
4	5,553.000	-49.15	-13.00	36.15	23.75	H	208.9	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-47.60	-13.00	34.60	22.37	V	291	1.00
2	2,098.500	-42.36	-13.00	29.36	28.45	V	309.2	2.00
4	3,702.000	-50.89	-13.00	37.89	21.56	V	1	1.00
4	5,553.000	-49.88	-13.00	36.88	24.45	V	1	1.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-47.18	-13.00	34.18	22.18	H	309.3	2.00
2	2,109.000	-42.00	-13.00	29.00	27.79	H	359.1	1.00
4	3,742.000	-51.87	-13.00	38.87	20.95	H	0.9	2.00
4	5,613.000	-49.18	-13.00	36.18	23.99	H	152.2	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-47.16	-13.00	34.16	22.31	V	2.2	2.00
2	2,109.000	-41.47	-13.00	28.47	28.50	V	291	1.00
4	3,742.000	-51.16	-13.00	38.16	21.60	V	359.1	1.00
4	5,613.000	-48.05	-13.00	35.05	24.43	V	45.1	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-46.78	-13.00	33.78	22.46	H	359	2.00
2	2,119.500	-43.87	-13.00	30.87	27.64	H	359	2.00
4	3,782.000	-50.44	-13.00	37.44	21.58	H	207.8	2.00
4	5,673.000	-50.44	-13.00	37.44	24.20	H	33.2	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-47.29	-13.00	34.29	22.11	V	359.1	1.00
2	2,119.500	-42.61	-13.00	29.61	28.24	V	49.6	1.00
4	3,782.000	-51.66	-13.00	38.66	21.78	V	42.7	2.00
4	5,673.000	-49.84	-13.00	36.84	24.60	V	169.1	1.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_13A-N2A

CHANNEL BANDWIDTH: (50+100) MHz

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-47.79	-13.00	34.79	21.68	H	359	2.00
3	2,332.500	-50.55	-13.00	37.55	18.59	H	102.2	1.00
4	3,702.000	-50.95	-13.00	37.95	20.97	H	359.1	1.00
4	5,553.000	-50.10	-13.00	37.10	23.75	H	359.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-46.25	-13.00	33.25	23.02	V	354.2	1.00
3	2,332.500	-51.44	-13.00	38.44	19.17	V	0.9	2.00
4	3,702.000	-49.83	-13.00	36.83	21.56	V	359	2.00
4	5,553.000	-49.35	-13.00	36.35	24.45	V	359.1	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (50+100) MHz

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-48.73	-13.00	35.73	21.68	H	309.3	2.00
3	2,332.500	-50.20	-13.00	37.20	18.59	H	206.1	1.00
4	3,742.000	-52.63	-13.00	39.63	20.95	H	1	1.00
4	5,613.000	-49.92	-13.00	36.92	23.99	H	359.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-47.05	-13.00	34.05	23.02	V	359	1.00
3	2,332.500	-51.13	-13.00	38.13	19.17	V	256.6	2.00
4	3,742.000	-50.31	-13.00	37.31	21.60	V	1	1.00
4	5,613.000	-48.53	-13.00	35.53	24.43	V	155.9	1.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (50+100) MHz

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-49.16	-13.00	36.16	21.68	H	75	2.00
3	2,332.500	-51.51	-13.00	38.51	18.59	H	1	1.00
4	3,782.000	-49.78	-13.00	36.78	21.58	H	1	2.00
4	5,637.000	-49.24	-13.00	36.24	24.11	H	1.5	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-46.42	-13.00	33.42	23.02	V	5.8	2.00
3	2,332.500	-50.58	-13.00	37.58	19.17	V	256.6	2.00
4	3,782.000	-51.05	-13.00	38.05	21.78	V	0.9	2.00
4	5,637.000	-49.36	-13.00	36.36	24.45	V	359	1.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_66A-N2A

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-50.89	-13.00	37.89	20.65	H	36.7	2.00
4	3,702.000	-51.06	-13.00	38.06	20.97	H	0.9	2.00
4	5,133.000	-50.62	-13.00	37.62	23.08	H	206.5	2.00
4	5,553.000	-48.83	-13.00	35.83	23.75	H	322.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-51.39	-13.00	38.39	21.01	V	359	2.00
4	3,702.000	-49.62	-13.00	36.62	21.56	V	1	1.00
4	5,133.000	-51.09	-13.00	38.09	23.40	V	153.4	1.00
4	5,553.000	-48.79	-13.00	35.79	24.45	V	41.4	2.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-52.09	-13.00	39.09	20.43	H	152.2	1.00
4	3,742.000	-52.86	-13.00	39.86	20.95	H	152.2	1.00
4	5,208.000	-50.65	-13.00	37.65	23.47	H	41.4	2.00
4	5,613.000	-48.91	-13.00	35.91	23.99	H	207.7	2.00





Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-50.61	-13.00	37.61	21.15	V	35.5	2.00
4	3,742.000	-50.85	-13.00	37.85	21.60	V	151.1	1.00
4	5,208.000	-50.22	-13.00	37.22	24.07	V	317.3	1.00
4	5,613.000	-50.87	-13.00	37.87	24.43	V	151.1	1.00

