




**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,522.000	-52.68	-13.00	39.68	20.61	H	329.2	1.00
4	3,782.000	-50.61	-13.00	37.61	21.58	H	186.2	2.00
4	5,283.000	-49.48	-13.00	36.48	23.61	H	1	1.00
4	5,673.000	-49.76	-13.00	36.76	24.20	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 376000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,522.000	-50.22	-13.00	37.22	21.19	V	359	1.00
4	3,782.000	-50.14	-13.00	37.14	21.78	V	208.8	2.00
4	5,283.000	-49.84	-13.00	36.84	24.12	V	359	1.00
4	5,673.000	-50.67	-13.00	37.67	24.60	V	40.2	2.00






Test Report No.: PSU-NQN2403180115RF15

DC_2A-N5A

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,650.000	-46.09	-13.00	33.09	23.80	H	1	2.00
3	2,475.000	-49.69	-13.00	36.69	19.35	H	101	1.00
4	3,702.000	-52.04	-13.00	39.04	20.97	H	359	2.00
4	5,553.000	-50.81	-13.00	37.81	23.75	H	29.5	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,650.000	-47.84	-13.00	34.84	23.29	V	58.3	2.00
3	2,475.000	-49.61	-13.00	36.61	19.60	V	312.5	1.00
4	3,702.000	-49.94	-13.00	36.94	21.56	V	1	1.00
4	5,553.000	-48.76	-13.00	35.76	24.45	V	325.7	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,655.000	-46.83	-13.00	33.83	24.06	H	52.3	2.00
3	2,482.500	-50.37	-13.00	37.37	19.58	H	108.1	1.00
4	3,742.000	-51.82	-13.00	38.82	20.95	H	0.9	2.00
4	5,613.000	-50.29	-13.00	37.29	23.99	H	334	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,655.000	-47.28	-13.00	34.28	23.23	V	50.6	1.00
3	2,482.500	-49.42	-13.00	36.42	19.81	V	313.6	1.00
4	3,742.000	-51.44	-13.00	38.44	21.60	V	31.9	2.00
4	5,613.000	-50.17	-13.00	37.17	24.43	V	1	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,660.000	-45.33	-13.00	32.33	24.30	H	0.9	2.00
3	2,490.000	-50.45	-13.00	37.45	19.80	H	41.5	2.00
4	3,782.000	-51.88	-13.00	38.88	21.58	H	359	2.00
4	5,673.000	-49.08	-13.00	36.08	24.20	H	154.7	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,660.000	-46.66	-13.00	33.66	23.18	V	359	1.00
3	2,490.000	-49.03	-13.00	36.03	20.02	V	359	2.00
4	3,782.000	-50.48	-13.00	37.48	21.78	V	357.7	1.00
4	5,673.000	-50.09	-13.00	37.09	24.60	V	178.9	2.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_7A-N5A

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,650.000	-55.19	-25.00	30.19	14.14	H	308	2.00
3	2,475.000	-41.33	-25.00	16.33	28.09	H	359	2.00
4	5,002.000	-50.98	-25.00	25.98	23.41	H	30.7	2.00
5	7,503.000	-44.83	-25.00	19.83	27.03	H	269.4	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,650.000	-55.96	-25.00	30.96	13.63	V	1	1.00
3	2,475.000	-41.69	-25.00	16.69	28.34	V	259	2.00
4	5,002.000	-49.85	-25.00	24.85	23.62	V	1	1.00
5	7,503.000	-45.83	-25.00	20.83	27.00	V	352.2	1.00






Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,655.000	-56.11	-25.00	31.11	14.38	H	292.2	1.00
3	2,482.500	-40.22	-25.00	15.22	28.27	H	1	2.00
4	5,052.000	-49.85	-25.00	24.85	23.57	H	359	2.00
5	7,578.000	-45.25	-25.00	20.25	26.95	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,655.000	-56.66	-25.00	31.66	13.55	V	330.5	1.00
3	2,482.500	-39.68	-25.00	14.68	28.51	V	259.1	2.00
4	5,052.000	-48.04	-25.00	23.04	23.98	V	359.1	1.00
5	7,578.000	-44.63	-25.00	19.63	26.74	V	355	1.00






Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,660.000	-55.07	-25.00	30.07	14.61	H	309.3	2.00
3	2,490.000	-41.11	-25.00	16.11	28.45	H	257.8	2.00
4	5,102.000	-50.28	-25.00	25.28	22.91	H	153.5	1.00
5	7,653.000	-45.66	-25.00	20.66	26.99	H	359.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,660.000	-56.28	-25.00	31.28	13.48	V	305.7	2.00
3	2,490.000	-39.38	-25.00	14.38	28.68	V	100.9	1.00
4	5,102.000	-49.50	-25.00	24.50	23.43	V	0.9	2.00
5	7,653.000	-45.94	-25.00	20.94	26.84	V	146.7	2.00





BUREAU VERITAS


Test Report No.: PSU-NQN2403180115RF15

DC_66A-N5A

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,650.000	-43.94	-13.00	30.94	23.80	H	1.1	2.00
3	2,475.000	-50.28	-13.00	37.28	19.35	H	1	1.00
4	3,422.000	-51.03	-13.00	38.03	20.65	H	1	1.00
4	5,133.000	-49.77	-13.00	36.77	23.08	H	359	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,650.000	-46.11	-13.00	33.11	23.29	V	299.3	1.00
3	2,475.000	-47.77	-13.00	34.77	19.60	V	102.1	1.00
4	3,422.000	-52.34	-13.00	39.34	21.01	V	153.4	1.00
4	5,133.000	-50.60	-13.00	37.60	23.40	V	1	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,655.000	-46.05	-13.00	33.05	24.06	H	59.4	2.00
3	2,482.500	-49.84	-13.00	36.84	19.58	H	314.9	1.00
4	3,472.000	-52.05	-13.00	39.05	20.43	H	1	1.00
4	5,208.000	-49.22	-13.00	36.22	23.47	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,655.000	-45.45	-13.00	32.45	23.23	V	51.9	1.00
3	2,482.500	-48.67	-13.00	35.67	19.81	V	103.4	1.00
4	3,472.000	-51.78	-13.00	38.78	21.15	V	359	2.00
4	5,208.000	-50.03	-13.00	37.03	24.07	V	359	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,660.000	-45.18	-13.00	32.18	24.30	H	1.2	2.00
3	2,490.000	-49.27	-13.00	36.27	19.80	H	359	2.00
4	3,522.000	-51.18	-13.00	38.18	20.61	H	359	2.00
4	5,283.000	-49.07	-13.00	36.07	23.61	H	153.5	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 167300	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,660.000	-47.34	-13.00	34.34	23.18	V	308	2.00
3	2,490.000	-48.97	-13.00	35.97	20.02	V	1	2.00
4	3,522.000	-51.46	-13.00	38.46	21.19	V	359	1.00
4	5,283.000	-48.51	-13.00	35.51	24.12	V	206.5	2.00





BUREAU VERITAS


Test Report No.: PSU-NQN2403180115RF15

DC_5A_N7A

CHANNEL BANDWIDTH: (50+100) MHz

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-55.59	-25.00	30.59	14.09	H	309.3	2.00
3	2,473.500	-41.67	-25.00	16.67	28.05	H	359.1	1.00
4	5,002.000	-49.64	-25.00	24.64	23.41	H	359	2.00
5	7,503.000	-45.05	-25.00	20.05	27.03	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-55.70	-25.00	30.70	13.64	V	84.5	2.00
3	2,473.500	-41.18	-25.00	16.18	28.30	V	72.6	2.00
4	5,002.000	-48.98	-25.00	23.98	23.62	V	207.7	2.00
5	7,503.000	-43.97	-25.00	18.97	27.00	V	0.9	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (50+100) MHz

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-54.39	-25.00	29.39	14.67	H	51.9	1.00
3	2,496.000	-40.92	-25.00	15.92	28.50	H	359	2.00
4	5,052.000	-50.02	-25.00	25.02	23.57	H	61.9	2.00
5	7,578.000	-44.82	-25.00	19.82	26.95	H	202.6	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-55.33	-25.00	30.33	13.55	V	275.5	1.00
3	2,496.000	-39.70	-25.00	14.70	28.78	V	250.7	2.00
4	5,052.000	-48.65	-25.00	23.65	23.98	V	301.8	1.00
5	7,578.000	-45.30	-25.00	20.30	26.74	V	202.6	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (50+100) MHz

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-54.37	-25.00	29.37	14.86	H	7.8	2.00
3	2,518.500	-42.24	-25.00	17.24	28.02	H	102	1.00
4	5,102.000	-50.59	-25.00	25.59	22.91	H	1	1.00
5	7,653.000	-45.44	-25.00	20.44	26.99	H	1.6	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-55.23	-25.00	30.23	13.78	V	359	2.00
3	2,518.500	-40.95	-25.00	15.95	28.87	V	69	2.00
4	5,102.000	-50.63	-25.00	25.63	23.43	V	359	1.00
5	7,653.000	-46.23	-25.00	21.23	26.84	V	314.9	1.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_12A+N7A

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-57.44	-25.00	32.44	12.46	H	64.2	2.00
2	2,098.500	-52.86	-25.00	27.86	17.77	H	295.7	1.00
4	5,002.000	-50.06	-25.00	25.06	23.41	H	359	2.00
5	7,503.000	-43.36	-25.00	18.36	27.03	H	157.4	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-55.22	-25.00	30.22	12.88	V	1	1.00
2	2,098.500	-51.48	-25.00	26.48	18.78	V	1.7	2.00
4	5,002.000	-48.16	-25.00	23.16	23.62	V	359	2.00
5	7,503.000	-44.84	-25.00	19.84	27.00	V	1	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-57.28	-25.00	32.28	12.71	H	295.7	1.00
2	2,109.000	-52.19	-25.00	27.19	18.25	H	359	1.00
4	5,052.000	-50.40	-25.00	25.40	23.57	H	1	2.00
5	7,578.000	-46.01	-25.00	21.01	26.95	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-58.10	-25.00	33.10	12.84	V	1	1.00
2	2,109.000	-52.55	-25.00	27.55	18.95	V	1	1.00
4	5,052.000	-49.76	-25.00	24.76	23.98	V	1	1.00
5	7,578.000	-46.90	-25.00	21.90	26.74	V	201.4	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-55.54	-25.00	30.54	12.99	H	51.9	1.00
2	2,119.500	-51.51	-25.00	26.51	18.14	H	64.2	2.00
4	5,102.000	-50.03	-25.00	25.03	22.91	H	152.3	1.00
5	7,653.000	-45.46	-25.00	20.46	26.99	H	203.8	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-54.39	-25.00	29.39	12.64	V	358.7	1.00
2	2,119.500	-52.30	-25.00	27.30	18.74	V	300.6	1.00
4	5,102.000	-49.98	-25.00	24.98	23.43	V	359	2.00
5	7,653.000	-45.91	-25.00	20.91	26.84	V	359	2.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_66A+N7A

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,522.000	-49.96	-25.00	24.96	21.19	V	23.7	2.00
4	5,102.000	-49.91	-25.00	24.91	23.43	V	1	2.00
4	5,283.000	-49.35	-25.00	24.35	24.12	V	359	2.00
5	7,653.000	-46.14	-25.00	21.14	26.84	V	347.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-50.36	-25.00	25.36	21.01	V	20.5	2.00
4	5,002.000	-49.71	-25.00	24.71	23.62	V	0.9	2.00
4	5,133.000	-50.30	-25.00	25.30	23.40	V	20.5	2.00
5	7,503.000	-44.72	-25.00	19.72	27.00	V	0.9	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-52.15	-25.00	27.15	20.43	H	25.9	2.00
4	5,052.000	-49.89	-25.00	24.89	23.57	H	207.7	2.00
4	5,208.000	-50.60	-25.00	25.60	23.47	H	150.2	1.00
5	7,578.000	-45.27	-25.00	20.27	26.95	H	199.2	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-50.02	-25.00	25.02	21.15	V	154.6	1.00
4	5,052.000	-49.60	-25.00	24.60	23.98	V	359.1	1.00
4	5,208.000	-50.42	-25.00	25.42	24.07	V	23.7	2.00
5	7,578.000	-45.63	-25.00	20.63	26.74	V	0.9	2.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,522.000	-50.21	-25.00	25.21	20.61	H	1	2.00
4	5,102.000	-51.97	-25.00	26.97	22.91	H	334	1.00
4	5,283.000	-49.78	-25.00	24.78	23.61	H	1	2.00
5	7,653.000	-45.49	-25.00	20.49	26.99	H	15.5	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 507000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,522.000	-49.96	-25.00	24.96	21.19	V	23.7	2.00
4	5,102.000	-49.91	-25.00	24.91	23.43	V	1	2.00
4	5,283.000	-49.35	-25.00	24.35	24.12	V	359	2.00
5	7,653.000	-46.14	-25.00	21.14	26.84	V	347.1	1.00






Test Report No.: PSU-NQN2403180115RF15

DC_ 5A-N38A
CHANNEL BANDWIDTH: (10+40) MHz

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-55.49	-25.00	30.49	14.09	H	1	2.00
3	2,473.500	-42.50	-25.00	17.50	27.93	H	297	1.00
4	5,144.000	-49.83	-25.00	24.83	23.15	H	51.1	2.00
5	7,716.000	-44.37	-25.00	19.37	27.13	H	359.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-56.18	-25.00	31.18	13.64	V	359	2.00
3	2,473.500	-40.96	-25.00	15.96	28.30	V	0.9	2.00
4	5,144.000	-49.99	-25.00	24.99	23.38	V	358.5	1.00
5	7,716.000	-45.09	-25.00	20.09	26.88	V	0.9	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+40) MHz

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-54.51	-25.00	29.51	14.67	H	1	1.00
3	2,496.000	-40.17	-25.00	15.17	28.50	H	359	2.00
4	5,154.000	-51.05	-25.00	26.05	23.20	H	309	1.00
5	7,731.000	-44.39	-25.00	19.39	27.23	H	1	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-55.10	-25.00	30.10	13.55	V	310.5	2.00
3	2,496.000	-41.14	-25.00	16.14	28.78	V	359	2.00
4	5,154.000	-47.81	-25.00	22.81	23.44	V	52.3	2.00
5	7,731.000	-45.90	-25.00	20.90	26.96	V	359	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+40) MHz

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-54.93	-25.00	29.93	14.86	H	0.9	2.00
3	2,518.500	-42.06	-25.00	17.06	28.02	H	1	1.00
4	5,164.000	-50.01	-25.00	25.01	23.26	H	49.9	2.00
5	7,746.000	-44.70	-25.00	19.70	27.27	H	203.7	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-56.45	-25.00	31.45	13.78	V	359.1	1.00
3	2,518.500	-41.44	-25.00	16.44	28.87	V	359.1	1.00
4	5,164.000	-48.32	-25.00	23.32	23.58	V	359.1	1.00
5	7,746.000	-45.70	-25.00	20.70	27.00	V	359	2.00





BUREAU VERITAS


Test Report No.: PSU-NQN2403180115RF15

DC_12A-N38A

CHANNEL BANDWIDTH: (10+40) MHz

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-56.25	-25.00	31.25	12.46	H	359	2.00
2	2,098.500	-51.51	-25.00	26.51	17.77	H	4.7	2.00
4	5,144.000	-49.84	-25.00	24.84	23.15	H	52.4	2.00
5	7,716.000	-45.78	-25.00	20.78	27.13	H	1	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-55.49	-25.00	30.49	12.88	V	49.5	1.00
2	2,098.500	-51.46	-25.00	26.46	18.78	V	354.2	1.00
4	5,144.000	-49.63	-25.00	24.63	23.38	V	1	1.00
5	7,716.000	-46.01	-25.00	21.01	26.88	V	40.4	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+40) MHz

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-56.60	-25.00	31.60	12.71	H	1	1.00
2	2,109.000	-51.57	-25.00	26.57	18.25	H	359	2.00
4	5,154.000	-50.66	-25.00	25.66	23.20	H	316.1	1.00
5	7,731.000	-45.09	-25.00	20.09	27.23	H	359.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-55.75	-25.00	30.75	12.84	V	78.6	2.00
2	2,109.000	-51.41	-25.00	26.41	18.95	V	57.9	1.00
4	5,154.000	-50.48	-25.00	25.48	23.44	V	0.9	2.00
5	7,731.000	-46.74	-25.00	21.74	26.96	V	351.3	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+40) MHz

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-55.35	-25.00	30.35	12.99	H	309.2	2.00
2	2,119.500	-53.07	-25.00	28.07	18.14	H	281.4	1.00
4	5,164.000	-51.19	-25.00	26.19	23.26	H	210.1	2.00
5	7,746.000	-46.05	-25.00	21.05	27.27	H	319.7	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 519000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-55.68	-25.00	30.68	12.64	V	1	2.00
2	2,119.500	-52.65	-25.00	27.65	18.74	V	282.6	1.00
4	5,164.000	-49.43	-25.00	24.43	23.58	V	1	1.00
5	7,746.000	-44.58	-25.00	19.58	27.00	V	359	1.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_2A-N41A

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,702.000	-50.68	-25.00	25.68	20.97	H	358.8	1.00
4	5,002.000	-50.34	-25.00	25.34	23.41	H	40.3	2.00
4	5,553.000	-51.06	-25.00	26.06	23.75	H	40.3	2.00
5	7,503.000	-44.50	-25.00	19.50	27.03	H	203.7	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,702.000	-50.67	-25.00	25.67	21.56	V	207.8	2.00
4	5,002.000	-49.92	-25.00	24.92	23.62	V	207.8	2.00
4	5,553.000	-49.09	-25.00	24.09	24.45	V	358.6	1.00
5	7,503.000	-44.39	-25.00	19.39	27.00	V	157.5	2.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,742.000	-51.51	-25.00	26.51	20.95	H	314.9	1.00
4	5,096.000	-50.67	-25.00	25.67	22.91	H	0.9	2.00
4	5,613.000	-49.05	-25.00	24.05	23.99	H	358.9	1.00
5	7,644.000	-45.89	-25.00	20.89	26.98	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,742.000	-52.20	-25.00	27.20	21.60	V	1	1.00
4	5,096.000	-50.77	-25.00	25.77	23.46	V	1	1.00
4	5,613.000	-48.77	-25.00	23.77	24.43	V	0.9	2.00
5	7,644.000	-46.17	-25.00	21.17	26.82	V	156.2	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,782.000	-52.06	-25.00	27.06	21.58	H	359	2.00
4	5,190.000	-50.13	-25.00	25.13	23.39	H	316.1	1.00
4	5,673.000	-50.11	-25.00	25.11	24.20	H	1	1.00
5	7,785.000	-45.16	-25.00	20.16	27.24	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,782.000	-50.15	-25.00	25.15	21.78	V	152.3	1.00
4	5,190.000	-49.59	-25.00	24.59	23.92	V	312.5	1.00
4	5,673.000	-48.75	-25.00	23.75	24.60	V	47.5	2.00
5	7,785.000	-45.38	-25.00	20.38	27.04	V	1	2.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_4A-N41A

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-50.89	-25.00	25.89	20.65	H	344.5	1.00
4	5,002.000	-50.31	-25.00	25.31	23.41	H	344.5	1.00
4	5,133.000	-50.89	-25.00	25.89	23.08	H	344.5	1.00
5	7,503.000	-43.58	-25.00	18.58	27.03	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-50.75	-25.00	25.75	21.01	V	1	1.00
4	5,002.000	-49.93	-25.00	24.93	23.62	V	359	2.00
4	5,133.000	-49.82	-25.00	24.82	23.40	V	12.8	2.00
5	7,503.000	-45.33	-25.00	20.33	27.00	V	0.9	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,447.000	-52.03	-25.00	27.03	20.50	H	154.7	1.00
4	5,096.000	-50.59	-25.00	25.59	22.91	H	359	1.00
4	5,170.500	-48.90	-25.00	23.90	23.29	H	342.9	1.00
5	7,640.000	-45.53	-25.00	20.53	26.98	H	28.3	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,447.000	-49.72	-25.00	24.72	21.07	V	359	2.00
4	5,096.000	-50.59	-25.00	25.59	23.46	V	0.9	2.00
4	5,170.500	-48.35	-25.00	23.35	23.66	V	154.7	1.00
5	7,640.000	-45.62	-25.00	20.62	26.81	V	149.1	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-53.13	-25.00	28.13	20.43	H	359.1	1.00
4	5,190.000	-51.03	-25.00	26.03	23.39	H	359	2.00
4	5,208.000	-50.11	-25.00	25.11	23.47	H	348	1.00
5	7,785.000	-45.30	-25.00	20.30	27.24	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-49.49	-25.00	24.49	21.15	V	39	2.00
4	5,190.000	-48.24	-25.00	23.24	23.92	V	1	1.00
4	5,208.000	-49.25	-25.00	24.25	24.07	V	1	1.00
5	7,785.000	-45.51	-25.00	20.51	27.04	V	208.6	1.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_12A-N41A

CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-56.25	-25.00	31.25	12.46	H	306.8	2.00
2	2,098.500	-52.23	-25.00	27.23	17.77	H	354.2	1.00
4	5,002.000	-49.88	-25.00	24.88	23.41	H	359	2.00
5	7,503.000	-45.39	-25.00	20.39	27.03	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-55.29	-25.00	30.29	12.88	V	359	1.00
2	2,098.500	-52.15	-25.00	27.15	18.78	V	359	2.00
4	5,002.000	-49.07	-25.00	24.07	23.62	V	204.1	2.00
5	7,503.000	-44.92	-25.00	19.92	27.00	V	248	1.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-56.57	-25.00	31.57	12.71	H	69	2.00
2	2,109.000	-51.93	-25.00	26.93	18.25	H	69	2.00
4	5,096.000	-50.25	-25.00	25.25	22.91	H	153.5	1.00
5	7,644.000	-45.00	-25.00	20.00	26.98	H	156.2	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-56.75	-25.00	31.75	12.84	V	359	1.00
2	2,109.000	-51.71	-25.00	26.71	18.95	V	33.1	2.00
4	5,096.000	-50.53	-25.00	25.53	23.46	V	202.9	2.00
5	7,644.000	-45.53	-25.00	20.53	26.82	V	359	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-54.88	-25.00	29.88	12.99	H	293.4	1.00
2	2,119.500	-51.47	-25.00	26.47	18.14	H	2.2	2.00
4	5,190.000	-49.55	-25.00	24.55	23.39	H	322	1.00
5	7,785.000	-45.41	-25.00	20.41	27.24	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-55.60	-25.00	30.60	12.64	V	359.1	1.00
2	2,119.500	-51.65	-25.00	26.65	18.74	V	357.4	1.00
4	5,190.000	-49.94	-25.00	24.94	23.92	V	359.1	1.00
5	7,785.000	-45.21	-25.00	20.21	27.04	V	359.1	1.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_66A-N41A

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-50.61	-25.00	25.61	20.65	H	43.9	2.00
4	5,002.000	-50.51	-25.00	25.51	23.41	H	358.9	1.00
4	5,133.000	-50.38	-25.00	25.38	23.08	H	1	2.00
5	7,503.000	-45.05	-25.00	20.05	27.03	H	202.6	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-50.48	-25.00	25.48	21.01	V	358.7	1.00
4	5,002.000	-50.22	-25.00	25.22	23.62	V	358.7	1.00
4	5,133.000	-49.98	-25.00	24.98	23.40	V	1	1.00
5	7,503.000	-44.13	-25.00	19.13	27.00	V	1	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-51.14	-25.00	26.14	20.43	H	205.4	2.00
4	5,096.000	-50.16	-25.00	25.16	22.91	H	324.5	1.00
4	5,208.000	-49.36	-25.00	24.36	23.47	H	324.5	1.00
5	7,644.000	-45.00	-25.00	20.00	26.98	H	1	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-50.31	-25.00	25.31	21.15	V	152.3	1.00
4	5,096.000	-48.49	-25.00	23.49	23.46	V	358.7	1.00
4	5,208.000	-49.29	-25.00	24.29	24.07	V	312.5	1.00
5	7,644.000	-45.70	-25.00	20.70	26.82	V	359.1	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,522.000	-51.78	-25.00	26.78	20.61	H	159.4	1.00
4	5,190.000	-49.27	-25.00	24.27	23.39	H	359	2.00
4	5,283.000	-49.96	-25.00	24.96	23.61	H	159.4	1.00
5	7,785.000	-45.76	-25.00	20.76	27.24	H	156.3	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 518598	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,522.000	-51.35	-25.00	26.35	21.19	V	207.7	2.00
4	5,190.000	-48.55	-25.00	23.55	23.92	V	153.5	1.00
4	5,283.000	-49.99	-25.00	24.99	24.12	V	1.4	2.00
5	7,785.000	-46.00	-25.00	21.00	27.04	V	1	2.00





BUREAU VERITAS


Test Report No.: PSU-NQN2403180115RF15

DC_2A-N66A

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-53.04	-13.00	40.04	20.65	H	1	2.00
4	3,702.000	-50.85	-13.00	37.85	20.97	H	346.6	1.00
4	5,133.000	-50.79	-13.00	37.79	23.08	H	1	2.00
4	5,553.000	-49.77	-13.00	36.77	23.75	H	359.1	1.00





Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-51.10	-13.00	38.10	21.01	V	30.8	2.00
4	3,702.000	-49.92	-13.00	36.92	21.56	V	1	2.00
4	5,133.000	-49.59	-13.00	36.59	23.40	V	30.8	2.00
4	5,553.000	-49.91	-13.00	36.91	24.45	V	154.7	1.00

