




**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-51.12	-13.00	38.12	20.43	H	204.1	2.00
4	3,742.000	-51.21	-13.00	38.21	20.95	H	172.6	1.00
4	5,208.000	-49.50	-13.00	36.50	23.47	H	359	1.00
4	5,613.000	-49.27	-13.00	36.27	23.99	H	204.1	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-50.59	-13.00	37.59	21.15	V	2	2.00
4	3,742.000	-47.66	-13.00	34.66	21.60	V	2	2.00
4	5,208.000	-50.65	-13.00	37.65	24.07	V	359	1.00
4	5,613.000	-51.07	-13.00	38.07	24.43	V	359	1.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,522.000	-52.38	-13.00	39.38	20.61	H	346.6	1.00
4	3,782.000	-50.80	-13.00	37.80	21.58	H	21.5	2.00
4	5,283.000	-50.91	-13.00	37.91	23.61	H	359.1	1.00
4	5,673.000	-48.64	-13.00	35.64	24.20	H	155.9	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,522.000	-50.59	-13.00	37.59	21.19	V	1	1.00
4	3,782.000	-51.24	-13.00	38.24	21.78	V	1	1.00
4	5,283.000	-49.54	-13.00	36.54	24.12	V	359.1	1.00
4	5,673.000	-47.52	-13.00	34.52	24.60	V	359	2.00





BUREAU VERITAS


Test Report No.: PSU-NQN2403180115RF15

DC_5A-N66A

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-45.67	-13.00	32.67	23.75	H	359	2.00
3	2,473.500	-50.15	-13.00	37.15	19.31	H	1	2.00
4	3,422.000	-51.15	-13.00	38.15	20.65	H	208.9	2.00
4	5,133.000	-49.18	-13.00	36.18	23.08	H	1	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-46.82	-13.00	33.82	23.30	V	334	1.00
3	2,473.500	-50.03	-13.00	37.03	19.56	V	259.1	2.00
4	3,422.000	-51.77	-13.00	38.77	21.01	V	39.1	2.00
4	5,133.000	-50.10	-13.00	37.10	23.40	V	210.1	2.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-45.69	-13.00	32.69	24.37	H	56.7	1.00
3	2,496.000	-50.93	-13.00	37.93	19.88	H	359	1.00
4	3,472.000	-51.60	-13.00	38.60	20.43	H	0.9	2.00
4	5,208.000	-50.68	-13.00	37.68	23.47	H	0.9	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-47.44	-13.00	34.44	23.25	V	0.9	2.00
3	2,496.000	-50.42	-13.00	37.42	20.16	V	359	2.00
4	3,472.000	-50.53	-13.00	37.53	21.15	V	151	1.00
4	5,208.000	-50.46	-13.00	37.46	24.07	V	151	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-44.95	-13.00	31.95	24.60	H	297	1.00
3	2,518.500	-50.08	-13.00	37.08	19.48	H	359.1	1.00
4	3,522.000	-51.52	-13.00	38.52	20.61	H	1	1.00
4	5,283.000	-48.27	-13.00	35.27	23.61	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-45.85	-13.00	32.85	23.51	V	298.2	1.00
3	2,518.500	-49.93	-13.00	36.93	20.32	V	1	2.00
4	3,522.000	-50.56	-13.00	37.56	21.19	V	0.9	2.00
4	5,283.000	-48.45	-13.00	35.45	24.12	V	39.1	2.00





BUREAU VERITAS


Test Report No.: PSU-NQN2403180115RF15

DC_7A-N66A

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-50.90	-25.00	25.90	20.65	H	27.1	2.00
4	5,002.000	-49.73	-25.00	24.73	23.41	H	151.1	1.00
4	5,133.000	-51.00	-25.00	26.00	23.08	H	0.9	2.00
5	7,503.000	-45.39	-25.00	20.39	27.03	H	157.4	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-49.63	-25.00	24.63	21.01	V	1	1.00
4	5,002.000	-49.36	-25.00	24.36	23.62	V	151	1.00
4	5,133.000	-50.40	-25.00	25.40	23.40	V	359	2.00
5	7,503.000	-45.48	-25.00	20.48	27.00	V	359	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-51.48	-25.00	26.48	20.43	H	1	1.00
4	5,052.000	-48.48	-25.00	23.48	23.57	H	1	2.00
4	5,208.000	-48.84	-25.00	23.84	23.47	H	37.8	2.00
5	7,578.000	-46.04	-25.00	21.04	26.95	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-49.65	-25.00	24.65	21.15	V	0.9	2.00
4	5,052.000	-48.19	-25.00	23.19	23.98	V	0.9	2.00
4	5,208.000	-50.50	-25.00	25.50	24.07	V	159.8	2.00
5	7,578.000	-45.85	-25.00	20.85	26.74	V	335.2	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,522.000	-51.38	-25.00	26.38	20.61	H	1	2.00
4	5,102.000	-50.59	-25.00	25.59	22.91	H	359	2.00
4	5,283.000	-49.96	-25.00	24.96	23.61	H	359	2.00
5	7,653.000	-46.04	-25.00	21.04	26.99	H	336.3	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,522.000	-51.30	-25.00	26.30	21.19	V	347.1	1.00
4	5,102.000	-49.85	-25.00	24.85	23.43	V	359	2.00
4	5,283.000	-49.70	-25.00	24.70	24.12	V	359.1	1.00
5	7,653.000	-46.58	-25.00	21.58	26.84	V	353.4	1.00





BUREAU VERITAS


Test Report No.: PSU-NQN2403180115RF15

DC_12A-N66A

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-47.11	-13.00	34.11	21.95	H	52	1.00
2	2,098.500	-42.18	-13.00	29.18	27.44	H	359	2.00
4	3,422.000	-51.02	-13.00	38.02	20.65	H	207.7	2.00
4	5,133.000	-49.29	-13.00	36.29	23.08	H	326.9	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-47.59	-13.00	34.59	22.37	V	358.7	1.00
2	2,098.500	-41.95	-13.00	28.95	28.45	V	298.2	1.00
4	3,422.000	-51.91	-13.00	38.91	21.01	V	359	1.00
4	5,133.000	-50.15	-13.00	37.15	23.40	V	1	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-47.31	-13.00	34.31	22.18	H	299.4	1.00
2	2,109.000	-43.63	-13.00	30.63	27.79	H	299.4	1.00
4	3,472.000	-50.98	-13.00	37.98	20.43	H	1	1.00
4	5,208.000	-50.34	-13.00	37.34	23.47	H	359.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-47.85	-13.00	34.85	22.31	V	1.3	2.00
2	2,109.000	-42.44	-13.00	29.44	28.50	V	359	2.00
4	3,472.000	-51.06	-13.00	38.06	21.15	V	350.1	1.00
4	5,208.000	-48.35	-13.00	35.35	24.07	V	359	2.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-47.81	-13.00	34.81	22.46	H	52	1.00
2	2,119.500	-42.95	-13.00	29.95	27.64	H	1	2.00
4	3,522.000	-50.79	-13.00	37.79	20.61	H	0.9	2.00
4	5,283.000	-49.86	-13.00	36.86	23.61	H	205.4	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-46.77	-13.00	33.77	22.11	V	359	1.00
2	2,119.500	-42.80	-13.00	29.80	28.24	V	305.3	1.00
4	3,522.000	-50.90	-13.00	37.90	21.19	V	206.5	2.00
4	5,283.000	-49.45	-13.00	36.45	24.12	V	1	1.00





BUREAU VERITAS


Test Report No.: PSU-NQN2403180115RF15

DC_13A-N66A

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-48.58	-13.00	35.58	21.68	H	1	1.00
3	2,332.500	-52.08	-13.00	39.08	18.59	H	42.7	2.00
4	3,422.000	-51.33	-13.00	38.33	20.65	H	359	2.00
4	5,133.000	-49.74	-13.00	36.74	23.08	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-48.17	-13.00	35.17	23.02	V	50.7	1.00
3	2,332.500	-51.67	-13.00	38.67	19.17	V	359	2.00
4	3,422.000	-51.52	-13.00	38.52	21.01	V	206.5	2.00
4	5,133.000	-50.62	-13.00	37.62	23.40	V	324.4	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-47.40	-13.00	34.40	21.68	H	299.3	1.00
3	2,332.500	-52.60	-13.00	39.60	18.59	H	48.7	2.00
4	3,472.000	-50.23	-13.00	37.23	20.43	H	153.4	1.00
4	5,208.000	-50.13	-13.00	37.13	23.47	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-45.72	-13.00	32.72	23.02	V	0.9	2.00
3	2,332.500	-50.67	-13.00	37.67	19.17	V	256.6	2.00
4	3,472.000	-48.93	-13.00	35.93	21.15	V	205.3	2.00
4	5,208.000	-48.90	-13.00	35.90	24.07	V	1	1.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+20) MHz

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-48.82	-13.00	35.82	21.68	H	308.1	2.00
3	2,332.500	-51.23	-13.00	38.23	18.59	H	359.1	1.00
4	3,522.000	-50.95	-13.00	37.95	20.61	H	204.2	2.00
4	5,283.000	-49.43	-13.00	36.43	23.61	H	204.2	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 349000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-46.17	-13.00	33.17	23.02	V	50.6	1.00
3	2,332.500	-51.46	-13.00	38.46	19.17	V	1	2.00
4	3,522.000	-51.73	-13.00	38.73	21.19	V	326.8	1.00
4	5,283.000	-47.16	-13.00	34.16	24.12	V	326.8	1.00






Test Report No.: PSU-NQN2403180115RF15

DC_2A_N71A

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,328.000	-47.19	-13.00	34.19	22.29	H	359	2.00
2	1,992.000	-42.49	-13.00	29.49	27.50	H	308	2.00
4	3,702.000	-49.85	-13.00	36.85	20.97	H	359	1.00
4	5,553.000	-49.32	-13.00	36.32	23.75	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,328.000	-44.57	-13.00	31.57	23.35	V	1	1.00
2	1,992.000	-42.63	-13.00	29.63	27.49	V	305.4	1.00
4	3,702.000	-50.53	-13.00	37.53	21.56	V	27.1	2.00
4	5,553.000	-50.34	-13.00	37.34	24.45	V	331.7	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,343.000	-46.81	-13.00	33.81	22.33	H	1	2.00
2	2,014.500	-42.68	-13.00	29.68	27.20	H	359	2.00
4	3,742.000	-48.66	-13.00	35.66	20.95	H	359	2.00
4	5,613.000	-50.13	-13.00	37.13	23.99	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,343.000	-46.09	-13.00	33.09	23.15	V	1	2.00
2	2,014.500	-42.61	-13.00	29.61	27.56	V	359	2.00
4	3,742.000	-50.23	-13.00	37.23	21.60	V	359	1.00
4	5,613.000	-49.24	-13.00	36.24	24.43	V	359	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,358.000	-47.05	-13.00	34.05	22.34	H	359	1.00
2	2,037.000	-42.47	-13.00	29.47	26.91	H	1	1.00
4	3,782.000	-49.80	-13.00	36.80	21.58	H	343.6	1.00
4	5,673.000	-48.80	-13.00	35.80	24.20	H	202.9	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,358.000	-46.69	-13.00	33.69	23.36	V	359	1.00
2	2,037.000	-42.88	-13.00	29.88	27.46	V	1	1.00
4	3,782.000	-50.64	-13.00	37.64	21.78	V	173	2.00
4	5,673.000	-49.02	-13.00	36.02	24.60	V	348.7	1.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_66A_N71A

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,328.000	-45.83	-13.00	32.83	22.29	H	11.4	2.00
2	1,992.000	-42.72	-13.00	29.72	27.50	H	1	1.00
4	3,422.000	-50.93	-13.00	37.93	20.65	H	347.1	1.00
4	5,133.000	-50.55	-13.00	37.55	23.08	H	2.4	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,328.000	-47.32	-13.00	34.32	23.35	V	118.9	1.00
2	1,992.000	-43.34	-13.00	30.34	27.49	V	306.8	2.00
4	3,422.000	-52.26	-13.00	39.26	21.01	V	1	1.00
4	5,133.000	-49.13	-13.00	36.13	23.40	V	1	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,343.000	-47.40	-13.00	34.40	22.33	H	50.6	1.00
2	2,014.500	-42.28	-13.00	29.28	27.20	H	1	1.00
4	3,472.000	-53.06	-13.00	40.06	20.43	H	1	2.00
4	5,208.000	-49.02	-13.00	36.02	23.47	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,343.000	-45.80	-13.00	32.80	23.15	V	1	2.00
2	2,014.500	-43.42	-13.00	30.42	27.56	V	359	1.00
4	3,472.000	-51.40	-13.00	38.40	21.15	V	359	1.00
4	5,208.000	-50.16	-13.00	37.16	24.07	V	1	2.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+20) MHz

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,358.000	-46.04	-13.00	33.04	22.34	H	0.9	2.00
2	2,037.000	-44.49	-13.00	31.49	26.91	H	54.3	1.00
4	3,522.000	-51.84	-13.00	38.84	20.61	H	359	2.00
4	5,283.000	-49.46	-13.00	36.46	23.61	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 136100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,358.000	-45.37	-13.00	32.37	23.36	V	1	2.00
2	2,037.000	-42.99	-13.00	29.99	27.46	V	1	2.00
4	3,522.000	-51.61	-13.00	38.61	21.19	V	359	1.00
4	5,283.000	-50.96	-13.00	37.96	24.12	V	157.4	2.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_2A-N77A (Part 270):

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,703.000	-32.18	-13.00	19.18	30.18	H	152.2	1.00
4	5,553.000	-39.62	-13.00	26.62	33.45	H	1	2.00
5	7,410.000	-44.83	-13.00	31.83	27.06	H	9.4	2.00
6	11,115.000	-53.55	-13.00	40.55	16.92	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,703.500	-34.91	-13.00	21.91	30.78	V	359	2.00
4	5,553.000	-37.73	-13.00	24.73	34.15	V	359.1	1.00
5	7,410.000	-45.18	-13.00	32.18	27.01	V	0.9	2.00
6	11,115.000	-49.97	-13.00	36.97	17.09	V	348.1	1.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,742.000	-42.94	-13.00	29.94	30.14	H	153.4	1.00
4	5,613.000	-40.84	-13.00	27.84	33.67	H	207.8	2.00
5	7,590.000	-45.08	-13.00	32.08	26.92	H	204.9	1.00
6	11,385.500	-52.58	-13.00	39.58	17.74	H	0.9	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,742.000	-41.61	-13.00	28.61	30.79	V	0.9	2.00
4	5,613.000	-40.35	-13.00	27.35	34.12	V	205.3	2.00
5	7,590.000	-45.94	-13.00	32.94	26.70	V	0.9	2.00
6	11,385.000	-53.53	-13.00	40.53	17.79	V	257.4	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,782.000	-41.83	-13.00	28.83	30.84	H	347.3	1.00
4	5,673.000	-38.68	-13.00	25.68	33.83	H	24.8	2.00
5	7,770.000	-46.22	-13.00	33.22	27.25	H	157.5	2.00
6	11,655.000	-52.62	-13.00	39.62	18.01	H	359.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,782.000	-42.36	-13.00	29.36	31.05	V	20.6	2.00
4	5,673.000	-38.85	-13.00	25.85	34.23	V	205.4	2.00
5	7,770.000	-44.71	-13.00	31.71	27.03	V	359.1	1.00
6	11,655.000	-52.60	-13.00	39.60	18.31	V	359.1	1.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_5A-N77A (Part 270):

CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-56.51	-13.00	43.51	14.09	H	1	2.00
3	2,473.500	-50.29	-13.00	37.29	19.31	H	99.7	1.00
5	7,410.000	-45.61	-13.00	32.61	27.06	H	1	2.00
6	11,115.000	-53.01	-13.00	40.01	16.92	H	359.1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,649.000	-56.59	-13.00	43.59	13.64	V	308	2.00
3	2,473.500	-50.45	-13.00	37.45	19.56	V	36.7	2.00
5	7,410.000	-44.45	-13.00	31.45	27.01	V	345.8	1.00
6	11,115.000	-54.32	-13.00	41.32	17.09	V	359	1.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-54.26	-13.00	41.26	14.67	H	1	2.00
3	2,496.000	-49.65	-13.00	36.65	19.88	H	359	2.00
5	7,590.000	-45.62	-13.00	32.62	26.92	H	1	2.00
6	11,385.000	-52.07	-13.00	39.07	17.73	H	253.8	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,664.000	-54.61	-13.00	41.61	13.55	V	359	2.00
3	2,496.000	-47.12	-13.00	34.12	20.16	V	20.5	2.00
5	7,590.000	-44.74	-13.00	31.74	26.70	V	1	1.00
6	11,385.000	-52.44	-13.00	39.44	17.79	V	1	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-54.97	-13.00	41.97	14.86	H	1	1.00
3	2,518.500	-48.29	-13.00	35.29	19.48	H	359	2.00
5	7,770.000	-45.31	-13.00	32.31	27.25	H	1	1.00
6	11,655.000	-51.32	-13.00	38.32	18.01	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,679.000	-56.26	-13.00	43.26	13.78	V	1	1.00
3	2,518.500	-49.05	-13.00	36.05	20.32	V	359.1	1.00
5	7,770.000	-44.48	-13.00	31.48	27.03	V	359	2.00
6	11,655.000	-53.09	-13.00	40.09	18.31	V	6.6	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

DC_12A-N77A (Part 270):
CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-56.79	-13.00	43.79	12.46	H	45.2	2.00
2	2,098.500	-52.37	-13.00	39.37	17.77	H	45.2	2.00
5	7,410.000	-44.82	-13.00	31.82	27.06	H	1	2.00
6	11,115.000	-53.96	-13.00	40.96	16.92	H	1	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-55.24	-13.00	42.24	12.88	V	308.1	2.00
2	2,098.500	-50.63	-13.00	37.63	18.78	V	134.4	1.00
5	7,410.000	-45.30	-13.00	32.30	27.01	V	359.1	1.00
6	11,115.000	-54.23	-13.00	41.23	17.09	V	1	1.00






BUREAU VERITAS

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-54.71	-13.00	41.71	12.71	H	359	2.00
2	2,109.000	-51.41	-13.00	38.41	18.25	H	320.8	1.00
5	7,590.000	-46.13	-13.00	33.13	26.92	H	153.8	2.00
6	11,385.500	-53.25	-13.00	40.25	17.74	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-56.82	-13.00	43.82	12.84	V	308.1	2.00
2	2,109.000	-52.72	-13.00	39.72	18.95	V	308.1	2.00
5	7,509.000	-44.62	-13.00	31.62	27.00	V	1	1.00
6	11,385.500	-53.82	-13.00	40.82	17.80	V	1	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-56.67	-13.00	43.67	12.99	H	359	2.00
2	2,119.500	-52.11	-13.00	39.11	18.14	H	359	2.00
5	7,770.000	-46.11	-13.00	33.11	27.25	H	359	2.00
6	11,655.000	-52.58	-13.00	39.58	18.01	H	359	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-54.84	-13.00	41.84	12.64	V	1	1.00
2	2,119.500	-52.28	-13.00	39.28	18.74	V	1	2.00
5	7,770.000	-45.66	-13.00	32.66	27.03	V	359.1	1.00
6	11,655.000	-50.05	-13.00	37.05	18.31	V	359	2.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_13A-N77A (Part 270):

CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-59.07	-13.00	46.07	12.09	H	359.1	1.00
3	2,332.500	-52.23	-13.00	39.23	18.59	H	359.1	1.00
5	7,410.000	-44.42	-13.00	31.42	27.06	H	1	1.00
6	11,115.000	-53.25	-13.00	40.25	16.92	H	6.2	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-56.37	-13.00	43.37	13.43	V	48.7	2.00
3	2,332.500	-49.69	-13.00	36.69	19.17	V	257.8	2.00
5	7,410.000	-45.67	-13.00	32.67	27.01	V	359	1.00
6	11,115.000	-52.53	-13.00	39.53	17.09	V	1	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-57.91	-13.00	44.91	12.09	H	359.1	1.00
3	2,332.500	-52.07	-13.00	39.07	18.59	H	256.7	2.00
5	7,590.000	-46.57	-13.00	33.57	26.92	H	359.1	1.00
6	11,385.000	-53.39	-13.00	40.39	17.73	H	353.4	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-55.93	-13.00	42.93	13.43	V	1	2.00
3	2,332.500	-50.64	-13.00	37.64	19.17	V	1	2.00
5	7,590.000	-45.28	-13.00	32.28	26.70	V	351.8	1.00
6	11,385.000	-53.22	-13.00	40.22	17.79	V	7	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (10+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-57.35	-13.00	44.35	12.09	H	309.2	2.00
3	2,332.500	-51.33	-13.00	38.33	18.59	H	34.3	2.00
5	7,770.000	-44.41	-13.00	31.41	27.25	H	157.4	2.00
6	11,655.000	-49.90	-13.00	36.90	18.01	H	353.4	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-56.78	-13.00	43.78	13.43	V	1	1.00
3	2,332.500	-51.30	-13.00	38.30	19.17	V	359	2.00
5	7,770.000	-45.88	-13.00	32.88	27.03	V	12.2	2.00
6	11,655.000	-50.44	-13.00	37.44	18.31	V	359	2.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_66A-N77A (Part 270):

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-40.20	-13.00	27.20	29.86	H	0.9	2.00
4	5,133.000	-40.44	-13.00	27.44	32.82	H	359	1.00
5	7,410.000	-43.86	-13.00	30.86	27.06	H	359	2.00
6	11,115.000	-54.22	-13.00	41.22	16.92	H	0.9	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,422.000	-40.63	-13.00	27.63	30.21	V	164.2	1.00
4	5,133.000	-40.98	-13.00	27.98	33.14	V	345.9	1.00
5	7,410.000	-43.79	-13.00	30.79	27.01	V	359.1	1.00
6	11,115.000	-51.66	-13.00	38.66	17.09	V	7.4	2.00






Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-42.52	-13.00	29.52	29.67	H	207.7	2.00
4	5,208.000	-41.15	-13.00	28.15	33.14	H	21.4	2.00
5	7,590.000	-46.09	-13.00	33.09	26.92	H	157.4	2.00
6	11,385.000	-52.96	-13.00	39.96	17.73	H	0.9	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,472.000	-40.45	-13.00	27.45	30.39	V	343.8	1.00
4	5,208.000	-40.40	-13.00	27.40	33.73	V	343.8	1.00
5	7,590.000	-46.59	-13.00	33.59	26.70	V	359	2.00
6	11,385.000	-53.43	-13.00	40.43	17.79	V	359.1	1.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+100) MHz

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,522.000	-42.81	-13.00	29.81	29.86	H	345.3	1.00
4	5,283.000	-40.28	-13.00	27.28	33.32	H	1	1.00
5	7,770.000	-45.54	-13.00	32.54	27.25	H	351.8	1.00
6	11,655.000	-50.72	-13.00	37.72	18.01	H	256.3	1.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 656000	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,522.000	-42.58	-13.00	29.58	30.44	V	151.1	1.00
4	5,283.000	-40.00	-13.00	27.00	33.82	V	359	2.00
5	7,770.000	-45.38	-13.00	32.38	27.03	V	155	2.00
6	11,655.000	-52.13	-13.00	39.13	18.31	V	1	2.00





**BUREAU
VERITAS**


Test Report No.: PSU-NQN2403180115RF15

DC_2A-N78A (Part 27Q):

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,702.000	-42.46	-13.00	29.46	30.19	H	151	1.00
4	5,553.000	-38.89	-13.00	25.89	33.45	H	1	1.00
5	6,909.000	-44.31	-13.00	31.31	30.29	H	0.9	2.00
6	10,363.500	-52.96	-13.00	39.96	15.87	H	0.9	2.00






Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,702.000	-40.92	-13.00	27.92	30.79	V	2.2	2.00
4	5,553.000	-39.48	-13.00	26.48	34.15	V	151.1	1.00
5	6,909.000	-41.68	-13.00	28.68	30.26	V	1.6	2.00
6	10,363.500	-52.64	-13.00	39.64	15.61	V	1	2.00






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2403180115RF15

CHANNEL BANDWIDTH: (20+90) MHz

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,751.000	-39.68	-13.00	26.68	30.25	H	357.6	1.00
4	5,626.500	-39.46	-13.00	26.46	33.75	H	203	2.00
5	6,919.020	-43.60	-13.00	30.60	30.28	H	359.1	1.00
6	10,378.530	-54.82	-13.00	41.82	15.95	H	249.1	1.00





Test Report No.: PSU-NQN2403180115RF15

MODE	TX channel 633334	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	3,751.000	-42.20	-13.00	29.20	30.85	V	54.7	2.00
4	5,626.500	-40.75	-13.00	27.75	34.10	V	359.1	1.00
5	6,919.020	-43.15	-13.00	30.15	30.28	V	318.4	1.00
6	10,378.530	-53.81	-13.00	40.81	15.72	V	0.9	2.00

