




Test Report No.: PSU-NQN2403180115RF06

CH21375

MODE	TX channel 21375	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,111.500	-51.69	-25.00	26.69	22.96	H	204.9	1.00
5	7,667.250	-46.02	-25.00	21.02	26.99	H	359	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 21375	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,111.500	-50.23	-25.00	25.23	23.42	V	1	1.00
5	7,667.250	-44.91	-25.00	19.91	26.84	V	1	1.00






Test Report No.: PSU-NQN2403180115RF06

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,052.000	-49.59	-25.00	24.59	23.57	H	1	1.00
5	7,578.000	-46.81	-25.00	21.81	26.95	H	130	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,052.000	-50.10	-25.00	25.10	23.98	V	134.8	2.00
5	7,578.000	-44.93	-25.00	19.93	26.74	V	72.6	2.00






Test Report No.: PSU-NQN2403180115RF06

LTE BAND 12

CHANNEL BANDWIDTH: 1.4MHz / QPSK

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.730	-54.32	-13.00	41.32	13.01	H	2.2	2.00
2	2,120.610	-52.67	-13.00	39.67	18.12	H	359	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.740	-53.95	-13.00	40.95	12.62	V	67.8	2.00
2	2,120.610	-51.09	-13.00	38.09	18.71	V	322.1	1.00






Test Report No.: PSU-NQN2403180115RF06

CHANNEL BANDWIDTH: 3MHz / QPSK

CH23025

MODE	TX channel 23025	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,398.300	-55.84	-13.00	42.84	12.45	H	358.1	1.00
2	2,097.450	-52.11	-13.00	39.11	17.73	H	2	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 23025	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,398.300	-56.33	-13.00	43.33	12.87	V	292.2	1.00
2	2,097.450	-51.33	-13.00	38.33	18.77	V	2	2.00






Test Report No.: PSU-NQN2403180115RF06

CH23095

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,412.500	-49.05	-13.00	36.05	12.98	H	1	1.00
2	2,118.450	-51.68	-13.00	38.68	18.15	H	57.8	1.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,412.300	-54.86	-13.00	41.86	12.65	V	359	2.00
2	2,118.450	-52.61	-13.00	39.61	18.76	V	66.2	1.00






Test Report No.: PSU-NQN2403180115RF06

CH23165

MODE	TX channel 23165	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,426.300	-56.05	-13.00	43.05	12.98	H	69	2.00
2	2,139.450	-52.73	-13.00	39.73	18.59	H	309.3	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 23165	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,426.300	-57.24	-13.00	44.24	12.44	V	309.3	2.00
2	2,139.450	-53.55	-13.00	40.55	18.45	V	50.7	1.00






Test Report No.: PSU-NQN2403180115RF06

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,410.500	-50.08	-13.00	37.08	12.90	H	334	1.00
2	2,115.750	-53.16	-13.00	40.16	18.19	H	359	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,410.500	-51.37	-13.00	38.37	12.72	V	93.8	1.00
2	2,115.750	-51.83	-13.00	38.83	18.83	V	297.3	2.00






Test Report No.: PSU-NQN2403180115RF06

CHANNEL BANDWIDTH: 10MHz / QPSK

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-51.72	-13.00	38.72	12.71	H	328	1.00
2	2,109.000	-52.44	-13.00	39.44	18.25	H	359	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-56.49	-13.00	43.49	12.84	V	2.6	2.00
2	2,109.000	-51.15	-13.00	38.15	18.95	V	359	2.00





Test Report No.: PSU-NQN2403180115RF06


LTE B13

CHANNEL BANDWIDTH: 5MHz / QPSK

CH23205

MODE	TX channel 23205	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-50.07	-13.00	37.07	12.09	H	1	2.00
3	2,331.750	-51.92	-13.00	38.92	18.55	H	243.6	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 23205	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,554.500	-49.37	-13.00	36.37	13.43	V	1	1.00
3	2,331.750	-52.01	-13.00	39.01	19.17	V	4.3	2.00






Test Report No.: PSU-NQN2403180115RF06

CH23230

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,559.500	-49.19	-40.00	9.19	12.10	H	302.2	2.00
3	2,339.250	-51.91	-13.00	38.91	18.80	H	359	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,559.500	-55.53	-40.00	15.53	13.48	V	1	1.00
3	2,339.250	-50.43	-13.00	37.43	19.20	V	358.6	1.00






Test Report No.: PSU-NQN2403180115RF06

CH23255

MODE	TX channel 23255	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,564.500	-48.90	-40.00	8.90	12.06	H	292.6	2.00
3	2,346.750	-52.32	-13.00	39.32	19.04	H	122.5	1.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 23255	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,564.500	-49.92	-40.00	9.92	13.47	V	1	1.00
3	2,346.750	-51.47	-13.00	38.47	19.24	V	239.9	2.00






Test Report No.: PSU-NQN2403180115RF06

CHANNEL BANDWIDTH: 10MHz /QPSK

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-48.20	-13.00	35.20	12.09	H	359	2.00
3	2,332.500	-51.81	-13.00	38.81	18.59	H	347.3	1.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 23230	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-43.95	-13.00	30.95	13.43	V	89	1.00
3	2,332.500	-50.57	-13.00	37.57	19.17	V	358.6	1.00






Test Report No.: PSU-NQN2403180115RF06

LTE B71

CHANNEL BANDWIDTH: 5MHz / QPSK

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,356.500	-57.07	-13.00	44.07	13.09	H	306.9	2.00
2	2,034.750	-52.89	-13.00	39.89	17.32	H	1	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,356.500	-55.87	-13.00	42.87	14.07	V	359	2.00
2	2,034.750	-51.53	-13.00	38.53	17.87	V	359.1	1.00






Test Report No.: PSU-NQN2403180115RF06

**CHANNEL BANDWIDTH: 10MHz / QPSK
CH133172**

MODE	TX channel 133172	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,327.000	-56.80	-13.00	43.80	13.10	H	0.9	2.00
2	1,990.500	-52.09	-13.00	39.09	17.80	H	359.1	1.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 133172	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,327.000	-51.85	-13.00	38.85	14.14	V	359.1	1.00
2	1,990.500	-53.13	-13.00	40.13	17.77	V	1	1.00






Test Report No.: PSU-NQN2403180115RF06

CH133297

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,352.000	-54.67	-13.00	41.67	13.13	H	305.6	2.00
2	2,028.000	-52.63	-13.00	39.63	17.42	H	345	1.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,352.000	-55.29	-13.00	42.29	13.96	V	359.1	1.00
2	2,028.000	-50.93	-13.00	37.93	17.99	V	304.5	2.00






Test Report No.: PSU-NQN2403180115RF06

CH133422

MODE	TX channel 133422	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,377.000	-55.88	-13.00	42.88	12.51	H	359.1	1.00
2	2,065.500	-51.52	-13.00	38.52	16.98	H	59	1.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 133422	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,377.000	-55.88	-13.00	42.88	13.47	V	0.9	2.00
2	2,065.500	-50.33	-13.00	37.33	18.34	V	0.9	2.00






Test Report No.: PSU-NQN2403180115RF06

CHANNEL BANDWIDTH: 15MHz / QPSK

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,347.500	-55.80	-13.00	42.80	13.17	H	359.1	1.00
2	2,021.250	-52.24	-13.00	39.24	17.48	H	18.6	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 133297	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,347.500	-55.21	-13.00	42.21	13.87	V	359	1.00
2	2,021.250	-52.97	-13.00	39.97	17.98	V	1	1.00






Test Report No.: PSU-NQN2403180115RF06

CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 133322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,343.000	-56.99	-13.00	43.99	12.98	H	359	1.00
2	2,014.500	-53.01	-13.00	40.01	17.54	H	359	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 133322	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,343.000	-55.91	-13.00	42.91	13.81	V	1	1.00
2	2,014.500	-52.47	-13.00	39.47	17.89	V	0.8	2.00






Test Report No.: PSU-NQN2403180115RF06

ENDC
CA_2A-12A--27

CHANNEL BANDWIDTH: 20MHz + 10MHz

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-46.49	-13.00	33.49	21.95	H	84.2	1.00
2	2,098.500	-42.67	-13.00	29.67	27.44	H	359.1	1.00
4	3,702.000	-45.05	-13.00	32.05	20.97	H	1	1.00
4	5,553.500	-38.23	-13.00	25.23	23.75	H	1	1.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-47.89	-13.00	34.89	22.37	V	306.8	2.00
2	2,098.500	-40.89	-13.00	27.89	28.45	V	52.2	2.00
4	3,702.000	-49.25	-13.00	36.25	21.56	V	1	1.00
4	5,553.500	-30.51	-13.00	17.51	24.45	V	27.1	2.00






Test Report No.: PSU-NQN2403180115RF06

CHANNEL BANDWIDTH: 20MHz + 10MHz

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-46.63	-13.00	33.63	22.18	H	1	1.00
2	2,109.000	-43.99	-13.00	30.99	27.79	H	359	2.00
4	3,742.000	-47.42	-13.00	34.42	20.95	H	28.4	2.00
4	5,613.000	-39.16	-13.00	26.16	23.99	H	1	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,406.000	-47.33	-13.00	34.33	22.31	V	51.9	1.00
2	2,109.000	-40.97	-13.00	27.97	28.50	V	359	1.00
4	3,742.000	-51.37	-13.00	38.37	21.60	V	1	1.00
4	5,613.000	-41.67	-13.00	28.67	24.43	V	1	2.00






Test Report No.: PSU-NQN2403180115RF06

CHANNEL BANDWIDTH: 20MHz + 10MHz

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-46.83	-13.00	33.83	22.46	H	305.3	1.00
2	2,119.500	-44.30	-13.00	31.30	27.64	H	51.9	1.00
4	3,782.000	-50.63	-13.00	37.63	21.58	H	24.8	2.00
4	5,673.500	-42.26	-13.00	29.26	24.20	H	1	1.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,413.000	-47.19	-13.00	34.19	22.11	V	54.2	1.00
2	2,119.500	-41.36	-13.00	28.36	28.24	V	1	2.00
4	3,782.000	-50.14	-13.00	37.14	21.78	V	8.2	2.00
4	5,673.500	-43.13	-13.00	30.13	24.60	V	1	1.00






Test Report No.: PSU-NQN2403180115RF06

CA_4A-7A--27

CHANNEL BANDWIDTH: 20MHz + 20MHz

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,422.000	-47.27	-25.00	22.27	15.98	H	84.4	2.00
2	5,002.000	-43.76	-25.00	18.76	16.78	H	268.4	2.00
2	5,133.000	-42.47	-25.00	17.47	17.58	H	359	1.00
2	7,503.000	-40.47	-25.00	15.47	22.06	H	84.4	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,422.000	-45.95	-25.00	20.95	15.78	V	91.7	1.00
2	5,002.000	-44.99	-25.00	19.99	16.64	V	359	1.00
2	5,133.000	-41.01	-25.00	16.01	17.44	V	1	1.00
2	7,503.000	-40.64	-25.00	15.64	22.23	V	91.7	1.00






Test Report No.: PSU-NQN2403180115RF06

CHANNEL BANDWIDTH: 20MHz + 20MHz

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,477.000	-46.39	-25.00	21.39	15.86	H	1	1.00
2	5,052.000	-44.68	-25.00	19.68	16.92	H	359.1	1.00
2	5,170.500	-42.84	-25.00	17.84	18.00	H	84.5	2.00
2	7,578.000	-40.80	-25.00	15.80	22.09	H	84.5	2.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,477.000	-45.65	-25.00	20.65	15.60	V	272.1	1.00
2	5,052.000	-44.18	-25.00	19.18	16.70	V	272.1	1.00
2	5,170.500	-41.83	-25.00	16.83	17.93	V	272.1	1.00
2	7,578.000	-39.92	-25.00	14.92	22.15	V	84.4	2.00






Test Report No.: PSU-NQN2403180115RF06

CHANNEL BANDWIDTH: 20MHz + 20MHz

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,742.000	-46.49	-25.00	21.49	15.24	H	269.7	2.00
2	5,102.000	-44.01	-25.00	19.01	17.22	H	269.7	2.00
2	5,208.000	-39.34	-25.00	14.34	18.22	H	1	2.00
2	7,653.000	-39.56	-25.00	14.56	22.34	H	1	1.00






Test Report No.: PSU-NQN2403180115RF06

MODE	TX channel 21100	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	3,742.000	-46.21	-25.00	21.21	14.96	V	91.7	1.00
2	5,102.000	-44.91	-25.00	19.91	17.04	V	1	1.00
2	5,208.000	-42.19	-25.00	17.19	18.20	V	359.1	1.00
2	7,653.000	-39.70	-25.00	14.70	22.28	V	359	2.00





Test Report No.: PSU-NQN2403180115RF06

CA_4A-12A--27

CHANNEL BANDWIDTH: 20MHz + 10MHz

MODE	TX channel 23095	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,399.000	-45.87	-13.00	32.87	21.95	H	309.3	2.00
2	2,098.500	-43.40	-13.00	30.40	27.44	H	69	2.00
4	3,422.000	-51.20	-13.00	38.20	20.65	H	0.9	2.00
4	5,133.500	-42.73	-13.00	29.73	23.09	H	150	1.00

