



BUREAU  
VERITAS

Reference No.: PSU-NQN2403180115RF04

802.11ax HE40	26T 0	6565	MIMO	14.38	10.38
802.11ax HE40	26T 0	6685	ANT8	12.28	8.28
802.11ax HE40	26T 0	6685	ANT11	12.25	8.25
802.11ax HE40	26T 0	6685	MIMO	15.28	11.28
802.11ax HE40	26T 0	6845	ANT8	11.67	7.67
802.11ax HE40	26T 0	6845	ANT11	11.66	7.66
802.11ax HE40	26T 0	6845	MIMO	14.68	10.68
802.11ax HE40	26T 10	6565	ANT8	11.11	7.11
802.11ax HE40	26T 10	6565	ANT11	12.11	8.11
802.11ax HE40	26T 10	6565	MIMO	14.65	10.65
802.11ax HE40	26T 10	6685	ANT8	12.27	8.27
802.11ax HE40	26T 10	6685	ANT11	12.40	8.40
802.11ax HE40	26T 10	6685	MIMO	15.35	11.35
802.11ax HE40	26T 10	6845	ANT8	11.68	7.68
802.11ax HE40	26T 10	6845	ANT11	11.64	7.64
802.11ax HE40	26T 10	6845	MIMO	14.67	10.67
802.11ax HE40	26T 17	6565	ANT8	11.60	7.60
802.11ax HE40	26T 17	6565	ANT11	11.58	7.58
802.11ax HE40	26T 17	6565	MIMO	14.60	10.60
802.11ax HE40	26T 17	6685	ANT8	12.25	8.25
802.11ax HE40	26T 17	6685	ANT11	12.24	8.24
802.11ax HE40	26T 17	6685	MIMO	15.26	11.26
802.11ax HE40	26T 17	6845	ANT8	11.65	7.65
802.11ax HE40	26T 17	6845	ANT11	11.62	7.62
802.11ax HE40	26T 17	6845	MIMO	14.65	10.65
802.11ax HE40	52T 37	6565	ANT8	12.13	8.13
802.11ax HE40	52T 37	6565	ANT11	12.10	8.10
802.11ax HE40	52T 37	6565	MIMO	15.13	11.13
802.11ax HE40	52T 37	6685	ANT8	12.04	8.04
802.11ax HE40	52T 37	6685	ANT11	12.01	8.01
802.11ax HE40	52T 37	6685	MIMO	15.04	11.04
802.11ax HE40	52T 37	6845	ANT8	11.73	7.73
802.11ax HE40	52T 37	6845	ANT11	11.70	7.70
802.11ax HE40	52T 37	6845	MIMO	14.73	10.73
802.11ax HE40	52T 41	6565	ANT8	12.12	8.12
802.11ax HE40	52T 41	6565	ANT11	12.09	8.09
802.11ax HE40	52T 41	6565	MIMO	15.12	11.12
802.11ax HE40	52T 41	6685	ANT8	11.99	7.99
802.11ax HE40	52T 41	6685	ANT11	11.99	7.99
802.11ax HE40	52T 41	6685	MIMO	15.00	11.00
802.11ax HE40	52T 41	6845	ANT8	11.70	7.70
802.11ax HE40	52T 41	6845	ANT11	11.70	7.70
802.11ax HE40	52T 41	6845	MIMO	14.71	10.71
802.11ax HE40	52T 44	6565	ANT8	12.11	8.11
802.11ax HE40	52T 44	6565	ANT11	12.09	8.09



BUREAU  
VERITAS

Reference No.: PSU-NQN2403180115RF04

802.11ax HE40	52T 44	6565	MIMO	15.11	11.11
802.11ax HE40	52T 44	6685	ANT8	12.00	8.00
802.11ax HE40	52T 44	6685	ANT11	12.01	8.01
802.11ax HE40	52T 44	6685	MIMO	15.02	11.02
802.11ax HE40	52T 44	6845	ANT8	11.70	7.70
802.11ax HE40	52T 44	6845	ANT11	11.69	7.69
802.11ax HE40	52T 44	6845	MIMO	14.71	10.71
802.11ax HE40	106T 53	6565	ANT8	11.94	7.94
802.11ax HE40	106T 53	6565	ANT11	11.89	7.89
802.11ax HE40	106T 53	6565	MIMO	14.93	10.93
802.11ax HE40	106T 53	6685	ANT8	12.81	8.81
802.11ax HE40	106T 53	6685	ANT11	12.78	8.78
802.11ax HE40	106T 53	6685	MIMO	15.81	11.81
802.11ax HE40	106T 53	6845	ANT8	11.60	7.60
802.11ax HE40	106T 53	6845	ANT11	11.57	7.57
802.11ax HE40	106T 53	6845	MIMO	14.60	10.60
802.11ax HE40	106T 55	6565	ANT8	11.92	7.92
802.11ax HE40	106T 55	6565	ANT11	11.89	7.89
802.11ax HE40	106T 55	6565	MIMO	14.92	10.92
802.11ax HE40	106T 55	6685	ANT8	12.79	8.79
802.11ax HE40	106T 55	6685	ANT11	12.77	8.77
802.11ax HE40	106T 55	6685	MIMO	15.79	11.79
802.11ax HE40	106T 55	6845	ANT8	11.57	7.57
802.11ax HE40	106T 55	6845	ANT11	11.58	7.58
802.11ax HE40	106T 55	6845	MIMO	14.59	10.59
802.11ax HE40	106T 56	6565	ANT8	11.90	7.90
802.11ax HE40	106T 56	6565	ANT11	11.88	7.88
802.11ax HE40	106T 56	6565	MIMO	14.90	10.90
802.11ax HE40	106T 56	6685	ANT8	12.78	8.78
802.11ax HE40	106T 56	6685	ANT11	12.77	8.77
802.11ax HE40	106T 56	6685	MIMO	15.79	11.79
802.11ax HE40	106T 56	6845	ANT8	11.57	7.57
802.11ax HE40	106T 56	6845	ANT11	11.57	7.57
802.11ax HE40	106T 56	6845	MIMO	14.58	10.58
802.11ax HE40	242T 61	6565	ANT8	11.24	7.24
802.11ax HE40	242T 61	6565	ANT11	11.19	7.19
802.11ax HE40	242T 61	6565	MIMO	14.23	10.23
802.11ax HE40	242T 61	6685	ANT8	12.00	8.00
802.11ax HE40	242T 61	6685	ANT11	11.98	7.98
802.11ax HE40	242T 61	6685	MIMO	15.00	11.00
802.11ax HE40	242T 61	6845	ANT8	10.78	6.78
802.11ax HE40	242T 61	6845	ANT11	10.77	6.77
802.11ax HE40	242T 61	6845	MIMO	13.79	9.79
802.11ax HE40	242T 62	6565	ANT8	11.21	7.21
802.11ax HE40	242T 62	6565	ANT11	11.19	7.19



BUREAU  
VERITAS

Reference No.: PSU-NQN2403180115RF04

802.11ax HE40	242T 62	6565	MIMO	14.21	10.21
802.11ax HE40	242T 62	6685	ANT8	11.99	7.99
802.11ax HE40	242T 62	6685	ANT11	11.97	7.97
802.11ax HE40	242T 62	6685	MIMO	14.99	10.99
802.11ax HE40	242T 62	6845	ANT8	10.77	6.77
802.11ax HE40	242T 62	6845	ANT11	10.78	6.78
802.11ax HE40	242T 62	6845	MIMO	13.79	9.79
802.11ax HE40	484T 65	6565	ANT8	12.78	8.78
802.11ax HE40	484T 65	6565	ANT11	12.76	8.76
802.11ax HE40	484T 65	6565	MIMO	15.78	11.78
802.11ax HE40	484T 65	6685	ANT8	13.12	9.12
802.11ax HE40	484T 65	6685	ANT11	13.05	9.05
802.11ax HE40	484T 65	6685	MIMO	16.10	12.10
802.11ax HE40	484T 65	6845	ANT8	12.14	8.14
802.11ax HE40	484T 65	6845	ANT11	12.16	8.16
802.11ax HE40	484T 65	6845	MIMO	15.16	11.16
802.11ax HE80	26T 0	6545	ANT8	12.35	8.35
802.11ax HE80	26T 0	6545	ANT11	12.33	8.33
802.11ax HE80	26T 0	6545	MIMO	15.35	11.35
802.11ax HE80	26T 0	6705	ANT8	11.47	7.47
802.11ax HE80	26T 0	6705	ANT11	11.52	7.52
802.11ax HE80	26T 0	6705	MIMO	14.51	10.51
802.11ax HE80	26T 0	6865	ANT8	11.60	7.60
802.11ax HE80	26T 0	6865	ANT11	11.56	7.56
802.11ax HE80	26T 0	6865	MIMO	14.59	10.59
802.11ax HE80	26T 18	6545	ANT8	12.29	8.29
802.11ax HE80	26T 18	6545	ANT11	12.32	8.32
802.11ax HE80	26T 18	6545	MIMO	15.32	11.32
802.11ax HE80	26T 18	6705	ANT8	11.44	7.44
802.11ax HE80	26T 18	6705	ANT11	11.51	7.51
802.11ax HE80	26T 18	6705	MIMO	14.49	10.49
802.11ax HE80	26T 18	6865	ANT8	11.54	7.54
802.11ax HE80	26T 18	6865	ANT11	11.56	7.56
802.11ax HE80	26T 18	6865	MIMO	14.56	10.56
802.11ax HE80	26T 36	6545	ANT8	12.30	8.30
802.11ax HE80	26T 36	6545	ANT11	12.30	8.30
802.11ax HE80	26T 36	6545	MIMO	15.31	11.31
802.11ax HE80	26T 36	6705	ANT8	11.48	7.48
802.11ax HE80	26T 36	6705	ANT11	11.48	7.48
802.11ax HE80	26T 36	6705	MIMO	14.49	10.49
802.11ax HE80	26T 36	6865	ANT8	11.64	7.64
802.11ax HE80	26T 36	6865	ANT11	11.56	7.56
802.11ax HE80	26T 36	6865	MIMO	14.61	10.61
802.11ax HE80	52T 37	6545	ANT8	12.14	8.14
802.11ax HE80	52T 37	6545	ANT11	12.13	8.13



BUREAU  
VERITAS

Reference No.: PSU-NQN2403180115RF04

802.11ax HE80	52T 37	6545	MIMO	15.15	11.15
802.11ax HE80	52T 37	6705	ANT8	11.42	7.42
802.11ax HE80	52T 37	6705	ANT11	11.46	7.46
802.11ax HE80	52T 37	6705	MIMO	14.45	10.45
802.11ax HE80	52T 37	6865	ANT8	11.55	7.55
802.11ax HE80	52T 37	6865	ANT11	11.52	7.52
802.11ax HE80	52T 37	6865	MIMO	14.55	10.55
802.11ax HE80	52T 45	6545	ANT8	12.17	8.17
802.11ax HE80	52T 45	6545	ANT11	12.17	8.17
802.11ax HE80	52T 45	6545	MIMO	15.18	11.18
802.11ax HE80	52T 45	6705	ANT8	11.42	7.42
802.11ax HE80	52T 45	6705	ANT11	11.49	7.49
802.11ax HE80	52T 45	6705	MIMO	14.47	10.47
802.11ax HE80	52T 45	6865	ANT8	11.53	7.53
802.11ax HE80	52T 45	6865	ANT11	11.48	7.48
802.11ax HE80	52T 45	6865	MIMO	14.52	10.52
802.11ax HE80	52T 52	6545	ANT8	12.14	8.14
802.11ax HE80	52T 52	6545	ANT11	12.15	8.15
802.11ax HE80	52T 52	6545	MIMO	15.16	11.16
802.11ax HE80	52T 52	6705	ANT8	11.48	7.48
802.11ax HE80	52T 52	6705	ANT11	11.44	7.44
802.11ax HE80	52T 52	6705	MIMO	14.47	10.47
802.11ax HE80	52T 52	6865	ANT8	11.58	7.58
802.11ax HE80	52T 52	6865	ANT11	11.57	7.57
802.11ax HE80	52T 52	6865	MIMO	14.59	10.59
802.11ax HE80	106T 53	6545	ANT8	12.25	8.25
802.11ax HE80	106T 53	6545	ANT11	12.18	8.18
802.11ax HE80	106T 53	6545	MIMO	15.23	11.23
802.11ax HE80	106T 53	6705	ANT8	11.45	7.45
802.11ax HE80	106T 53	6705	ANT11	11.44	7.44
802.11ax HE80	106T 53	6705	MIMO	14.46	10.46
802.11ax HE80	106T 53	6865	ANT8	11.61	7.61
802.11ax HE80	106T 53	6865	ANT11	11.56	7.56
802.11ax HE80	106T 53	6865	MIMO	14.60	10.60
802.11ax HE80	106T 57	6545	ANT8	12.18	8.18
802.11ax HE80	106T 57	6545	ANT11	12.19	8.19
802.11ax HE80	106T 57	6545	MIMO	15.20	11.20
802.11ax HE80	106T 57	6705	ANT8	11.43	7.43
802.11ax HE80	106T 57	6705	ANT11	11.44	7.44
802.11ax HE80	106T 57	6705	MIMO	14.45	10.45
802.11ax HE80	106T 57	6865	ANT8	11.57	7.57
802.11ax HE80	106T 57	6865	ANT11	11.57	7.57
802.11ax HE80	106T 57	6865	MIMO	14.58	10.58
802.11ax HE80	106T 60	6545	ANT8	12.18	8.18
802.11ax HE80	106T 60	6545	ANT11	12.19	8.19



BUREAU  
VERITAS

Reference No.: PSU-NQN2403180115RF04

802.11ax HE80	106T 60	6545	MIMO	15.20	11.20
802.11ax HE80	106T 60	6705	ANT8	11.42	7.42
802.11ax HE80	106T 60	6705	ANT11	11.43	7.43
802.11ax HE80	106T 60	6705	MIMO	14.44	10.44
802.11ax HE80	106T 60	6865	ANT8	11.56	7.56
802.11ax HE80	106T 60	6865	ANT11	11.54	7.54
802.11ax HE80	106T 60	6865	MIMO	14.56	10.56
802.11ax HE80	242T 61	6545	ANT8	11.48	7.48
802.11ax HE80	242T 61	6545	ANT11	11.39	7.39
802.11ax HE80	242T 61	6545	MIMO	14.45	10.45
802.11ax HE80	242T 61	6705	ANT8	10.62	6.62
802.11ax HE80	242T 61	6705	ANT11	10.60	6.60
802.11ax HE80	242T 61	6705	MIMO	13.62	9.62
802.11ax HE80	242T 61	6865	ANT8	10.86	6.86
802.11ax HE80	242T 61	6865	ANT11	10.94	6.94
802.11ax HE80	242T 61	6865	MIMO	13.91	9.91
802.11ax HE80	242T 63	6545	ANT8	11.45	7.45
802.11ax HE80	242T 63	6545	ANT11	11.49	7.49
802.11ax HE80	242T 63	6545	MIMO	14.48	10.48
802.11ax HE80	242T 63	6705	ANT8	10.59	6.59
802.11ax HE80	242T 63	6705	ANT11	11.78	7.78
802.11ax HE80	242T 63	6705	MIMO	14.24	10.24
802.11ax HE80	242T 63	6865	ANT8	10.93	6.93
802.11ax HE80	242T 63	6865	ANT11	10.87	6.87
802.11ax HE80	242T 63	6865	MIMO	13.91	9.91
802.11ax HE80	242T 64	6545	ANT8	11.45	7.45
802.11ax HE80	242T 64	6545	ANT11	11.39	7.39
802.11ax HE80	242T 64	6545	MIMO	14.43	10.43
802.11ax HE80	242T 64	6705	ANT8	10.60	6.60
802.11ax HE80	242T 64	6705	ANT11	10.61	6.61
802.11ax HE80	242T 64	6705	MIMO	13.62	9.62
802.11ax HE80	242T 64	6865	ANT8	10.95	6.95
802.11ax HE80	242T 64	6865	ANT11	10.94	6.94
802.11ax HE80	242T 64	6865	MIMO	13.96	9.96
802.11ax HE80	484T 65	6545	ANT8	11.38	7.38
802.11ax HE80	484T 65	6545	ANT11	11.34	7.34
802.11ax HE80	484T 65	6545	MIMO	14.37	10.37
802.11ax HE80	484T 65	6705	ANT8	11.38	7.38
802.11ax HE80	484T 65	6705	ANT11	11.37	7.37
802.11ax HE80	484T 65	6705	MIMO	14.39	10.39
802.11ax HE80	484T 65	6865	ANT8	10.89	6.89
802.11ax HE80	484T 65	6865	ANT11	10.91	6.91
802.11ax HE80	484T 65	6865	MIMO	13.91	9.91
802.11ax HE80	484T 66	6545	ANT8	11.35	7.35
802.11ax HE80	484T 66	6545	ANT11	11.33	7.33



**BUREAU  
VERITAS**

Reference No.: PSU-NQN2403180115RF04

802.11ax HE80	484T 66	6545	MIMO	14.35	10.35
802.11ax HE80	484T 66	6705	ANT8	11.38	7.38
802.11ax HE80	484T 66	6705	ANT11	11.37	7.37
802.11ax HE80	484T 66	6705	MIMO	14.39	10.39
802.11ax HE80	484T 66	6865	ANT8	10.91	6.91
802.11ax HE80	484T 66	6865	ANT11	10.91	6.91
802.11ax HE80	484T 66	6865	MIMO	13.92	9.92
802.11ax HE80	996T 67	6545	ANT8	13.20	9.20
802.11ax HE80	996T 67	6545	ANT11	13.13	9.13
802.11ax HE80	996T 67	6545	MIMO	16.18	12.18
802.11ax HE80	996T 67	6705	ANT8	12.10	8.10
802.11ax HE80	996T 67	6705	ANT11	12.07	8.07
802.11ax HE80	996T 67	6705	MIMO	15.10	11.10
802.11ax HE80	996T 67	6865	ANT8	13.12	9.12
802.11ax HE80	996T 67	6865	ANT11	13.12	9.12
802.11ax HE80	996T 67	6865	MIMO	16.13	12.13
802.11ax HE160	26T L	6665	ANT8	11.78	7.78
802.11ax HE160	26T L	6665	ANT11	11.75	7.75
802.11ax HE160	26T L	6665	MIMO	14.78	10.78
802.11ax HE160	26T L	6825	ANT8	11.16	7.16
802.11ax HE160	26T L	6825	ANT11	11.48	7.48
802.11ax HE160	26T L	6825	MIMO	14.33	10.33
802.11ax HE160	26T H	6665	ANT8	11.48	7.48
802.11ax HE160	26T H	6665	ANT11	11.16	7.16
802.11ax HE160	26T H	6665	MIMO	14.33	10.33
802.11ax HE160	26T H	6825	ANT8	11.48	7.48
802.11ax HE160	26T H	6825	ANT11	11.34	7.34
802.11ax HE160	26T H	6825	MIMO	14.42	10.42
802.11ax HE160	52T L	6665	ANT8	11.81	7.81
802.11ax HE160	52T L	6665	ANT11	11.69	7.69
802.11ax HE160	52T L	6665	MIMO	14.76	10.76
802.11ax HE160	52T L	6825	ANT8	11.20	7.20
802.11ax HE160	52T L	6825	ANT11	11.09	7.09
802.11ax HE160	52T L	6825	MIMO	14.16	10.16
802.11ax HE160	52T H	6665	ANT8	11.88	7.88
802.11ax HE160	52T H	6665	ANT11	11.65	7.65
802.11ax HE160	52T H	6665	MIMO	14.78	10.78
802.11ax HE160	52T H	6825	ANT8	11.18	7.18
802.11ax HE160	52T H	6825	ANT11	11.13	7.13
802.11ax HE160	52T H	6825	MIMO	14.17	10.17
802.11ax HE160	106T L	6665	ANT8	11.75	7.75
802.11ax HE160	106T L	6665	ANT11	11.70	7.70
802.11ax HE160	106T L	6665	MIMO	14.74	10.74
802.11ax HE160	106T L	6825	ANT8	11.27	7.27
802.11ax HE160	106T L	6825	ANT11	11.21	7.21



BUREAU  
VERITAS

Reference No.: PSU-NQN2403180115RF04

802.11ax HE160	106T L	6825	MIMO	14.25	10.25
802.11ax HE160	106T H	6665	ANT8	11.78	7.78
802.11ax HE160	106T H	6665	ANT11	11.67	7.67
802.11ax HE160	106T H	6665	MIMO	14.74	10.74
802.11ax HE160	106T H	6825	ANT8	11.32	7.32
802.11ax HE160	106T H	6825	ANT11	11.22	7.22
802.11ax HE160	106T H	6825	MIMO	14.28	10.28
802.11ax HE160	242T L	6665	ANT8	10.93	6.93
802.11ax HE160	242T L	6665	ANT11	10.93	6.93
802.11ax HE160	242T L	6665	MIMO	13.94	9.94
802.11ax HE160	242T L	6825	ANT8	10.09	6.09
802.11ax HE160	242T L	6825	ANT11	10.07	6.07
802.11ax HE160	242T L	6825	MIMO	13.09	9.09
802.11ax HE160	242T H	6665	ANT8	10.92	6.92
802.11ax HE160	242T H	6665	ANT11	10.91	6.91
802.11ax HE160	242T H	6665	MIMO	13.93	9.93
802.11ax HE160	242T H	6825	ANT8	10.07	6.07
802.11ax HE160	242T H	6825	ANT11	10.11	6.11
802.11ax HE160	242T H	6825	MIMO	13.10	9.10
802.11ax HE160	484T L	6665	ANT8	12.27	8.27
802.11ax HE160	484T L	6665	ANT11	12.26	8.26
802.11ax HE160	484T L	6665	MIMO	15.28	11.28
802.11ax HE160	484T L	6825	ANT8	10.88	6.88
802.11ax HE160	484T L	6825	ANT11	10.87	6.87
802.11ax HE160	484T L	6825	MIMO	13.89	9.89
802.11ax HE160	484T H	6665	ANT8	12.26	8.26
802.11ax HE160	484T H	6665	ANT11	12.25	8.25
802.11ax HE160	484T H	6665	MIMO	15.27	11.27
802.11ax HE160	484T H	6825	ANT8	10.87	6.87
802.11ax HE160	484T H	6825	ANT11	10.88	6.88
802.11ax HE160	484T H	6825	MIMO	13.89	9.89
802.11ax HE160	996T L	6665	ANT8	11.53	7.53
802.11ax HE160	996T L	6665	ANT11	11.50	7.50
802.11ax HE160	996T L	6665	MIMO	14.53	10.53
802.11ax HE160	996T L	6825	ANT8	11.55	7.55
802.11ax HE160	996T L	6825	ANT11	11.49	7.49
802.11ax HE160	996T L	6825	MIMO	14.53	10.53
802.11ax HE160	996T H	6665	ANT8	11.52	7.52
802.11ax HE160	996T H	6665	ANT11	11.51	7.51
802.11ax HE160	996T H	6665	MIMO	14.53	10.53
802.11ax HE160	996T H	6825	ANT8	11.50	7.50
802.11ax HE160	996T H	6825	ANT11	11.48	7.48
802.11ax HE160	996T H	6825	MIMO	14.50	10.50
802.11ax HE160	1992T LH	6665	ANT8	12.13	8.13
802.11ax HE160	1992T LH	6665	ANT11	12.09	8.09



**BUREAU  
VERITAS**

**Reference No.: PSU-NQN2403180115RF04**

802.11ax HE160	1992T LH	6665	MIMO	15.12	11.12
802.11ax HE160	1992T LH	6825	ANT8	11.94	7.94
802.11ax HE160	1992T LH	6825	ANT11	11.89	7.89
802.11ax HE160	1992T LH	6825	MIMO	14.93	10.93





Reference No.: PSU-NQN2403180115RF04

### EMISSION BANDWIDTH

Offset 11dB = Attenuator + Temporary antenna connector loss + Cable loss


Test Mode	Antenna	26dB Bandwidth (MHz)		
		6535MHz	6695MHz	6875MHz
802.11ax HE20	ANT8	21.864	21.192	21.236
802.11ax HE20	ANT11	21.539	21.700	21.670

Test Mode	Antenna	26dB Bandwidth (MHz)		
		6565MHz	6685MHz	6845MHz
802.11ax HE40	ANT8	43.127	42.709	43.631
802.11ax HE40	ANT11	43.530	43.653	43.319

Test Mode	Antenna	26dB Bandwidth (MHz)		
		6545MHz	6705MHz	6865MHz
802.11ax HE80	ANT8	85.119	85.109	84.630
802.11ax HE80	ANT11	85.926	84.872	87.677

Test Mode	Antenna	26dB Bandwidth (MHz)		
		6665MHz	---	6825MHz
802.11ax HE160	ANT8	167.645	---	168.854
802.11ax HE160	ANT11	167.542	---	170.241


Test Mode: 802.11ax HE20






BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE20 Frequency:6875MHz Ant:ANT8



Mode:802.11ax HE20 Frequency:6535MHz Ant:ANT11




Mode:802.11ax HE20 Frequency:6695MHz Ant:ANT11




Mode:802.11ax HE20 Frequency:6875MHz Ant:ANT11

Test Mode: 802.11ax HE40



Mode:802.11ax HE40 Frequency:6565MHz Ant:ANT8




Mode:802.11ax HE40 Frequency:6685MHz Ant:ANT8




BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE40 Frequency:6845MHz  
Ant:ANT8



Mode:802.11ax HE40 Frequency:6565MHz  
Ant:ANT11




Mode:802.11ax HE40 Frequency:6685MHz  
Ant:ANT11




Mode:802.11ax HE40 Frequency:6845MHz  
Ant:ANT11

Test Mode: 802.11ax HE80



Mode:802.11ax HE80 Frequency:6545MHz  
Ant:ANT8




Mode:802.11ax HE80 Frequency:6705MHz  
Ant:ANT8




BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE80 Frequency:6865MHz Ant:ANT8



Mode:802.11ax HE80 Frequency:6545MHz Ant:ANT11




Mode:802.11ax HE80 Frequency:6705MHz Ant:ANT11




Mode:802.11ax HE80 Frequency:6865MHz Ant:ANT11

Test Mode: 802.11ax HE160



Mode:802.11ax HE160 Frequency:6665MHz Ant:ANT8




Mode:802.11ax HE160 Frequency:6825MHz Ant:ANT8




BUREAU VERITAS

Reference No.: PSU-NQN2403180115RF04



Mode:802.11ax HE160 Frequency:6665MHz  
Ant:ANT11



Mode:802.11ax HE160 Frequency:6825MHz  
Ant:ANT11



Reference No.: PSU-NQN2403180115RF04

## OCCUPIED BANDWIDTH

Offset 11dB = Attenuator + Temporary antenna connector loss + Cable loss

Test Mode	Antenna	Occupied Bandwidth (MHz)		
		6535MHz	6695MHz	6875MHz
802.11ax HE20	ANT8	19.047	19.007	19.028
802.11ax HE20	ANT11	19.107	19.016	19.032

Test Mode	Antenna	Occupied Bandwidth (MHz)		
		6565MHz	6685MHz	6845MHz
802.11ax HE40	ANT8	37.998	38.023	37.996
802.11ax HE40	ANT11	38.057	37.953	38.030

Test Mode	Antenna	Occupied Bandwidth (MHz)		
		6545MHz	6705MHz	6865MHz
802.11ax HE80	ANT8	77.497	77.722	77.660
802.11ax HE80	ANT11	77.546	77.614	77.702


Test Mode	Antenna	Occupied Bandwidth (MHz)		
		6665MHz	---	6825MHz
802.11ax HE160	ANT8	156.858	---	157.328
802.11ax HE160	ANT11	157.007	---	157.292




Reference No.: PSU-NQN2403180115RF04

# IN-BAND EMISSIONS


Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Tone:242T  
Frequency:6535MHz Ant:ANT8




Mode:802.11ax HE20 Tone:242T  
Frequency:6695MHz Ant:ANT8




Mode:802.11ax HE20 Tone:242T  
Frequency:6875MHz Ant:ANT8



Mode:802.11ax HE20 Tone:242T  
Frequency:6535MHz Ant:ANT11



Mode:802.11ax HE20 Tone:242T  
Frequency:6695MHz Ant:ANT11




Mode:802.11ax HE20 Tone:242T  
Frequency:6875MHz Ant:ANT11




Reference No.: PSU-NQN2403180115RF04


Test Mode: 802.11ax HE40



Mode:802.11ax HE40 Tone:484T  
Frequency:6565MHz Ant:ANT8




Mode:802.11ax HE40 Tone:484T  
Frequency:6685MHz Ant:ANT8




Mode:802.11ax HE40 Tone:484T  
Frequency:6845MHz Ant:ANT8



Mode:802.11ax HE40 Tone:484T  
Frequency:6565MHz Ant:ANT11



Mode:802.11ax HE40 Tone:484T  
Frequency:6685MHz Ant:ANT11



Mode:802.11ax HE40 Tone:484T  
Frequency:6845MHz Ant:ANT11





Reference No.: PSU-NQN2403180115RF04


Test Mode: 802.11ax HE80



Mode:802.11ax HE80 Tone:996T  
Frequency:6545MHz Ant:ANT8




Mode:802.11ax HE80 Tone:996T  
Frequency:6705MHz Ant:ANT8




Mode:802.11ax HE80 Tone:996T  
Frequency:6865MHz Ant:ANT8



Mode:802.11ax HE80 Tone:996T  
Frequency:6545MHz Ant:ANT11



Mode:802.11ax HE80 Tone:996T  
Frequency:6705MHz Ant:ANT11




Mode:802.11ax HE80 Tone:996T  
Frequency:6865MHz Ant:ANT11




Reference No.: PSU-NQN2403180115RF04


Test Mode: 802.11ax HE160




Mode:802.11ax HE160 Tone:192T  
Frequency:6665MHz Ant:ANT8



Mode:802.11ax HE160 Tone:192T  
Frequency:6825MHz Ant:ANT8



Mode:802.11ax HE160 Tone:192T  
Frequency:6665MHz Ant:ANT11



Mode:802.11ax HE160 Tone:192T  
Frequency:6825MHz Ant:ANT11



Reference No.: PSU-NQN2403180115RF04

## TRANSMITTER POWER SPECTRAL DENSITY

Offset 11dB = Attenuator + Temporary antenna connector loss + Cable loss

Note:

For SISO PSD, Power density=Measured value+ Correction Factor+ antenna gain

For MIMO PSD, Power density=Measured value+ Correction Factor +Directional Gain

Directional gain=Antenna gain+ Array gain=-0.99 dBi

Correction Factor= $10 \cdot \log(1/\text{duty cycle})=0$ , duty cycle=100% as tested in page1.

Test Mode	Antenna	Tone s	Gain (dBi)	6535MHz		6695MHz		6875MHz		EIRP Power Density Limit (dBm/MHz)	Pass/Fail
				Conduct ed Power Density (dBm/MHz)	EIRP Power Density (dBm/MHz)	Conduct ed Power Density (dBm/MHz)	EIRP Power Density (dBm/MHz)	Conduct ed Power Density (dBm/MHz)	EIRP Power Density (dBm/MHz)		
802.11a x HE20	ANT8	26T	-4	-5.594	-9.594	-7.344	-11.344	-6.988	-10.988	-1.00	Pass
802.11a x HE20	ANT11	26T	-4	-5.612	-9.612	-7.357	-11.357	-7.034	-11.034	-1.00	Pass
802.11a x HE20	MIMO	26T	-0.99	-2.593	-3.583	-4.34	-5.33	-4.001	-4.991	-1.00	Pass
802.11a x HE20	ANT8	52T	-4	-8.522	-12.522	-3.965	-7.965	-6.716	-10.716	-1.00	Pass
802.11a x HE20	ANT11	52T	-4	-8.543	-12.543	-3.801	-7.801	-6.898	-10.898	-1.00	Pass
802.11a x HE20	MIMO	52T	-0.99	-5.522	-6.512	-0.872	-1.862	-3.796	-4.786	-1.00	Pass
802.11a x HE20	ANT8	106T	-4	-5.361	-9.361	-6.46	-10.46	-9.386	-13.386	-1.00	Pass
802.11a x HE20	ANT11	106T	-4	-5.361	-9.361	-6.385	-10.385	-9.494	-13.494	-1.00	Pass
802.11a x HE20	MIMO	106T	-0.99	-2.351	-3.341	-3.412	-4.402	-6.429	-7.419	-1.00	Pass
802.11a x HE20	ANT8	242T	-4	-8.813	-12.813	-10.521	-14.521	-13.371	-17.371	-1.00	Pass
802.11a x HE20	ANT11	242T	-4	-9.146	-13.146	-10.443	-14.443	-13.44	-17.44	-1.00	Pass
802.11a x HE20	MIMO	242T	-0.99	-5.966	-6.956	-7.472	-8.462	-10.395	-11.385	-1.00	Pass



Reference No.: PSU-NQN2403180115RF04

Test Mode	Antenna	Tone s	Gain (dBi)	6565MHz		6685MHz		6845MHz		EIRP Power Density Limit (dBm/MHz)	Pass/Fail
				Conduct ed Power Density (dBm/MHz)	EIRP Power Density (dBm/MHz)	Conduct ed Power Density (dBm/MHz)	EIRP Power Density (dBm/MHz)	Conduc ted Power Density (dBm/MHz)	EIRP Power Density (dBm/MHz)		
802.11ax HE40	ANT8	26T	-4	-6.317	-10.317	-7.37	-11.37	-4.315	-8.315	-1.00	Pass
802.11ax HE40	ANT11	26T	-4	-6.325	-10.325	-7.313	-11.313	-4.374	-8.374	-1.00	Pass
802.11ax HE40	MIMO	26T	-0.99	-3.311	-4.301	-4.331	-5.321	-1.334	-2.324	-1.00	Pass
802.11ax HE40	ANT8	52T	-4	-9.064	-13.064	-10.045	-14.045	-6.22	-10.22	-1.00	Pass
802.11ax HE40	ANT11	52T	-4	-9.066	-13.066	-10.058	-14.058	-6.662	-10.662	-1.00	Pass
802.11ax HE40	MIMO	52T	-0.99	-6.055	-7.045	-7.041	-8.031	-3.425	-4.415	-1.00	Pass
802.11ax HE40	ANT8	106T	-4	-5.481	-9.481	-5.113	-9.113	-9.75	-13.75	-1.00	Pass
802.11ax HE40	ANT11	106T	-4	-5.485	-9.485	-5.19	-9.19	-9.872	-13.872	-1.00	Pass
802.11ax HE40	MIMO	106T	-0.99	-2.473	-3.463	-2.141	-3.131	-6.8	-7.79	-1.00	Pass
802.11ax HE40	ANT8	242T	-4	-9.416	-13.416	-8.861	-12.861	-15.106	-19.106	-1.00	Pass
802.11ax HE40	ANT11	242T	-4	-9.144	-13.144	-8.782	-12.782	-13.535	-17.535	-1.00	Pass
802.11ax HE40	MIMO	242T	-0.99	-6.268	-7.258	-5.811	-6.801	-11.24	-12.23	-1.00	Pass
802.11ax HE40	ANT8	484T	-4	-12.193	-16.193	-11.919	-15.919	-16.581	-20.581	-1.00	Pass
802.11ax HE40	ANT11	484T	-4	-12.353	-16.353	-12.069	-16.069	-16.386	-20.386	-1.00	Pass
802.11ax HE40	MIMO	484T	-0.99	-9.262	-10.252	-8.983	-9.973	-13.472	-14.462	-1.00	Pass



Reference No.: PSU-NQN2403180115RF04

Test Mode	Antenna	Tones	Gain (dBi)	6545MHz		6705MHz		6865MHz		EIRP Power Density Limit (dBm/MHz)	Pass /Fail
				Conduct ed Power Density (dBm/MHz)	EIRP Power Density (dBm/MHz)	Conduct ed Power Density (dBm/MHz)	EIRP Power Density (dBm/MHz)	Conduct ed Power Density (dBm/MHz)	EIRP Power Density (dBm/MHz)		
802.11ax HE80	ANT8	26T	-4	-5.101	-9.101	-3.634	-7.634	-4.235	-8.235	-1.00	Pass
802.11ax HE80	ANT11	26T	-4	-5.16	-9.16	-3.613	-7.613	-4.254	-8.254	-1.00	Pass
802.11ax HE80	MIMO	26T	-0.99	-2.12	-3.11	-0.613	-1.603	-1.234	-2.224	-1.00	Pass
802.11ax HE80	ANT8	52T	-4	-8.035	-12.035	-10.114	-14.114	-7	-11	-1.00	Pass
802.11ax HE80	ANT11	52T	-4	-8.003	-12.003	-10.11	-14.11	-6.854	-10.854	-1.00	Pass
802.11ax HE80	MIMO	52T	-0.99	-5.009	-5.999	-7.102	-8.092	-3.916	-4.906	-1.00	Pass
802.11ax HE80	ANT8	106T	-4	-5.162	-9.162	-5.832	-9.832	-9.946	-13.946	-1.00	Pass
802.11ax HE80	ANT11	106T	-4	-5.335	-9.335	-10.174	-14.174	-9.945	-13.945	-1.00	Pass
802.11ax HE80	MIMO	106T	-0.99	-2.237	-3.227	-4.471	-5.461	-6.935	-7.925	-1.00	Pass
802.11ax HE80	ANT8	242T	-4	-8.849	-12.849	-9.737	-13.737	-12.987	-16.987	-1.00	Pass
802.11ax HE80	ANT11	242T	-4	-9.337	-13.337	-9.997	-13.997	-13.079	-17.079	-1.00	Pass
802.11ax HE80	MIMO	242T	-0.99	-6.076	-7.066	-6.855	-7.845	-10.022	-11.012	-1.00	Pass
802.11ax HE80	ANT8	484T	-4	-11.95	-15.95	-12.298	-16.298	-16.717	-20.717	-1.00	Pass
802.11ax HE80	ANT11	484T	-4	-11.723	-15.723	-12.666	-16.666	-16.383	-20.383	-1.00	Pass
802.11ax HE80	MIMO	484T	-0.99	-8.825	-9.815	-9.468	-10.458	-13.536	-14.526	-1.00	Pass
802.11ax HE80	ANT8	996T	-4	-14.882	-18.882	-15.748	-19.748	-19.713	-23.713	-1.00	Pass
802.11ax HE80	ANT11	996T	-4	-15.131	-19.131	-15.852	-19.852	-19.709	-23.709	-1.00	Pass
802.11ax HE80	MIMO	996T	-0.99	-11.994	-12.984	-12.789	-13.779	-16.701	-17.691	-1.00	Pass




Reference No.: PSU-NQN2403180115RF04

Test Mode	Antenna	Tones	Gain (dBi)	6665MHz		---		6825MHz		EIRP Power Density Limit (dBm/MHz)	Pass/Fail
				Conducted Power Density (dBm/MHz)	EIRP Power Density (dBm/MHz)	Conducted Power Density (dBm/MHz)	EIRP Power Density (dBm/MHz)	Conducted Power Density (dBm/MHz)	EIRP Power Density (dBm/MHz)		
802.11a x HE160	ANT8	26T	-4	-5.957	-9.957	---	---	-6.725	-10.725	-1.00	Pass
802.11a x HE160	ANT11	26T	-4	-5.967	-9.967	---	---	-6.801	-10.801	-1.00	Pass
802.11a x HE160	MIMO	26T	-0.99	-2.952	-3.942	---	---	-3.753	-4.743	-1.00	Pass
802.11a x HE160	ANT8	52T	-4	-3.689	-7.689	---	---	-5.084	-9.084	-1.00	Pass
802.11a x HE160	ANT11	52T	-4	-8.757	-12.757	---	---	-5.091	-9.091	-1.00	Pass
802.11a x HE160	MIMO	52T	-0.99	-2.512	-3.502	---	---	-2.077	-3.067	-1.00	Pass
802.11a x HE160	ANT8	106T	-4	-4.585	-8.585	---	---	-8.223	-12.223	-1.00	Pass
802.11a x HE160	ANT11	106T	-4	-4.696	-8.696	---	---	-8.155	-12.155	-1.00	Pass
802.11a x HE160	MIMO	106T	-0.99	-1.63	-2.62	---	---	-5.179	-6.169	-1.00	Pass
802.11a x HE160	ANT8	242T	-4	-8.334	-12.334	---	---	-12.046	-16.046	-1.00	Pass
802.11a x HE160	ANT11	242T	-4	-8.367	-12.367	---	---	-12.032	-16.032	-1.00	Pass
802.11a x HE160	MIMO	242T	-0.99	-5.34	-6.33	---	---	-9.029	-10.019	-1.00	Pass
802.11a x HE160	ANT8	484T	-4	-11.643	-15.643	---	---	-14.84	-18.84	-1.00	Pass
802.11a x HE160	ANT11	484T	-4	-11.627	-15.627	---	---	-15.154	-19.154	-1.00	Pass
802.11a x HE160	MIMO	484T	-0.99	-8.625	-9.615	---	---	-11.984	-12.974	-1.00	Pass
802.11a x HE160	ANT8	996T	-4	-14.14	-18.14	---	---	-18.013	-22.013	-1.00	Pass
802.11a x HE160	ANT11	996T	-4	-14.442	-18.442	---	---	-18.036	-22.036	-1.00	Pass
802.11a x HE160	MIMO	996T	-0.99	-11.278	-12.268	---	---	-15.014	-16.004	-1.00	Pass
802.11a x HE160	ANT8	1992T	-4	-17.049	-21.049	---	---	-21.242	-25.242	-1.00	Pass
802.11a x HE160	ANT11	1992T	-4	-17.031	-21.031	---	---	-21.08	-25.08	-1.00	Pass
802.11a x HE160	MIMO	1992T	-0.99	-14.03	-15.02	---	---	-18.15	-19.14	-1.00	Pass




Reference No.: PSU-NQN2403180115RF04


Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Tone:26T  
Frequency:6535MHz Ant:Chain8




Mode:802.11ax HE20 Tone:26T  
Frequency:6695MHz Ant:Chain8




Mode:802.11ax HE20 Tone:26T  
Frequency:6875MHz Ant:Chain8



Mode:802.11ax HE20 Tone:26T  
Frequency:6535MHz Ant:Chain11



Mode:802.11ax HE20 Tone:26T  
Frequency:6695MHz Ant:Chain11




Mode:802.11ax HE20 Tone:26T  
Frequency:6875MHz Ant:Chain11




BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE20 Tone:52T  
Frequency:6535MHz Ant:Chain8




Mode:802.11ax HE20 Tone:52T  
Frequency:6695MHz Ant:Chain8




Mode:802.11ax HE20 Tone:52T  
Frequency:6875MHz Ant:Chain8



Mode:802.11ax HE20 Tone:52T  
Frequency:6535MHz Ant:Chain11



Mode:802.11ax HE20 Tone:52T  
Frequency:6695MHz Ant:Chain11




Mode:802.11ax HE20 Tone:52T  
Frequency:6875MHz Ant:Chain11






BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE20 Tone:106T  
Frequency:6535MHz Ant:Chain8




Mode:802.11ax HE20 Tone:106T  
Frequency:6695MHz Ant:Chain8




Mode:802.11ax HE20 Tone:106T  
Frequency:6875MHz Ant:Chain8



Mode:802.11ax HE20 Tone:106T  
Frequency:6535MHz Ant:Chain11



Mode:802.11ax HE20 Tone:106T  
Frequency:6695MHz Ant:Chain11




Mode:802.11ax HE20 Tone:106T  
Frequency:6875MHz Ant:Chain11




BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE20 Tone:242T  
Frequency:6535MHz Ant:Chain8




Mode:802.11ax HE20 Tone:242T  
Frequency:6695MHz Ant:Chain8




Mode:802.11ax HE20 Tone:242T  
Frequency:6875MHz Ant:Chain8



Mode:802.11ax HE20 Tone:242T  
Frequency:6535MHz Ant:Chain11



Mode:802.11ax HE20 Tone:242T  
Frequency:6695MHz Ant:Chain11




Mode:802.11ax HE20 Tone:242T  
Frequency:6875MHz Ant:Chain11




Reference No.: PSU-NQN2403180115RF04


Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Tone:26T  
 Frequency:6565MHz Ant:Chain8




Mode:802.11ax HE40 Tone:26T  
 Frequency:6685MHz Ant:Chain8




Mode:802.11ax HE40 Tone:26T  
 Frequency:6845MHz Ant:Chain8



Mode:802.11ax HE40 Tone:26T  
 Frequency:6565MHz Ant:Chain11



Mode:802.11ax HE40 Tone:26T  
 Frequency:6685MHz Ant:Chain11





Mode:802.11ax HE40 Tone:26T  
 Frequency:6845MHz Ant:Chain11





BUREAU VERITAS

Reference No.: PSU-NQN2403180115RF04





Mode:802.11ax HE40 Tone:52T  
Frequency:6565MHz Ant:Chain8

Mode:802.11ax HE40 Tone:52T  
Frequency:6685MHz Ant:Chain8



Mode:802.11ax HE40 Tone:52T  
Frequency:6845MHz Ant:Chain8

Mode:802.11ax HE40 Tone:52T  
Frequency:6565MHz Ant:Chain11




Mode:802.11ax HE40 Tone:52T  
Frequency:6685MHz Ant:Chain11

Mode:802.11ax HE40 Tone:52T  
Frequency:6845MHz Ant:Chain11




BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE40 Tone:106T  
Frequency:6565MHz Ant:Chain8




Mode:802.11ax HE40 Tone:106T  
Frequency:6685MHz Ant:Chain8




Mode:802.11ax HE40 Tone:106T  
Frequency:6845MHz Ant:Chain8



Mode:802.11ax HE40 Tone:106T  
Frequency:6565MHz Ant:Chain11



Mode:802.11ax HE40 Tone:106T  
Frequency:6685MHz Ant:Chain11




Mode:802.11ax HE40 Tone:106T  
Frequency:6845MHz Ant:Chain11




BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE40 Tone:242T  
Frequency:6565MHz Ant:Chain8




Mode:802.11ax HE40 Tone:242T  
Frequency:6685MHz Ant:Chain8




Mode:802.11ax HE40 Tone:242T  
Frequency:6845MHz Ant:Chain8



Mode:802.11ax HE40 Tone:242T  
Frequency:6565MHz Ant:Chain11



Mode:802.11ax HE40 Tone:242T  
Frequency:6685MHz Ant:Chain11




Mode:802.11ax HE40 Tone:242T  
Frequency:6845MHz Ant:Chain11




BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE40 Tone:484T  
Frequency:6565MHz Ant:Chain8




Mode:802.11ax HE40 Tone:484T  
Frequency:6685MHz Ant:Chain8




Mode:802.11ax HE40 Tone:484T  
Frequency:6845MHz Ant:Chain8



Mode:802.11ax HE40 Tone:484T  
Frequency:6565MHz Ant:Chain11



Mode:802.11ax HE40 Tone:484T  
Frequency:6685MHz Ant:Chain11




Mode:802.11ax HE40 Tone:484T  
Frequency:6845MHz Ant:Chain11




Reference No.: PSU-NQN2403180115RF04


Test Mode: 802.11ax HE80




Mode:802.11ax HE80 Tone:26T  
Frequency:6545MHz Ant:Chain8




Mode:802.11ax HE80 Tone:26T  
Frequency:6705MHz Ant:Chain8




Mode:802.11ax HE80 Tone:26T  
Frequency:6826MHz Ant:Chain8



Mode:802.11ax HE80 Tone:26T  
Frequency:6545MHz Ant:Chain11



Mode:802.11ax HE80 Tone:26T  
Frequency:6705MHz Ant:Chain11




Mode:802.11ax HE80 Tone:26T  
Frequency:6826MHz Ant:Chain11






BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE80 Tone:52T  
Frequency:6545MHz Ant:Chain8




Mode:802.11ax HE80 Tone:52T  
Frequency:6705MHz Ant:Chain8




Mode:802.11ax HE80 Tone:52T  
Frequency:6865MHz Ant:Chain8



Mode:802.11ax HE80 Tone:52T  
Frequency:6545MHz Ant:Chain11



Mode:802.11ax HE80 Tone:52T  
Frequency:6705MHz Ant:Chain11




Mode:802.11ax HE80 Tone:52T  
Frequency:6865MHz Ant:Chain11




BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE80 Tone:106T  
Frequency:6545MHz Ant:Chain8




Mode:802.11ax HE80 Tone:106T  
Frequency:6705MHz Ant:Chain8




Mode:802.11ax HE80 Tone:106T  
Frequency:6865MHz Ant:Chain8



Mode:802.11ax HE80 Tone:106T  
Frequency:6545MHz Ant:Chain11



Mode:802.11ax HE80 Tone:106T  
Frequency:6705MHz Ant:Chain11




Mode:802.11ax HE80 Tone:106T  
Frequency:6865MHz Ant:Chain11




BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE80 Tone:242T  
Frequency:6545MHz Ant:Chain8




Mode:802.11ax HE80 Tone:242T  
Frequency:6705MHz Ant:Chain8




Mode:802.11ax HE80 Tone:242T  
Frequency:6865MHz Ant:Chain8



Mode:802.11ax HE80 Tone:242T  
Frequency:6545MHz Ant:Chain11



Mode:802.11ax HE80 Tone:242T  
Frequency:6705MHz Ant:Chain11




Mode:802.11ax HE80 Tone:242T  
Frequency:6865MHz Ant:Chain11




BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE80 Tone:484T  
Frequency:6545MHz Ant:Chain8




Mode:802.11ax HE80 Tone:484T  
Frequency:6705MHz Ant:Chain8




Mode:802.11ax HE80 Tone:484T  
Frequency:6865MHz Ant:Chain8



Mode:802.11ax HE80 Tone:484T  
Frequency:6545MHz Ant:Chain11



Mode:802.11ax HE80 Tone:484T  
Frequency:6705MHz Ant:Chain11




Mode:802.11ax HE80 Tone:484T  
Frequency:6865MHz Ant:Chain11




BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE80 Tone:996T  
Frequency:6545MHz Ant:Chain8




Mode:802.11ax HE80 Tone:996T  
Frequency:6705MHz Ant:Chain8




Mode:802.11ax HE80 Tone:996T  
Frequency:6865MHz Ant:Chain8



Mode:802.11ax HE80 Tone:996T  
Frequency:6545MHz Ant:Chain11



Mode:802.11ax HE80 Tone:996T  
Frequency:6705MHz Ant:Chain11




Mode:802.11ax HE80 Tone:996T  
Frequency:6865MHz Ant:Chain11



Reference No.: PSU-NQN2403180115RF04


Test Mode: 802.11ax HE160






BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE160 Tone:52T  
Frequency:6665MHz Ant:Chain11




Mode:802.11ax HE160 Tone:52T  
Frequency:6825MHz Ant:Chain11




Mode:802.11ax HE160 Tone:106T  
Frequency:6665MHz Ant:Chain8



Mode:802.11ax HE160 Tone:106T  
Frequency:6825MHz Ant:Chain8



Mode:802.11ax HE160 Tone:106T  
Frequency:6665MHz Ant:Chain11




Mode:802.11ax HE160 Tone:106T  
Frequency:6825MHz Ant:Chain11




BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE160 Tone:242T  
Frequency:6665MHz Ant:Chain8



Mode:802.11ax HE160 Tone:242T  
Frequency:6825MHz Ant:Chain8




Mode:802.11ax HE160 Tone:242T  
Frequency:6665MHz Ant:Chain11



Mode:802.11ax HE160 Tone:242T  
Frequency:6825MHz Ant:Chain11



Mode:802.11ax HE160 Tone:484T  
Frequency:6665MHz Ant:Chain8




Mode:802.11ax HE160 Tone:484T  
Frequency:6825MHz Ant:Chain8






BUREAU VERITAS


Reference No.: PSU-NQN2403180115RF04




Mode:802.11ax HE160 Tone:484T  
Frequency:6665MHz Ant:Chain11




Mode:802.11ax HE160 Tone:484T  
Frequency:6825MHz Ant:Chain11




Mode:802.11ax HE160 Tone:996T  
Frequency:6665MHz Ant:Chain8



Mode:802.11ax HE160 Tone:996T  
Frequency:6825MHz Ant:Chain8



Mode:802.11ax HE160 Tone:996T  
Frequency:6665MHz Ant:Chain11





Mode:802.11ax HE160 Tone:996T  
Frequency:6825MHz Ant:Chain11





BUREAU VERITAS

Reference No.: PSU-NQN2403180115RF04



Mode:802.11ax HE160 Tone:1992T  
Frequency:6665MHz Ant:Chain8

Mode:802.11ax HE160 Tone:1992T  
Frequency:6825MHz Ant:Chain8



Mode:802.11ax HE160 Tone:1992T  
Frequency:6665MHz Ant:Chain11

Mode:802.11ax HE160 Tone:1992T  
Frequency:6825MHz Ant:Chain11