


APPENDIX B – TEST DATA OF RADIATED EMISSION

Note: The worst channel results are reflected in the report.


Note: The scanned graph represents the maximum of both horizontal and vertical polarizations and is not a single horizontal or vertical polarization scan

For 802.11a 、802.11n(HT20/HT40) Test mode is ANT 1


Radiated Emission Band Edge 20M



Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11a
Polarization: H




Comment

Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11a
Polarization: V




Comment

Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11a
Polarization: H




Comment

Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11a
Polarization: V




Comment


Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11a
Polarization: H



Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11a
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11a
Polarization: H




Comment

Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11a
Polarization: V




Comment

Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11a
Polarization: H




Comment

Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11a
Polarization: V



Comment


Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11a
Polarization: H



— AVG_MAXH — PK+_MAXH — PK.74 - - - AV54

Comment


Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11n
Polarization: V



— AVG_MAXH — PK+_MAXH — PK.74 - - - AV54


Comment

Radiated Emission Band Edge
Channel No.:36
Test Mode: 802.11n
Polarization: H




Comment

Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11n
Polarization: V




Comment

Radiated Emission Band Edge
Channel No.:64
Test Mode: 802.11n
Polarization: H




Comment

Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11n
Polarization: V




Comment


Radiated Emission Band Edge
Channel No.:100
Test Mode: 802.11n
Polarization: H



Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:140
Test Mode: 802.11n
Polarization: H




Comment

Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11n
Polarization: V




Comment

Radiated Emission Band Edge
Channel No.:149
Test Mode: 802.11n
Polarization: H



Comment


Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11n
Polarization: V



Comment


Radiated Emission Band Edge
Channel No.:165
Test Mode: 802.11n
Polarization: H

40M




AVG_MAXH PK+_MAXH PK.74 AV54
Comment

Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11n
Polarization: V




AVG_MAXH PK+_MAXH PK.74 AV54
Comment

Radiated Emission Band Edge
Channel No.:38
Test Mode: 802.11n
Polarization: H




Comment

Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11n
Polarization: V




Comment

Radiated Emission Band Edge
Channel No.:62
Test Mode: 802.11n
Polarization: H




Comment

Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11n
Polarization: V




Comment


Radiated Emission Band Edge
Channel No.:102
Test Mode: 802.11n
Polarization: H



Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11n
Polarization: V




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11n
Polarization: H




Comment

Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11n
Polarization: V




Comment

Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11n
Polarization: H



Comment

Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11n
Polarization: V



Comment

Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11n
Polarization: H

Radiated Emission

Sample Calculations

After comparison, the worst case attitude is EUT lay down

Determining Spurious Emissions Levels

A “reference path loss” is established and the A_{Rpl} is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation: $(12.90 \text{ dB}\mu\text{V/m}) = (32.10 \text{ dB}\mu\text{V}) + (-19.2 \text{ dB/m})$, the corresponding frequency is 52.746500MHz.

For 802.11a 、802.11n(HT20/HT40) Test mode is ANT 1

NOTE: Horizontal and vertical have been tested, but due to poorer vertical polarity, only vertical polarity data has been retained

For 802.11a Channel No.:36

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.746500	12.90	40.00	27.10	Vertical	-19.2	32.10
54.541000	9.15	40.00	30.85	Vertical	-19.3	28.45
119.967500	14.09	43.50	29.41	Vertical	-20.4	34.49
239.956500	12.59	46.00	33.41	Vertical	-18.8	31.39
479.983000	13.30	46.00	32.70	Vertical	-12.7	26.00
910.517500	15.21	46.00	30.79	Vertical	-5.4	20.61

For 802.11n(HT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.698000	13.17	40.00	26.83	Vertical	-19.2	32.37
54.298500	10.18	40.00	29.82	Vertical	-19.3	29.48
119.967500	14.11	43.50	29.39	Vertical	-20.4	34.51
239.956500	12.79	46.00	33.21	Vertical	-18.8	31.59
524.991000	10.87	46.00	35.13	Vertical	-11.7	22.57
943.255000	15.74	46.00	30.26	Vertical	-5.1	20.84

For 802.11a Channel No.:44

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.358500	10.90	40.00	29.10	Vertical	-19.1	30.00
54.250000	10.44	40.00	29.56	Vertical	-19.3	29.74
119.967500	14.02	43.50	29.48	Vertical	-20.4	34.42
239.956500	12.81	46.00	33.19	Vertical	-18.8	31.61
479.983000	13.49	46.00	32.51	Vertical	-12.7	26.19
911.536000	15.39	46.00	30.61	Vertical	-5.4	20.79

For 802.11n(HT20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.698000	12.77	40.00	27.23	Vertical	-19.2	31.97
54.395500	9.59	40.00	30.41	Vertical	-19.3	28.89
119.967500	13.91	43.50	29.59	Vertical	-20.4	34.31
240.005000	14.62	46.00	31.38	Vertical	-18.8	33.42
479.983000	13.56	46.00	32.44	Vertical	-12.7	26.26
949.899500	15.72	46.00	30.28	Vertical	-5.1	20.82

For 802.11aChannel No.:48

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.407000	11.86	40.00	28.14	Vertical	-19.1	30.96
54.298500	10.33	40.00	29.67	Vertical	-19.3	29.63
119.967500	13.95	43.50	29.55	Vertical	-20.4	34.35
240.005000	14.55	46.00	31.45	Vertical	-18.8	33.35
539.977500	11.79	46.00	34.21	Vertical	-11.4	23.19
959.211500	15.59	46.00	30.41	Vertical	-5.0	20.59

For 802.11n(HT20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.649500	12.12	40.00	27.88	Vertical	-19.2	31.32
54.153000	8.27	40.00	31.73	Vertical	-19.3	27.57
119.967500	13.97	43.50	29.53	Vertical	-20.4	34.37
239.956500	12.82	46.00	33.18	Vertical	-18.8	31.62
509.034500	10.51	46.00	35.49	Vertical	-12.0	22.51
918.326000	15.53	46.00	30.47	Vertical	-5.3	20.83

For 802.11aChannel No.:52

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.358500	11.63	40.00	28.37	Vertical	-19.1	30.73
54.298500	10.37	40.00	29.63	Vertical	-19.3	29.67
119.967500	13.88	43.50	29.62	Vertical	-20.4	34.28
240.005000	14.58	46.00	31.42	Vertical	-18.8	33.38
518.201000	10.69	46.00	35.31	Vertical	-11.9	22.59
891.602500	14.97	46.00	31.03	Vertical	-5.7	20.67

For 802.11n(HT20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.455500	13.26	40.00	26.74	Vertical	-19.1	32.36

54.153000	9.06	40.00	30.94	Vertical	-19.3	28.36
119.967500	13.91	43.50	29.59	Vertical	-20.4	34.31
239.956500	12.77	46.00	33.23	Vertical	-18.8	31.57
550.211000	10.96	46.00	35.04	Vertical	-11.1	22.06
933.652000	15.66	46.00	30.34	Vertical	-5.2	20.86

For 802.11aChannel No.:60

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.455500	13.17	40.00	26.83	Vertical	-19.1	32.27
54.250000	10.29	40.00	29.71	Vertical	-19.3	29.59
119.967500	13.70	43.50	29.80	Vertical	-20.4	34.10
239.956500	12.65	46.00	33.35	Vertical	-18.8	31.45
518.977000	10.68	46.00	35.32	Vertical	-11.9	22.58
933.264000	15.63	46.00	30.37	Vertical	-5.2	20.83

For 802.11n(HT20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.407000	12.88	40.00	27.12	Vertical	-19.1	31.98
54.395500	8.59	40.00	31.41	Vertical	-19.3	27.89
119.967500	13.73	43.50	29.77	Vertical	-20.4	34.13
239.956500	12.69	46.00	33.31	Vertical	-18.8	31.49
533.333000	10.90	46.00	35.10	Vertical	-11.5	22.40
892.572500	14.96	46.00	31.04	Vertical	-5.7	20.66

For 802.11aChannel No.:64

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.310000	9.12	40.00	30.88	Vertical	-19.1	28.22
54.153000	8.22	40.00	31.78	Vertical	-19.3	27.52
119.967500	13.75	43.50	29.75	Vertical	-20.4	34.15
239.956500	12.78	46.00	33.22	Vertical	-18.8	31.58
513.254000	10.89	46.00	35.11	Vertical	-11.9	22.79
919.538500	15.58	46.00	30.42	Vertical	-5.3	20.88

For 802.11n(HT20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.455500	13.33	40.00	26.67	Vertical	-19.1	32.43
54.347000	9.76	40.00	30.24	Vertical	-19.3	29.06
119.967500	13.79	43.50	29.71	Vertical	-20.4	34.19
239.956500	12.75	46.00	33.25	Vertical	-18.8	31.55
533.575500	10.95	46.00	35.06	Vertical	-11.5	22.45

932.973000	15.73	46.00	30.27	Vertical	-5.2	20.93
------------	-------	-------	-------	----------	------	-------

For 802.11aChannel No.:100

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.795000	12.80	40.00	27.20	Vertical	-19.2	32.00
54.492500	9.10	40.00	30.90	Vertical	-19.3	28.40
119.967500	13.71	43.50	29.79	Vertical	-20.4	34.11
239.956500	12.77	46.00	33.23	Vertical	-18.8	31.57
479.983000	13.50	46.00	32.50	Vertical	-12.7	26.20
949.172000	15.63	46.00	30.37	Vertical	-5.1	20.73

For 802.11n(HT20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
50.709500	11.62	40.00	28.38	Vertical	-19.0	30.62
54.298500	10.40	40.00	29.60	Vertical	-19.3	29.70
119.967500	13.76	43.50	29.74	Vertical	-20.4	34.16
240.005000	14.56	46.00	31.44	Vertical	-18.8	33.36
551.569000	11.01	46.00	34.99	Vertical	-11.1	22.11
913.476000	15.48	46.00	30.52	Vertical	-5.3	20.78

For 802.11aChannel No.:120

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.455500	13.02	40.00	26.98	Vertical	-19.1	32.12
54.298500	10.37	40.00	29.63	Vertical	-19.3	29.67
119.967500	13.75	43.50	29.75	Vertical	-20.4	34.15
240.005000	14.52	46.00	31.48	Vertical	-18.8	33.32
479.983000	13.53	46.00	32.47	Vertical	-12.7	26.23
928.705000	15.70	46.00	30.30	Vertical	-5.2	20.90

For 802.11n(HT20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.843500	12.04	40.00	27.96	Vertical	-19.2	31.24
54.541000	9.51	40.00	30.49	Vertical	-19.3	28.81
119.967500	13.70	43.50	29.80	Vertical	-20.4	34.10
239.956500	12.75	46.00	33.25	Vertical	-18.8	31.55
548.125500	11.03	46.00	34.97	Vertical	-11.2	22.23
924.097500	15.51	46.00	30.49	Vertical	-5.3	20.81

For 802.11aChannel No.:140

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
----------------	----------------	----------------	-------------	----------	-----------	---------------

52.455500	12.86	40.00	27.14	Vertical	-19.1	31.96
54.492500	9.15	40.00	30.85	Vertical	-19.3	28.45
119.967500	13.63	43.50	29.87	Vertical	-20.4	34.03
239.956500	12.72	46.00	33.28	Vertical	-18.8	31.52
479.983000	13.52	46.00	32.48	Vertical	-12.7	26.22
940.054000	15.73	46.00	30.27	Vertical	-5.1	20.83

For 802.11n(HT20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.455500	13.19	40.00	26.81	Vertical	-19.1	32.29
54.250000	10.09	40.00	29.91	Vertical	-19.3	29.39
119.967500	13.55	43.50	29.95	Vertical	-20.4	33.95
239.956500	12.63	46.00	33.37	Vertical	-18.8	31.43
479.983000	13.41	46.00	32.59	Vertical	-12.7	26.11
933.118500	15.65	46.00	30.35	Vertical	-5.2	20.85

For 802.11aChannel No.:149

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.746500	13.27	40.00	26.73	Vertical	-19.2	32.47
54.541000	9.43	40.00	30.57	Vertical	-19.3	28.73
119.967500	13.65	43.50	29.85	Vertical	-20.4	34.05
239.956500	12.75	46.00	33.25	Vertical	-18.8	31.55
479.983000	13.51	46.00	32.49	Vertical	-12.7	26.21
877.828500	14.74	46.00	31.26	Vertical	-5.9	20.64

For 802.11n(HT20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.455500	12.98	40.00	27.02	Vertical	-19.1	32.08
56.141500	8.04	40.00	31.96	Vertical	-19.5	27.54
119.967500	13.66	43.50	29.84	Vertical	-20.4	34.06
239.956500	12.76	46.00	33.24	Vertical	-18.8	31.56
475.133000	8.98	46.00	37.02	Vertical	-12.8	21.78
895.143000	15.08	46.00	30.92	Vertical	-5.6	20.68

For 802.11aChannel No.:157

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.698000	13.08	40.00	26.92	Vertical	-19.2	32.28
54.492500	8.34	40.00	31.66	Vertical	-19.3	27.64
119.967500	13.55	43.50	29.95	Vertical	-20.4	33.95
239.956500	12.75	46.00	33.25	Vertical	-18.8	31.55
479.983000	13.50	46.00	32.50	Vertical	-12.7	26.20
951.354500	15.66	46.00	30.34	Vertical	-5.1	20.76

For 802.11n(HT20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.746500	12.98	40.00	27.02	Vertical	-19.2	32.18
54.298500	10.47	40.00	29.53	Vertical	-19.3	29.77
119.967500	13.48	43.50	30.02	Vertical	-20.4	33.88
239.956500	12.76	46.00	33.24	Vertical	-18.8	31.56
548.707500	10.99	46.00	35.01	Vertical	-11.2	22.19
861.144500	14.56	46.00	31.44	Vertical	-6.1	20.66

For 802.11aChannel No.:165

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
50.903500	11.65	40.00	28.35	Vertical	-19.0	30.65
54.444000	8.44	40.00	31.56	Vertical	-19.3	27.74
119.967500	13.53	43.50	29.97	Vertical	-20.4	33.93
239.956500	12.73	46.00	33.28	Vertical	-18.8	31.53
474.987500	9.06	46.00	36.94	Vertical	-12.8	21.86
929.529500	15.60	46.00	30.40	Vertical	-5.2	20.80

For 802.11n(HT20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.407000	9.58	40.00	30.42	Vertical	-19.1	28.68
54.201500	7.50	40.00	32.50	Vertical	-19.3	26.80
119.967500	13.62	43.50	29.88	Vertical	-20.4	34.02
240.005000	14.51	46.00	31.49	Vertical	-18.8	33.31
523.924000	10.73	46.00	35.27	Vertical	-11.8	22.53
937.629000	15.76	46.00	30.24	Vertical	-5.1	20.86

For 802.11n(HT40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.407000	9.58	40.00	30.42	Vertical	-19.1	28.68
54.201500	7.50	40.00	32.50	Vertical	-19.3	26.80
119.967500	13.62	43.50	29.88	Vertical	-20.4	34.02
240.005000	14.51	46.00	31.49	Vertical	-18.8	33.31
523.924000	10.73	46.00	35.27	Vertical	-11.8	22.53
937.629000	15.76	46.00	30.24	Vertical	-5.1	20.86

For 802.11n(HT40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.407000	9.58	40.00	30.42	Vertical	-19.1	28.68
54.201500	7.50	40.00	32.50	Vertical	-19.3	26.80
119.967500	13.62	43.50	29.88	Vertical	-20.4	34.02
240.005000	14.51	46.00	31.49	Vertical	-18.8	33.31
523.924000	10.73	46.00	35.27	Vertical	-11.8	22.53
937.629000	15.76	46.00	30.24	Vertical	-5.1	20.86

52.698000	13.08	40.00	26.92	Vertical	-19.2	32.28
54.492500	8.34	40.00	31.66	Vertical	-19.3	27.64
119.967500	13.55	43.50	29.95	Vertical	-20.4	33.95
239.956500	12.75	46.00	33.25	Vertical	-18.8	31.55
479.983000	13.50	46.00	32.50	Vertical	-12.7	26.20
951.354500	15.66	46.00	30.34	Vertical	-5.1	20.76

For 802.11n(HT40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.746500	12.98	40.00	27.02	Vertical	-19.2	32.18
54.298500	10.47	40.00	29.53	Vertical	-19.3	29.77
119.967500	13.48	43.50	30.02	Vertical	-20.4	33.88
239.956500	12.76	46.00	33.24	Vertical	-18.8	31.56
548.707500	10.99	46.00	35.01	Vertical	-11.2	22.19
861.144500	14.56	46.00	31.44	Vertical	-6.1	20.66

For 802.11n(HT40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
50.903500	11.65	40.00	28.35	Vertical	-19.0	30.65
54.444000	8.44	40.00	31.56	Vertical	-19.3	27.74
119.967500	13.53	43.50	29.97	Vertical	-20.4	33.93
239.956500	12.73	46.00	33.28	Vertical	-18.8	31.53
474.987500	9.06	46.00	36.94	Vertical	-12.8	21.86
929.529500	15.60	46.00	30.40	Vertical	-5.2	20.80

For 802.11n(HT40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.698000	12.85	40.00	27.15	Vertical	-19.2	32.05
54.201500	7.01	40.00	32.99	Vertical	-19.3	26.31
119.967500	13.51	43.50	29.99	Vertical	-20.4	33.91
240.005000	14.51	46.00	31.49	Vertical	-18.8	33.31
446.566500	8.76	46.00	37.24	Vertical	-13.4	22.16
944.516000	15.66	46.00	30.34	Vertical	-5.1	20.76

For 802.11n(HT40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
51.000500	11.88	40.00	28.12	Vertical	-19.0	30.88
54.298500	10.27	40.00	29.73	Vertical	-19.3	29.57
119.967500	13.57	43.50	29.93	Vertical	-20.4	33.97
239.956500	12.72	46.00	33.28	Vertical	-18.8	31.52
479.983000	13.51	46.00	32.49	Vertical	-12.7	26.21
900.284000	15.27	46.00	30.73	Vertical	-5.5	20.77

For 802.11n(HT40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.746500	13.03	40.00	26.97	Vertical	-19.2	32.23
54.492500	8.50	40.00	31.50	Vertical	-19.3	27.80
119.967500	13.51	43.50	29.99	Vertical	-20.4	33.91
240.005000	14.53	46.00	31.47	Vertical	-18.8	33.33
546.331000	11.13	46.00	34.87	Vertical	-11.2	22.33
957.853500	15.59	46.00	30.41	Vertical	-5.0	20.59


For 802.11n(HT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.746500	13.21	40.00	26.79	Vertical	-19.2	32.41
54.250000	9.49	40.00	30.51	Vertical	-19.3	28.79
119.967500	13.46	43.50	30.04	Vertical	-20.4	33.86
239.956500	12.73	46.00	33.27	Vertical	-18.8	31.53
520.868500	10.66	46.00	35.34	Vertical	-11.8	22.46
908.383500	15.42	46.00	30.58	Vertical	-5.4	20.82

For 802.11n(HT40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	Limit (dBuV/m)	Margin (dB)	Polarity	ARpl (dB)	Pmea (dBuV/m)
52.455500	12.38	40.00	27.62	Vertical	-19.1	31.48
58.178500	7.14	40.00	32.86	Vertical	-19.7	26.84
119.967500	13.42	43.50	30.08	Vertical	-20.4	33.82
239.956500	12.70	46.00	33.30	Vertical	-18.8	31.50
554.673000	10.88	46.00	35.12	Vertical	-11.1	21.98
909.984000	15.40	46.00	30.60	Vertical	-5.4	20.80

Full Spectrum



Frequency Range: 9kHz -30MHz


Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.

Carrier frequency (MHz): 5180

Channel No.:36

Full Spectrum




Frequency Range: 30MHz -1GHz

Detector: Av mode and PK mode

Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Comment

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Carrier frequency (MHz): 5220
Channel No.44

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Carrier frequency (MHz): 5240
 Channel No.:48



Frequency Range: 30MHz -1GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Comment

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Carrier frequency (MHz): 5260
Channel No.:52

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Comment

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Carrier frequency (MHz): 5300
Channel No.:60

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Comment

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Carrier frequency (MHz): 5320
Channel No.:64

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54


Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Carrier frequency (MHz): 5500
Channel No.:100



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




— Preview Result 2-AVG — Preview Result 1-PK+
— 00 WIFI FCC 5G - - - - AV54

Comment


Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Carrier frequency (MHz): 5600
Channel No.:120

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




— Preview Result 2-AVG — Preview Result 1-PK+
— 00 WIFI FCC 5G - - - - - AV54

Comment


Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG 00 WIFI FCC 5G
Preview Result 1-PK+ AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Carrier frequency (MHz): 5700
Channel No.:140

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Preview Result 2-AVG 00 WIFI FCC 5G
Preview Result 1-PK+ AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Carrier frequency (MHz): 5745
Channel No.:149

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)



Comment

Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)


Carrier frequency (MHz): 5785
Channel No.:157



Frequency Range: 30MHz -1GHz
 Detector: Av mode and PK mode

Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Preview Result 2-AVG 00 WIFI FCC 5G
Preview Result 1-PK+ AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment


Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54


Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Carrier frequency (MHz): 5825
Channel No.:165



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54


Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Carrier frequency (MHz): 5190
Channel No.:38



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment


Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)



Comment


Frequency Range: 18GHz -40GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)

Carrier frequency (MHz): 5230
 Channel No.:46



Frequency Range: 30MHz -1GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Comment

Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Carrier frequency (MHz): 5270
Channel No.:54

Full Spectrum



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54


Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Carrier frequency (MHz): 5310
Channel No.:62



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54


Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Carrier frequency (MHz): 5510
Channel No.:102



Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)


Full Spectrum



Comment

Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum



Preview Result 2-AVG Preview Result 1-PK+
00 WIFI FCC 5G AV54

Comment

Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)