



Full Spectrum




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ac
Polarization: V

Full Spectrum




Radiated Emission Band Edge
Channel No.:134
Test Mode: 802.11ac
Polarization: H

Full Spectrum




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ac
Polarization: V

Full Spectrum




Radiated Emission Band Edge
Channel No.:151
Test Mode: 802.11ac
Polarization: H

Full Spectrum



Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ac
Polarization: V


Full Spectrum



Radiated Emission Band Edge
Channel No.:159
Test Mode: 802.11ac
Polarization: H


80M

Full Spectrum




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ac
Polarization: V

Full Spectrum




Radiated Emission Band Edge
Channel No.:42
Test Mode: 802.11ac
Polarization: H

Full Spectrum




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ac
Polarization: V

Full Spectrum




Radiated Emission Band Edge
Channel No.:58
Test Mode: 802.11ac
Polarization: H

Full Spectrum




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ac
Polarization: V

Full Spectrum




Radiated Emission Band Edge
Channel No.:106
Test Mode: 802.11ac
Polarization: H

Full Spectrum




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ac
Polarization: V

Full Spectrum




Radiated Emission Band Edge
Channel No.:138
Test Mode: 802.11ac
Polarization: H

Full Spectrum



Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ac
Polarization: V

Full Spectrum



Radiated Emission Band Edge
Channel No.:155
Test Mode: 802.11ac
Polarization: H

Radiated Emission

Sample Calculations

After comparison, the worst case attitude is EUT lay down

Determining Spurious Emissions Levels

A “reference path loss” is established and the A_{Rpl} is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation: $(6.51 \text{ dB}\mu\text{V/m}) = (24.91 \text{ dB}\mu\text{V}) + (-18.4 \text{ dB/m})$, the corresponding frequency is 51.0005 MHz.

For 802.11a Test mode is ANT1 For 802.11n(HT20/HT40) 802.11 ac(VHT20/VHT40/VHT80) Test mode is ANT MIMO

NOTE: Horizontal and vertical have been tested, but due to poorer vertical polarity, only vertical polarity data has been retained

For 802.11a Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.656333	16.66	-23	39.66	Vertical	30.00	13.34
61.224667	19.32	-24	43.32	Vertical	30.00	10.68
64.195000	19.98	-25	44.98	Vertical	30.00	10.02
221.099333	19.91	-23	42.91	Vertical	36.00	16.09
285.868000	18.08	-21	39.08	Vertical	36.00	17.92
332.928333	16.57	-19	35.57	Vertical	36.00	19.43

For 802.11n(HT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.438000	19.19	-23	42.19	Vertical	30.00	10.81
60.935333	19.76	-24	43.76	Vertical	30.00	10.24
66.638667	20.63	-26	46.63	Vertical	30.00	9.37
221.039000	20.32	-23	43.32	Vertical	36.00	15.68
285.422333	18.79	-21	39.79	Vertical	36.00	17.21
337.609000	17.86	-19	36.86	Vertical	36.00	18.14

For 802.11 ac(VHT20) Channel No.:36

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
91.821333	15.70	-26	41.70	Vertical	33.50	17.80
102.790000	15.33	-25	40.33	Vertical	33.50	18.17
206.831000	7.34	-24	31.34	Vertical	33.50	26.16
869.493333	21.66	-8	29.66	Vertical	36.00	14.34
937.729333	22.58	-8	30.58	Vertical	36.00	13.42
954.402333	22.72	-7	29.72	Vertical	36.00	13.28

For 802.11aChannel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
41.875667	14.94	-24	38.94	Vertical	30.00	15.06
54.491667	19.42	-23	42.42	Vertical	30.00	10.58
64.233333	19.88	-25	44.88	Vertical	30.00	10.12
73.419333	15.88	-29	44.88	Vertical	30.00	14.12
221.179333	20.50	-23	43.50	Vertical	36.00	15.50
278.655333	18.48	-21	39.48	Vertical	36.00	17.52

For 802.11n(HT20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.573333	19.19	-23	42.19	Vertical	30.00	10.81
60.744667	19.76	-24	43.76	Vertical	30.00	10.24
63.979667	20.63	-25	45.63	Vertical	30.00	9.37
221.107000	20.32	-23	43.32	Vertical	36.00	15.68
278.700333	18.79	-21	39.79	Vertical	36.00	17.21
336.271667	17.86	-19	36.86	Vertical	36.00	18.14

For 802.11 ac(VHT20)Channel No.:44

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
91.781333	16.17	-26	42.17	Vertical	33.50	17.33
97.512000	14.45	-25	39.45	Vertical	33.50	19.05
102.782333	14.92	-25	39.92	Vertical	33.50	18.58
361.621000	11.12	-19	30.12	Vertical	36.00	24.88
876.200000	21.87	-8	29.87	Vertical	36.00	14.13
952.808667	22.70	-7	29.70	Vertical	36.00	13.30

For 802.11aChannel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.380667	18.29	-23	41.29	Vertical	30.00	11.71
58.141000	17.77	-24	41.77	Vertical	30.00	12.23
64.325333	19.74	-25	44.74	Vertical	30.00	10.26
221.019333	19.80	-23	42.80	Vertical	36.00	16.20
235.043667	13.59	-23	36.59	Vertical	36.00	22.41
268.272000	17.61	-22	39.61	Vertical	36.00	18.40

For 802.11n(HT20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.358000	20.47	-23	43.47	Vertical	30.00	9.53
60.956667	19.62	-24	43.62	Vertical	30.00	10.38
66.701000	19.40	-26	45.40	Vertical	30.00	10.60
221.273000	20.17	-23	43.17	Vertical	36.00	15.83
280.461667	19.15	-21	40.15	Vertical	36.00	16.85
345.143667	17.46	-19	36.46	Vertical	36.00	18.54

For 802.11 ac(VHT20)Channel No.:48

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
91.781333	15.65	-26	41.65	Vertical	33.50	17.85
102.790000	14.66	-25	39.66	Vertical	33.50	18.84
195.910000	6.51	-24	30.51	Vertical	33.50	26.99
859.299667	21.54	-8	29.54	Vertical	36.00	14.46
932.692333	22.57	-8	30.57	Vertical	36.00	13.43
945.516667	22.62	-7	29.62	Vertical	36.00	13.38

For 802.11n(HT40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.267000	18.80	-23	41.80	Vertical	30.00	11.20
63.977333	20.20	-25	45.20	Vertical	30.00	9.80
66.960333	18.63	-26	44.63	Vertical	30.00	11.37
221.147000	20.09	-23	43.09	Vertical	36.00	15.91
275.480667	18.31	-21	39.31	Vertical	36.00	17.69
332.909667	17.32	-19	36.32	Vertical	36.00	18.68

For 802.11 ac(VHT40)Channel No.:38

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
90.090667	17.90	-27	44.90	Vertical	33.50	15.60
102.797667	14.44	-25	39.44	Vertical	33.50	19.06
285.706333	10.91	-21	31.91	Vertical	36.00	25.09
831.386000	20.94	-9	29.94	Vertical	36.00	15.06
860.155667	21.43	-8	29.43	Vertical	36.00	14.57
947.008333	22.58	-7	29.58	Vertical	36.00	13.42

For 802.11n(HT40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
61.018000	19.97	-24	43.97	Vertical	30.00	10.03
64.154333	20.49	-25	45.49	Vertical	30.00	9.51
106.888667	17.23	-25	42.23	Vertical	33.50	16.27
220.762333	19.21	-23	42.21	Vertical	36.00	16.79
282.092000	18.47	-21	39.47	Vertical	36.00	17.53
332.735333	15.52	-19	34.52	Vertical	36.00	20.48

For 802.11 ac(VHT40)Channel No.:46

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
90.090667	17.94	-27	44.90	Vertical	33.50	15.56
102.790000	14.20	-25	39.44	Vertical	33.50	19.30
308.699000	9.94	-20	31.91	Vertical	36.00	26.06
854.547667	21.34	-9	29.94	Vertical	36.00	14.66
929.413000	22.45	-8	29.43	Vertical	36.00	13.55
955.666000	22.65	-7	29.58	Vertical	36.00	13.35

For 802.11 ac(VHT80)Channel No.:42

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.483667	17.58	-23	40.58	Vertical	30.00	12.42
54.468667	19.76	-23	42.76	Vertical	30.00	10.24
57.782000	18.59	-24	42.59	Vertical	30.00	11.41
220.839000	21.66	-23	44.66	Vertical	36.00	14.34
281.822333	19.39	-21	40.39	Vertical	36.00	16.61
346.361333	19.94	-19	38.94	Vertical	36.00	16.06

For 802.11aChannel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
101.730667	20.82	-25	45.82	Vertical	33.50	12.68
219.810333	10.68	-24	34.68	Vertical	36.00	25.32
284.724667	13.78	-21	34.78	Vertical	36.00	22.22
881.673667	21.82	-8	29.82	Vertical	36.00	14.18
896.730000	22.06	-8	30.06	Vertical	36.00	13.94
928.272667	22.42	-8	30.42	Vertical	36.00	13.58

For 802.11n(HT20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.675000	23.49	-23	46.49	Vertical	30.00	6.51
54.432000	23.26	-23	46.26	Vertical	30.00	6.74
64.216333	23.66	-25	48.66	Vertical	30.00	6.34
221.137667	22.70	-23	45.70	Vertical	36.00	13.30
282.316667	20.82	-21	41.82	Vertical	36.00	15.18
335.995000	19.75	-19	38.75	Vertical	36.00	16.25

For 802.11 ac(VHT20)Channel No.:52

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
91.804333	16.17	-26	42.17	Vertical	33.50	17.33
97.512000	12.95	-25	37.95	Vertical	33.50	20.55
102.782333	15.70	-25	40.70	Vertical	33.50	17.80
861.651667	21.58	-8	29.58	Vertical	36.00	14.42
910.377000	22.40	-8	30.40	Vertical	36.00	13.60
957.411000	22.76	-7	29.76	Vertical	36.00	13.24

For 802.11aChannel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.441333	18.96	-23	41.96	Vertical	30.00	11.04
60.639333	18.36	-24	42.36	Vertical	30.00	11.64
64.064000	20.04	-25	45.04	Vertical	30.00	9.96
219.533667	18.67	-24	42.67	Vertical	36.00	17.33
282.263000	18.19	-21	39.19	Vertical	36.00	17.81
336.570333	15.91	-19	34.91	Vertical	36.00	20.09

For 802.11n(HT20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.524000	19.95	-23	42.95	Vertical	30.00	10.05
57.783667	19.64	-24	43.64	Vertical	30.00	10.36
65.887333	18.57	-26	44.57	Vertical	30.00	11.43
220.925667	19.82	-23	42.82	Vertical	36.00	16.18
271.688333	17.48	-21	38.48	Vertical	36.00	18.52
343.236000	17.22	-19	36.22	Vertical	36.00	18.78

For 802.11 ac(VHT20)Channel No.:60

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
90.083000	15.15	-27	42.15	Vertical	33.50	18.35
91.796667	15.68	-26	41.68	Vertical	33.50	17.82
102.807000	14.74	-25	39.74	Vertical	33.50	18.76
871.825667	21.79	-8	29.79	Vertical	36.00	14.21
951.095000	22.70	-7	29.70	Vertical	36.00	13.30
955.416667	22.73	-7	29.73	Vertical	36.00	13.27

For 802.11aChannel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.313333	17.15	-23	40.15	Vertical	30.00	12.85
61.173667	18.96	-24	42.96	Vertical	30.00	11.04
64.578667	20.03	-25	45.03	Vertical	30.00	9.97
203.910000	14.44	-24	38.44	Vertical	33.50	19.06
221.090000	18.95	-23	41.95	Vertical	36.00	17.05
277.044667	18.68	-21	39.68	Vertical	36.00	17.32

For 802.11n(HT20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.494333	19.49	-23	42.49	Vertical	30.00	10.51
60.476000	19.64	-24	43.64	Vertical	30.00	10.36
64.450333	20.46	-25	45.46	Vertical	30.00	9.54
220.886667	20.21	-23	43.21	Vertical	36.00	15.79
282.162667	18.46	-21	39.46	Vertical	36.00	17.54
339.591667	16.14	-19	35.14	Vertical	36.00	19.86

For 802.11 ac(VHT20)Channel No.:64

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
91.804333	15.48	-26	41.48	Vertical	33.50	18.02
102.790000	15.40	-25	40.40	Vertical	33.50	18.10
812.793333	20.59	-9	29.59	Vertical	36.00	15.41
888.156333	22.12	-8	30.12	Vertical	36.00	13.88
939.482333	22.59	-8	30.59	Vertical	36.00	13.41
959.001333	22.71	-7	29.71	Vertical	36.00	13.29

For 802.11n(HT40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.521333	19.19	-23	42.19	Vertical	30.00	10.81

64.100667	20.75	-25	45.75	Vertical	30.00	9.25
106.881000	15.89	-25	40.89	Vertical	33.50	17.61
220.954667	18.52	-23	41.52	Vertical	36.00	17.48
284.178333	18.84	-21	39.84	Vertical	36.00	17.16
345.260333	17.11	-19	36.11	Vertical	36.00	18.89

For 802.11 ac(VHT40)Channel No.:54

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
90.083000	17.59	-27	44.59	Vertical	33.50	15.91
102.807000	15.10	-25	40.1	Vertical	33.50	18.40
299.371667	11.56	-21	32.56	Vertical	36.00	24.44
894.387333	22.19	-8	30.19	Vertical	36.00	13.81
926.583667	22.47	-8	30.47	Vertical	36.00	13.53
960.322000	22.68	-7	29.68	Vertical	47.00	24.32

For 802.11n(HT40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.478000	14.32	-23	44.95	Vertical	30.00	15.68
54.457667	17.93	-23	47.13	Vertical	30.00	12.07
65.499333	18.50	-26	50.40	Vertical	30.00	11.50
221.096000	19.95	-23	44.55	Vertical	36.00	16.05
280.878667	18.84	-21	42.77	Vertical	36.00	17.16
334.595333	15.33	-19	39.56	Vertical	36.00	20.67

For 802.11 ac(VHT40)Channel No.:62

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
90.083000	17.74	-27	44.74	Vertical	33.50	15.76
102.797667	14.07	-25	39.07	Vertical	33.50	19.43
293.793333	10.88	-21	31.88	Vertical	36.00	25.12
829.671333	20.88	-9	29.88	Vertical	36.00	15.12
917.658000	22.32	-8	30.32	Vertical	36.00	13.68
953.825333	22.60	-7	29.6	Vertical	36.00	13.40

For 802.11 ac(VHT80)Channel No.:58

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.480000	14.55	-26	40.55	Vertical	30.00	15.45
60.808667	19.42	-24	43.42	Vertical	30.00	10.58
63.894667	19.43	-25	44.43	Vertical	30.00	10.57
67.120333	17.01	-26	43.01	Vertical	30.00	12.99
280.172333	18.52	-21	39.52	Vertical	36.00	17.48
388.265333	11.88	-18	29.88	Vertical	36.00	24.12

For 802.11aChannel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.263333	16.67	-23	39.67	Vertical	30.00	13.33
60.662333	18.62	-24	42.62	Vertical	30.00	11.38
64.116667	20.18	-25	45.18	Vertical	30.00	9.82
222.906667	18.65	-23	41.65	Vertical	36.00	17.35
278.599000	17.89	-21	38.89	Vertical	36.00	18.11
339.870000	14.09	-19	33.09	Vertical	36.00	21.91

For 802.11n(HT20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
57.802333	19.08	-24	43.08	Vertical	30.00	10.92
63.838667	19.85	-25	44.85	Vertical	30.00	10.15
78.878667	13.75	-29	42.75	Vertical	30.00	16.25
221.154667	20.09	-23	43.09	Vertical	36.00	15.91
278.744667	18.59	-21	39.59	Vertical	36.00	17.41
334.294000	18.57	-19	37.57	Vertical	36.00	17.43

For 802.11 ac(VHT20)Channel No.:100

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.993667	8.51	-26	34.51	Vertical	30.00	21.49
44.245333	9.68	-24	33.68	Vertical	30.00	20.32
90.075333	15.85	-27	42.85	Vertical	33.50	17.65
102.790000	15.20	-25	40.20	Vertical	33.50	18.30
208.305667	7.77	-24	31.77	Vertical	33.50	25.73
882.905667	22.02	-8	30.02	Vertical	36.00	13.98

For 802.11aChannel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
57.698667	18.74	-24	42.74	Vertical	30.00	11.26

61.192333	19.64	-24	43.64	Vertical	30.00	10.36
64.195000	20.09	-25	45.09	Vertical	30.00	9.91
221.088333	19.80	-23	42.80	Vertical	36.00	16.20
282.366000	18.29	-21	39.29	Vertical	36.00	17.71
339.675000	16.14	-19	35.14	Vertical	36.00	19.86

For 802.11n(HT20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.539333	19.61	-23	42.61	Vertical	30.00	10.39
61.077333	19.46	-25	44.46	Vertical	30.00	10.54
64.207000	21.00	-25	46.00	Vertical	30.00	9.00
221.042333	20.40	-23	43.40	Vertical	36.00	15.60
287.399667	17.85	-21	38.85	Vertical	36.00	18.15
335.920000	16.54	-19	35.54	Vertical	36.00	19.46

For 802.11 ac(VHT20)Channel No.:120

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.640000	13.12	-26	39.12	Vertical	30.00	16.88
50.384333	9.50	-23	32.50	Vertical	30.00	20.50
90.075333	15.64	-27	42.64	Vertical	33.50	17.86
102.782333	14.75	-25	39.75	Vertical	33.50	18.75
183.055667	6.03	-25	31.03	Vertical	33.50	27.47
888.445667	22.04	-8	30.04	Vertical	36.00	13.96

For 802.11aChannel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.184000	16.32	-23	39.32	Vertical	30.00	13.68
64.064000	20.69	-25	45.69	Vertical	30.00	9.31
106.888667	13.67	-25	38.67	Vertical	33.50	19.83
219.618000	18.82	-24	42.82	Vertical	36.00	17.18
296.150000	16.49	-21	37.49	Vertical	36.00	19.51
345.078000	16.25	-19	35.25	Vertical	36.00	19.75

For 802.11n(HT20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
60.702333	19.41	-24	43.41	Vertical	30.00	10.59
64.577000	20.08	-25	45.08	Vertical	30.00	9.92
83.167000	12.09	-28	40.09	Vertical	30.00	17.91
220.897667	20.03	-23	43.03	Vertical	36.00	15.97
282.026333	17.36	-21	38.36	Vertical	36.00	18.64
343.225000	16.92	-19	35.92	Vertical	36.00	19.08

For 802.11 ac(VHT20)Channel No.:140

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
31.678667	10.66	-26	36.66	Vertical	30.00	19.34
90.083000	14.83	-27	41.83	Vertical	33.50	18.67
97.519667	12.94	-25	37.94	Vertical	33.50	20.56
175.631000	5.10	-26	31.10	Vertical	33.50	28.40
209.771667	7.90	-24	31.90	Vertical	33.50	25.60
725.766667	19.17	-11	30.17	Vertical	36.00	16.83

For 802.11n(HT40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
60.357667	19.13	-24	43.13	Vertical	30.00	10.87
64.131333	20.52	-25	45.52	Vertical	30.00	9.48
66.221000	18.61	-26	44.61	Vertical	30.00	11.39
221.213333	20.44	-23	43.44	Vertical	36.00	15.56
275.605667	18.54	-21	39.54	Vertical	36.00	17.46
334.591000	18.59	-19	37.59	Vertical	36.00	17.41

For 802.11 ac(VHT40)Channel No.:102

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.497667	7.94	-26	33.94	Vertical	30.00	22.06
90.115333	17.33	-27	44.33	Vertical	33.50	16.17
102.790000	15.45	-25	40.45	Vertical	33.50	18.05
859.082000	22.20	-8	30.20	Vertical	36.00	13.80
918.080000	23.11	-8	31.11	Vertical	36.00	12.89
953.709667	23.39	-7	30.39	Vertical	36.00	12.61

For 802.11n(HT40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.514333	15.51	-26	41.51	Vertical	30.00	14.49
54.171000	18.42	-23	41.42	Vertical	30.00	11.58
64.131333	20.29	-25	45.29	Vertical	30.00	9.71
106.888667	15.63	-25	40.63	Vertical	33.50	17.87
219.614667	18.87	-24	42.87	Vertical	36.00	17.13
336.030667	17.69	-19	36.69	Vertical	36.00	18.31

For 802.11 ac(VHT40)Channel No.:118

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
35.324000	9.27	-26	35.27	Vertical	30.00	20.73
91.796667	14.53	-26	40.53	Vertical	33.50	18.97
102.814667	13.26	-25	38.26	Vertical	33.50	20.24
835.995000	21.53	-9	30.53	Vertical	36.00	14.47
945.515000	23.04	-7	30.04	Vertical	36.00	12.96
956.416333	23.15	-7	30.15	Vertical	36.00	12.85

For 802.11n(HT40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.268667	18.83	-23	41.83	Vertical	30.00	11.17
64.188333	20.72	-25	45.72	Vertical	30.00	9.28
76.997333	14.44	-29	43.44	Vertical	30.00	15.56
219.647000	19.04	-24	43.04	Vertical	36.00	16.96
285.741333	17.33	-21	38.33	Vertical	36.00	18.67
334.700000	18.63	-19	37.63	Vertical	36.00	17.37

For 802.11 ac(VHT40)Channel No.:142

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
90.083000	17.03	-27	44.03	Vertical	33.50	16.47
102.797667	14.01	-25	39.01	Vertical	33.50	19.49
305.905333	19.63	-20	39.63	Vertical	36.00	16.37
845.314000	24.10	-9	33.1	Vertical	36.00	11.90
930.118333	27.26	-8	35.26	Vertical	36.00	8.74
987.432667	26.44	-7	33.44	Vertical	47.00	20.56

For 802.11 ac(VHT80)Channel No.:106

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.908333	17.40	-23	24.83	Vertical	30.00	12.60
52.505667	20.45	-23	25.09	Vertical	30.00	9.55
61.004333	18.13	-24	24.83	Vertical	30.00	11.87
78.860000	13.91	-29	23.48	Vertical	30.00	16.09
90.112667	13.62	-27	22.69	Vertical	33.50	19.88
200.091333	15.58	-24	21.20	Vertical	33.50	17.92

For 802.11 ac(VHT80)Channel No.:122

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.019000	20.57	-23	43.57	Vertical	30.00	9.43
54.296000	21.75	-23	44.75	Vertical	30.00	8.25
57.259667	20.80	-24	44.8	Vertical	30.00	9.20
70.289000	16.82	-27	43.82	Vertical	30.00	13.18
221.131667	19.89	-23	42.89	Vertical	36.00	16.11
278.769333	19.26	-21	40.26	Vertical	36.00	16.74

For 802.11 ac(VHT80)Channel No.:138

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.404000	19.62	-23	42.62	Vertical	30.00	10.38
57.623000	19.64	-24	43.64	Vertical	30.00	10.36
64.285333	21.18	-25	46.18	Vertical	30.00	8.82
221.063667	19.76	-23	42.76	Vertical	36.00	16.24
280.471000	18.81	-21	39.81	Vertical	36.00	17.19
343.225000	17.76	-19	36.76	Vertical	36.00	18.25

For 802.11aChannel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.498667	14.17	-23	37.17	Vertical	30.00	15.83
54.593667	18.89	-23	43.89	Vertical	30.00	11.11
64.259667	19.98	-25	48.98	Vertical	30.00	10.02
222.798667	18.58	-23	42.58	Vertical	36.00	17.42
276.902333	18.65	-21	39.65	Vertical	36.00	17.35
335.916667	17.88	-19	36.88	Vertical	36.00	18.12

For 802.11n(HT20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.744000	17.49	-23	40.49	Vertical	30.00	12.51
57.651000	18.10	-24	42.10	Vertical	30.00	11.90
61.298667	19.00	-24	43.00	Vertical	30.00	11.00
64.159333	20.98	-25	45.98	Vertical	30.00	9.02
220.953000	20.33	-23	43.33	Vertical	36.00	15.67
270.024000	17.87	-22	39.87	Vertical	36.00	18.13

For 802.11 ac(VHT20)Channel No.:149

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.628667	10.86	-26	36.86	Vertical	30.00	19.14
90.075333	14.28	-27	41.28	Vertical	33.50	19.22
102.790000	15.68	-25	40.68	Vertical	33.50	17.82
196.190000	6.55	-24	30.55	Vertical	33.50	26.95
377.078000	11.58	-18	29.58	Vertical	36.00	24.42
785.499000	20.24	-10	30.24	Vertical	36.00	15.76

For 802.11aChannel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.390333	19.03	-23	42.03	Vertical	30.00	10.97
60.557667	19.01	-24	43.01	Vertical	30.00	10.99
64.105667	21.01	-25	46.01	Vertical	30.00	8.99
221.119667	20.31	-23	43.31	Vertical	36.00	15.69
284.218333	18.33	-21	39.33	Vertical	36.00	17.67
336.341333	18.49	-19	37.49	Vertical	36.00	17.51

For 802.11n(HT20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.365667	18.91	-23	41.91	Vertical	30.00	11.09
58.108667	18.30	-24	42.30	Vertical	30.00	11.70
64.350667	20.66	-25	45.66	Vertical	30.00	9.34
78.173333	14.30	-29	43.30	Vertical	30.00	15.70
221.079000	19.77	-23	42.77	Vertical	36.00	16.23
287.382667	18.26	-21	39.26	Vertical	36.00	17.74

For 802.11 ac(VHT20)Channel No.:157

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.640667	13.00	-26	39.00	Vertical	30.00	17.00
44.083000	9.59	-24	33.59	Vertical	30.00	20.41
90.115333	14.57	-27	41.57	Vertical	33.50	18.93
102.782333	14.51	-25	39.51	Vertical	33.50	18.99
206.425000	7.38	-24	31.38	Vertical	33.50	26.12
752.994667	19.49	-10	29.49	Vertical	36.00	16.51

For 802.11aChannel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.390333	42.55	42.55	42.55	Vertical	30.00	10.45
60.557667	43.73	43.73	43.73	Vertical	30.00	10.28
64.105667	45.17	45.17	45.17	Vertical	30.00	9.83
221.119667	42.45	42.45	42.45	Vertical	36.00	16.55
284.218333	39.26	39.26	39.26	Vertical	36.00	17.74
336.341333	36.13	36.13	36.13	Vertical	36.00	18.87

For 802.11n(HT20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.814667	17.38	-23	40.38	Vertical	30.00	12.62
61.601667	19.24	-24	43.24	Vertical	30.00	10.76
65.208333	18.55	-26	44.55	Vertical	30.00	11.45
70.078000	17.14	-27	44.14	Vertical	30.00	12.86
221.202333	20.36	-23	43.36	Vertical	36.00	15.64
263.272333	14.47	-22	36.47	Vertical	36.00	21.53

For 802.11 ac(VHT20)Channel No.:165

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.765667	11.00	-26	37.00	Vertical	30.00	19.00
90.060000	17.48	-27	44.48	Vertical	33.50	16.02
102.797667	14.35	-25	39.35	Vertical	33.50	19.15
287.972333	13.63	-21	34.63	Vertical	36.00	22.37
882.196000	21.93	-8	29.93	Vertical	36.00	14.07
925.743000	22.44	-8	30.44	Vertical	36.00	13.56

For 802.11n(HT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
54.502667	18.77	-23	41.77	Vertical	30.00	11.23
64.433333	20.05	-25	45.05	Vertical	30.00	9.95
70.098333	17.45	-27	44.45	Vertical	30.00	12.55
89.394667	11.02	-27	38.02	Vertical	33.50	22.48
221.042333	20.30	-23	43.30	Vertical	36.00	15.70
285.635000	18.77	-21	39.77	Vertical	36.00	17.23

For 802.11 ac(VHT40)Channel No.:151

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
48.591667	16.38	-23	39.38	Vertical	30.00	13.62
54.577667	18.91	-23	41.91	Vertical	30.00	11.09
61.342000	19.24	-25	44.24	Vertical	30.00	10.76
106.896333	17.95	-25	42.95	Vertical	33.50	15.55
221.137667	20.31	-23	43.31	Vertical	36.00	15.69
294.181333	16.21	-21	37.21	Vertical	36.00	19.79

For 802.11n(HT40)Channel No.:159


Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
32.602000	15.18	-26	41.18	Vertical	30.00	14.82
54.413333	18.81	-23	41.81	Vertical	30.00	11.19
61.069667	19.69	-24	43.69	Vertical	30.00	10.31
106.120333	14.81	-25	39.81	Vertical	33.50	18.69
221.015000	19.83	-23	42.83	Vertical	36.00	16.17
273.441000	18.21	-21	39.21	Vertical	36.00	17.79

For 802.11 ac(VHT40)Channel No.:159

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.482333	14.12	-26	40.12	Vertical	30.00	15.88
61.224667	19.73	-24	43.73	Vertical	30.00	10.27
64.170333	20.16	-25	45.16	Vertical	30.00	9.84
106.904000	11.08	-25	36.08	Vertical	33.50	22.42
220.941000	19.34	-23	42.34	Vertical	36.00	16.66
276.957000	18.51	-21	39.51	Vertical	36.00	17.49

For 802.11 ac(VHT80)Channel No.:155

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.153332	15.61	-23	38.61	Vertical	30.00	14.39
60.612333	17.62	-24	41.62	Vertical	30.00	12.38
64.126662	20.18	-25	45.18	Vertical	30.00	9.82
222.936667	18.61	-23	41.61	Vertical	36.00	17.39
278.529000	17.83	-21	38.83	Vertical	36.00	18.17
339.880000	13.19	-19	32.19	Vertical	36.00	22.81



Frequency Range: 9kHz -30MHz


Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.

Carrier frequency (MHz): 5180

Channel No.:36

Full Spectrum




— Preview Result 1-PK+
— FCC PART 15 B_Radiated Disturbances @ 10m_QP
◆ Final_Result QPK


Comment

Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a


Full Spectrum



Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




— Preview Result 1-PK+
— FCC PART 15 B_Radiated Disturbances @ 10m_QP
◆ Final_Result QPK

Comment


Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




— Preview Result 1-PK+
— FCC PART 15 B_Radiated Disturbances @ 10m_QP
◆ Final_Result QPK

Comment


Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5220
Channel No.44

Full Spectrum




— Preview Result 1-PK+
— FCC PART 15 B_Radiated Disturbances @ 10m_QP
◆ Final_Result QPK

Comment


Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




— Preview Result 1-PK+
— FCC PART 15 B_Radiated Disturbances @ 10m_QP
◆ Final_Result QPK

Comment


Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5240
Channel No.:48

Full Spectrum




Preview Result 1-PK+
FCC PART 15 B_Radiated Disturbances @ 10m_QP
Final_Result QPK

Comment


Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11a



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11a

Full Spectrum




— Preview Result 1-PK+
— FCC PART 15 B_Radiated Disturbances @ 10m_QP
◆ Final_Result QPK

Comment


Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT20)

Carrier frequency (MHz): 5190
Channel No.:38

Full Spectrum




— Preview Result 1-PK+
— FCC PART 15 B_Radiated Disturbances @ 10m_QP
◆ Final_Result QPK

Comment


Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




- Preview Result 1-PK+
- FCC PART 15 B Radiated Disturbances @ 10m_QP
- ◆ Final_Result QPK

Comment


Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Full Spectrum



Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)



Frequency Range: 18GHz -40GHz
Detector: Av mode and PK mode
Test Mode: 802.11ac(VHT40)

Carrier frequency (MHz): 5230
Channel No.:46