



Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Tone:26T Frequency:5260MHz  
Ant:Chain0


Mode:802.11ax HE20 Tone:26T Frequency:5280MHz  
Ant:Chain0




Mode:802.11ax HE20 Tone:26T Frequency:5320MHz  
Ant:Chain0




Mode:802.11ax HE20 Tone:26T Frequency:5260MHz  
Ant:Chain1




Mode:802.11ax HE20 Tone:26T Frequency:5280MHz  
Ant:Chain1




Mode:802.11ax HE20 Tone:26T Frequency:5320MHz  
Ant:Chain1




Mode:802.11ax HE20 Tone:242T Frequency:5260MHz  
Ant:Chain0




Mode:802.11ax HE20 Tone:242T Frequency:5280MHz  
Ant:Chain0




Mode:802.11ax HE20 Tone:242T Frequency:5320MHz  
Ant:Chain0



Mode:802.11ax HE20 Tone:242T Frequency:5260MHz  
Ant:Chain1





Mode:802.11ax HE20 Tone:242T Frequency:5280MHz  
Ant:Chain1





Mode:802.11ax HE20 Tone:242T Frequency:5320MHz  
Ant:Chain1

Test Mode: 802.11n HT40



Mode:802.11n HT40 Frequency:5270MHz Ant:Chain0


Mode:802.11n HT40 Frequency:5310MHz Ant:Chain0




Mode:802.11n HT40 Frequency:5270MHz Ant:Chain1

Mode:802.11n HT40 Frequency:5310MHz Ant:Chain1


Test Mode: 802.11ac VHT40




Mode:802.11ac VHT40 Frequency:5270MHz  
Ant:Chain0



Mode:802.11ac VHT40 Frequency:5310MHz  
Ant:Chain0





Mode:802.11ac VHT40 Frequency:5270MHz  
Ant:Chain1





Mode:802.11ac VHT40 Frequency:5310MHz  
Ant:Chain1

Test Mode: 802.11ax HE40





Mode:802.11ax HE40 Tone:26T Frequency:5270MHz  
Ant:Chain0

Mode:802.11ax HE40 Tone:26T Frequency:5310MHz  
Ant:Chain0





Mode:802.11ax HE40 Tone:26T Frequency:5270MHz  
Ant:Chain1

Mode:802.11ax HE40 Tone:26T Frequency:5310MHz  
Ant:Chain1



Mode:802.11ax HE40 Tone:484T Frequency:5270MHz  
Ant:Chain0


Mode:802.11ax HE40 Tone:484T Frequency:5310MHz  
Ant:Chain0




Mode:802.11ax HE40 Tone:484T Frequency:5270MHz  
Ant:Chain1

Mode:802.11ax HE40 Tone:484T Frequency:5310MHz  
Ant:Chain1

Test Mode: 802.11ac VHT80



Test Mode: 802.11ax HE80






**Dynamic Frequency Selection  
DESCRIPTION OF Master Device  
Radar Waveform Calibration Result**

**<40MHz / 5290 MHz> Radar Type 0**


**Radar / DFS detection threshold level and the burst of pulses on the Channel frequency**



Date: 29.JUN.2023 11:46:17



**Data Traffic and Noise Floor Plots**





### Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period for Client Beacon Test

Frequency	Test Item	Test Result	Limit	Pass/Fail
5300MHz	Channel Move Time	< 10s*	< 10s	Pass
	Channel Closing Transmission Time	200ms	< 260ms	Pass
	Non-Occupancy Period	≥ 30	≥ 30 min	Pass
5290MHz	Channel Move Time	< 10s*	< 10s	Pass
	Channel Closing Transmission Time	200ms	< 260ms	Pass
	Non-Occupancy Period	≥ 30	≥ 30 min	Pass

Note\*: We notice clearly that “Channel Move Time” is less than 10s from the figure. The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 seconds period. The aggregate duration of control signals will not count quiet periods in between transmissions.

### Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period for Client Beacon Test Plots





Date: 29.JUN.2023 12:49:59

**Note:**

Dwell (0.4 ms)= Sweep Time (12000 ms) / Sweep Point Bins (30000)

Channel Closing Transmission Time (200 + 0ms) = 200 + Number of beacon after 200ms(0) X Dwell (0.4 ms) < 260ms

<20MHz / 5300MHz>

**Channel Move Time & Channel Closing Transmission Time**

