



Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11g




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11g

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)

Full Spectrum




Frequency Range: 3GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE20)

Carrier frequency (MHz): 2422
 Channel No.:3




Frequency Range: 30MHz -1GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)

Carrier frequency (MHz): 2437
 Channel No.:6

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 3GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HE40)

Carrier frequency (MHz): 2452
 Channel No.:9

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 6GHz -18GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)




Frequency Range: 18GHz -26GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE40)




Frequency Range: 1GHz -6GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE40)

Full Spectrum



Frequency Range: 6GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE40)



Frequency Range: 18GHz -26GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HE40)


AC Power line Conducted Emission

A "reference path loss" Corr.(dB) is established and the $L_{cable}+ATT+VDF$ is the attenuation of "reference path loss", and including the cable loss, the attenuation of the attenuator, the voltage division factor of AMN.

The measurement results are obtained as described below:

$$P_{result}=P_{mea}+ Corr.(dB)$$

Sample calculation: $(15.93dB\mu V) = (-13.77dB\mu V) + (29.7 dB)$, the corresponding frequency is 0.341893MHz.



L+N Line

MEASUREMENT RESULT:

---End of Test Report---