



Band edge measurement


Test Mode: 802.11b




Mode:802.11b Frequency:2412MHz Ant:Chain0



Mode:802.11b Frequency:2462MHz Ant:Chain0




Mode:802.11b Frequency:2412MHz Ant:Chain1




Mode:802.11b Frequency:2462MHz Ant:Chain1


Test Mode: 802.11g




Mode:802.11g Frequency:2412MHz Ant:Chain0



Mode:802.11g Frequency:2462MHz Ant:Chain0




Mode:802.11g Frequency:2412MHz Ant:Chain1




Mode:802.11g Frequency:2462MHz Ant:Chain1


Test Mode: 802.11n HT20




Mode:802.11n HT20 Frequency:2412MHz Ant:Chain0



Mode:802.11n HT20 Frequency:2462MHz Ant:Chain0




Mode:802.11n HT20 Frequency:2412MHz Ant:Chain1




Mode:802.11n HT20 Frequency:2462MHz Ant:Chain1


Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Frequency:2412MHz Ant:Chain0



Mode:802.11ax HE20 Frequency:2462MHz Ant:Chain0




Mode:802.11ax HE20 Frequency:2412MHz Ant:Chain1




Mode:802.11ax HE20 Frequency:2462MHz Ant:Chain1


Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Frequency:2422MHz Ant:Chain0



Mode:802.11ax HE40 Frequency:2452MHz Ant:Chain0




Mode:802.11ax HE40 Frequency:2422MHz Ant:Chain1




Mode:802.11ax HE40 Frequency:2452MHz Ant:Chain1


Test Mode: 802.11n HT40




Mode:802.11n HT40 Frequency:2422MHz Ant:Chain0



Mode:802.11n HT40 Frequency:2452MHz Ant:Chain0



Mode:802.11n HT40 Frequency:2422MHz Ant:Chain1




Mode:802.11n HT40 Frequency:2452MHz Ant:Chain1

APPENDIX B – TEST DATA OF RADIATED EMISSION


Note: The worst channel results are reflected in the report.

Note: The scanned graph represents the maximum of both horizontal and vertical polarizations and is not a single horizontal or vertical polarization scan

Radiated Emission Band Edge




Radiated Emission Band Edge
Channel No.:1
Test Mode: 802.11b
Polarization: V
ANT 1




Radiated Emission Band Edge


Channel No.:1
 Test Mode: 802.11b
 Polarization: H
 ANT 1




Radiated Emission Band Edge
 Channel No.:11
 Test Mode: 802.11b
 Polarization: V
 ANT 1




Radiated Emission Band Edge
 Channel No.:11
 Test Mode: 802.11b
 Polarization: H
 ANT 1




Radiated Emission Band Edge
Channel No.:1
Test Mode: 802.11g
Polarization: V
ANT 1




Radiated Emission Band Edge
Channel No.:1
Test Mode: 802.11g
Polarization: H
ANT 1




Radiated Emission Band Edge
Channel No.:11
Test Mode: 802.11g
Polarization: V
ANT 1




Radiated Emission Band Edge
Channel No.:11
Test Mode: 802.11g
Polarization: H
ANT 1




Radiated Emission Band Edge
 Channel No.:1
 Test Mode: 802.11n
 Polarization: V
 ANT MIMO




Radiated Emission Band Edge
 Channel No.:1
 Test Mode: 802.11n
 Polarization: H
 ANT MIMO




Radiated Emission Band Edge
Channel No.:11
Test Mode: 802.11n
Polarization: V
ANT MIMO




Radiated Emission Band Edge
Channel No.:11
Test Mode: 802.11n
Polarization: H
ANT MIMO




Radiated Emission Band Edge
 Channel No.:1
 Test Mode: 802.11ax
 Polarization: V
 ANT MIMO




Radiated Emission Band Edge
 Channel No.:1
 Test Mode: 802.11ax
 Polarization: H
 ANT MIMO




Radiated Emission Band Edge
Channel No.:11
Test Mode: 802.11ax
Polarization: V
ANT MIMO




Radiated Emission Band Edge
Channel No.:11
Test Mode: 802.11ax
Polarization: H
ANT MIMO



Radiated Emission Band Edge
Channel No.:3
Test Mode: 802.11n40
Polarization: V
ANT MIMO




Radiated Emission Band Edge
Channel No.:3
Test Mode: 802.11n40
Polarization: H
ANT MIMO




Radiated Emission Band Edge
Channel No.:9
Test Mode: 802.11n40
Polarization: V
ANT MIMO

Carrier frequency (MHz): 2452
Channel No.:9


No	Frequency (GHz)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2.4833	49.415	54	4.585	AV




Radiated Emission Band Edge
Channel No.:9
Test Mode: 802.11n40
Polarization: H
ANT MIMO



Radiated Emission Band Edge
Channel No.:3
Test Mode: 802.11ax40
Polarization: V
ANT MIMO




Radiated Emission Band Edge
Channel No.:3
Test Mode: 802.11ax40
Polarization: H
ANT MIMO



Radiated Emission Band Edge
Channel No.:9
Test Mode: 802.11ax40
Polarization: V
ANT MIMO

Carrier frequency (MHz): 2452
Channel No.:9

No	Frequency (GHz)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2.4835	49.365	54	4.635	AV



Radiated Emission Band Edge
Channel No.:9
Test Mode: 802.11ax40
Polarization: H
ANT MIMO

Radiated Emission

Sample Calculations

Determining Spurious Emissions Levels

A “reference path loss” is established and the A_{Rpl} is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation: $(6.22\text{dB}\mu\text{V}/\text{m}) = (24.52\text{dB}\mu\text{V}) + (-18.3\text{dB}/\text{m})$, the corresponding frequency is 46.587MHz.

ANT 1

For 802.11b Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.587	6.22	-18.3	24.52	Vertical	40	33.78
58.4695	6.1	-19.1	25.2	Vertical	40	33.9
117.6395	5.35	-19.4	24.75	Vertical	43.5	38.15
303.346	7.79	-15.7	23.49	Vertical	46	38.21
553.218	12.96	-9.3	22.26	Vertical	46	33.04
959.0175	18.44	-2.7	21.14	Vertical	46	27.56

ANT 1

For 802.11g Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.9865	6.72	-18.4	25.12	Vertical	40	33.28
64.435	4.79	-20.3	25.09	Vertical	40	35.21
117.8335	5.22	-19.4	24.62	Vertical	43.5	38.28
306.2075	7.63	-15.6	23.23	Vertical	46	38.37
485.2695	11.53	-10.9	22.43	Vertical	46	34.47
914.0095	18.14	-3.2	21.34	Vertical	46	27.86

ANT MIMO

For 802.11n(HT20) Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.728	6.82	-18.5	25.32	Vertical	40	33.18
58.9545	5.83	-19.1	24.93	Vertical	40	34.17
110.6555	5.93	-18.9	24.83	Vertical	43.5	37.57
292.482	7.43	-16	23.43	Vertical	46	38.57
514.515	12.46	-10.2	22.66	Vertical	46	33.54
933.4095	18.49	-3	21.49	Vertical	46	27.51

ANT MIMO

For 802.11ax(HE20) Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)

39.6515	6.43	-18.7	25.13	Vertical	40	33.57
77.821	3.5	-21.5	25	Vertical	40	36.5
110.1705	5.82	-18.9	24.72	Vertical	43.5	37.68
208.868	5.17	-18.6	23.77	Vertical	43.5	38.33
535.2245	13	-9.7	22.7	Vertical	46	33
946.359	18.45	-2.9	21.35	Vertical	46	27.55

ANT 1

For 802.11b Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
46.3445	6.36	-18.3	24.66	Vertical	40	33.64
65.1625	4.58	-20.5	25.08	Vertical	40	35.42
104.0595	5.93	-18.7	24.63	Vertical	43.5	37.57
209.4985	5.11	-18.5	23.61	Vertical	43.5	38.39
524.506	12.85	-10.1	22.95	Vertical	46	33.15
911.7785	18.1	-3.2	21.3	Vertical	46	27.9

ANT 1

For 802.11g Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.825	6.77	-18.5	25.27	Vertical	40	33.23
59.585	5.09	-19.2	24.29	Vertical	40	34.91
104.69	6	-18.8	24.8	Vertical	43.5	37.5
190.438	4.22	-19.4	23.62	Vertical	43.5	39.28
517.91	12.71	-10.2	22.91	Vertical	46	33.29
938.696	18.4	-2.9	21.3	Vertical	46	27.6

ANT MIMO

For 802.11n(HT20) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.2245	5.95	-18.3	24.25	Vertical	40	34.05
85.2415	4.75	-20.3	25.05	Vertical	40	35.25
117.6395	5.33	-19.4	24.73	Vertical	43.5	38.17
296.168	7.59	-15.9	23.49	Vertical	46	38.41
523.73	12.72	-10.1	22.82	Vertical	46	33.28
944.3705	18.5	-2.9	21.4	Vertical	46	27.5

ANT MIMO

For 802.11ax(HE20) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.072	5.37	-18.3	23.67	Vertical	40	34.63
58.615	5.72	-19.1	24.82	Vertical	40	34.28
113.1775	4.37	-19.1	23.47	Vertical	43.5	39.13
302.0365	7.33	-15.8	23.13	Vertical	46	38.67
521.208	12.4	-10.1	22.5	Vertical	46	33.6
940.248	18.31	-2.9	21.21	Vertical	46	27.69

ANT1

For 802.11b Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
43.6285	5.45	-18.4	23.85	Vertical	40	34.55
55.511	4.28	-18.8	23.08	Vertical	40	35.72
97.6575	5.94	-18.8	24.74	Vertical	43.5	37.56
282.006	6.92	-16.4	23.32	Vertical	46	39.08
488.616	11.42	-10.8	22.22	Vertical	46	34.58
829.1345	16.54	-4.5	21.04	Vertical	46	29.46

ANT1

For 802.11g Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.407	6.46	-18.5	24.96	Vertical	40	33.54
58.615	6.05	-19.1	25.15	Vertical	40	33.95
110.122	5.73	-18.9	24.63	Vertical	43.5	37.77
208.092	5.15	-18.6	23.75	Vertical	43.5	38.35
520.0925	12.78	-10.2	22.98	Vertical	46	33.22
904.8915	18.01	-3.3	21.31	Vertical	46	27.99

ANTMIMO

For 802.11n(HT20) Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.3585	6.47	-18.5	24.97	Vertical	40	33.53
59.3425	5.35	-19.2	24.55	Vertical	40	34.65
119.919	4.22	-19.6	23.82	Vertical	43.5	39.28
215.2215	5.22	-18.4	23.62	Vertical	43.5	38.28
512.672	12.56	-10.3	22.86	Vertical	46	33.44
939.5205	18.48	-2.9	21.38	Vertical	46	27.52

ANTMIMO

For 802.11ax(HE20) Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
45.229	6.82	-18.4	25.22	Vertical	40	33.18
54.056	5.59	-18.7	24.29	Vertical	40	34.41
98.385	6.1	-18.7	24.8	Vertical	43.5	37.4
215.076	5.3	-18.4	23.7	Vertical	43.5	38.2
524.991	12.95	-10.1	23.05	Vertical	46	33.05
942.3335	19	-2.9	21.9	Vertical	46	27

ANTMIMO

For 802.11n(HT40) Channel No.:3

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
38.924	6.48	-18.8	25.28	Vertical	40	33.52
57.2085	5.88	-19	24.88	Vertical	40	34.12

110.8495	5.92	-18.9	24.82	Vertical	43.5	37.58
254.3125	6.21	-17.2	23.41	Vertical	46	39.79
542.451	13.06	-9.6	22.66	Vertical	46	32.94
956.6895	18.46	-2.7	21.16	Vertical	46	27.54

ANTMIMO

For 802.11ax(HE40) Channel No.:3

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.1665	6.41	-18.8	25.21	Vertical	40	33.59
77.6755	3.35	-21.5	24.85	Vertical	40	36.65
117.203	5.37	-19.4	24.77	Vertical	43.5	38.13
293.549	7.16	-16	23.16	Vertical	46	38.84
482.796	11.35	-10.9	22.25	Vertical	46	34.65
944.807	18.19	-2.9	21.09	Vertical	46	27.81

ANTMIMO

For 802.11n(HT40) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.312	6.43	-18.7	25.13	Vertical	40	33.57
57.645	6.18	-19	25.18	Vertical	40	33.82
109.637	5.5	-18.9	24.4	Vertical	43.5	38
308.875	7.94	-15.6	23.54	Vertical	46	38.06
548.174	12.98	-9.5	22.48	Vertical	46	33.02
929.2385	18.43	-3	21.43	Vertical	46	27.57

ANTMIMO

For 802.11ax(HE40) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.855	6.46	-18.4	24.86	Vertical	40	33.54
57.6935	6.1	-19	25.1	Vertical	40	33.9
122.1985	4.62	-19.9	24.52	Vertical	43.5	38.88
306.256	7.64	-15.6	23.24	Vertical	46	38.36
554.2365	12.91	-9.3	22.21	Vertical	46	33.09
943.158	18.49	-2.9	21.39	Vertical	46	27.51

ANTMIMO

For 802.11n(HT40) Channel No.:9


Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
39.3605	6.42	-18.7	25.12	Vertical	40	33.58
57.548	6.08	-19	25.08	Vertical	40	33.92
104.2535	5.97	-18.8	24.77	Vertical	43.5	37.53
309.3115	7.86	-15.5	23.36	Vertical	46	38.14
520.2865	12.68	-10.2	22.88	Vertical	46	33.32
924.825	18.22	-3.1	21.32	Vertical	46	27.78

ANTMIMO

For 802.11ax(HE40) Channel No.:9

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.601	6.35	-18.6	24.95	Vertical	40	33.65
64.2895	5	-20.3	25.3	Vertical	40	35
111.286	5.84	-19	24.84	Vertical	43.5	37.66
289.8145	7.45	-16.1	23.55	Vertical	46	38.55
547.1555	13.07	-9.5	22.57	Vertical	46	32.93
932.3425	18.51	-3	21.51	Vertical	46	27.49

Full Spectrum




Frequency Range: 9kHz -30MHz

Detector: QP mode


Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.

Carrier frequency (MHz): 2412
Channel No.:1




Comment

Frequency Range 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11b




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11b

Full Spectrum




Frequency Range: 3GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11b

Full Spectrum



Frequency Range: 18GHz -26GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11b

Full Spectrum




Preview Result 1-PK+ FCC PART15 Final_Result QPK

Comment


Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11g

Full Spectrum




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11g

Full Spectrum




Frequency Range: 3GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11g

Full Spectrum



Frequency Range: 18GHz -26GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11g

Full Spectrum




Preview Result 1-PK+ FCC PART15 Final_Result QPK

Comment


Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 3GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 18GHz -26GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum




Preview Result 1-PK+ FCC PART15 Final_Result QPK

Comment


Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HT20)

Full Spectrum




Frequency Range: 3GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HT20)

Full Spectrum




Frequency Range: 18GHz -26GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11ax(HT20)

Carrier frequency (MHz): 2437
Channel No.:6




Comment

Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11b




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11b

Full Spectrum




Frequency Range: 3GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11b

Full Spectrum



Frequency Range: 18GHz -26GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11b

Full Spectrum




Preview Result 1-PK+ FCC PART15 Final_Result QPK

Comment


Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11g

Full Spectrum




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11g

Full Spectrum




Frequency Range: 3GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11g

Full Spectrum



Frequency Range: 18GHz -26GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11g

Full Spectrum




Preview Result 1-PK+ FCC PART15 Final_Result QPK

Comment


Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 3GHz -18GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum



Frequency Range: 18GHz -26GHz
 Detector: Av mode and PK mode
 Modulation type: 802.11n(HT20)

Full Spectrum




Preview Result 1-PK+ FCC PART15 Final_Result QPK

Comment

Frequency Range: 30MHz -1GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HT20)

Full Spectrum



Frequency Range: 1GHz -3GHz
Detector: Av mode and PK mode
Modulation type: 802.11ax(HT20)