



# Band edge measurement

Test Mode: 802.11b




Mode:802.11b Frequency:2412MHz Ant:Chain0




Mode:802.11b Frequency:2462MHz Ant:Chain0

Test Mode: 802.11g




Mode:802.11g Frequency:2412MHz Ant:Chain0




Mode:802.11g Frequency:2462MHz Ant:Chain0

Test Mode: 802.11n HT20




Mode:802.11n HT20 Frequency:2412MHz Ant:Chain0




Mode:802.11n HT20 Frequency:2462MHz Ant:Chain0

Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Frequency:2412MHz Ant:Chain0




Mode:802.11ax HE20 Frequency:2462MHz Ant:Chain0

Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Frequency:2422MHz Ant:Chain0




Mode:802.11ax HE40 Frequency:2452MHz Ant:Chain0

Test Mode: 802.11n HT40



Mode:802.11n HT40 Frequency:2422MHz Ant:Chain0




Mode:802.11n HT40 Frequency:2452MHz Ant:Chain0

**APPENDIX B – TEST DATA OF RADIATED EMISSION**


Note: The worst channel results are reflected in the report.

Note: The scanned graph represents the maximum of both horizontal and vertical polarizations and is not a single horizontal or vertical polarization scan.

**Radiated Emission Band Edge**




Radiated Emission Band Edge  
Channel No.:1  
Test Mode: 802.11b  
Polarization: V




Radiated Emission Band Edge  
Channel No.:1


Test Mode: 802.11b  
 Polarization: H




Radiated Emission Band Edge  
 Channel No.:11  
 Test Mode: 802.11b  
 Polarization: V




Radiated Emission Band Edge  
 Channel No.:11  
 Test Mode: 802.11b  
 Polarization: H




Radiated Emission Band Edge  
 Channel No.:1  
 Test Mode: 802.11g  
 Polarization: V




Radiated Emission Band Edge  
 Channel No.:1  
 Test Mode: 802.11g  
 Polarization: H




Radiated Emission Band Edge  
Channel No.:11  
Test Mode: 802.11g  
Polarization: V




Radiated Emission Band Edge  
Channel No.:11  
Test Mode: 802.11g  
Polarization: H




Radiated Emission Band Edge  
Channel No.:1  
Test Mode: 802.11n(HT20)  
Polarization: V



Radiated Emission Band Edge  
Channel No.:1  
Test Mode: 802.11n(HT20)  
Polarization: H




Radiated Emission Band Edge  
 Channel No.:11  
 Test Mode: 802.11n(HT20)  
 Polarization: V




Radiated Emission Band Edge  
 Channel No.:11  
 Test Mode: 802.11n(HT20)  
 Polarization: H







Radiated Emission Band Edge  
Channel No.:1  
Test Mode: 802.11ax(HE20)  
Polarization: V




Radiated Emission Band Edge  
Channel No.:1  
Test Mode: 802.11ax(HE20)  
Polarization: H




Radiated Emission Band Edge  
 Channel No.:11  
 Test Mode: 802.11ax(HE20)  
 Polarization: V




Radiated Emission Band Edge  
 Channel No.:11  
 Test Mode: 802.11ax(HE20)  
 Polarization: H




Radiated Emission Band Edge  
Channel No.:3  
Test Mode: 802.11n(HT40)  
Polarization: V




Radiated Emission Band Edge  
Channel No.:3  
Test Mode: 802.11n(HT40)  
Polarization: H




Radiated Emission Band Edge  
 Channel No.:9  
 Test Mode: 802.11n(HT40)  
 Polarization: V




Radiated Emission Band Edge  
 Channel No.:9  
 Test Mode: 802.11n(HT40)  
 Polarization: H




Radiated Emission Band Edge  
Channel No.:3  
Test Mode: 802.11ax(HE40)  
Polarization: V



Radiated Emission Band Edge  
Channel No.:3  
Test Mode: 802.11ax(HE40)  
Polarization: H



Radiated Emission Band Edge  
Channel No.:9  
Test Mode: 802.11ax(HE40)  
Polarization: V



Radiated Emission Band Edge  
Channel No.:9  
Test Mode: 802.11ax(HE40)  
Polarization: H

### Sample Calculations

After comparison, the worst case attitude is EUT lay down.  
Determining Spurious Emissions Levels

A “reference path loss” is established and the  $A_{Rpl}$  is the attenuation of “reference path loss”, and including the gain of receive antenna, the gain of the preamplifier, the cable loss. The measurement results are obtained as described below:

$$\text{Result} = P_{\text{mea}} + A_{Rpl}$$

Sample calculation:  $(15.88 \text{ dB}\mu\text{V/m}) = (34.58 \text{ dB}\mu\text{V}) + (-18.7 \text{ dB/m})$ , the corresponding frequency is 47.072MHz.

For 802.11b Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.072	15.88	-18.7	34.58	Vertical	40	24.12
96.3965	24.48	-19.3	43.78	Vertical	43.5	19.02
167.9825	17.52	-21.4	38.92	Vertical	43.5	25.98
263.964	20.85	-17.3	38.15	Vertical	46	25.15
494.7755	14.25	-11.1	25.35	Vertical	46	31.75
919.6355	17.77	-3.4	21.17	Vertical	46	28.23

For 802.11g Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.072	15.9	-18.7	34.6	Vertical	40	24.1
96.3965	23.66	-19.3	42.96	Vertical	43.5	19.84
167.9825	16.84	-21.4	38.24	Vertical	43.5	26.66
263.964	20.29	-17.3	37.59	Vertical	46	25.71
437.497	19.08	-12.4	31.48	Vertical	46	26.92
943.8855	17.92	-3.3	21.22	Vertical	46	28.08

For 802.11n(HT20) Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
47.072	15.91	-18.7	34.61	Vertical	40	24.09
96.0085	24.43	-19.3	43.73	Vertical	43.5	19.07
119.9675	16.64	-20	36.64	Vertical	43.5	26.86
263.964	20.46	-17.3	37.76	Vertical	46	25.54
495.018	15.02	-11.1	26.12	Vertical	46	30.98
952.3245	17.89	-3.2	21.09	Vertical	46	28.11

For 802.11ax(HE20) Channel No.:1

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
52.7465	6.63	-18.9	25.53	Vertical	40	33.37
96.445	24.27	-19.3	43.57	Vertical	43.5	19.23

156.7305	15.59	-21.8	37.39	Vertical	43.5	27.91
204.988	6.49	-19.1	25.59	Vertical	43.5	37.01
515	17.15	-10.5	27.65	Vertical	46	28.85
929.578	17.82	-3.3	21.12	Vertical	46	28.18

For 802.11b Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.9035	6.66	-18.7	25.36	Vertical	40	33.34
96.445	23.57	-19.3	42.87	Vertical	43.5	19.93
156.682	10.68	-21.8	32.48	Vertical	43.5	32.82
265.225	12.47	-17.2	29.67	Vertical	46	33.53
512.478	16.87	-10.6	27.47	Vertical	46	29.13
945.195	17.95	-3.3	21.25	Vertical	46	28.05

For 802.11g Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.1455	8.08	-20.6	28.68	Vertical	40	31.92
96.4935	24.29	-19.3	43.59	Vertical	43.5	19.21
156.8275	15.84	-21.8	37.64	Vertical	43.5	27.66
265.419	13.62	-17.2	30.82	Vertical	46	32.38
519.9955	16.89	-10.5	27.39	Vertical	46	29.11
923.6125	17.71	-3.4	21.11	Vertical	46	28.29

For 802.11n(HT20) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
50.3215	6.13	-18.7	24.83	Vertical	40	33.87
96.542	24.4	-19.3	43.7	Vertical	43.5	19.1
96.5905	21.03	-19.3	40.33	Vertical	43.5	22.47
265.3705	13.24	-17.2	30.44	Vertical	46	32.76
510.0045	17.18	-10.7	27.88	Vertical	46	28.82
942.9155	17.93	-3.3	21.23	Vertical	46	28.07

For 802.11ax(HE20) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
30.388	7.52	-20.6	28.12	Vertical	40	32.48
96.4935	22.48	-19.3	41.78	Vertical	43.5	21.02
96.5905	23.88	-19.3	43.18	Vertical	43.5	19.62
265.4675	13.46	-17.2	30.66	Vertical	46	32.54
510.0045	17.13	-10.7	27.83	Vertical	46	28.87
879.3805	16.99	-4.1	21.09	Vertical	46	29.01



For 802.11b Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
43.968	5.83	-18.8	24.63	Vertical	40	34.17
96.542	23.64	-19.3	42.94	Vertical	43.5	19.86
96.5905	24.44	-19.3	43.74	Vertical	43.5	19.06
289.7175	9.72	-16.5	26.22	Vertical	46	36.28
515	17.11	-10.5	27.61	Vertical	46	28.89
903.0485	17.55	-3.6	21.15	Vertical	46	28.45

For 802.11g Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.146	6.52	-18.7	25.22	Vertical	40	33.48
96.542	22.53	-19.3	41.83	Vertical	43.5	20.97
96.5905	24.35	-19.3	43.65	Vertical	43.5	19.15
265.613	13.68	-17.2	30.88	Vertical	46	32.32
437.497	18.09	-12.4	30.49	Vertical	46	27.91
952.47	17.99	-3.2	21.19	Vertical	46	28.01

For 802.11n(HT20) Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
51.922	6.68	-18.8	25.48	Vertical	40	33.32
96.542	19.65	-19.3	38.95	Vertical	43.5	23.85
96.5905	23.69	-19.3	42.99	Vertical	43.5	19.81
265.71	13.95	-17.2	31.15	Vertical	46	32.05
519.9955	16.85	-10.5	27.35	Vertical	46	29.15
934.0885	17.92	-3.3	21.22	Vertical	46	28.08

For 802.11ax(HE20) Channel No.:11

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
44.744	6.29	-18.8	25.09	Vertical	40	33.71
96.542	14.93	-19.3	34.23	Vertical	43.5	28.57
96.5905	22.88	-19.3	42.18	Vertical	43.5	20.62
265.6615	11.57	-17.2	28.77	Vertical	46	34.43
515	17.12	-10.5	27.62	Vertical	46	28.88
931.615	17.91	-3.3	21.21	Vertical	46	28.09

For 802.11n(HT40) Channel No.:3

Frequency(MHz)	Result(dBuV/m)	ARpl	Pmea	Polarity	Limit	Margin
----------------	----------------	------	------	----------	-------	--------

		(dB)	(dBuV/m)		(dBuV/m)	(dB)
52.116	6.66	-18.8	25.46	Vertical	40	33.34
72.486	15.84	-21.9	37.74	Vertical	40	24.16
96.639	24.06	-19.3	43.36	Vertical	43.5	19.44
265.8555	14.22	-17.2	31.42	Vertical	46	31.78
522.5175	15.99	-10.5	26.49	Vertical	46	30.01
950.627	17.91	-3.2	21.11	Vertical	46	28.09

For 802.11ax(HE40) Channel No.:3

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
35.2865	14.07	-20	34.07	Vertical	40	25.93
84.1745	31.03	-21.2	52.23	Vertical	40	8.97
150.28	26.21	-22.7	48.91	Vertical	43.5	17.29
180.35	23.17	-21.4	44.57	Vertical	43.5	20.33
498.1705	17.15	-12.3	29.45	Vertical	46	28.85
997.478	25.61	-4.7	30.31	Vertical	54	28.39

For 802.11n(HT40) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.668	14.36	-19.3	33.66	Vertical	40	25.64
84.126	29.1	-21.2	50.3	Vertical	40	10.9
150.28	25.88	-22.7	48.58	Vertical	43.5	17.62
180.35	23.18	-21.4	44.58	Vertical	43.5	20.32
492.981	20.25	-12.4	32.65	Vertical	46	25.75
996.5565	25.91	-4.7	30.61	Vertical	54	28.09

For 802.11ax(HE40) Channel No.:6

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
33.88	14.76	-20.2	34.96	Vertical	40	25.24
84.126	29.12	-21.2	50.32	Vertical	40	10.88
150.28	25.85	-22.7	48.55	Vertical	43.5	17.65
180.35	23.1	-21.4	44.5	Vertical	43.5	20.4
348.6935	17.6	-15.7	33.3	Vertical	46	28.4
998.8845	26.36	-4.7	31.06	Vertical	54	27.64

For 802.11n(HT40) Channel No.:9


Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
53.8135	15.53	-19.3	34.83	Vertical	40	24.47
84.126	29.12	-21.2	50.32	Vertical	40	10.88

150.28	25.84	-22.7	48.54	Vertical	43.5	17.66
180.35	23.21	-21.4	44.61	Vertical	43.5	20.29
331.9125	18.46	-16.2	34.66	Vertical	46	27.54
996.1685	26.02	-4.7	30.72	Vertical	54	27.98

For 802.11ax(HE40) Channel No.:9

Frequency(MHz)	Result(dBuV/m)	ARpl (dB)	Pmea (dBuV/m)	Polarity	Limit (dBuV/m)	Margin (dB)
34.365	13.9	-20.1	34	Vertical	40	26.1
84.126	29.11	-21.2	50.31	Vertical	40	10.89
150.28	25.84	-22.7	48.54	Vertical	43.5	17.66
180.35	23.12	-21.4	44.52	Vertical	43.5	20.38
492.981	20.23	-12.4	32.63	Vertical	46	25.77
996.3625	25.26	-4.7	29.96	Vertical	54	28.74

Full Spectrum



Frequency Range: 9kHz -30MHz


Detector: QP mode

Note: The relevant tests have been performed in order to verify in which mode would have the worst features, the result show above is the worst case.

Carrier frequency (MHz): 2412


Channel No.:1

Full Spectrum




Frequency Range 30MHz -1GHz  
Detector: QP mode  
Modulation type: 802.11b

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11b

Full Spectrum




Frequency Range: 3GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11b

Full Spectrum




Frequency Range: 18GHz -26GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11b

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Modulation type: 802.11g

Full Spectrum




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11g

Full Spectrum



Frequency Range: 3GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11g


Full Spectrum



Frequency Range: 18GHz -26GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11g




Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector:QP mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 3GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -26GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Modulation type: 802.11 ax(HE20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11 ax(HE20)

Full Spectrum



Frequency Range: 3GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11 ax(HE20)


Full Spectrum



Frequency Range: 18GHz -26GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11 ax(HE20)


Carrier frequency (MHz): 2437  
 Channel No.:6

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Modulation type: 802.11b

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11b

Full Spectrum




Frequency Range: 3GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11b

Full Spectrum




Frequency Range: 18GHz -26GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11b

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Modulation type: 802.11g

Full Spectrum




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11g

Full Spectrum



Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g


Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11g




Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector:QP mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 3GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -26GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Modulation type: 802.11 ax(HE20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11 ax(HE20)

Full Spectrum



Frequency Range: 3GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11 ax(HE20)


Full Spectrum



Frequency Range: 18GHz -26GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11 ax(HE20)


Carrier frequency (MHz): 2462  
 Channel No.:11

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Modulation type: 802.11b

Full Spectrum




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11b

Full Spectrum




Frequency Range: 3GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11b

Full Spectrum




Frequency Range: 18GHz -26GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11b

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector:QP mode  
 Modulation type: 802.11g

Full Spectrum




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11g

Full Spectrum



Frequency Range: 3GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11g


Full Spectrum



Frequency Range: 18GHz -26GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11g




Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 3GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 18GHz -26GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT20)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Modulation type: 802.11 ax(HE20)

Full Spectrum




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11 ax(HE20)

Full Spectrum



Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11 ax(HE20)


Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11 ax(HE20)


Carrier frequency (MHz): 2422  
Channel No.:3

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 3GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -26GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz  
 Detector:QP mode  
 Modulation type: 802.11 ax(HE40)

Full Spectrum




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11 ax(HE40)

Full Spectrum



Frequency Range: 3GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11 ax(HE40)

Full Spectrum




Frequency Range: 18GHz -26GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11 ax(HE40)


Carrier frequency (MHz): 2437



Channel No.:6




Frequency Range: 30MHz -1GHz  
 Detector: QP mode  
 Modulation type: 802.11n(HT40)




Frequency Range: 1GHz -3GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 3GHz -18GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 18GHz -26GHz  
 Detector: Av mode and PK mode  
 Modulation type: 802.11n(HT40)

Full Spectrum




Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Modulation type: 802.11 ax(HE40)

Full Spectrum




Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11 ax(HE40)

Full Spectrum



Frequency Range: 3GHz -18GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11 ax(HE40)


Full Spectrum



Frequency Range: 18GHz -26GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11 ax(HE40)


Carrier frequency (MHz): 2452  
Channel No.:9

Full Spectrum



Frequency Range: 30MHz -1GHz  
Detector: QP mode  
Modulation type: 802.11n(HT40)

Full Spectrum



Frequency Range: 1GHz -3GHz  
Detector: Av mode and PK mode  
Modulation type: 802.11n(HT40)