




Produkte
 Products




Produkte
 Products

802.11ac20, MIMO, Ant1







Produkte
Products



Produkte
Products


802.11n-HT40, MIMO, Ant1






Produkte
Products


802.11ac40, MIMO, Ant1





Produkte
Products

802.11ac80, MIMO, Ant1



3. Maximum conducted output power

Channel (mode) SISO	Channel Frequency (MHz)	RF Output Power (Ant0)		Limit (mW)	Result
		dBm	mW		
36 (802.11a)	5180	16.80	47.86	250	Pass
40 (802.11a)	5200	16.23	41.98	250	Pass
48 (802.11a)	5240	16.37	43.35	250	Pass
52 (802.11a)	5260	16.43	43.95	250	Pass
56 (802.11a)	5280	16.74	47.21	250	Pass
64 (802.11a)	5320	16.64	46.13	250	Pass
100 (802.11a)	5500	16.04	40.18	250	Pass
120 (802.11a)	5600	15.64	36.64	250	Pass
140 (802.11a)	5700	15.25	33.50	250	Pass
149 (802.11a)	5745	15.30	33.88	1000	Pass
157 (802.11a)	5785	15.26	33.57	1000	Pass
165 (802.11a)	5825	15.66	36.81	1000	Pass

Channel (mode) SISO	Channel Frequency (MHz)	RF Output Power (Ant0)		Limit (mW)	Result
		dBm	mW		
36 (802.11n-HT20)	5180	15.12	32.51	250	Pass
40 (802.11n-HT20)	5200	15.16	32.81	250	Pass
48 (802.11n-HT20)	5240	14.67	29.31	250	Pass
52 (802.11n-HT20)	5260	15.34	34.20	250	Pass
56 (802.11n-HT20)	5280	15.19	33.04	250	Pass
64 (802.11n-HT20)	5320	15.03	31.84	250	Pass
100 (802.11n-HT20)	5500	14.47	27.99	250	Pass
120 (802.11n-HT20)	5600	13.99	25.06	250	Pass
140 (802.11n-HT20)	5700	14.27	26.73	250	Pass
149 (802.11n-HT20)	5745	14.23	26.49	1000	Pass
157 (802.11n-HT20)	5785	14.33	27.10	1000	Pass
165 (802.11n-HT20)	5825	14.09	25.64	1000	Pass

Channel (mode) SISO	Channel Frequency (MHz)	RF Output Power (Ant0)		Limit (mW)	Result
		dBm	mW		
36 (802.11ac20)	5180	15.71	37.24	250	Pass
40 (802.11ac20)	5200	15.48	35.32	250	Pass
48 (802.11ac20)	5240	14.72	29.65	250	Pass
52 (802.11ac20)	5260	15.75	37.58	250	Pass
56 (802.11ac20)	5280	15.10	32.36	250	Pass
64 (802.11ac20)	5320	15.06	32.06	250	Pass
100 (802.11ac20)	5500	14.98	31.48	250	Pass
120 (802.11ac20)	5600	14.34	27.16	250	Pass
140 (802.11ac20)	5700	14.25	26.61	250	Pass
149 (802.11ac20)	5745	14.12	25.82	1000	Pass
157 (802.11ac20)	5785	14.32	27.04	1000	Pass
165 (802.11ac20)	5825	14.36	27.29	1000	Pass

Channel (mode) SISO	Channel Frequency (MHz)	RF Output Power (Ant0)		Limit (mW)	Result
		dBm	mW		
38 (802.11n-HT40)	5190	15.59	36.22	250	Pass
46 (802.11n-HT40)	5230	15.25	33.50	250	Pass
54 (802.11n-HT40)	5270	15.24	33.42	250	Pass
62 (802.11n-HT40)	5310	15.49	35.40	250	Pass
102 (802.11n-HT40)	5510	14.23	26.49	250	Pass
118 (802.11n-HT40)	5590	14.31	26.98	250	Pass
134 (802.11n-HT40)	5670	13.92	24.66	1000	Pass
151 (802.11n-HT40)	5755	13.90	24.55	1000	Pass
159 (802.11n-HT40)	5795	14.15	26.00	1000	Pass

Channel (mode) SISO	Channel Frequency (MHz)	RF Output Power (Ant0)		Limit (mW)	Result
		dBm	mW		
38 (802.11ac40)	5190	15.64	36.64	250	Pass
46 (802.11ac40)	5230	15.32	34.04	250	Pass
54 (802.11ac40)	5270	15.33	34.12	250	Pass
62 (802.11ac40)	5310	15.57	36.06	250	Pass
102 (802.11ac40)	5510	14.54	28.44	250	Pass
118 (802.11ac40)	5590	14.65	29.17	250	Pass
134 (802.11ac40)	5670	14.67	29.31	1000	Pass
151 (802.11ac40)	5755	14.72	29.65	1000	Pass
159 (802.11ac40)	5795	14.70	29.51	1000	Pass

Channel (mode) SISO	Channel Frequency (MHz)	RF Output Power (Ant0)		Limit (mW)	Result
		dBm	mW		
42 (802.11ac80)	5210	13.84	24.21	250	Pass
58 (802.11ac80)	5290	14.06	25.47	250	Pass
106 (802.11ac80)	5530	12.61	18.24	250	Pass
122 (802.11ac80)	5610	13.06	20.23	250	Pass
155 (802.11ac80)	5775	13.05	20.18	1000	Pass

Channel (mode) MIMO	Channel Frequency (MHz)	RF Output Power (Ant0+Ant1)				Limit (mW)	Result	
		dBm		mW				
		Ant0	Ant1	Ant0	Ant1			Total (mW)
36 (802.11n-HT20)	5180	15.13	14.99	32.58	31.55	64.13	250	Pass
40 (802.11n-HT20)	5200	15.22	15.03	33.27	31.84	65.11	250	Pass
48 (802.11n-HT20)	5240	15.22	14.88	33.27	30.76	64.03	250	Pass
52 (802.11n-HT20)	5260	15.44	15.33	34.99	34.12	69.11	250	Pass
56 (802.11n-HT20)	5280	15.19	15.33	33.04	34.12	67.16	250	Pass
64 (802.11n-HT20)	5320	15.42	15.07	34.83	32.14	66.97	250	Pass
100 (802.11n-HT20)	5500	14.60	15.10	28.84	32.36	61.20	250	Pass
120 (802.11n-HT20)	5600	14.52	14.95	28.31	31.26	59.57	250	Pass
140 (802.11n-HT20)	5700	14.49	14.73	28.12	29.72	57.84	250	Pass
149 (802.11n-HT20)	5745	14.45	14.65	27.86	29.17	57.04	1000	Pass
157 (802.11n-HT20)	5785	14.48	14.09	28.05	25.64	53.70	1000	Pass
165 (802.11n-HT20)	5825	14.30	14.37	26.92	27.35	54.27	1000	Pass

Channel (mode) MIMO	Channel Frequency (MHz)	RF Output Power (Ant0+Ant1)					Limit (mW)	Result
		dBm		mW		Total (mW)		
		Ant0	Ant1	Ant0	Ant1			
36 (802.11ac20)	5180	15.70	15.18	37.15	32.96	70.11	250	Pass
40 (802.11ac20)	5200	16.00	15.06	39.81	32.06	71.87	250	Pass
48 (802.11ac20)	5240	15.97	14.94	39.54	31.19	70.73	250	Pass
52 (802.11ac20)	5260	15.96	15.20	39.45	33.11	72.56	250	Pass
56 (802.11ac20)	5280	15.75	15.01	37.58	31.70	69.28	250	Pass
64 (802.11ac20)	5320	15.83	15.16	38.28	32.81	71.09	250	Pass
100 (802.11ac20)	5500	15.11	14.73	32.43	29.72	62.15	250	Pass
120 (802.11ac20)	5600	14.98	14.97	31.48	31.41	62.88	250	Pass
140 (802.11ac20)	5700	14.62	14.72	28.97	29.65	58.62	250	Pass
149 (802.11ac20)	5745	14.54	14.31	28.44	26.98	55.42	1000	Pass
157 (802.11ac20)	5785	14.56	14.25	28.58	26.61	55.18	1000	Pass
165 (802.11ac20)	5825	14.68	14.33	29.38	27.10	56.48	1000	Pass

Channel (mode) MIMO	Channel Frequency (MHz)	RF Output Power (Ant0+Ant1)					Limit (mW)	Result
		dBm		mW		Total (mW)		
		Ant0	Ant1	Ant0	Ant1			
38 (802.11n-HT40)	5190	15.82	15.62	38.19	36.48	74.67	250	Pass
46 (802.11n-HT40)	5230	15.70	15.68	37.15	36.98	74.14	250	Pass
54 (802.11n-HT40)	5270	15.60	15.66	36.31	36.81	73.12	250	Pass
62 (802.11n-HT40)	5310	15.62	15.39	36.48	34.59	71.07	250	Pass
102 (802.11n-HT40)	5510	14.56	14.40	28.58	27.54	56.12	250	Pass
118 (802.11n-HT40)	5590	14.65	14.30	29.17	26.92	56.09	250	Pass
134 (802.11n-HT40)	5670	14.27	14.20	26.73	26.30	53.03	1000	Pass
151 (802.11n-HT40)	5755	14.09	14.22	25.64	26.42	52.07	1000	Pass
159 (802.11n-HT40)	5795	14.22	14.37	26.42	27.35	53.78	1000	Pass

Channel (mode) MIMO	Channel Frequency (MHz)	RF Output Power (Ant0+Ant1)					Limit (mW)	Result
		dBm		mW		Total (mW)		
		Ant0	Ant1	Ant0	Ant1			
38 (802.11ac40)	5190	15.68	15.65	36.98	36.73	73.71	250	Pass
46 (802.11ac40)	5230	15.62	15.55	36.48	35.89	72.37	250	Pass
54 (802.11ac40)	5270	15.35	15.67	34.28	36.90	71.17	250	Pass
62 (802.11ac40)	5310	15.85	15.80	38.46	38.02	76.48	250	Pass
102 (802.11ac40)	5510	14.88	14.69	30.76	29.44	60.21	250	Pass
118 (802.11ac40)	5590	14.39	14.08	27.48	25.59	53.06	250	Pass
134 (802.11ac40)	5670	14.48	14.39	28.05	27.48	55.53	1000	Pass
151 (802.11ac40)	5755	14.28	14.02	26.79	25.23	52.03	1000	Pass
159 (802.11ac40)	5795	14.39	14.32	27.48	27.04	54.52	1000	Pass

Channel (mode) MIMO	Channel Frequency (MHz)	RF Output Power (Ant0+Ant1)					Limit (mW)	Result
		dBm		mW		Total (mW)		
		Ant0	Ant1	Ant0	Ant1			
42 (802.11ac80)	5210	13.63	13.92	23.07	24.66	47.73	250	Pass
58 (802.11ac80)	5290	13.95	14.32	24.83	27.04	51.87	250	Pass
106 (802.11ac80)	5530	13.25	12.92	21.13	19.59	40.72	250	Pass
122 (802.11ac80)	5610	13.31	13.18	21.43	20.80	42.23	250	Pass
155 (802.11ac80)	5775	13.25	13.16	21.13	20.70	41.84	1000	Pass

Note: The maximum conducted output power measured using a broadband RF power meter.

4. Power Spectral Density

4.1 Test Datas

Channel (mode) SISO	Channel Frequency (MHz)	Power Spectral Density (Ant0)	Limit (dBm/MHz)	Result
		dBm/MHz		
36 (802.11a)	5180	2.636	11	Pass
40 (802.11a)	5200	3.382	11	Pass
48 (802.11a)	5240	3.058	11	Pass
52 (802.11a)	5260	3.176	11	Pass
56 (802.11a)	5280	3.170	11	Pass
64 (802.11a)	5320	3.060	11	Pass
100 (802.11a)	5500	2.063	11	Pass
120 (802.11a)	5600	1.698	11	Pass
140 (802.11a)	5700	1.649	11	Pass

Channel (mode) SISO	Channel Frequency (MHz)	Power Spectral Density (Ant0)	Limit (dBm/500KHz)	Result
		dBm/500KHz		
149 (802.11a)	5745	-0.931	30	Pass
157 (802.11a)	5785	-1.025	30	Pass
165 (802.11a)	5825	4.076	30	Pass

Channel (mode) SISO	Channel Frequency (MHz)	Power Spectral Density (Ant0)	Limit (dBm/MHz)	Result
		dBm/MHz		
36 (802.11n-HT20)	5180	1.168	11	Pass
40 (802.11n-HT20)	5200	0.594	11	Pass
48 (802.11n-HT20)	5240	1.614	11	Pass
52 (802.11n-HT20)	5260	1.463	11	Pass
56 (802.11n-HT20)	5280	1.406	11	Pass
64 (802.11n-HT20)	5320	1.571	11	Pass
100 (802.11n-HT20)	5500	0.156	11	Pass
120 (802.11n-HT20)	5600	0.435	11	Pass
140 (802.11n-HT20)	5700	-0.268	11	Pass

Channel (mode) SISO	Channel Frequency (MHz)	Power Spectral Density (Ant0)	Limit (dBm/500KHz)	Result
		dBm/500KHz		
149 (802.11n-HT20)	5745	-3.332	30	Pass
157 (802.11n-HT20)	5785	-2.858	30	Pass
165 (802.11n-HT20)	5825	-3.138	30	Pass

Produkte

Products

Channel (mode) SISO	Channel Frequency (MHz)	Power Spectral Density (Ant0)	Limit (dBm/MHz)	Result
		dBm/MHz		
36 (802.11ac20)	5180	1.298	11	Pass
40 (802.11ac20)	5200	1.041	11	Pass
48 (802.11ac20)	5240	1.248	11	Pass
52 (802.11ac20)	5260	0.968	11	Pass
56 (802.11ac20)	5280	1.540	11	Pass
64 (802.11ac20)	5320	1.355	11	Pass
100 (802.11ac20)	5500	0.604	11	Pass
120 (802.11ac20)	5600	0.036	11	Pass
140 (802.11ac20)	5700	-0.204	11	Pass

Channel (mode) SISO	Channel Frequency (MHz)	Power Spectral Density (Ant0)	Limit (dBm/500KHz)	Result
		dBm/500KHz		
149 (802.11ac20)	5745	-3.183	30	Pass
157 (802.11ac20)	5785	-2.456	30	Pass
165 (802.11ac20)	5825	-3.570	30	Pass

Channel (mode) SISO	Channel Frequency (MHz)	Power Spectral Density (Ant0)	Limit (dBm/MHz)	Result
		dBm/MHz		
38 (802.11n-HT40)	5190	-2.382	11	Pass
46 (802.11n-HT40)	5230	-2.714	11	Pass
54 (802.11n-HT40)	5270	-2.563	11	Pass
62 (802.11n-HT40)	5310	-2.875	11	Pass
102 (802.11n-HT40)	5510	-3.835	11	Pass
118 (802.11n-HT40)	5590	-4.287	11	Pass
134 (802.11n-HT40)	5670	-4.496	11	Pass

Channel (mode) SISO	Channel Frequency (MHz)	Power Spectral Density (Ant0)	Limit (dBm/500KHz)	Result
		dBm/500KHz		
151 (802.11n-HT40)	5755	-7.304	30	Pass
159 (802.11n-HT40)	5795	-6.978	30	Pass

Channel (mode) SISO	Channel Frequency (MHz)	Power Spectral Density (Ant0)	Limit (dBm/MHz)	Result
		dBm/MHz		
38 (802.11ac40)	5190	-2.582	11	Pass
46 (802.11ac40)	5230	-1.807	11	Pass
54 (802.11ac40)	5270	-2.381	11	Pass
62 (802.11ac40)	5310	-2.123	11	Pass
102 (802.11ac40)	5510	-2.807	11	Pass
118 (802.11ac40)	5590	-2.875	11	Pass
134 (802.11ac40)	5670	-2.969	11	Pass

Channel (mode) SISO	Channel Frequency (MHz)	Power Spectral Density (Ant0)			Limit (dBm/500KHz)	Result
		dBm/500KHz				
151 (802.11ac40)	5755	-6.653			30	Pass
159 (802.11ac40)	5795	-6.228			30	Pass

Channel (mode) SISO	Channel Frequency (MHz)	Power Spectral Density (Ant0)			Limit (dBm/MHz)	Result
		dBm/MHz				
42 (802.11ac80)	5210	-7.554			11	Pass
58 (802.11ac80)	5290	-8.015			11	Pass
106 (802.11ac80)	5530	-8.643			11	Pass
122 (802.11ac80)	5610	-9.545			11	Pass

Channel (mode) SISO	Channel Frequency (MHz)	Power Spectral Density (Ant0)			Limit (dBm/500KHz)	Result
		dBm/500KHz				
155 (802.11ac80)	5775	-13.015			30	Pass

Channel (mode) MIMO	Channel Frequency (MHz)	Power Spectral Density (Ant0+Ant1)			Limit (dBm/MHz)	Result
		dBm/MHz				
		Ant0	Ant1	Total		
36 (802.11n-HT20)	5180	1.193	1.356	4.29	11	Pass
40 (802.11n-HT20)	5200	0.979	1.125	4.06	11	Pass
48 (802.11n-HT20)	5240	1.244	1.522	4.40	11	Pass
52 (802.11n-HT20)	5260	1.594	1.072	4.35	11	Pass
56 (802.11n-HT20)	5280	1.452	1.383	4.43	11	Pass
64 (802.11n-HT20)	5320	1.873	1.891	4.89	11	Pass
100 (802.11n-HT20)	5500	0.022	0.500	3.28	11	Pass
120 (802.11n-HT20)	5600	0.086	0.323	3.22	11	Pass
140 (802.11n-HT20)	5700	-0.216	0.059	2.93	11	Pass

Channel (mode) MIMO	Channel Frequency (MHz)	Power Spectral Density (Ant0+Ant1)			Limit (dBm/500KHz)	Result
		dBm/500KHz				
		Ant0	Ant1	Total		
149 (802.11n-HT20)	5745	-2.656	-2.823	0.27	30	Pass
157 (802.11n-HT20)	5785	-2.781	-2.960	0.14	30	Pass
165 (802.11n-HT20)	5825	-2.694	-3.259	0.04	30	Pass

Channel (mode) MIMO	Channel Frequency (MHz)	Power Spectral Density (Ant0+Ant1)			Limit (dBm/MHz)	Result
		(dBm/MHz)				
		Ant0	Ant1	Total		
36 (802.11ac20)	5180	1.410	1.714	4.57	11	Pass
40 (802.11ac20)	5200	1.013	0.918	3.98	11	Pass
48 (802.11ac20)	5240	1.851	1.585	4.73	11	Pass
52 (802.11ac20)	5260	1.991	1.462	4.74	11	Pass
56 (802.11ac20)	5280	1.287	1.311	4.31	11	Pass
64 (802.11ac20)	5320	2.049	1.854	4.96	11	Pass
100 (802.11ac20)	5500	0.552	0.461	3.52	11	Pass
120 (802.11ac20)	5600	-0.051	-0.170	2.90	11	Pass
140 (802.11ac20)	5700	-0.135	0.045	2.97	11	Pass

Channel (mode) MIMO	Channel Frequency (MHz)	Power Spectral Density (Ant0+Ant1)			Limit (dBm/500KHz)	Result
		dBm/500KHz				
		Ant0	Ant1	Total		
149 (802.11ac20)	5745	-3.313	-3.146	-0.22	30	Pass
157 (802.11ac20)	5785	-2.536	-2.970	0.26	30	Pass
165 (802.11ac20)	5825	-2.800	-3.088	0.07	30	Pass

Channel (mode) MIMO	Channel Frequency (MHz)	Power Spectral Density (Ant0+Ant1)			Limit (dBm/MHz)	Result
		(dBm/MHz)				
		Ant0	Ant1	Total		
38 (802.11n-HT40)	5190	-3.430	-3.142	-0.27	11	Pass
46 (802.11n-HT40)	5230	-2.689	-3.208	0.07	11	Pass
54 (802.11n-HT40)	5270	-2.865	-2.698	0.23	11	Pass
62 (802.11n-HT40)	5310	-2.897	-3.216	-0.04	11	Pass
102 (802.11n-HT40)	5510	-3.605	-4.049	-0.81	11	Pass
118 (802.11n-HT40)	5590	-3.917	-4.055	-0.98	11	Pass
134 (802.11n-HT40)	5670	-4.264	-3.819	-1.03	11	Pass

Channel (mode) MIMO	Channel Frequency (MHz)	Power Spectral Density (Ant0+Ant1)			Limit (dBm/500KHz)	Result
		(dBm/500KHz)				
		Ant0	Ant1	Total		
151 (802.11n-HT40)	5755	-6.916	-7.845	-4.35	30	Pass
159 (802.11n-HT40)	5795	-7.269	-7.503	-4.37	30	Pass

Channel (mode) MIMO	Channel Frequency (MHz)	Power Spectral Density (Ant0+Ant1)			Limit (dBm/MHz)	Result
		(dBm/MHz)				
		Ant0	Ant1	Total		
38 (802.11ac40)	5190	-2.116	-2.278	0.81	11	Pass
46 (802.11ac40)	5230	-2.610	-2.393	0.51	11	Pass
54 (802.11ac40)	5270	-2.255	-2.154	0.81	11	Pass
62 (802.11ac40)	5310	-2.087	-1.733	1.10	11	Pass
102 (802.11ac40)	5510	-2.734	-2.943	0.17	11	Pass
118 (802.11ac40)	5590	-3.024	-2.585	0.21	11	Pass
134 (802.11ac40)	5670	-3.591	-3.240	-0.40	11	Pass

Produkte

Products


Channel (mode) MIMO	Channel Frequency (MHz)	Power Spectral Density (Ant0+Ant1)			Limit (dBm/500KHz)	Result
		(dBm/500KHz)				
		Ant0	Ant1	Total		
151 (802.11ac40)	5755	-6.666	-6.342	-3.49	30	Pass
159 (802.11ac40)	5795	-6.319	-6.245	-3.27	30	Pass

Channel (mode) MIMO	Channel Frequency (MHz)	Power Spectral Density (Ant0+Ant1)			Limit (dBm/MHz)	Result
		(dBm/MHz)				
		Ant0	Ant1	Total		
42 (802.11ac80)	5210	-8.089	-8.066	-5.07	11	Pass
58 (802.11ac80)	5290	-7.682	-7.971	-4.81	11	Pass
106 (802.11ac80)	5530	-9.091	-9.195	-6.13	11	Pass
122 (802.11ac80)	5610	-9.593	-9.241	-6.40	11	Pass


Channel (mode) MIMO	Channel Frequency (MHz)	Power Spectral Density (Ant0+Ant1)			Limit (dBm/500KHz)	Result
		(dBm/500KHz)				
		Ant0	Ant1	Total		
155 (802.11ac80)	5775	-12.782	-12.916	-9.84	30	Pass

4.2 Test Graphs


802.11a, SISO, Ant0




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products



Produkte
Products




Produkte
Products




Produkte
Products


802.11n-HT20, SISO, Ant0




Produkte
Products




Produkte
Products




Produkte
 Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products



Produkte
Products




Produkte
Products




Produkte
Products


802.11ac20, SISO, Ant0




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
 Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products



Produkte
Products




Produkte
Products




Produkte
Products


802.11n-HT40, SISO, Ant0




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products






Produkte

Products




Produkte
Products


802.11ac40, SISO, Ant0




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products



Produkte
Products




Produkte
Products




Produkte
Products


802.11ac80, SISO, Ant0




Produkte
Products



Produkte
Products



Produkte
Products




Produkte
Products




Produkte
Products


802.11n-HT20, MIMO, Ant0




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products




Produkte
Products



Produkte
Products




Produkte
Products



Produkte
Products




Produkte
Products




Produkte
Products


802.11n-HT20, MIMO, Ant1




Produkte
Products



Produkte
Products



Produkte
Products



Produkte
Products

