


Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT40 5670(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16589.00	41.08	14.13	55.21	74.00	-18.79	peak		
2	*	16589.00	24.37	14.13	38.50	54.00	-15.50	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT40 5510(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17490.00	37.21	17.67	54.88	74.00	-19.12	peak		
2	*	17490.00	21.43	17.67	39.10	54.00	-14.90	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT40 5510(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		17558.00	37.17	17.77	54.94	74.00	-19.06	peak		
2	*	17558.00	20.73	17.77	38.50	54.00	-15.50	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT40 5310(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17456.00	37.44	17.63	55.07	74.00	-18.93	peak		
2	*	17456.00	21.47	17.63	39.10	54.00	-14.90	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT40 5310(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16368.00	42.26	12.59	54.85	74.00	-19.15	peak		
2	*	16368.00	25.61	12.59	38.20	54.00	-15.80	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT40 5270(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17303.00	37.89	17.41	55.30	74.00	-18.70	peak		
2	*	17303.00	22.19	17.41	39.60	54.00	-14.40	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT40 5270(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		17014.00	37.46	17.00	54.46	74.00	-19.54	peak		
2	*	17014.00	21.50	17.00	38.50	54.00	-15.50	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT40 5230(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17269.00	37.71	17.37	55.08	74.00	-18.92	peak		
2	*	17269.00	21.73	17.37	39.10	54.00	-14.90	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT40 5230(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16623.00	41.60	14.36	55.96	74.00	-18.04	peak		
2	*	16623.00	25.74	14.36	40.10	54.00	-13.90	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT40 5190(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16368.00	42.14	12.59	54.73	74.00	-19.27	peak		
2	*	16368.00	25.91	12.59	38.50	54.00	-15.50	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT40 5190(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16844.00	39.39	15.89	55.28	74.00	-18.72	peak		
2	*	16844.00	23.71	15.89	39.60	54.00	-14.40	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5190(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16861.00	39.22	16.03	55.25	74.00	-18.75	peak		
2	*	16861.00	24.07	16.03	40.10	54.00	-13.90	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5190(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17711.00	37.00	17.99	54.99	74.00	-19.01	peak		
2	*	17711.00	20.51	17.99	38.50	54.00	-15.50	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5230(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		17541.00	37.75	17.75	55.50	74.00	-18.50	peak		
2	*	17541.00	22.95	17.75	40.70	54.00	-13.30	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5230(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16844.00	38.85	15.89	54.74	74.00	-19.26	peak		
2	*	16844.00	22.61	15.89	38.50	54.00	-15.50	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5270(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16810.00	39.17	15.66	54.83	74.00	-19.17	peak		
2	*	16810.00	22.84	15.66	38.50	54.00	-15.50	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5270(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16827.00	39.21	15.78	54.99	74.00	-19.01	peak		
2	*	16827.00	23.82	15.78	39.60	54.00	-14.40	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5310(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16606.00	40.04	14.25	54.29	74.00	-19.71	peak		
2	*	16606.00	24.25	14.25	38.50	54.00	-15.50	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5310(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17507.00	37.54	17.70	55.24	74.00	-18.76	peak		
2	*	17507.00	21.40	17.70	39.10	54.00	-14.90	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5510(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16844.00	39.03	15.89	54.92	74.00	-19.08	peak		
2	*	16844.00	22.21	15.89	38.10	54.00	-15.90	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5510(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16878.00	38.65	16.14	54.79	74.00	-19.21	peak		
2	*	16878.00	23.36	16.14	39.50	54.00	-14.50	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5670(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17473.00	37.45	17.66	55.11	74.00	-18.89	peak		
2	*	17473.00	20.44	17.66	38.10	54.00	-15.90	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5670(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16453.00	42.46	13.18	55.64	74.00	-18.36	peak		
2	*	16453.00	26.92	13.18	40.10	54.00	-13.90	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5755(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17507.00	37.32	17.70	55.02	74.00	-18.98	peak		
2	*	17507.00	20.50	17.70	38.20	54.00	-15.80	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5755(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		17439.00	37.11	17.60	54.71	74.00	-19.29	peak		
2	*	17439.00	22.00	17.60	39.60	54.00	-14.40	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5795(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17507.00	38.21	17.70	55.91	74.00	-18.09	peak		
2	*	17507.00	22.40	17.70	40.10	54.00	-13.90	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac40 5795(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16997.00	38.06	16.98	55.04	74.00	-18.96	peak		
2	*	16997.00	23.82	16.98	40.80	54.00	-13.20	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac80 5775(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17269.00	37.35	17.37	54.72	74.00	-19.28	peak		
2	*	17269.00	22.23	17.37	39.60	54.00	-14.40	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac80 5775(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16878.00	38.69	16.14	54.83	74.00	-19.17	peak		
2	*	16878.00	24.06	16.14	40.20	54.00	-13.80	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac80 5610(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16878.00	39.05	16.14	55.19	74.00	-18.81	peak		
2	*	16878.00	24.36	16.14	40.50	54.00	-13.50	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac80 5610(Ant0)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		7443.000	49.56	3.44	53.00	74.00	-21.00	peak			
2	*	7443.000	34.16	3.44	37.60	54.00	-16.40	AVG			

*:Maximum data x:Over limit !:over margin

Operator: