


Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT20 5500(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16861.00	38.47	16.03	54.50	74.00	-19.50	peak		
2	*	16861.00	22.47	16.03	38.50	54.00	-15.50	AVG		

*:Maximum data x:Over limit !:over margin

Operator:


Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV HAIXIN Data: #668 Date: 2017/03/05 Time:



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT20 5500(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17490.00	38.04	17.67	55.71	74.00	-18.29	peak		
2	*	17490.00	21.03	17.67	38.70	54.00	-15.30	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT20 5600(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16963.00	39.03	16.73	55.76	74.00	-18.24	peak		
2	*	16963.00	22.67	16.73	39.40	54.00	-14.60	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT20 5600(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17337.00	37.55	17.46	55.01	74.00	-18.99	peak		
2	*	17337.00	22.14	17.46	39.60	54.00	-14.40	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT20 5700(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17490.00	37.42	17.67	55.09	74.00	-18.91	peak		
2	*	17490.00	21.43	17.67	39.10	54.00	-14.90	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT20 5700(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		17014.00	38.27	17.00	55.27	74.00	-18.73	peak		
2	*	17014.00	22.90	17.00	39.90	54.00	-14.10	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT20 5745(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16827.00	39.09	15.78	54.87	74.00	-19.13	peak		
2	*	16827.00	22.62	15.78	38.40	54.00	-15.60	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT20 5745(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16895.00	39.00	16.26	55.26	74.00	-18.74	peak		
2	*	16895.00	22.44	16.26	38.70	54.00	-15.30	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT20 5785(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17473.00	38.15	17.66	55.81	74.00	-18.19	peak		
2	*	17473.00	21.94	17.66	39.60	54.00	-14.40	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT20 5785(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16878.00	38.98	16.14	55.12	74.00	-18.88	peak		
2	*	16878.00	22.96	16.14	39.10	54.00	-14.90	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT20 5825(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16878.00	38.59	16.14	54.73	74.00	-19.27	peak		
2	*	16878.00	21.96	16.14	38.10	54.00	-15.90	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11nHT20 5825(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17320.00	37.56	17.44	55.00	74.00	-19.00	peak		
2	*	17320.00	21.56	17.44	39.00	54.00	-15.00	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5825(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16861.00	38.87	16.03	54.90	74.00	-19.10	peak		
2	*	16861.00	22.27	16.03	38.30	54.00	-15.70	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5825(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16963.00	38.65	16.73	55.38	74.00	-18.62	peak		
2	*	16963.00	22.17	16.73	38.90	54.00	-15.10	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5785(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17490.00	37.52	17.67	55.19	74.00	-18.81	peak		
2	*	17490.00	20.73	17.67	38.40	54.00	-15.60	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5785(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17490.00	37.24	17.67	54.91	74.00	-19.09	peak		
2	*	17490.00	21.53	17.67	39.20	54.00	-14.80	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5745(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16861.00	38.97	16.03	55.00	74.00	-19.00	peak		
2	*	16861.00	24.67	16.03	40.70	54.00	-13.30	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5745(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17031.00	37.86	17.04	54.90	74.00	-19.10	peak		
2	*	17031.00	21.46	17.04	38.50	54.00	-15.50	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5700(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		17201.00	37.61	17.27	54.88	74.00	-19.12	peak		
2	*	17201.00	21.03	17.27	38.30	54.00	-15.70	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5700(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		17269.00	37.68	17.37	55.05	74.00	-18.95	peak		
2	*	17269.00	21.53	17.37	38.90	54.00	-15.10	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5600(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16844.00	39.84	15.89	55.73	74.00	-18.27	peak		
2	*	16844.00	23.51	15.89	39.40	54.00	-14.60	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5600(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16657.00	40.75	14.60	55.35	74.00	-18.65	peak		
2	*	16657.00	24.90	14.60	39.50	54.00	-14.50	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5500(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17507.00	37.10	17.70	54.80	74.00	-19.20	peak		
2	*	17507.00	21.00	17.70	38.70	54.00	-15.30	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5500(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		17541.00	37.40	17.75	55.15	74.00	-18.85	peak		
2	*	17541.00	20.55	17.75	38.30	54.00	-15.70	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5320(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16861.00	39.36	16.03	55.39	74.00	-18.61	peak		
2	*	16861.00	22.57	16.03	38.60	54.00	-15.40	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5320(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16810.00	39.26	15.66	54.92	74.00	-19.08	peak		
2	*	16810.00	24.04	15.66	39.70	54.00	-14.30	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5280(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16640.00	40.42	14.48	54.90	74.00	-19.10	peak		
2	*	16640.00	23.72	14.48	38.20	54.00	-15.80	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5280(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		17779.00	36.83	18.08	54.91	74.00	-19.09	peak		
2	*	17779.00	21.32	18.08	39.40	54.00	-14.60	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5260(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		16827.00	39.73	15.78	55.51	74.00	-18.49	peak		
2	*	16827.00	23.42	15.78	39.20	54.00	-14.80	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5260(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16912.00	39.35	16.37	55.72	74.00	-18.28	peak		
2	*	16912.00	23.23	16.37	39.60	54.00	-14.40	AVG		

*:Maximum data x:Over limit !:over margin


Operator:

Produkte
 Products

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 22 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 55 %
 EUT: WIFI Module
 M/N:
 Mode: 11ac20 5240(Ant0+Ant1)
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		7205.000	50.77	2.71	53.48	74.00	-20.52	peak		
2	*	7205.000	33.99	2.71	36.70	54.00	-17.30	AVG		

*:Maximum data x:Over limit !:over margin

Operator: