




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4388	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	98.83	-1.41	97.42	/	/	peak			
2	4924.258	44.25	5.90	50.15	74.00	-23.85	peak			
3	4924.258	36.55	5.90	42.45	54.00	-11.55	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4387	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2462.000	94.16	-1.41	92.75	/	/	peak			
2	4924.276	44.19	5.90	50.09	74.00	-23.91	peak			
3	4924.276	36.44	5.90	42.34	54.00	-11.66	AVG			

18GHz - 26.5GHz




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4392	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25942.232	9.78	40.22	50.00	74.00	-24.00	peak			
2	25942.232	-0.01	40.22	40.21	54.00	-13.79	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4391	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2412MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25872.091	9.22	41.00	50.22	74.00	-23.78	peak			
2	25872.091	-0.76	41.00	40.24	54.00	-13.76	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4393	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26042.764	10.44	40.27	50.71	74.00	-23.29	peak			
2	26042.764	0.17	40.27	40.44	54.00	-13.56	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4394	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25982.398	9.42	40.98	50.40	74.00	-23.60	peak			
2	25982.398	-0.74	40.98	40.24	54.00	-13.76	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4396	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25593.417	10.38	40.04	50.42	74.00	-23.58	peak			
2	25593.417	0.10	40.04	40.14	54.00	-13.86	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4395	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2462MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT20



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26032.693	10.01	40.97	50.98	74.00	-23.02	peak			
2	26032.693	-0.76	40.97	40.21	54.00	-13.79	AVG			



**802.11 n(HT40) mode, MCS0 Mbps  
9KHz - 30MHz**


**ACCURATE TECHNOLOGY CO.,LTD**

**FCC Class B 3M Radiated**

EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module M/N:2DWM2402  
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.  
Operating Condition: TX 2422MHz  
Test Site: 2# Chamber  
Operator: LGWADE  
Test Specification: DC 5V  
Comment: X  
Start of Test: 2016-12-8 /

**SCAN TABLE: "LFRE Fin"**

Short Description:			_SUB STD VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




**ACCURATE TECHNOLOGY CO.,LTD**

**FCC Class B 3M Radiated**

EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module M/N:ZDWM2402  
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.  
Operating Condition: TX 2422MHz  
Test Site: 2# Chamber  
Operator: LGWADE  
Test Specification: DC 5V  
Comment: Y  
Start of Test: 2016-12-8 /

**SCAN TABLE: "LFRE Fin"**

Short Description:			SUB STD VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




**ACCURATE TECHNOLOGY CO.,LTD**

**FCC Class B 3M Radiated**

EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module M/N:ZDWM2402  
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.  
Operating Condition: TX 2422MHz  
Test Site: 2# Chamber  
Operator: LGWADE  
Test Specification: DC 5V  
Comment: Z  
Start of Test: 2016-12-8 /

**SCAN TABLE: "LFRE Fin"**

Short Description:			SUB STD VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




**ACCURATE TECHNOLOGY CO.,LTD**

**FCC Class B 3M Radiated**

EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module M/N:ZDWM2402  
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.  
Operating Condition: TX 2437MHz  
Test Site: 2# Chamber  
Operator: LGWADE  
Test Specification: DC 5V  
Comment: X  
Start of Test: 2016-12-8 /

**SCAN TABLE: "LFRE Fin"**

Short Description:			SUB STD VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




**ACCURATE TECHNOLOGY CO.,LTD**

**FCC Class B 3M Radiated**

EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module M/N:ZDWM2402  
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.  
Operating Condition: TX 2437MHz  
Test Site: 2# Chamber  
Operator: LGWADE  
Test Specification: DC 5V  
Comment: Y  
Start of Test: 2016-12-8 /

**SCAN TABLE: "LFRE Fin"**

Short Description:			SUB STD VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




**ACCURATE TECHNOLOGY CO.,LTD**

**FCC Class B 3M Radiated**

EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module M/N:ZDWM2402  
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.  
Operating Condition: TX 2437MHz  
Test Site: 2# Chamber  
Operator: LGWADE  
Test Specification: DC 5V  
Comment: Z  
Start of Test: 2016-12-8 /

**SCAN TABLE: "LFRE Fin"**

Short Description:			SUB STD VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




**ACCURATE TECHNOLOGY CO.,LTD**

**FCC Class B 3M Radiated**

EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module M/N:ZDWM2402  
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.  
Operating Condition: TX 2452MHz  
Test Site: 2# Chamber  
Operator: LGWADE  
Test Specification: DC 5V  
Comment: X  
Start of Test: 2016-12-8 /

**SCAN TABLE: "LFRE Fin"**

Short Description:			SUB STD VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M




**ACCURATE TECHNOLOGY CO.,LTD**

**FCC Class B 3M Radiated**

EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module M/N:ZDWM2402  
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.  
Operating Condition: TX 2452MHz  
Test Site: 2# Chamber  
Operator: LGWADE  
Test Specification: DC 5V  
Comment: Y  
Start of Test: 2016-12-8 /

**SCAN TABLE: "LFRE Fin"**

Short Description:			SUB STD VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M






**ACCURATE TECHNOLOGY CO.,LTD**

**FCC Class B 3M Radiated**

EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module M/N:ZDWM2402  
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.  
Operating Condition: TX 2452MHz  
Test Site: 2# Chamber  
Operator: LGWADE  
Test Specification: DC 5V  
Comment: Z  
Start of Test: 2016-12-8 /

**SCAN TABLE: "LFRE Fin"**

Short Description:			SUB STD VTERM2 1.70			
Start	Stop	Step	Detector	Meas. Time	IF Bandw.	Transducer
9.0 kHz	150.0 kHz	100.0 Hz	QuasiPeak	1.0 s	200 Hz	1516M
150.0 kHz	30.0 MHz	5.0 kHz	QuasiPeak	1.0 s	9 kHz	1516M



30MHz - 1GHz




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4432	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2422MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	239.9874	51.91	-10.62	41.29	46.00	-4.71	QP			
2	360.4476	49.73	-7.26	42.47	46.00	-3.53	QP			
3	480.5276	46.20	-4.88	41.32	46.00	-4.68	QP			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4431	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2422MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	239.9874	51.60	-10.62	40.98	46.00	-5.02	QP			
2	360.4476	47.10	-7.26	39.84	46.00	-6.16	QP			
3	480.5276	40.02	-4.88	35.14	46.00	-10.86	QP			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4433	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	239.9874	52.68	-10.62	42.06	46.00	-3.94	QP			
2	360.4476	49.92	-7.26	42.66	46.00	-3.34	QP			
3	480.5276	45.77	-4.88	40.89	46.00	-5.11	QP			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4434	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	239.9874	51.95	-10.62	41.33	46.00	-4.67	QP			
2	360.4476	46.19	-7.26	38.93	46.00	-7.07	QP			
3	480.5276	39.89	-4.88	35.01	46.00	-10.99	QP			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4436	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2452MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	239.9874	52.52	-10.62	41.90	46.00	-4.10	QP			
2	360.4476	49.04	-7.26	41.78	46.00	-4.22	QP			
3	480.5276	46.12	-4.88	41.24	46.00	-4.76	QP			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4435	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2452MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	239.9874	51.90	-10.62	41.28	46.00	-4.72	QP			
2	360.4476	46.37	-7.26	39.11	46.00	-6.89	QP			
3	480.5276	40.59	-4.88	35.71	46.00	-10.29	QP			

1GHz - 18GHz




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4397	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2422MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2422.000	95.27	-1.52	93.75	/	/	peak			
2	4844.342	43.87	5.26	49.13	74.00	-24.87	peak			
3	4844.342	35.98	5.26	41.24	54.00	-12.76	AVG			






**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4398	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2422MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2422.000	91.11	-1.53	89.58	/	/	peak			
2	4844.350	45.17	5.26	50.43	74.00	-23.57	peak			
3	4844.350	36.08	5.26	41.34	54.00	-12.66	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4401	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	94.87	-1.46	93.41	/	/	peak			
2	4874.366	44.60	5.54	50.14	74.00	-23.86	peak			
3	4874.366	37.00	5.54	42.54	54.00	-11.46	AVG			



**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China


Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: Igwade #4402	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2437MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2437.000	91.82	-1.46	90.36	/	/	peak			
2	4874.365	44.18	5.54	49.72	74.00	-24.28	peak			
3	4874.365	35.67	5.54	41.21	54.00	-12.79	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4404	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2452MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2452.000	94.14	-1.41	92.73	/	/	peak			
2	4904.372	43.38	5.80	49.18	74.00	-24.82	peak			
3	4904.372	35.74	5.80	41.54	54.00	-12.46	AVG			




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4403	Polarization: Vertical
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2452MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2452.000	91.08	-1.41	89.67	/	/	peak			
2	4904.374	44.07	5.80	49.87	74.00	-24.13	peak			
3	4904.374	35.55	5.80	41.35	54.00	-12.65	AVG			

18GHz - 26.5GHz




**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,  
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber  
Tel:+86-0755-26503290  
Fax:+86-0755-26503396

Job No.: Igwade #4408	Polarization: Horizontal
Standard: FCC Class B 3M Radiated	Power Source: DC 5V
Test item: Radiation Test	Date: 16/11/28/
Temp.( C)/Hum.(%) 23 C / 48 %	Time:
EUT: IEEE 802.11 b/g/n 2.4GHz 1T1R USB Module	Engineer Signature: LGWADE
Mode: TX 2422MHz	Distance: 3m
Model: ZDWM2402	
Manufacturer: Qingdao Intelligent&Precise Electronics Co.,Ltd.	

Note: 802.11n HT40



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25782.188	9.91	40.14	50.05	74.00	-23.95	peak			
2	25782.188	0.17	40.14	40.31	54.00	-13.69	AVG			