





EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p>EUT Housing and Board View 1</p>	 A photograph showing the internal components of an EUT housing. On the left is the battery, which is white and has the following text: "- B1%", "501827", "220mAh 0.814Ah", and "+ 3.7V 20220827". To the right of the battery is the printed circuit board (PCB) with various electronic components. The entire assembly is placed on a blue textured surface. A black ruler with white markings is visible on the left and bottom, showing measurements in millimeters.
<p>Solder Board-Component View 1</p>	 A photograph showing a close-up of a solder board component. The component is a small PCB with various electronic components and a single wire extending from it. It is placed on a blue textured surface. A black ruler with white markings is visible on the left and bottom, showing measurements in millimeters.

<p>Solder Board-Component View 2</p>	 A photograph of a small, dark-colored printed circuit board (PCB) component. The component is rectangular with several surface-mounted components, including a prominent chip. A thin wire is attached to one side. The component is placed on a blue textured surface. A white ruler with black markings is visible in the background, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom.
<p>Solder Board-Component View 3</p>	 A photograph of a rectangular, yellowish component, likely a battery or a similar power source. The component has a white label with black text that reads: "- BYX 501827", "+ 3.7V 20220827", and "220mAh 0.814Ah". Two wires, one red and one black, are attached to the component. The component is placed on a blue textured surface. A white ruler with black markings is visible in the background, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom.

