





### EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

|   |  |
|---|--|
| <p><b>EUT Housing and Board View 1</b></p>  |  A photograph showing the internal components of an EUT housing. On the left is a black plastic housing with a circular opening. To its right is a black printed circuit board (PCB) populated with various electronic components, including a large integrated circuit, capacitors, and resistors. A gold-colored flexible ribbon cable is attached to the board. The components are placed on a blue perforated surface. A black L-shaped ruler with white markings in millimeters is positioned around the components for scale. |
| <p><b>Solder Board-Component View 1</b></p> |  A close-up photograph of a solder board component. The component is a small, rectangular PCB with several gold-plated pins along one edge. It is populated with various surface-mount components, including a large integrated circuit, capacitors, and resistors. The component is placed on a blue perforated surface. A black L-shaped ruler with white markings in millimeters is positioned around the component for scale.  |

|   |  |
|---|--|
| <p><b>Solder<br/>Board-Component<br/>View 2</b></p> |  A photograph of a small, rectangular printed circuit board (PCB) component. The board is black and populated with various electronic components, including a central integrated circuit (IC) labeled 'WOLFP', several resistors, and a USB connector on the right side. The component is placed on a blue perforated surface. A black ruler with white markings is positioned below and to the left of the component for scale. The ruler shows millimeter markings from 0 to 100 mm. |
| <p><b>Solder<br/>Board-Component<br/>View 3</b></p> |  A photograph of a small, rectangular battery component. The battery is white with a gold-colored top surface. It has two wires, one red and one black, extending from the top. The battery is placed on a blue perforated surface. A black ruler with white markings is positioned below and to the left of the component for scale. The ruler shows millimeter markings from 0 to 100 mm. The battery has the following markings: '301425', '3.7V 90mAh', and 'H0-33346 221011'.    |

