

BEARTOOTH

# Quickstart Guide

---

Open ATAK



Turn on  
Beartooth



# Pairing Device


---



Start pairing to Beartooth device

---

# Pairing Device



Choose your device and verify serial number

# Communication

---




Navigate to broadcast group

---

# Communication

---




Open broadcast group

---

# Communication

---



1. Push to talk
2. Send with arrow

# Communication

---



1. Enter message
2. Send with arrow



# Legal Notices

---

## **Transmission Modules**

The MK II contains the following transmitter modules:

### **Contains:**

- HVIN: MK II TX1
- FCC ID: 2AJY7011
- IC ID: 22043-011

### **Contains:**

- HVIN: MK II TX2
  - FCC ID: 2AJY7012
  - IC ID: 22043-012
-

# Legal Notices

---

## **FCC Interference Statement**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an output on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

## **Caution:**

IMPORTANT! Changes or modifications not expressly approved by Beartooth could void the user's authority to operate the equipment. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

This device has been tested for RF emissions and has been deemed safe for human exposure as determined by the government's SAR testing standards.

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) This device may not cause harmful interference. and (2) this device must accept any interference received, including interference that may cause undesired operation of the device.

---

# Legal Notices

---

## Canada, Industry Canada (IC) Notices

Cet appareil est conforme à la norme RSS d'Industrie Canada exempte de licence. Son fonctionnement est soumis aux deux conditions suivantes: (1) Ce dispositif ne doit pas causer d'interférences nuisibles, et (2) cet appareil doit accepter toute interférence reçue, y compris les interférences pouvant entraîner un fonctionnement indésirable.

CAN ICES-3 (B)/NMB-3(B)

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada. This equipment complies with portable radiation exposure limits set forth for uncontrolled environment.

Cet équipement est conforme aux limites d'exposition aux rayonnements portables fixées pour un environnement non contrôlé.

## Important Safety Information for Data Radios:

- Your Beartooth device contains a RF transceiver.
  - Your device has been tested for and passed the FCC's RF exposure guidelines for regular body-worn operation without any modification of the hardware.
  - Any modification of the hardware or use of the device not in line with provided instructions may not ensure compliance with RF exposure guidelines.
  - Unauthorized modifications or attachments could damage the device and also violate FCC regulations.
  - This device must not be co-located with other transmitters.
-