



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.60	0.09	6.69	9.99	Complies
40	5200	6.07	0.09	6.16	9.99	Complies
48	5240	6.21	0.09	6.30	9.99	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.25	0.09	5.34	9.99	Complies
40	5200	5.48	0.09	5.57	9.99	Complies
48	5240	5.36	0.09	5.45	9.99	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.08	9.99	Complies
40	5200	8.89	9.99	Complies
48	5240	8.91	9.99	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.81	0.16	1.97	9.99	Complies
46	5230	1.70	0.16	1.86	9.99	Complies




Date: 21.DEC.2023 14:21:07




Date: 21.DEC.2023 14:22:19

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.80	0.16	0.96	9.99	Complies
46	5230	0.35	0.16	0.51	9.99	Complies



Date: 22.DEC.2023 10:30:21




Date: 22.DEC.2023 10:32:11

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.51	9.99	Complies
46	5230	4.25	9.99	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.14	0.31	-0.83	9.99	Complies



Date: 21_DEC.2023 14:36:42

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.23	0.31	-1.92	9.99	Complies




Date: 22_DEC.2023 10:48:20

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.67	9.99	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.91	0.28	6.19	9.99	Complies
60	5300	6.13	0.28	6.41	9.99	Complies
64	5320	6.02	0.28	6.30	9.99	Complies



Date: 21.DEC.2023 10:46:28




Date: 21.DEC.2023 10:46:54




Date: 21.DEC.2023 10:47:18

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.51	0.28	5.79	9.99	Complies
60	5300	5.91	0.28	6.19	9.99	Complies
64	5320	6.11	0.28	6.39	9.99	Complies



Date: 21.DEC.2023 14:59:49



Date: 21.DEC.2023 15:01:10




Date: 21.DEC.2023 15:02:09

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.01	9.99	Complies
60	5300	9.32	9.99	Complies
64	5320	9.36	9.99	Complies

Test Mode UNII-2A_TX AC(VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.15	0.00	6.15	9.99	Complies
60	5300	6.15	0.00	6.15	9.99	Complies
64	5320	6.26	0.00	6.26	9.99	Complies



Date: 21.DEC.2023 11:02:27




Date: 21.DEC.2023 11:02:55




Date: 21.DEC.2023 11:03:24

Test Mode UNII-2A_TX AC(VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.64	0.00	5.64	9.99	Complies
60	5300	5.84	0.00	5.84	9.99	Complies
64	5320	6.09	0.00	6.09	9.99	Complies



Date: 21.DEC.2023 15:20:29



Date: 21.DEC.2023 15:21:46




Date: 21.DEC.2023 15:22:47

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.91	9.99	Complies
60	5300	9.01	9.99	Complies
64	5320	9.19	9.99	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.66	0.00	1.66	9.99	Complies
62	5310	1.69	0.00	1.69	9.99	Complies




Date: 21.DEC.2023 11:35:03




Date: 21.DEC.2023 11:35:39

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.10	0.00	1.10	9.99	Complies
62	5310	1.50	0.00	1.50	9.99	Complies



Date: 21.DEC.2023 15:37:27




Date: 21.DEC.2023 15:38:37

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.40	9.99	Complies
62	5310	4.61	9.99	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.06	0.12	-0.94	9.99	Complies



Date: 21_DEC.2023 14:01:30

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.24	0.12	-2.12	9.99	Complies




Date: 22_DEC.2023 09:51:19

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.52	9.99	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.09	0.09	6.18	9.99	Complies
60	5300	6.13	0.09	6.22	9.99	Complies
64	5320	6.19	0.09	6.28	9.99	Complies



Date: 21.DEC.2023 14:11:54




Date: 21.DEC.2023 14:12:30




Date: 21.DEC.2023 14:12:53

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.99	0.09	5.08	9.99	Complies
60	5300	5.68	0.09	5.77	9.99	Complies
64	5320	5.82	0.09	5.91	9.99	Complies



Date: 22.DEC.2023 10:06:05



Date: 22.DEC.2023 10:07:24




Date: 22.DEC.2023 10:09:35

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.68	9.99	Complies
60	5300	9.01	9.99	Complies
64	5320	9.11	9.99	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.58	0.16	1.74	9.99	Complies
62	5310	1.61	0.16	1.77	9.99	Complies




Date: 21.DEC.2023 14:23:04




Date: 21.DEC.2023 14:23:44

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.23	0.16	1.39	9.99	Complies
62	5310	1.59	0.16	1.75	9.99	Complies



Date: 22.DEC.2023 10:33:52




Date: 22.DEC.2023 10:36:08

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.58	9.99	Complies
62	5310	4.78	9.99	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.69	0.31	-0.38	9.99	Complies



Date: 21_DEC.2023 14:37:18

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.92	0.31	-1.61	9.99	Complies




Date: 22_DEC.2023 10:49:58

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.06	9.99	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.39	0.28	6.67	9.99	Complies
116	5580	6.47	0.28	6.75	9.99	Complies
140	5700	6.54	0.28	6.82	9.99	Complies



Date: 21.DEC.2023 10:48:52




Date: 21.DEC.2023 10:50:13




Date: 21.DEC.2023 10:50:48

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.20	0.28	6.48	9.99	Complies
116	5580	6.24	0.28	6.52	9.99	Complies
140	5700	6.50	0.28	6.78	9.99	Complies



Date: 21.DEC.2023 15:04:12



Date: 21.DEC.2023 15:06:01




Date: 21.DEC.2023 15:07:31

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.59	9.99	Complies
116	5580	9.65	9.99	Complies
140	5700	9.81	9.99	Complies

Test Mode UNII-2C_TX AC(VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.43	0.00	6.43	9.99	Complies
116	5580	6.45	0.00	6.45	9.99	Complies
140	5700	6.27	0.00	6.27	9.99	Complies



Date: 21.DEC.2023 11:03:56




Date: 21.DEC.2023 11:05:08




Date: 21.DEC.2023 11:05:32

Test Mode UNII-2C_TX AC(VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.48	0.00	6.48	9.99	Complies
116	5580	6.62	0.00	6.62	9.99	Complies
140	5700	6.29	0.00	6.29	9.99	Complies



Date: 21.DEC.2023 15:25:09



Date: 21.DEC.2023 15:26:49




Date: 21.DEC.2023 15:28:03

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.47	9.99	Complies
116	5580	9.55	9.99	Complies
140	5700	9.29	9.99	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.06	0.00	3.06	9.99	Complies
110	5550	2.88	0.00	2.88	9.99	Complies
134	5670	3.32	0.00	3.32	9.99	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.73	0.00	2.73	9.99	Complies
110	5550	3.48	0.00	3.48	9.99	Complies
134	5670	2.72	0.00	2.72	9.99	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.91	9.99	Complies
110	5550	6.20	9.99	Complies
134	5670	6.04	9.99	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.20	0.12	0.32	9.99	Complies
122	5610	0.04	0.12	0.16	9.99	Complies




Date: 21.DEC.2023 14:02:41




Date: 21.DEC.2023 14:03:36

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-1.03	0.12	-0.91	9.99	Complies
122	5610	-1.46	0.12	-1.34	9.99	Complies



Date: 22.DEC.2023 09:54:36




Date: 22.DEC.2023 09:55:46

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.75	9.99	Complies
122	5610	2.48	9.99	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.56	0.09	6.65	9.99	Complies
116	5580	6.33	0.09	6.42	9.99	Complies
140	5700	6.46	0.09	6.55	9.99	Complies



Date: 21_DEC.2023 14:14:32




Date: 21_DEC.2023 14:16:22




Date: 21_DEC.2023 14:17:25

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.59	0.09	6.68	9.99	Complies
116	5580	6.27	0.09	6.36	9.99	Complies
140	5700	6.10	0.09	6.19	9.99	Complies



Date: 22_DEC.2023 10:11:54



Date: 22_DEC.2023 10:13:16




Date: 22_DEC.2023 10:14:21

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.68	9.99	Complies
116	5580	9.40	9.99	Complies
140	5700	9.39	9.99	Complies


Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.09	0.16	3.25	9.99	Complies
110	5550	2.85	0.16	3.01	9.99	Complies
134	5670	3.23	0.16	3.39	9.99	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.97	0.16	3.13	9.99	Complies
110	5550	2.83	0.16	2.99	9.99	Complies
134	5670	2.43	0.16	2.59	9.99	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.21	9.99	Complies
110	5550	6.02	9.99	Complies
134	5670	6.02	9.99	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.29	0.31	0.60	9.99	Complies
122	5610	0.00	0.31	0.31	9.99	Complies




Date: 21.DEC.2023 14:38:01




Date: 21.DEC.2023 14:38:37

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.69	0.31	-0.38	9.99	Complies
122	5610	-1.25	0.31	-0.94	9.99	Complies



Date: 22.DEC.2023 10:51:19




Date: 22.DEC.2023 10:52:52

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.15	9.99	Complies
122	5610	2.74	9.99	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.21	0.28	9.49	28.99	Complies
157	5785	8.71	0.28	8.99	28.99	Complies
165	5825	8.20	0.28	8.48	28.99	Complies



Date: 21_DEC.2023 10:52:23




Date: 21_DEC.2023 10:53:26




Date: 21_DEC.2023 10:54:07

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.05	0.28	9.33	28.99	Complies
157	5785	8.32	0.28	8.60	28.99	Complies
165	5825	7.93	0.28	8.21	28.99	Complies



Date: 21_DEC.2023 15:09:29



Date: 21_DEC.2023 15:10:49






Date: 21_DEC.2023 15:12:17

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.43	28.99	Complies
157	5785	11.81	28.99	Complies
165	5825	11.36	28.99	Complies




Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.16	0.00	9.16	28.99	Complies
157	5785	8.99	0.00	8.99	28.99	Complies
165	5825	8.46	0.00	8.46	28.99	Complies



Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.92	0.00	8.92	28.99	Complies
157	5785	8.67	0.00	8.67	28.99	Complies
165	5825	8.31	0.00	8.31	28.99	Complies





Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.05	28.99	Complies
157	5785	11.84	28.99	Complies
165	5825	11.40	28.99	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.45	0.00	2.45	28.99	Complies
159	5795	2.09	0.00	2.09	28.99	Complies





Date: 21.DEC.2023 11:38:17

Date: 21.DEC.2023 11:39:19

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.28	0.00	1.28	28.99	Complies
159	5795	1.52	0.00	1.52	28.99	Complies



Date: 21.DEC.2023 16:11:14


Date: 21.DEC.2023 16:12:27

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.91	28.99	Complies
159	5795	4.82	28.99	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.10	0.12	-1.98	28.99	Complies



Date: 21.DEC.2023 14:05:08

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-3.09	0.12	-2.97	28.99	Complies




Date: 22.DEC.2023 09:57:08

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.56	28.99	Complies

Test Mode UNII-3_TX AX(HE20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.82	0.09	5.91	28.99	Complies
157	5785	5.39	0.09	5.48	28.99	Complies
165	5825	5.34	0.09	5.43	28.99	Complies



Date: 21_DEC.2023 14:17:55




Date: 21_DEC.2023 14:19:00




Date: 21_DEC.2023 14:19:37

Test Mode UNII-3_TX AX(HE20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.33	0.09	5.42	28.99	Complies
157	5785	5.23	0.09	5.32	28.99	Complies
165	5825	5.02	0.09	5.11	28.99	Complies



Date: 22_DEC.2023 10:16:07



Date: 22_DEC.2023 10:17:40




Date: 22_DEC.2023 10:19:55

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.68	28.99	Complies
157	5785	8.41	28.99	Complies
165	5825	8.29	28.99	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.88	0.16	2.04	28.99	Complies
159	5795	1.67	0.16	1.83	28.99	Complies




Date: 21.DEC.2023 14:26:59




Date: 21.DEC.2023 14:27:40

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.77	0.16	0.93	28.99	Complies
159	5795	0.65	0.16	0.81	28.99	Complies



Date: 22.DEC.2023 10:43:55




Date: 22.DEC.2023 10:45:27

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.54	28.99	Complies
159	5795	4.37	28.99	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.75	0.31	-1.44	28.99	Complies



Date: 21.DEC.2023 14:39:00

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.81	0.31	-2.50	28.99	Complies



Date: 22.DEC.2023 10:54:24

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.08	28.99	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
5.5	5179.9750
5	5179.9750
4.5	5179.9748
Maximum Deviation (MHz)	0.0252
Maximum Deviation (ppm)	4.8625

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9700
10	5179.9599
20	5179.9548
30	5179.9702
40	5179.9548
50	5179.9548
60	5179.9399
65	5179.9750
Maximum Deviation (MHz)	0.0601
Maximum Deviation (ppm)	11.6071

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
5.5	5259.9750
5	5259.9550
4.5	5259.9597
Maximum Deviation (MHz)	0.0450
Maximum Deviation (ppm)	8.5551

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9550
10	5259.9550
20	5259.9550
30	5259.9399
40	5259.9550
50	5259.9750
60	5259.9550
65	5259.9348
Maximum Deviation (MHz)	0.0652
Maximum Deviation (ppm)	12.3954

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
5.5	5499.9550
5	5499.9399
4.5	5499.9600
Maximum Deviation (MHz)	0.0601
Maximum Deviation (ppm)	10.9318

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9702
10	5499.9548
20	5499.9750
30	5499.9550
40	5499.9902
50	5499.9750
60	5499.9750
65	5499.9550
Maximum Deviation (MHz)	0.0452
Maximum Deviation (ppm)	8.2182

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
5.5	5744.9500
5	5744.9702
4.5	5744.9350
Maximum Deviation (MHz)	0.0650
Maximum Deviation (ppm)	11.3142

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9399
10	5744.9750
20	5744.9550
30	5744.9550
40	5744.9399
50	5744.9748
60	5744.9548
65	5744.9750
Maximum Deviation (MHz)	0.0601
Maximum Deviation (ppm)	10.4656

End of Test Report