



Frequency: 6470 MHz




Frequency: 6500 MHz




Detection power level and detection probability

Bands	Test Mode	Bandwidth (MHz)	Channel	Frequency (MHz)	interference Frequency (MHz)	Detection power level (dBm)	Detection Power Limit (dBm)	Number of Times	Number of Detected	Detection Probability	Detection Probability Limit	Test Result
UNII-5	802.11ax	20	45	6175	6175	-74.25	-56.50	10	10	90%	90%	pass
					6110	-75.32	-56.50	10	9	100%	90%	pass
	802.11ax	80	39	6145	6145	-68.96	-56.50	10	10	90%	90%	pass
					6180	-75.21	-56.50	10	9	100%	90%	pass
UNII-6	802.11a	20	105	6475	6475	-71.51	-56.50	10	10	100%	90%	pass
					6430	-61.85	-56.50	10	9	100%	90%	pass
	802.11ax	80	103	6465	6465	-76.51	-56.50	10	10	90%	90%	pass
					6500	-76.44	-56.50	10	10	100%	90%	pass


Contention-Based Protocol EUT Channel: CH45 Incumbent Signal Frequency: 6175 MHz




EUT Channel: CH105 Incumbent Signal Frequency: 6475 MHz




EUT Channel: CH39 Incumbent Signal Frequency: 6110 MHz




EUT Channel: CH39 Incumbent Signal Frequency: 6145 MHz




EUT Channel: CH39 Incumbent Signal Frequency: 6180 MHz




EUT Channel: CH103 Incumbent Signal Frequency: 6430 MHz



EUT Channel: CH103 Incumbent Signal Frequency: 6465 MHz



EUT Channel: CH103 Incumbent Signal Frequency: 6500 MHz



APPENDIX J - FREQUENCY STABILITY

Test Mode	UNII-5
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5955.0000
4.5	5954.9440
5	5954.9446
5.5	5954.9444
Maximum Deviation (MHz)	5954.9440
Maximum Deviation (ppm)	-9.40

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5955.0000
0	5954.9512
10	5954.9510
20	5954.9758
30	5954.9500
40	5954.9680
50	5954.9440
60	5954.9444
65	5954.9442
Maximum Deviation (MHz)	5954.9440
Maximum Deviation (ppm)	-9.40

Test Mode	UNII-6
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	6435.0000
4.5	6434.9408
5	6434.9420
5.5	6434.9412
Maximum Deviation (MHz)	6434.9408
Maximum Deviation (ppm)	-9.20

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	6435.0000
0	6434.9502
10	6434.9490
20	6434.9518
30	6434.9488
40	6434.9492
50	6434.9408
60	6434.9408
65	6434.9406
Maximum Deviation (MHz)	6434.9406
Maximum Deviation (ppm)	-9.23

End of Test Report