


Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.690	18.800
116	5580	20.600	18.900
140	5700	20.750	18.800

CH100




Date: 9.MAY.2024 10:44:17

CH116
26 dB Bandwidth




Date: 9.MAY.2024 10:45:12

CH140




Date: 9.MAY.2024 10:45:59


99 % Occupied Bandwidth



Date: 9.MAY.2024 10:43:53



Date: 9.MAY.2024 10:44:48




Date: 9.MAY.2024 10:45:36

Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.500	37.800
110	5550	40.300	38.000
134	5670	40.599	38.000

CH102




Date: 9.MAY.2024 11:25:17

CH110
26 dB Bandwidth




Date: 9.MAY.2024 11:26:08

CH134




Date: 9.MAY.2024 11:27:01


99 % Occupied Bandwidth



Date: 9.MAY.2024 11:24:42



Date: 9.MAY.2024 11:25:35




Date: 9.MAY.2024 11:26:28

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.450	16.800	0.5	Complies
157	5785	16.500	17.000	0.5	Complies
165	5825	16.450	17.000	0.5	Complies

CH149




Date: 9.MAY.2024 09:38:44

CH157
6 dB Bandwidth




Date: 9.MAY.2024 09:40:02

CH165




Date: 9.MAY.2024 09:40:54


99 % Occupied Bandwidth



Date: 9.MAY.2024 09:38:19



Date: 9.MAY.2024 09:39:35




Date: 9.MAY.2024 09:40:29

Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.650	17.900	0.5	Complies
157	5785	17.549	17.900	0.5	Complies
165	5825	17.650	17.800	0.5	Complies

CH149




Date: 9.MAY.2024 10:33:58

CH157
6 dB Bandwidth




Date: 9.MAY.2024 10:34:49

CH165




Date: 9.MAY.2024 10:35:41


99 % Occupied Bandwidth



Date: 9.MAY.2024 10:33:33



Date: 9.MAY.2024 10:34:23




Date: 9.MAY.2024 10:35:16

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.000	76.400	0.5	Complies

CH155 6 dB Bandwidth



Date: 9.MAY.2024 11:48:41

99 % Occupied Bandwidth




Date: 9.MAY.2024 11:48:09

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.190	38.000	0.5	Complies
159	5795	36.188	38.000	0.5	Complies

CH151




Date: 9.MAY.2024 11:27:55

CH159
6 dB Bandwidth




Date: 9.MAY.2024 11:33:41

99 % Occupied Bandwidth



Date: 9.MAY.2024 11:27:24




Date: 9.MAY.2024 11:33:06

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	78.200	77.600	0.5	Complies

CH155 6 dB Bandwidth



Date: 9.MAY.2024 11:54:31

99 % Occupied Bandwidth



Date: 9.MAY.2024 11:54:00

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.78	0.00	10.78	23.98	0.2500	Complies
40	5200	10.85	0.00	10.85	23.98	0.2500	Complies
48	5240	14.13	0.00	14.13	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.07	0.00	12.07	23.98	0.2500	Complies
40	5200	11.96	0.00	11.96	23.98	0.2500	Complies
48	5240	12.12	0.00	12.12	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.49	0.10	12.59	23.98	0.2500	Complies
46	5230	12.50	0.10	12.60	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	11.81	0.00	11.81	23.98	0.2500	Complies
40	5200	11.89	0.00	11.89	23.98	0.2500	Complies
48	5240	11.97	0.00	11.97	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.34	0.10	12.44	23.98	0.2500	Complies
46	5230	12.38	0.10	12.48	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.52	0.09	11.61	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	10.98	0.00	10.98	23.98	0.2500	Complies
40	5200	11.12	0.00	11.12	23.98	0.2500	Complies
48	5240	11.27	0.00	11.27	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	9.48	0.11	9.59	23.98	0.2500	Complies
46	5230	10.61	0.11	10.72	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.67	0.12	8.79	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.46	0.00	15.46	23.98	0.2500	Complies
60	5300	10.83	0.00	10.83	23.98	0.2500	Complies
64	5320	12.62	0.00	12.62	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.34	0.00	11.34	23.98	0.2500	Complies
60	5300	11.43	0.00	11.43	23.98	0.2500	Complies
64	5320	12.68	0.00	12.68	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.57	0.10	11.67	23.98	0.2500	Complies
62	5310	12.51	0.10	12.61	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.02	0.00	11.02	23.98	0.2500	Complies
60	5300	10.91	0.00	10.91	23.98	0.2500	Complies
64	5320	12.63	0.00	12.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	11.33	0.10	11.43	23.98	0.2500	Complies
62	5310	12.43	0.10	12.53	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.49	0.09	11.58	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.52	0.00	11.52	23.98	0.2500	Complies
60	5300	11.45	0.00	11.45	23.98	0.2500	Complies
64	5320	11.35	0.00	11.35	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.51	0.11	8.62	23.98	0.2500	Complies
62	5310	10.64	0.11	10.75	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.83	0.12	8.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.46	0.00	15.46	23.98	0.2500	Complies
116	5580	14.71	0.00	14.71	23.98	0.2500	Complies
140	5700	15.44	0.00	15.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.42	0.00	15.42	23.98	0.2500	Complies
116	5580	15.57	0.00	15.57	23.98	0.2500	Complies
140	5700	15.47	0.00	15.47	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.87	0.10	14.97	23.98	0.2500	Complies
110	5550	14.83	0.10	14.93	23.98	0.2500	Complies
134	5670	14.85	0.10	14.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.34	0.00	14.34	23.98	0.2500	Complies
116	5580	13.76	0.00	13.76	23.98	0.2500	Complies
140	5700	13.68	0.00	13.68	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.53	0.10	12.63	23.98	0.2500	Complies
110	5550	12.62	0.10	12.72	23.98	0.2500	Complies
134	5670	12.56	0.10	12.66	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.51	0.09	11.60	23.98	0.2500	Complies
122	5610	11.53	0.09	11.62	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.45	0.00	11.45	23.98	0.2500	Complies
116	5580	10.84	0.00	10.84	23.98	0.2500	Complies
140	5700	11.19	0.00	11.19	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.59	0.11	10.70	23.98	0.2500	Complies
110	5550	10.64	0.11	10.75	23.98	0.2500	Complies
134	5670	10.63	0.11	10.74	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.56	0.12	8.68	23.98	0.2500	Complies
122	5610	8.43	0.12	8.55	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.95	0.00	14.95	30.00	1.0000	Complies
157	5785	15.18	0.00	15.18	30.00	1.0000	Complies
165	5825	14.89	0.00	14.89	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.93	0.00	15.93	30.00	1.0000	Complies
157	5785	15.21	0.00	15.21	30.00	1.0000	Complies
165	5825	15.74	0.00	15.74	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.78	0.10	14.88	30.00	1.0000	Complies
159	5795	14.84	0.10	14.94	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.95	0.00	13.95	30.00	1.0000	Complies
157	5785	14.21	0.00	14.21	30.00	1.0000	Complies
165	5825	13.95	0.00	13.95	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	12.63	0.10	12.73	30.00	1.0000	Complies
159	5795	12.62	0.10	12.72	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	11.50	0.09	11.59	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.98	0.00	10.98	30.00	1.0000	Complies
157	5785	11.38	0.00	11.38	30.00	1.0000	Complies
165	5825	11.16	0.00	11.16	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.64	0.11	10.75	30.00	1.0000	Complies
159	5795	10.54	0.11	10.65	30.00	1.0000	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	8.26	0.12	8.38	30.00	1.0000	Complies

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.26	0.00	5.26	11.00	Complies
40	5200	5.24	0.00	5.24	11.00	Complies
48	5240	5.14	0.00	5.14	11.00	Complies



Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.96	0.00	5.96	11.00	Complies
40	5200	5.91	0.00	5.91	11.00	Complies
48	5240	5.71	0.00	5.71	11.00	Complies



Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.74	0.10	1.84	11.00	Complies
46	5230	1.77	0.10	1.87	11.00	Complies

CH38



Date: 9.MAY.2024 04:18:01

CH46




Date: 9.MAY.2024 04:40:18

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-5.02	0.09	-4.93	11.00	Complies


CH42




Date: 9.MAY.2024 04:47:26

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.51	0.00	0.51	11.00	Complies
40	5200	0.67	0.00	0.67	11.00	Complies
48	5240	0.65	0.00	0.65	11.00	Complies



Date: 9.MAY.2024 04:52:19




Date: 9.MAY.2024 04:54:03




Date: 9.MAY.2024 04:54:30

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.75	0.11	0.86	11.00	Complies
46	5230	-0.16	0.11	-0.05	11.00	Complies




Date: 9.MAY.2024 05:01:30



Date: 9.MAY.2024 05:02:15

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.11	0.12	-7.99	11.00	Complies



Date: 9.MAY.2024 05:05:48


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.33	0.00	5.33	11.00	Complies
60	5300	4.96	0.00	4.96	11.00	Complies
64	5320	4.91	0.00	4.91	11.00	Complies



Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.92	0.00	4.92	11.00	Complies
60	5300	4.54	0.00	4.54	11.00	Complies
64	5320	4.45	0.00	4.45	11.00	Complies



Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.81	0.10	2.91	11.00	Complies
62	5310	2.47	0.10	2.57	11.00	Complies

CH54



Date: 9.MAY.2024 04:41:47

CH62




Date: 9.MAY.2024 04:42:17

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.06	0.09	-3.97	11.00	Complies


CH58




Date: 9.MAY.2024 04:48:06

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.78	0.00	0.78	11.00	Complies
60	5300	0.57	0.00	0.57	11.00	Complies
64	5320	0.54	0.00	0.54	11.00	Complies



Date: 9.MAY.2024 04:54:46




Date: 9.MAY.2024 04:55:01




Date: 9.MAY.2024 04:55:16

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.88	0.11	0.99	11.00	Complies
62	5310	0.63	0.11	0.74	11.00	Complies




Date: 9.MAY.2024 05:02:36



Date: 9.MAY.2024 05:02:57

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-8.24	0.12	-8.12	11.00	Complies




Date: 9.MAY.2024 05:06:10

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.97	0.00	4.97	11.00	Complies
116	5580	4.51	0.00	4.51	11.00	Complies
140	5700	5.46	0.00	5.46	11.00	Complies



Date: 9.MAY.2024 03:14:43




Date: 9.MAY.2024 03:01:09




Date: 9.MAY.2024 03:01:46

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.61	0.00	4.61	11.00	Complies
116	5580	4.94	0.00	4.94	11.00	Complies
140	5700	5.03	0.00	5.03	11.00	Complies



Date: 9.MAY.2024 04:14:33



Date: 9.MAY.2024 04:14:48




Date: 9.MAY.2024 04:15:06

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.75	0.10	1.85	11.00	Complies
110	5550	1.92	0.10	2.02	11.00	Complies
134	5670	5.08	0.10	5.18	11.00	Complies

CH102




Date: 9.MAY.2024 04:42:54

CH110



Date: 9.MAY.2024 04:43:34

CH134




Date: 9.MAY.2024 04:44:21

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-4.97	0.09	-4.88	11.00	Complies
122	5610	-4.69	0.09	-4.60	11.00	Complies

CH106



Date: 9.MAY.2024 04:48:35


CH122



Date: 9.MAY.2024 04:48:57


Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.52	0.00	0.52	11.00	Complies
116	5580	0.09	0.00	0.09	11.00	Complies
140	5700	0.39	0.00	0.39	11.00	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.21	0.11	-0.10	11.00	Complies
110	5550	0.07	0.11	0.18	11.00	Complies
134	5670	3.45	0.11	3.56	11.00	Complies



Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.19	0.12	-8.07	11.00	Complies
122	5610	-9.13	0.12	-9.01	11.00	Complies

CH106



Date: 9.MAY.2024 05:06:33


CH122




Date: 9.MAY.2024 05:06:59

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.49	0.00	3.49	30.00	Complies
157	5785	4.02	0.00	4.02	30.00	Complies
165	5825	3.20	0.00	3.20	30.00	Complies



Date: 9.MAY.2024 03:02:12




Date: 9.MAY.2024 03:02:29




Date: 9.MAY.2024 03:02:45

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.13	0.00	4.13	30.00	Complies
157	5785	3.45	0.00	3.45	30.00	Complies
165	5825	3.71	0.00	3.71	30.00	Complies



Date: 9.MAY.2024 04:15:59




Date: 9.MAY.2024 04:16:23




Date: 9.MAY.2024 04:16:39

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.74	0.10	2.84	30.00	Complies
159	5795	2.27	0.10	2.37	30.00	Complies




Date: 9.MAY.2024 04:45:06



Date: 9.MAY.2024 04:45:33

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-4.46	0.09	-4.37	30.00	Complies



Date: 9.MAY.2024 04:49:27


Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.13	0.00	-1.13	30.00	Complies
157	5785	-1.27	0.00	-1.27	30.00	Complies
165	5825	-1.64	0.00	-1.64	30.00	Complies




Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.54	0.11	0.65	30.00	Complies
159	5795	0.07	0.11	0.18	30.00	Complies



Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-10.54	0.12	-10.42	30.00	Complies



APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
5.5	5179.9999
5	5179.9999
4.5	5180.0200
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.8586

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9800
10	5180.0000
20	5179.9950
30	5179.9799
40	5179.9950
50	5179.9799
60	5180.0150
65	5179.9800
Maximum Deviation (MHz)	0.0201
Maximum Deviation (ppm)	3.8827

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
5.5	5260.0000
5	5260.0150
4.5	5260.0200
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.7999

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9999
10	5260.0150
20	5260.0000
30	5260.0150
40	5260.0150
50	5260.0000
60	5260.0000
65	5260.0150
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.8541

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
5.5	5499.9799
5	5499.9999
4.5	5499.9950
Maximum Deviation (MHz)	0.0201
Maximum Deviation (ppm)	3.6568

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9950
10	5500.0150
20	5500.0000
30	5499.9800
40	5499.9799
50	5499.9800
60	5499.9750
65	5499.9800
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.5432

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
5.5	5744.9750
5	5745.0000
4.5	5745.0000
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.3516

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9800
10	5744.9800
20	5745.0000
30	5744.9800
40	5744.9800
50	5745.0000
60	5744.9750
65	5744.9800
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.3516

End of Test Report