Product Manual

Stand One Max UPC: 856504015619, 856504015701 Model Numbers: NM01570185, NM01561985 FCC ID:2AJYRNM01561985 IC ID:27646-NM01561985



Version 1.0

Package Contents

- Stand One Max
- 2 meter USB-C to USB-C cable
- Requires ≥ 30WUSB-C Power Adapter (not included)

Specifications

Weight	813g (1.79 lbs)
Size	• 141mm X 82mm X 127mm
Input	≥ 30W
Output	 15W charging speed for Qi2 devices Apple Watch Fast Charging 5W charging speed for AirPods and other Qi wireless charging devices below Apple Watch mount
Devices	 MagSafe's magnetic alignment feature only works with iPhone 12 and later Raised MagSafe Charger ensures compatibility with any phone camera thickness AirPods with Wireless Charging Case, AirPods Pro, AirPods 3rd Gen Apple Watch Series 4, 5, 6, 7, 8, SE, and Ultra

Product Overview



2 Qi2 Magnetic Charger



3 Charging cable port (requires 2 meter USB-C to USB-C cable)



4 Integrated Apple Watch charging puck & wireless charging for AirPods



5 Added Silicone Adapter

Silicona Waller Paci(decide No)	Applie Watch Street
No.	42 m . 44 mm, 45m 1.49 mm
Y _(X)	38 mm, 45 mm 41 mm

Charging Tips

Stand One Max features a Qi2 Charger. To begin charging, simply center your device on the puck and allow it to snap into optimal charging position.

Stand One Max works with iPhone 12 and later.

To begin charging on Stand One Max's integrated Apple Watch charger, simply place your Apple Watch against the puck Integrated wireless charging for AirPods.

Disposal of Product and Packaging

Packaging: The inner black cardboard tray is recyclable and can be placed in your recycling bin. The outer box and attached foam inserts are **no trecyclable**. These components are disposable in your landfill waste.

Product: Should your product become damaged or defective, and is no longer covered under warranty, please responsibly dispose of the product and its AC power adapter at your local e-waste collection center. If an e-waste collection center is unavailable to you please contact us at support@nomadgoods.com and we will accept your used device back for responsible disposal.

Warranty

Nomad offers a 2-year limited warranty for all Nomad products with the exception of our cables, for which we offer a 5-year limited warranty. Both warranties cover any manufacturing or workmanship defects but do not cover damages that may have resulted from normal wear and tear, misuse/abuse, or modification of the product. If your Nomad product is defective, we will help you to exchange it for a brand new replacement. We cannot guarantee that the exact style or product for a claim will be in stock at the time that your warranty claim is processed, but we wouldn't want you to be left empty-handed! In this case, we will offer store credit rather than a replacement. The store credit never expires and will be valid for any product found at www.nomadgoods.com. For more information on our warranty policy, please visit our Warranty page.

Nomad will not be liable for any damages that may result from the use of any Nomad product. Our warranty does not cover the repair or replacement of property such as electronic devices and/or other personal property.

Contact

support@nomadgoods.com

Legal

FCC Statement

NOTE. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in aresidential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measure.

- Reorient or relocate the receiving antenna
- Increase the separation between the equipment and received
- *Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

 $Changes \ or \ modifications \ not \ expressly \ approved \ by \ the \ party \ responsible for compliance \ could \ void \ the \ user's authority to \ operate \ the \ equipment$

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions

(1) this device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Warning Statements:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment shall be installed and operated with minimum distance 20cm between the radiator & body

Statement for IC

This device contains licence-exempt transmitter(s)/receiver(s) that comply with innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device and Economic Development Canada's licence-exempt RSS(s).

(2) This device and Economic Development Canada's licence-exempt RSS(s).

(3) This device and Economic Development Canada's licence-exempt RSS(s).

(2) This device must accept any interference, including interference that may cause undesired operation of the device

L'émetteur/récepteur exempt de licence cont enu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'explotation est autorisée aux deux conditions suivantes (D.L'appareil ne doit pas produire de brouillage;

(2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement

Radio Frequency Exposure Statement for IC

This equipment complies with IC exposure limits set for this ran uncontrolled environment. This equipments hall be installed and operated with minimum distance 10 cm between the radiator & body.

Cetéquipementest conforme aux limites d'exposition IC définies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec une distance minimale de l'Ocmentre le radieteur et la carrosserie.