


Annex C. Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.43	-13	Pass	601
0.15	30	0.01	Peak	0.15	-39.32	-13	Pass	2986
30	500	0.1	Peak	440.3	-42.88	-13	Pass	4701
500	1000	0.1	Peak	824.2	32.5	-13	N/A	5001
1000	10000	1	Peak	9867	-23.04	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.73	-13	Pass	601
0.15	30	0.01	Peak	0.16	-38.09	-13	Pass	2986
30	500	0.1	Peak	489.9	-42.66	-13	Pass	4701
500	1000	0.1	Peak	836.6	32.48	-13	N/A	5001
1000	10000	1	Peak	9727	-22.62	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.47	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.46	-13	Pass	2986
30	500	0.1	Peak	488.6	-42.64	-13	Pass	4701
500	1000	0.1	Peak	848.9	32.58	-13	N/A	5001
1000	10000	1	Peak	9850	-22.28	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.62	-13	Pass	601
0.15	30	0.01	Peak	0.15	-43.09	-13	Pass	2986
30	1000	0.1	Peak	984.9	-47.46	-13	Pass	9701
1000	3000	1	Peak	1850	25.39	-13	N/A	2001
3000	20000	1	Peak	19000	-15.77	-13	Pass*	17001




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.71	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.39	-13	Pass	2986
30	1000	0.1	Peak	740.9	-47.26	-13	Pass	9701
1000	3000	1	Peak	1880	27.32	-13	N/A	2001
3000	20000	1	Peak	18792	-16	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.02	-13	Pass	601
0.15	30	0.01	Peak	0.15	-43.07	-13	Pass	2986
30	1000	0.1	Peak	909.4	-46.73	-13	Pass	9701
1000	3000	1	Peak	1910	27.63	-13	N/A	2001
3000	20000	1	Peak	18926	-15.81	-13	Pass*	17001



3. GPRS_GSM850


3.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.66	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.78	-13	Pass	2986
30	500	0.1	Peak	406	-42.84	-13	Pass	4701
500	1000	0.1	Peak	824.2	32.36	-13	N/A	5001
1000	10000	1	Peak	9830	-23.15	-13	Pass	9001




3.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-36.69	-13	Pass	601
0.15	30	0.01	Peak	0.16	-37.76	-13	Pass	2986
30	500	0.1	Peak	416.8	-42.5	-13	Pass	4701
500	1000	0.1	Peak	836.7	32.58	-13	N/A	5001
1000	10000	1	Peak	7210	-23.11	-13	Pass	9001



3.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.49	-13	Pass	601
0.15	30	0.01	Peak	0.16	-38.53	-13	Pass	2986
30	500	0.1	Peak	482.5	-42.81	-13	Pass	4701
500	1000	0.1	Peak	848.6	14.52	-13	N/A	5001
1000	10000	1	Peak	9861	-23.04	-13	Pass	9001



4. GPRS_PCS


4.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-42.05	-13	Pass	601
0.15	30	0.01	Peak	0.15	-43.76	-13	Pass	2986
30	1000	0.1	Peak	909.9	-47.44	-13	Pass	9701
1000	3000	1	Peak	1850	25.91	-13	N/A	2001
3000	20000	1	Peak	18895	-15.73	-13	Pass*	17001




4.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.33	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.65	-13	Pass	2986
30	1000	0.1	Peak	972.5	-47.14	-13	Pass	9701
1000	3000	1	Peak	1880	25.34	-13	N/A	2001
3000	20000	1	Peak	18939	-15.31	-13	Pass*	17001



4.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.73	-13	Pass	601
0.15	30	0.01	Peak	0.15	-43.01	-13	Pass	2986
30	1000	0.1	Peak	914.6	-46.97	-13	Pass	9701
1000	3000	1	Peak	1910	28.38	-13	N/A	2001
3000	20000	1	Peak	18963	-15.53	-13	Pass*	17001



5. EGPRS_GSM850


5.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.18	-13	Pass	601
0.15	30	0.01	Peak	0.15	-38.87	-13	Pass	2986
30	500	0.1	Peak	415.1	-42.84	-13	Pass	4701
500	1000	0.1	Peak	824.3	27.01	-13	N/A	5001
1000	10000	1	Peak	9939	-22.89	-13	Pass	9001




5.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.09	-13	Pass	601
0.15	30	0.01	Peak	0.15	-37.94	-13	Pass	2986
30	500	0.1	Peak	470.2	-42.07	-13	Pass	4701
500	1000	0.1	Peak	836.5	28.75	-13	N/A	5001
1000	10000	1	Peak	9848	-21.3	-13	Pass	9001



5.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.59	-13	Pass	601
0.15	30	0.01	Peak	0.15	-37.04	-13	Pass	2986
30	500	0.1	Peak	399.8	-42.24	-13	Pass	4701
500	1000	0.1	Peak	848.7	26.81	-13	N/A	5001
1000	10000	1	Peak	9848	-22.75	-13	Pass	9001



6. EGPRS_PCS


6.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.31	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.72	-13	Pass	2986
30	1000	0.1	Peak	819.4	-46.55	-13	Pass	9701
1000	3000	1	Peak	1850	24.09	-13	N/A	2001
3000	20000	1	Peak	18996	-15.21	-13	Pass*	17001




6.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.05	-13	Pass	601
0.15	30	0.01	Peak	0.15	-43.36	-13	Pass	2986
30	1000	0.1	Peak	911.1	-46.76	-13	Pass	9701
1000	3000	1	Peak	1880	26.48	-13	N/A	2001
3000	20000	1	Peak	18910	-14.81	-13	Pass*	17001



6.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-41.91	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.17	-13	Pass	2986
30	1000	0.1	Peak	972.9	-47.38	-13	Pass	9701
1000	3000	1	Peak	1910	27.79	-13	N/A	2001
3000	20000	1	Peak	18882	-15.35	-13	Pass*	17001



7. WCDMA_Band2


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-47.39	-13	Pass	601
0.15	30	0.01	Peak	0.16	-50.02	-13	Pass	2986
30	1000	0.1	Peak	772.8	-50.68	-13	Pass	9701
1000	3000	1	Peak	1854	18.88	-13	N/A	2001
3000	20000	1	Peak	18838	-18.72	-13	Pass*	17001




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-46.38	-13	Pass	601
0.15	30	0.01	Peak	0.16	-49.12	-13	Pass	2986
30	1000	0.1	Peak	916.6	-50.63	-13	Pass	9701
1000	3000	1	Peak	1881	20.94	-13	N/A	2001
3000	20000	1	Peak	19095	-19.69	-13	Pass	17001



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-46.93	-13	Pass	601
0.15	30	0.01	Peak	0.15	-48.35	-13	Pass	2986
30	1000	0.1	Peak	827.2	-50.61	-13	Pass	9701
1000	3000	1	Peak	1906	21.08	-13	N/A	2001
3000	20000	1	Peak	18849	-19.54	-13	Pass	17001



8. WCDMA_Band5


8.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-47.75	-13	Pass	601
0.15	30	0.01	Peak	0.16	-48.68	-13	Pass	2986
30	500	0.1	Peak	428.2	-52.71	-13	Pass	4701
500	1000	0.1	Peak	826.7	17.91	-13	N/A	5001
1000	10000	1	Peak	9846	-32.72	-13	Pass	9001




8.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-47.2	-13	Pass	601
0.15	30	0.01	Peak	0.15	-49.68	-13	Pass	2986
30	500	0.1	Peak	489.9	-51.74	-13	Pass	4701
500	1000	0.1	Peak	837.1	16.73	-13	N/A	5001
1000	10000	1	Peak	9998	-32.84	-13	Pass	9001



8.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-46.12	-13	Pass	601
0.15	30	0.01	Peak	0.17	-49.16	-13	Pass	2986
30	500	0.1	Peak	451.2	-52.31	-13	Pass	4701
500	1000	0.1	Peak	847.5	17.02	-13	N/A	5001
1000	10000	1	Peak	9874	-32.33	-13	Pass	9001



9. LTE_Band2


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.34	-13	Pass	9701
1000	1840	1	RMS	1840	-44.86	-13	Pass	841
1840	1920	1	RMS	1850.267	18.77	60	Pass	601
1920	3000	1	RMS	2660	-47.94	-13	Pass	1081
3000	12000	1	RMS	11969	-41.37	-13	Pass	9001
12000	20000	1	RMS	18921	-31.12	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.2	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.47	-13	Pass	2986
30	1000	0.1	RMS	921.5	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-45.76	-13	Pass	841
1840	1920	1	RMS	1850.267	17.81	60	Pass	601
1920	3000	1	RMS	2686	-47.9	-13	Pass	1081
3000	12000	1	RMS	11972	-41.25	-13	Pass	9001
12000	20000	1	RMS	18915	-31.17	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.42	-13	Pass	2986
30	1000	0.1	RMS	914	-62.31	-13	Pass	9701
1000	1840	1	RMS	1838	-51.23	-13	Pass	841
1840	1920	1	RMS	1879.6	20.35	60	Pass	601
1920	3000	1	RMS	2679	-47.79	-13	Pass	1081
3000	12000	1	RMS	11971	-41.23	-13	Pass	9001
12000	20000	1	RMS	18911	-31.12	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.04	-13	Pass	2986
30	1000	0.1	RMS	924.4	-62.36	-13	Pass	9701
1000	1840	1	RMS	1838	-51.27	-13	Pass	841
1840	1920	1	RMS	1879.6	19.47	60	Pass	601
1920	3000	1	RMS	2677	-47.91	-13	Pass	1081
3000	12000	1	RMS	11969	-41.19	-13	Pass	9001
12000	20000	1	RMS	18933	-31.1	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	1000	0.1	RMS	970	-62.32	-13	Pass	9701
1000	1840	1	RMS	1749	-51.22	-13	Pass	841
1840	1920	1	RMS	1908.8	20.78	60	Pass	601
1920	3000	1	RMS	2682	-47.87	-13	Pass	1081
3000	12000	1	RMS	11971	-41.22	-13	Pass	9001
12000	20000	1	RMS	18913	-31.14	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	1000	0.1	RMS	955	-62.18	-13	Pass	9701
1000	1840	1	RMS	1749	-51.23	-13	Pass	841
1840	1920	1	RMS	1908.8	19.9	60	Pass	601
1920	3000	1	RMS	2669	-47.81	-13	Pass	1081
3000	12000	1	RMS	11968	-41.24	-13	Pass	9001
12000	20000	1	RMS	19023	-31.14	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.06	-13	Pass	2986
30	1000	0.1	RMS	924.3	-62.3	-13	Pass	9701
1000	1840	1	RMS	1840	-45.19	-13	Pass	841
1840	1920	1	RMS	1850.267	18.61	60	Pass	601
1920	3000	1	RMS	2671	-47.81	-13	Pass	1081
3000	12000	1	RMS	11966	-41.28	-13	Pass	9001
12000	20000	1	RMS	19022	-31.08	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	930.2	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-45.73	-13	Pass	841
1840	1920	1	RMS	1850.267	17.84	60	Pass	601
1920	3000	1	RMS	2678	-47.85	-13	Pass	1081
3000	12000	1	RMS	11971	-41.23	-13	Pass	9001
12000	20000	1	RMS	18933	-31.12	-13	Pass	8001




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.58	-13	Pass	2986
30	1000	0.1	RMS	930	-62.27	-13	Pass	9701
1000	1840	1	RMS	1832	-51.28	-13	Pass	841
1840	1920	1	RMS	1878.667	20.09	60	Pass	601
1920	3000	1	RMS	2673	-47.85	-13	Pass	1081
3000	12000	1	RMS	11978	-41.3	-13	Pass	9001
12000	20000	1	RMS	18869	-31.18	-13	Pass	8001




9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	962.9	-62.29	-13	Pass	9701
1000	1840	1	RMS	1840	-51.24	-13	Pass	841
1840	1920	1	RMS	1878.8	19.21	60	Pass	601
1920	3000	1	RMS	2674	-47.8	-13	Pass	1081
3000	12000	1	RMS	11973	-41.28	-13	Pass	9001
12000	20000	1	RMS	18858	-31.16	-13	Pass	8001




9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2986
30	1000	0.1	RMS	974.8	-62.14	-13	Pass	9701
1000	1840	1	RMS	1840	-51.2	-13	Pass	841
1840	1920	1	RMS	1907.2	20.53	60	Pass	601
1920	3000	1	RMS	2678	-47.82	-13	Pass	1081
3000	12000	1	RMS	11967	-41.13	-13	Pass	9001
12000	20000	1	RMS	19019	-31.09	-13	Pass	8001




9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.35	-13	Pass	2986
30	1000	0.1	RMS	911.1	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-51.17	-13	Pass	841
1840	1920	1	RMS	1907.2	19.72	60	Pass	601
1920	3000	1	RMS	2684	-47.81	-13	Pass	1081
3000	12000	1	RMS	11970	-41.18	-13	Pass	9001
12000	20000	1	RMS	18926	-31.06	-13	Pass	8001




9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	1000	0.1	RMS	926.6	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-45.33	-13	Pass	841
1840	1920	1	RMS	1850.267	18.48	60	Pass	601
1920	3000	1	RMS	2675	-47.82	-13	Pass	1081
3000	12000	1	RMS	11968	-41.18	-13	Pass	9001
12000	20000	1	RMS	18866	-31.07	-13	Pass	8001




9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.31	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.95	-13	Pass	2986
30	1000	0.1	RMS	925.2	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-45.95	-13	Pass	841
1840	1920	1	RMS	1850.267	17.63	60	Pass	601
1920	3000	1	RMS	2680	-47.79	-13	Pass	1081
3000	12000	1	RMS	11977	-41.17	-13	Pass	9001
12000	20000	1	RMS	19014	-31.11	-13	Pass	8001




9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.65	-13	Pass	2986
30	1000	0.1	RMS	936.7	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-51.2	-13	Pass	841
1840	1920	1	RMS	1877.867	19.94	60	Pass	601
1920	3000	1	RMS	2673	-47.8	-13	Pass	1081
3000	12000	1	RMS	11977	-41.11	-13	Pass	9001
12000	20000	1	RMS	18879	-31.11	-13	Pass	8001




9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	1000	0.1	RMS	908.2	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-51.21	-13	Pass	841
1840	1920	1	RMS	1877.867	19.16	60	Pass	601
1920	3000	1	RMS	2676	-47.79	-13	Pass	1081
3000	12000	1	RMS	11972	-41.16	-13	Pass	9001
12000	20000	1	RMS	18886	-31.06	-13	Pass	8001




9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.53	-13	Pass	2986
30	1000	0.1	RMS	942.5	-62.16	-13	Pass	9701
1000	1840	1	RMS	1839	-51.12	-13	Pass	841
1840	1920	1	RMS	1905.333	20.35	60	Pass	601
1920	3000	1	RMS	2674	-47.84	-13	Pass	1081
3000	12000	1	RMS	11979	-41.15	-13	Pass	9001
12000	20000	1	RMS	18877	-30.99	-13	Pass	8001




9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2986
30	1000	0.1	RMS	940.7	-62.28	-13	Pass	9701
1000	1840	1	RMS	1831	-51.22	-13	Pass	841
1840	1920	1	RMS	1905.333	19.72	60	Pass	601
1920	3000	1	RMS	2679	-47.76	-13	Pass	1081
3000	12000	1	RMS	11973	-41.17	-13	Pass	9001
12000	20000	1	RMS	18862	-31.04	-13	Pass	8001




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	1000	0.1	RMS	915.1	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-45.61	-13	Pass	841
1840	1920	1	RMS	1850.533	18.43	60	Pass	601
1920	3000	1	RMS	2681	-47.83	-13	Pass	1081
3000	12000	1	RMS	11969	-41.1	-13	Pass	9001
12000	20000	1	RMS	18883	-31.06	-13	Pass	8001




9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2986
30	1000	0.1	RMS	940.6	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-46.23	-13	Pass	841
1840	1920	1	RMS	1850.533	17.65	60	Pass	601
1920	3000	1	RMS	2677	-47.8	-13	Pass	1081
3000	12000	1	RMS	11973	-41.19	-13	Pass	9001
12000	20000	1	RMS	18894	-30.99	-13	Pass	8001




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2986
30	1000	0.1	RMS	918.1	-62.2	-13	Pass	9701
1000	1840	1	RMS	1833	-51.23	-13	Pass	841
1840	1920	1	RMS	1875.6	19.54	60	Pass	601
1920	3000	1	RMS	2678	-47.82	-13	Pass	1081
3000	12000	1	RMS	11979	-41.15	-13	Pass	9001
12000	20000	1	RMS	19020	-31.03	-13	Pass	8001




9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2986
30	1000	0.1	RMS	956.1	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-51.14	-13	Pass	841
1840	1920	1	RMS	1875.6	18.54	60	Pass	601
1920	3000	1	RMS	2675	-47.84	-13	Pass	1081
3000	12000	1	RMS	11973	-41.11	-13	Pass	9001
12000	20000	1	RMS	18927	-31	-13	Pass	8001




9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2986
30	1000	0.1	RMS	912.2	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-51.2	-13	Pass	841
1840	1920	1	RMS	1900.533	19.88	60	Pass	601
1920	3000	1	RMS	2674	-47.76	-13	Pass	1081
3000	12000	1	RMS	11970	-41.11	-13	Pass	9001
12000	20000	1	RMS	18888	-31.07	-13	Pass	8001




9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2986
30	1000	0.1	RMS	958.3	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-51.23	-13	Pass	841
1840	1920	1	RMS	1900.533	19.17	60	Pass	601
1920	3000	1	RMS	2665	-47.86	-13	Pass	1081
3000	12000	1	RMS	11976	-41.29	-13	Pass	9001
12000	20000	1	RMS	18931	-31.03	-13	Pass	8001




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	1000	0.1	RMS	952.3	-62.29	-13	Pass	9701
1000	1840	1	RMS	1840	-45.7	-13	Pass	841
1840	1920	1	RMS	1850.8	18.52	60	Pass	601
1920	3000	1	RMS	2679	-47.85	-13	Pass	1081
3000	12000	1	RMS	11964	-41.29	-13	Pass	9001
12000	20000	1	RMS	18892	-31.14	-13	Pass	8001




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.6	-13	Pass	2986
30	1000	0.1	RMS	853.9	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-46.27	-13	Pass	841
1840	1920	1	RMS	1850.8	17.72	60	Pass	601
1920	3000	1	RMS	2679	-47.86	-13	Pass	1081
3000	12000	1	RMS	11968	-41.26	-13	Pass	9001
12000	20000	1	RMS	18882	-31.16	-13	Pass	8001




9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.92	-13	Pass	2986
30	1000	0.1	RMS	942.9	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-51.21	-13	Pass	841
1840	1920	1	RMS	1873.333	19.48	60	Pass	601
1920	3000	1	RMS	2677	-47.85	-13	Pass	1081
3000	12000	1	RMS	11973	-41.27	-13	Pass	9001
12000	20000	1	RMS	18884	-31.15	-13	Pass	8001




9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	1000	0.1	RMS	932.8	-62.26	-13	Pass	9701
1000	1840	1	RMS	1839	-51.26	-13	Pass	841
1840	1920	1	RMS	1873.333	18.63	60	Pass	601
1920	3000	1	RMS	2676	-47.89	-13	Pass	1081
3000	12000	1	RMS	11969	-41.26	-13	Pass	9001
12000	20000	1	RMS	18883	-31.17	-13	Pass	8001




9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	1000	0.1	RMS	933.3	-62.31	-13	Pass	9701
1000	1840	1	RMS	1832	-51.27	-13	Pass	841
1840	1920	1	RMS	1895.867	20.51	60	Pass	601
1920	3000	1	RMS	2678	-47.86	-13	Pass	1081
3000	12000	1	RMS	11969	-41.27	-13	Pass	9001
12000	20000	1	RMS	18875	-31.13	-13	Pass	8001




9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.65	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.47	-13	Pass	2986
30	1000	0.1	RMS	906.7	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-51.29	-13	Pass	841
1840	1920	1	RMS	1895.867	20	60	Pass	601
1920	3000	1	RMS	2677	-47.87	-13	Pass	1081
3000	12000	1	RMS	11974	-41.31	-13	Pass	9001
12000	20000	1	RMS	18882	-31.17	-13	Pass	8001




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.71	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-46	-13	Pass	841
1840	1920	1	RMS	1851.067	18.58	60	Pass	601
1920	3000	1	RMS	2678	-47.88	-13	Pass	1081
3000	12000	1	RMS	11972	-41.22	-13	Pass	9001
12000	20000	1	RMS	18874	-31.1	-13	Pass	8001




9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	1000	0.1	RMS	965.6	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-46.66	-13	Pass	841
1840	1920	1	RMS	1851.067	17.69	60	Pass	601
1920	3000	1	RMS	2682	-47.87	-13	Pass	1081
3000	12000	1	RMS	11969	-41.18	-13	Pass	9001
12000	20000	1	RMS	18869	-31.09	-13	Pass	8001




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.29	-13	Pass	2986
30	1000	0.1	RMS	918.6	-62.25	-13	Pass	9701
1000	1840	1	RMS	1835	-48.74	-13	Pass	841
1840	1920	1	RMS	1871.067	19.43	60	Pass	601
1920	3000	1	RMS	2677	-47.89	-13	Pass	1081
3000	12000	1	RMS	11972	-41.22	-13	Pass	9001
12000	20000	1	RMS	18879	-31.12	-13	Pass	8001




9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2986
30	1000	0.1	RMS	943.1	-62.28	-13	Pass	9701
1000	1840	1	RMS	1835	-48.32	-13	Pass	841
1840	1920	1	RMS	1871.067	18.39	60	Pass	601
1920	3000	1	RMS	2679	-47.84	-13	Pass	1081
3000	12000	1	RMS	11965	-41.3	-13	Pass	9001
12000	20000	1	RMS	18873	-31.08	-13	Pass	8001




9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	1000	0.1	RMS	948	-62.25	-13	Pass	9701
1000	1840	1	RMS	1839	-51.14	-13	Pass	841
1840	1920	1	RMS	1891.067	20.23	60	Pass	601
1920	3000	1	RMS	2672	-47.81	-13	Pass	1081
3000	12000	1	RMS	11963	-41.28	-13	Pass	9001
12000	20000	1	RMS	18875	-31.15	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.76	-13	Pass	2986
30	1000	0.1	RMS	900.3	-62.33	-13	Pass	9701
1000	1840	1	RMS	1839	-51.16	-13	Pass	841
1840	1920	1	RMS	1891.067	19.38	60	Pass	601
1920	3000	1	RMS	2679	-47.85	-13	Pass	1081
3000	12000	1	RMS	11969	-41.21	-13	Pass	9001
12000	20000	1	RMS	19019	-31.1	-13	Pass	8001



10. LTE_Band4


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	928.4	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-45.18	-13	Pass	701
1700	1765	1	RMS	1710.292	22.07	60	Pass	601
1765	3000	1	RMS	2678	-47.8	-13	Pass	1236
3000	12000	1	RMS	11981	-41.1	-13	Pass	9001
12000	20000	1	RMS	18866	-31.05	-13	Pass	8001




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2986
30	1000	0.1	RMS	923.7	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-45.99	-13	Pass	701
1700	1765	1	RMS	1710.292	21.23	60	Pass	601
1765	3000	1	RMS	2682	-47.73	-13	Pass	1236
3000	12000	1	RMS	11968	-41.14	-13	Pass	9001
12000	20000	1	RMS	18935	-31.05	-13	Pass	8001




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.82	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.4	-13	Pass	2986
30	1000	0.1	RMS	858.2	-62.01	-13	Pass	9701
1000	1700	1	RMS	1624	-51.52	-13	Pass	701
1700	1765	1	RMS	1732.067	21.04	60	Pass	601
1765	3000	1	RMS	2677	-47.73	-13	Pass	1236
3000	12000	1	RMS	11969	-41.04	-13	Pass	9001
12000	20000	1	RMS	18879	-31.06	-13	Pass	8001




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	1000	0.1	RMS	952	-62.05	-13	Pass	9701
1000	1700	1	RMS	1621	-51.49	-13	Pass	701
1700	1765	1	RMS	1732.067	20.12	60	Pass	601
1765	3000	1	RMS	2676	-47.73	-13	Pass	1236
3000	12000	1	RMS	11971	-41.11	-13	Pass	9001
12000	20000	1	RMS	18887	-30.95	-13	Pass	8001




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.04	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.28	-13	Pass	2986
30	1000	0.1	RMS	903.4	-62.12	-13	Pass	9701
1000	1700	1	RMS	1620	-51.37	-13	Pass	701
1700	1765	1	RMS	1753.842	20.84	60	Pass	601
1765	3000	1	RMS	1765	-45.23	-13	Pass	1236
3000	12000	1	RMS	11971	-40.98	-13	Pass	9001
12000	20000	1	RMS	18881	-30.95	-13	Pass	8001




10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2986
30	1000	0.1	RMS	946.4	-62.1	-13	Pass	9701
1000	1700	1	RMS	1619	-51.42	-13	Pass	701
1700	1765	1	RMS	1753.842	19.94	60	Pass	601
1765	3000	1	RMS	1765	-45.9	-13	Pass	1236
3000	12000	1	RMS	11970	-41.01	-13	Pass	9001
12000	20000	1	RMS	19016	-30.92	-13	Pass	8001




10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.53	-13	Pass	2986
30	1000	0.1	RMS	926.9	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-45.27	-13	Pass	701
1700	1765	1	RMS	1710.183	22.07	60	Pass	601
1765	3000	1	RMS	2679	-47.55	-13	Pass	1236
3000	12000	1	RMS	11968	-41.08	-13	Pass	9001
12000	20000	1	RMS	18883	-30.99	-13	Pass	8001




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2986
30	1000	0.1	RMS	926.2	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-45.87	-13	Pass	701
1700	1765	1	RMS	1710.292	21.26	60	Pass	601
1765	3000	1	RMS	2672	-47.59	-13	Pass	1236
3000	12000	1	RMS	11976	-41.06	-13	Pass	9001
12000	20000	1	RMS	18896	-30.95	-13	Pass	8001




10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.71	-13	Pass	2986
30	1000	0.1	RMS	924.4	-62.06	-13	Pass	9701
1000	1700	1	RMS	1613	-51.47	-13	Pass	701
1700	1765	1	RMS	1731.2	20.9	60	Pass	601
1765	3000	1	RMS	2676	-47.62	-13	Pass	1236
3000	12000	1	RMS	11972	-41.07	-13	Pass	9001
12000	20000	1	RMS	18883	-30.87	-13	Pass	8001




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	1000	0.1	RMS	919.7	-62.1	-13	Pass	9701
1000	1700	1	RMS	1618	-51.45	-13	Pass	701
1700	1765	1	RMS	1731.2	19.97	60	Pass	601
1765	3000	1	RMS	2676	-47.65	-13	Pass	1236
3000	12000	1	RMS	11970	-41.01	-13	Pass	9001
12000	20000	1	RMS	18871	-30.96	-13	Pass	8001




10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2986
30	1000	0.1	RMS	927	-61.91	-13	Pass	9701
1000	1700	1	RMS	1617	-51.42	-13	Pass	701
1700	1765	1	RMS	1752.217	20.6	60	Pass	601
1765	3000	1	RMS	1778	-47	-13	Pass	1236
3000	12000	1	RMS	11965	-41.01	-13	Pass	9001
12000	20000	1	RMS	18880	-30.93	-13	Pass	8001




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.65	-13	Pass	2986
30	1000	0.1	RMS	939.4	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-51.43	-13	Pass	701
1700	1765	1	RMS	1752.217	19.8	60	Pass	601
1765	3000	1	RMS	1778	-47.47	-13	Pass	1236
3000	12000	1	RMS	11971	-41.07	-13	Pass	9001
12000	20000	1	RMS	18933	-30.97	-13	Pass	8001




10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2986
30	1000	0.1	RMS	917	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-45.83	-13	Pass	701
1700	1765	1	RMS	1710.292	21.9	60	Pass	601
1765	3000	1	RMS	2671	-47.6	-13	Pass	1236
3000	12000	1	RMS	11969	-41.08	-13	Pass	9001
12000	20000	1	RMS	18887	-30.95	-13	Pass	8001




10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2986
30	1000	0.1	RMS	931.3	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-46.49	-13	Pass	701
1700	1765	1	RMS	1710.292	21.01	60	Pass	601
1765	3000	1	RMS	2681	-47.65	-13	Pass	1236
3000	12000	1	RMS	11970	-41.07	-13	Pass	9001
12000	20000	1	RMS	19026	-30.99	-13	Pass	8001




10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.57	-13	Pass	601
0.15	30	0.01	RMS	0.17	-56.15	-13	Pass	2986
30	1000	0.1	RMS	923	-62.03	-13	Pass	9701
1000	1700	1	RMS	1617	-51.41	-13	Pass	701
1700	1765	1	RMS	1730.333	20.85	60	Pass	601
1765	3000	1	RMS	2680	-47.64	-13	Pass	1236
3000	12000	1	RMS	11971	-40.94	-13	Pass	9001
12000	20000	1	RMS	18868	-30.9	-13	Pass	8001




10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2986
30	1000	0.1	RMS	915.2	-62	-13	Pass	9701
1000	1700	1	RMS	1622	-51.41	-13	Pass	701
1700	1765	1	RMS	1730.333	20.16	60	Pass	601
1765	3000	1	RMS	2677	-47.61	-13	Pass	1236
3000	12000	1	RMS	11964	-41.01	-13	Pass	9001
12000	20000	1	RMS	18868	-30.91	-13	Pass	8001




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2986
30	1000	0.1	RMS	938.7	-62.08	-13	Pass	9701
1000	1700	1	RMS	1699	-51.41	-13	Pass	701
1700	1765	1	RMS	1750.375	20.75	60	Pass	601
1765	3000	1	RMS	1776	-47.08	-13	Pass	1236
3000	12000	1	RMS	11974	-40.99	-13	Pass	9001
12000	20000	1	RMS	18932	-30.92	-13	Pass	8001




10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	911.8	-61.98	-13	Pass	9701
1000	1700	1	RMS	1618	-51.42	-13	Pass	701
1700	1765	1	RMS	1750.375	19.99	60	Pass	601
1765	3000	1	RMS	1776	-47.51	-13	Pass	1236
3000	12000	1	RMS	11971	-40.95	-13	Pass	9001
12000	20000	1	RMS	18881	-30.89	-13	Pass	8001




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	1000	0.1	RMS	919.4	-61.95	-13	Pass	9701
1000	1700	1	RMS	1700	-46.41	-13	Pass	701
1700	1765	1	RMS	1710.617	21.63	60	Pass	601
1765	3000	1	RMS	2677	-47.63	-13	Pass	1236
3000	12000	1	RMS	11969	-40.96	-13	Pass	9001
12000	20000	1	RMS	18883	-30.9	-13	Pass	8001




10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.62	-13	Pass	2986
30	1000	0.1	RMS	850.6	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-46.86	-13	Pass	701
1700	1765	1	RMS	1710.617	20.9	60	Pass	601
1765	3000	1	RMS	2669	-47.63	-13	Pass	1236
3000	12000	1	RMS	11969	-40.9	-13	Pass	9001
12000	20000	1	RMS	18877	-30.86	-13	Pass	8001




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.75	-13	Pass	2986
30	1000	0.1	RMS	943.3	-61.93	-13	Pass	9701
1000	1700	1	RMS	1632	-51.41	-13	Pass	701
1700	1765	1	RMS	1728.058	20.77	60	Pass	601
1765	3000	1	RMS	2675	-47.64	-13	Pass	1236
3000	12000	1	RMS	11967	-40.94	-13	Pass	9001
12000	20000	1	RMS	18870	-30.9	-13	Pass	8001




10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.72	-13	Pass	2986
30	1000	0.1	RMS	939	-61.93	-13	Pass	9701
1000	1700	1	RMS	1698	-51.4	-13	Pass	701
1700	1765	1	RMS	1728.058	19.88	60	Pass	601
1765	3000	1	RMS	2679	-47.57	-13	Pass	1236
3000	12000	1	RMS	11966	-40.98	-13	Pass	9001
12000	20000	1	RMS	18936	-30.85	-13	Pass	8001




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.33	-13	Pass	2986
30	1000	0.1	RMS	949.1	-62.04	-13	Pass	9701
1000	1700	1	RMS	1620	-51.37	-13	Pass	701
1700	1765	1	RMS	1745.608	20.48	60	Pass	601
1765	3000	1	RMS	1772	-47.41	-13	Pass	1236
3000	12000	1	RMS	11971	-40.98	-13	Pass	9001
12000	20000	1	RMS	18922	-30.87	-13	Pass	8001




10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.24	-13	Pass	2986
30	1000	0.1	RMS	917.5	-62.08	-13	Pass	9701
1000	1700	1	RMS	1665	-51.39	-13	Pass	701
1700	1765	1	RMS	1745.608	19.72	60	Pass	601
1765	3000	1	RMS	2681	-47.6	-13	Pass	1236
3000	12000	1	RMS	11972	-40.97	-13	Pass	9001
12000	20000	1	RMS	18872	-30.88	-13	Pass	8001




10.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	1000	0.1	RMS	919.4	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-46.31	-13	Pass	701
1700	1765	1	RMS	1710.833	21.92	60	Pass	601
1765	3000	1	RMS	2676	-47.63	-13	Pass	1236
3000	12000	1	RMS	11971	-40.95	-13	Pass	9001
12000	20000	1	RMS	18877	-30.92	-13	Pass	8001




**10.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2986
30	1000	0.1	RMS	943	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-46.86	-13	Pass	701
1700	1765	1	RMS	1710.833	21.11	60	Pass	601
1765	3000	1	RMS	2688	-47.61	-13	Pass	1236
3000	12000	1	RMS	11974	-41.01	-13	Pass	9001
12000	20000	1	RMS	18936	-30.86	-13	Pass	8001




**10.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.96	-13	Pass	2986
30	1000	0.1	RMS	963.9	-61.88	-13	Pass	9701
1000	1700	1	RMS	1700	-46.33	-13	Pass	701
1700	1765	1	RMS	1725.783	21.16	60	Pass	601
1765	3000	1	RMS	2670	-47.45	-13	Pass	1236
3000	12000	1	RMS	11970	-40.93	-13	Pass	9001
12000	20000	1	RMS	18922	-30.83	-13	Pass	8001




**10.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	1000	0.1	RMS	931.2	-61.96	-13	Pass	9701
1000	1700	1	RMS	1699	-46.5	-13	Pass	701
1700	1765	1	RMS	1725.783	20.31	60	Pass	601
1765	3000	1	RMS	2680	-47.44	-13	Pass	1236
3000	12000	1	RMS	11970	-40.96	-13	Pass	9001
12000	20000	1	RMS	18875	-30.82	-13	Pass	8001




10.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.96	-13	Pass	2986
30	1000	0.1	RMS	905.8	-61.99	-13	Pass	9701
1000	1700	1	RMS	1696	-51.3	-13	Pass	701
1700	1765	1	RMS	1740.842	21.12	60	Pass	601
1765	3000	1	RMS	1767	-36.31	-13	Pass	1236
3000	12000	1	RMS	11972	-40.86	-13	Pass	9001
12000	20000	1	RMS	19028	-30.86	-13	Pass	8001




**10.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	1000	0.1	RMS	918.8	-61.96	-13	Pass	9701
1000	1700	1	RMS	1618	-51.27	-13	Pass	701
1700	1765	1	RMS	1740.842	20.36	60	Pass	601
1765	3000	1	RMS	1767	-36.22	-13	Pass	1236
3000	12000	1	RMS	11962	-40.91	-13	Pass	9001
12000	20000	1	RMS	18904	-30.81	-13	Pass	8001




10.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.63	-13	Pass	2986
30	1000	0.1	RMS	896.9	-61.99	-13	Pass	9701
1000	1700	1	RMS	1700	-46.35	-13	Pass	701
1700	1765	1	RMS	1711.05	21.89	60	Pass	601
1765	3000	1	RMS	2672	-47.52	-13	Pass	1236
3000	12000	1	RMS	11975	-40.91	-13	Pass	9001
12000	20000	1	RMS	18930	-30.84	-13	Pass	8001




10.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.15	-13	Pass	2986
30	1000	0.1	RMS	914.7	-61.94	-13	Pass	9701
1000	1700	1	RMS	1700	-46.85	-13	Pass	701
1700	1765	1	RMS	1711.05	21.22	60	Pass	601
1765	3000	1	RMS	2672	-47.49	-13	Pass	1236
3000	12000	1	RMS	11970	-40.84	-13	Pass	9001
12000	20000	1	RMS	18890	-30.83	-13	Pass	8001




10.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2986
30	1000	0.1	RMS	927.1	-61.89	-13	Pass	9701
1000	1700	1	RMS	1698	-48.6	-13	Pass	701
1700	1765	1	RMS	1723.617	21.27	60	Pass	601
1765	3000	1	RMS	2678	-47.51	-13	Pass	1236
3000	12000	1	RMS	11969	-40.84	-13	Pass	9001
12000	20000	1	RMS	18870	-30.79	-13	Pass	8001




10.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2986
30	1000	0.1	RMS	911.9	-61.97	-13	Pass	9701
1000	1700	1	RMS	1698	-49.08	-13	Pass	701
1700	1765	1	RMS	1723.508	20.41	60	Pass	601
1765	3000	1	RMS	2680	-47.46	-13	Pass	1236
3000	12000	1	RMS	11968	-40.87	-13	Pass	9001
12000	20000	1	RMS	18870	-30.83	-13	Pass	8001




10.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	1000	0.1	RMS	925.8	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-46.79	-13	Pass	701
1700	1765	1	RMS	1736.075	21.13	60	Pass	601
1765	3000	1	RMS	1772	-37.02	-13	Pass	1236
3000	12000	1	RMS	11970	-40.89	-13	Pass	9001
12000	20000	1	RMS	18873	-30.8	-13	Pass	8001



10.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2986
30	1000	0.1	RMS	906	-61.97	-13	Pass	9701
1000	1700	1	RMS	1700	-46.75	-13	Pass	701
1700	1765	1	RMS	1736.075	20.2	60	Pass	601
1765	3000	1	RMS	1772	-37.09	-13	Pass	1236
3000	12000	1	RMS	11968	-40.86	-13	Pass	9001
12000	20000	1	RMS	18867	-30.81	-13	Pass	8001



11. LTE_Band5


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	814	0.1	RMS	803.6	-63.02	-13	Pass	7841
814	860	0.1	RMS	824.273	20.32	60	Pass	601
860	1000	0.1	RMS	933.7	-63.09	-13	Pass	1401
1000	3000	1	RMS	1648	-48.34	-13	Pass	2001
3000	10000	1	RMS	9928	-45.23	-13	Pass	7001




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2986
30	814	0.1	RMS	801.5	-63.11	-13	Pass	7841
814	860	0.1	RMS	824.273	19.28	60	Pass	601
860	1000	0.1	RMS	920.9	-63.15	-13	Pass	1401
1000	3000	1	RMS	2680	-48.6	-13	Pass	2001
3000	10000	1	RMS	9931	-45.22	-13	Pass	7001




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2986
30	814	0.1	RMS	805.2	-63.07	-13	Pass	7841
814	860	0.1	RMS	836.08	20.08	60	Pass	601
860	1000	0.1	RMS	957.7	-63.25	-13	Pass	1401
1000	3000	1	RMS	2674	-48.54	-13	Pass	2001
3000	10000	1	RMS	9922	-45.24	-13	Pass	7001




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.21	-13	Pass	2986
30	814	0.1	RMS	784.5	-63.04	-13	Pass	7841
814	860	0.1	RMS	836.08	18.93	60	Pass	601
860	1000	0.1	RMS	896.1	-63.18	-13	Pass	1401
1000	3000	1	RMS	2670	-48.52	-13	Pass	2001
3000	10000	1	RMS	9929	-45.2	-13	Pass	7001




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2986
30	814	0.1	RMS	807	-62.98	-13	Pass	7841
814	860	0.1	RMS	847.887	19.91	60	Pass	601
860	1000	0.1	RMS	951.7	-63.13	-13	Pass	1401
1000	3000	1	RMS	2679	-48.43	-13	Pass	2001
3000	10000	1	RMS	9918	-44.77	-13	Pass	7001




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2986
30	814	0.1	RMS	808.4	-62.91	-13	Pass	7841
814	860	0.1	RMS	847.887	19.3	60	Pass	601
860	1000	0.1	RMS	937.5	-63.05	-13	Pass	1401
1000	3000	1	RMS	2675	-48.37	-13	Pass	2001
3000	10000	1	RMS	9931	-44.79	-13	Pass	7001




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.66	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.83	-13	Pass	7841
814	860	0.1	RMS	824.273	20.15	60	Pass	601
860	1000	0.1	RMS	957	-63.03	-13	Pass	1401
1000	3000	1	RMS	1648	-48.2	-13	Pass	2001
3000	10000	1	RMS	9931	-44.76	-13	Pass	7001




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	814	0.1	RMS	813	-62.82	-13	Pass	7841
814	860	0.1	RMS	824.273	19.23	60	Pass	601
860	1000	0.1	RMS	908.8	-63.05	-13	Pass	1401
1000	3000	1	RMS	2681	-48.31	-13	Pass	2001
3000	10000	1	RMS	9932	-44.75	-13	Pass	7001




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.48	-13	Pass	2986
30	814	0.1	RMS	808.2	-62.94	-13	Pass	7841
814	860	0.1	RMS	835.237	20.45	60	Pass	601
860	1000	0.1	RMS	942.3	-62.93	-13	Pass	1401
1000	3000	1	RMS	2677	-48.4	-13	Pass	2001
3000	10000	1	RMS	9936	-45.02	-13	Pass	7001




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	814	0.1	RMS	807.4	-62.78	-13	Pass	7841
814	860	0.1	RMS	835.237	19.32	60	Pass	601
860	1000	0.1	RMS	909.1	-63.08	-13	Pass	1401
1000	3000	1	RMS	2679	-48.39	-13	Pass	2001
3000	10000	1	RMS	9925	-45.01	-13	Pass	7001




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2986
30	814	0.1	RMS	797.8	-62.89	-13	Pass	7841
814	860	0.1	RMS	846.277	19.9	60	Pass	601
860	1000	0.1	RMS	890.7	-62.9	-13	Pass	1401
1000	3000	1	RMS	2672	-48.37	-13	Pass	2001
3000	10000	1	RMS	9927	-45.02	-13	Pass	7001




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.23	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.15	-13	Pass	2986
30	814	0.1	RMS	804.1	-62.83	-13	Pass	7841
814	860	0.1	RMS	846.277	19.07	60	Pass	601
860	1000	0.1	RMS	915.4	-62.97	-13	Pass	1401
1000	3000	1	RMS	2679	-48.26	-13	Pass	2001
3000	10000	1	RMS	9927	-44.84	-13	Pass	7001




11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.39	-13	Pass	2986
30	814	0.1	RMS	804.2	-62.76	-13	Pass	7841
814	860	0.1	RMS	824.35	20.2	60	Pass	601
860	1000	0.1	RMS	985.2	-62.82	-13	Pass	1401
1000	3000	1	RMS	1649	-47.68	-13	Pass	2001
3000	10000	1	RMS	9925	-44.86	-13	Pass	7001




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.72	-13	Pass	7841
814	860	0.1	RMS	824.35	19.4	60	Pass	601
860	1000	0.1	RMS	990.4	-62.81	-13	Pass	1401
1000	3000	1	RMS	2677	-48.26	-13	Pass	2001
3000	10000	1	RMS	9930	-44.89	-13	Pass	7001




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	814	0.1	RMS	799.9	-62.79	-13	Pass	7841
814	860	0.1	RMS	834.317	20.34	60	Pass	601
860	1000	0.1	RMS	998.9	-62.96	-13	Pass	1401
1000	3000	1	RMS	2678	-48.23	-13	Pass	2001
3000	10000	1	RMS	9922	-44.93	-13	Pass	7001




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.89	-13	Pass	2986
30	814	0.1	RMS	806.8	-62.88	-13	Pass	7841
814	860	0.1	RMS	834.317	19.36	60	Pass	601
860	1000	0.1	RMS	912.7	-62.94	-13	Pass	1401
1000	3000	1	RMS	2679	-48.23	-13	Pass	2001
3000	10000	1	RMS	9927	-44.92	-13	Pass	7001




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2986
30	814	0.1	RMS	805.4	-62.81	-13	Pass	7841
814	860	0.1	RMS	844.36	19.77	60	Pass	601
860	1000	0.1	RMS	962.5	-62.89	-13	Pass	1401
1000	3000	1	RMS	1689	-47.74	-13	Pass	2001
3000	10000	1	RMS	9934	-44.85	-13	Pass	7001




11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	814	0.1	RMS	801.8	-62.89	-13	Pass	7841
814	860	0.1	RMS	844.36	19.21	60	Pass	601
860	1000	0.1	RMS	934.1	-62.91	-13	Pass	1401
1000	3000	1	RMS	2676	-48.21	-13	Pass	2001
3000	10000	1	RMS	9929	-44.86	-13	Pass	7001




11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	814	0.1	RMS	812.6	-62.78	-13	Pass	7841
814	860	0.1	RMS	824.58	20.14	60	Pass	601
860	1000	0.1	RMS	933.3	-62.91	-13	Pass	1401
1000	3000	1	RMS	1649	-47.51	-13	Pass	2001
3000	10000	1	RMS	9931	-44.91	-13	Pass	7001




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.36	-13	Pass	2986
30	814	0.1	RMS	808.6	-62.77	-13	Pass	7841
814	860	0.1	RMS	824.58	19.32	60	Pass	601
860	1000	0.1	RMS	915.9	-62.8	-13	Pass	1401
1000	3000	1	RMS	1649	-48.11	-13	Pass	2001
3000	10000	1	RMS	9927	-44.95	-13	Pass	7001




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	814	0.1	RMS	804.6	-62.7	-13	Pass	7841
814	860	0.1	RMS	832.093	20.47	60	Pass	601
860	1000	0.1	RMS	937.1	-62.86	-13	Pass	1401
1000	3000	1	RMS	2674	-48.18	-13	Pass	2001
3000	10000	1	RMS	9927	-44.79	-13	Pass	7001




11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.13	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.81	-13	Pass	7841
814	860	0.1	RMS	832.093	19.46	60	Pass	601
860	1000	0.1	RMS	922.9	-62.96	-13	Pass	1401
1000	3000	1	RMS	2677	-48.19	-13	Pass	2001
3000	10000	1	RMS	9924	-44.82	-13	Pass	7001




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2986
30	814	0.1	RMS	810.2	-62.76	-13	Pass	7841
814	860	0.1	RMS	839.607	19.61	60	Pass	601
860	1000	0.1	RMS	907.2	-62.83	-13	Pass	1401
1000	3000	1	RMS	1679	-47.84	-13	Pass	2001
3000	10000	1	RMS	9923	-44.81	-13	Pass	7001



11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.09	-13	Pass	2986
30	814	0.1	RMS	801.3	-62.7	-13	Pass	7841
814	860	0.1	RMS	839.607	18.81	60	Pass	601
860	1000	0.1	RMS	972	-62.94	-13	Pass	1401
1000	3000	1	RMS	2673	-48.21	-13	Pass	2001
3000	10000	1	RMS	9932	-44.82	-13	Pass	7001



12 LTE_Band7


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.48	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.31	-25	Pass	2986
30	1000	0.1	RMS	918.3	-62.33	-25	Pass	9701
1000	2490	1	RMS	2490	-47.75	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.28	60	Pass	601
2580	3000	1	RMS	2672.4	-47.86	-25	Pass	601
3000	12000	1	RMS	11970	-51.21	-25	Pass	9001
12000	27000	1	RMS	24914	-38.92	-25	Pass	15001




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.4	-25	Pass	2986
30	1000	0.1	RMS	992	-62.22	-25	Pass	9701
1000	2490	1	RMS	2490	-47.75	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.53	60	Pass	601
2580	3000	1	RMS	2675.9	-47.89	-25	Pass	601
3000	12000	1	RMS	11979	-51.28	-25	Pass	9001
12000	27000	1	RMS	24909	-38.88	-25	Pass	15001




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.81	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.98	-25	Pass	2986
30	1000	0.1	RMS	967.5	-62.26	-25	Pass	9701
1000	2490	1	RMS	2421	-49.28	-25	Pass	1491
2490	2580	1	RMS	2532.9	22.03	60	Pass	601
2580	3000	1	RMS	2677.3	-47.91	-25	Pass	601
3000	12000	1	RMS	11975	-51.27	-25	Pass	9001
12000	27000	1	RMS	24916	-38.98	-25	Pass	15001




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.44	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.86	-25	Pass	2986
30	1000	0.1	RMS	930.6	-62.31	-25	Pass	9701
1000	2490	1	RMS	2490	-49.28	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.38	60	Pass	601
2580	3000	1	RMS	2678.7	-47.87	-25	Pass	601
3000	12000	1	RMS	11968	-51.27	-25	Pass	9001
12000	27000	1	RMS	24918	-38.97	-25	Pass	15001




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.47	-25	Pass	2986
30	1000	0.1	RMS	926.3	-62.17	-25	Pass	9701
1000	2490	1	RMS	2490	-49.31	-25	Pass	1491
2490	2580	1	RMS	2565.3	22.11	60	Pass	601
2580	3000	1	RMS	2686.4	-47.87	-25	Pass	601
3000	12000	1	RMS	11969	-51.28	-25	Pass	9001
12000	27000	1	RMS	24891	-38.81	-25	Pass	15001




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.89	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.3	-25	Pass	2986
30	1000	0.1	RMS	905.8	-62.28	-25	Pass	9701
1000	2490	1	RMS	2434	-49.27	-25	Pass	1491
2490	2580	1	RMS	2565.3	21.51	60	Pass	601
2580	3000	1	RMS	2582.8	-47.27	-25	Pass	601
3000	12000	1	RMS	11972	-51.22	-25	Pass	9001
12000	27000	1	RMS	24892	-38.99	-25	Pass	15001




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.46	-25	Pass	2986
30	1000	0.1	RMS	940.6	-62.34	-25	Pass	9701
1000	2490	1	RMS	2483	-46.87	-25	Pass	1491
2490	2580	1	RMS	2500.65	22.13	60	Pass	601
2580	3000	1	RMS	2678.7	-47.86	-25	Pass	601
3000	12000	1	RMS	11970	-51.16	-25	Pass	9001
12000	27000	1	RMS	24881	-38.92	-25	Pass	15001




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.82	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.39	-25	Pass	2986
30	1000	0.1	RMS	909	-62.3	-25	Pass	9701
1000	2490	1	RMS	2483	-46.16	-25	Pass	1491
2490	2580	1	RMS	2500.5	21.5	60	Pass	601
2580	3000	1	RMS	2678	-47.88	-25	Pass	601
3000	12000	1	RMS	11977	-51.21	-25	Pass	9001
12000	27000	1	RMS	24825	-38.97	-25	Pass	15001




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.65	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.29	-25	Pass	2986
30	1000	0.1	RMS	912.6	-62.35	-25	Pass	9701
1000	2490	1	RMS	2447	-49.26	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.04	60	Pass	601
2580	3000	1	RMS	2664	-47.9	-25	Pass	601
3000	12000	1	RMS	11967	-51.22	-25	Pass	9001
12000	27000	1	RMS	24910	-38.9	-25	Pass	15001




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.04	-25	Pass	2986
30	1000	0.1	RMS	972.1	-62.31	-25	Pass	9701
1000	2490	1	RMS	2445	-49.08	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.19	60	Pass	601
2580	3000	1	RMS	2678	-47.9	-25	Pass	601
3000	12000	1	RMS	11971	-51.21	-25	Pass	9001
12000	27000	1	RMS	24848	-38.96	-25	Pass	15001




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.19	-25	Pass	2986
30	1000	0.1	RMS	910.6	-62.28	-25	Pass	9701
1000	2490	1	RMS	2488	-49.26	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.71	60	Pass	601
2580	3000	1	RMS	2685	-47.9	-25	Pass	601
3000	12000	1	RMS	11969	-51.15	-25	Pass	9001
12000	27000	1	RMS	24920	-38.97	-25	Pass	15001




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-25	Pass	2986
30	1000	0.1	RMS	901.5	-62.27	-25	Pass	9701
1000	2490	1	RMS	2430	-49.3	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.13	60	Pass	601
2580	3000	1	RMS	2682.9	-47.89	-25	Pass	601
3000	12000	1	RMS	11973	-51.23	-25	Pass	9001
12000	27000	1	RMS	24917	-38.9	-25	Pass	15001




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.07	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.86	-25	Pass	2986
30	1000	0.1	RMS	963.2	-62.34	-25	Pass	9701
1000	2490	1	RMS	2488	-35.47	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.32	60	Pass	601
2580	3000	1	RMS	2680.1	-47.82	-25	Pass	601
3000	12000	1	RMS	11967	-51.2	-25	Pass	9001
12000	27000	1	RMS	24906	-39.02	-25	Pass	15001




12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.97	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.15	-25	Pass	2986
30	1000	0.1	RMS	914.8	-62.28	-25	Pass	9701
1000	2490	1	RMS	2488	-36.12	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.67	60	Pass	601
2580	3000	1	RMS	2678	-47.83	-25	Pass	601
3000	12000	1	RMS	11970	-51.22	-25	Pass	9001
12000	27000	1	RMS	24880	-38.97	-25	Pass	15001




12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.29	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.21	-25	Pass	2986
30	1000	0.1	RMS	938.3	-62.25	-25	Pass	9701
1000	2490	1	RMS	2414	-49.27	-25	Pass	1491
2490	2580	1	RMS	2528.4	22.31	60	Pass	601
2580	3000	1	RMS	2677.3	-47.83	-25	Pass	601
3000	12000	1	RMS	11967	-51.08	-25	Pass	9001
12000	27000	1	RMS	24912	-38.99	-25	Pass	15001




12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.15	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.62	-25	Pass	2986
30	1000	0.1	RMS	930.8	-62.13	-25	Pass	9701
1000	2490	1	RMS	2487	-49.28	-25	Pass	1491
2490	2580	1	RMS	2528.4	21.47	60	Pass	601
2580	3000	1	RMS	2677.3	-47.89	-25	Pass	601
3000	12000	1	RMS	11970	-51.19	-25	Pass	9001
12000	27000	1	RMS	24913	-38.93	-25	Pass	15001




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.38	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.52	-25	Pass	2986
30	1000	0.1	RMS	935.6	-62.2	-25	Pass	9701
1000	2490	1	RMS	2423	-49.27	-25	Pass	1491
2490	2580	1	RMS	2555.85	21.72	60	Pass	601
2580	3000	1	RMS	2582.8	-34.18	-25	Pass	601
3000	12000	1	RMS	11971	-51.2	-25	Pass	9001
12000	27000	1	RMS	24897	-39	-25	Pass	15001




12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.46	-25	Pass	2986
30	1000	0.1	RMS	955.9	-62.31	-25	Pass	9701
1000	2490	1	RMS	2489	-49.27	-25	Pass	1491
2490	2580	1	RMS	2555.85	21.15	60	Pass	601
2580	3000	1	RMS	2582.8	-33.14	-25	Pass	601
3000	12000	1	RMS	11970	-51.29	-25	Pass	9001
12000	27000	1	RMS	24890	-38.95	-25	Pass	15001




12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.22	-25	Pass	2986
30	1000	0.1	RMS	943.5	-62.3	-25	Pass	9701
1000	2490	1	RMS	2483	-38.77	-25	Pass	1491
2490	2580	1	RMS	2501.1	22.26	60	Pass	601
2580	3000	1	RMS	2676.6	-47.88	-25	Pass	601
3000	12000	1	RMS	11968	-51.15	-25	Pass	9001
12000	27000	1	RMS	24873	-38.98	-25	Pass	15001




12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.94	-25	Pass	2986
30	1000	0.1	RMS	947.3	-62.28	-25	Pass	9701
1000	2490	1	RMS	2483	-40	-25	Pass	1491
2490	2580	1	RMS	2501.1	21.52	60	Pass	601
2580	3000	1	RMS	2678	-47.85	-25	Pass	601
3000	12000	1	RMS	11970	-51.22	-25	Pass	9001
12000	27000	1	RMS	24858	-39	-25	Pass	15001




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2986
30	1000	0.1	RMS	915.5	-62.31	-25	Pass	9701
1000	2490	1	RMS	2490	-44.68	-25	Pass	1491
2490	2580	1	RMS	2526.15	22.4	60	Pass	601
2580	3000	1	RMS	2678	-47.91	-25	Pass	601
3000	12000	1	RMS	11970	-51.18	-25	Pass	9001
12000	27000	1	RMS	24876	-38.82	-25	Pass	15001




12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.81	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.15	-25	Pass	2986
30	1000	0.1	RMS	948.8	-62.33	-25	Pass	9701
1000	2490	1	RMS	2490	-45.56	-25	Pass	1491
2490	2580	1	RMS	2526.15	21.58	60	Pass	601
2580	3000	1	RMS	2672.4	-47.89	-25	Pass	601
3000	12000	1	RMS	11971	-51.21	-25	Pass	9001
12000	27000	1	RMS	24871	-38.99	-25	Pass	15001




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.36	-25	Pass	2986
30	1000	0.1	RMS	930.7	-62.36	-25	Pass	9701
1000	2490	1	RMS	2488	-49.28	-25	Pass	1491
2490	2580	1	RMS	2551.05	21.72	60	Pass	601
2580	3000	1	RMS	2587	-33.94	-25	Pass	601
3000	12000	1	RMS	11972	-51.22	-25	Pass	9001
12000	27000	1	RMS	24916	-38.8	-25	Pass	15001



12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.72	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.19	-25	Pass	2986
30	1000	0.1	RMS	873.6	-62.29	-25	Pass	9701
1000	2490	1	RMS	2489	-49.29	-25	Pass	1491
2490	2580	1	RMS	2551.05	21.08	60	Pass	601
2580	3000	1	RMS	2587	-33.1	-25	Pass	601
3000	12000	1	RMS	11969	-51.24	-25	Pass	9001
12000	27000	1	RMS	24895	-38.87	-25	Pass	15001



13. LTE_Band38


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.19	-25	Pass	2986
30	1000	0.1	RMS	957.3	-62.3	-25	Pass	9701
1000	2550	1	RMS	2545	-48.31	-25	Pass	1551
2550	2640	1	RMS	2570.55	18.93	60	Pass	601
2640	3000	1	RMS	2677.8	-47.87	-25	Pass	601
3000	12000	1	RMS	11975	-51.23	-25	Pass	9001
12000	26500	1	RMS	24908	-39	-25	Pass	14501




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.97	-25	Pass	2986
30	1000	0.1	RMS	923.6	-62.3	-25	Pass	9701
1000	2550	1	RMS	2544	-48.02	-25	Pass	1551
2550	2640	1	RMS	2570.25	18.6	60	Pass	601
2640	3000	1	RMS	2675.4	-47.9	-25	Pass	601
3000	12000	1	RMS	11968	-51.28	-25	Pass	9001
12000	26500	1	RMS	24885	-39.02	-25	Pass	14501




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.67	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.15	-25	Pass	2986
30	1000	0.1	RMS	923.6	-62.41	-25	Pass	9701
1000	2550	1	RMS	2545	-48.81	-25	Pass	1551
2550	2640	1	RMS	2592.9	18.84	60	Pass	601
2640	3000	1	RMS	2677.2	-47.9	-25	Pass	601
3000	12000	1	RMS	11970	-51.21	-25	Pass	9001
12000	26500	1	RMS	24864	-38.96	-25	Pass	14501




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.83	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.31	-25	Pass	2986
30	1000	0.1	RMS	959.3	-62.36	-25	Pass	9701
1000	2550	1	RMS	2541	-48.79	-25	Pass	1551
2550	2640	1	RMS	2592.9	17.95	60	Pass	601
2640	3000	1	RMS	2677.8	-47.9	-25	Pass	601
3000	12000	1	RMS	11963	-51.21	-25	Pass	9001
12000	26500	1	RMS	24859	-38.97	-25	Pass	14501




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.1	-25	Pass	2986
30	1000	0.1	RMS	948.1	-62.17	-25	Pass	9701
1000	2550	1	RMS	2538	-48.69	-25	Pass	1551
2550	2640	1	RMS	2615.55	18.46	60	Pass	601
2640	3000	1	RMS	2641.2	-47.83	-25	Pass	601
3000	12000	1	RMS	11969	-51.23	-25	Pass	9001
12000	26500	1	RMS	24888	-38.99	-25	Pass	14501




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.93	-25	Pass	2986
30	1000	0.1	RMS	927.4	-62.39	-25	Pass	9701
1000	2550	1	RMS	2546	-48.68	-25	Pass	1551
2550	2640	1	RMS	2615.25	18.2	60	Pass	601
2640	3000	1	RMS	2679.6	-47.89	-25	Pass	601
3000	12000	1	RMS	11965	-51.28	-25	Pass	9001
12000	26500	1	RMS	24881	-39.03	-25	Pass	14501




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-25	Pass	2986
30	1000	0.1	RMS	914.5	-62.31	-25	Pass	9701
1000	2550	1	RMS	2545	-47.98	-25	Pass	1551
2550	2640	1	RMS	2570.4	18.96	60	Pass	601
2640	3000	1	RMS	2680.2	-47.91	-25	Pass	601
3000	12000	1	RMS	11965	-51.25	-25	Pass	9001
12000	26500	1	RMS	24889	-39.03	-25	Pass	14501




13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.42	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.15	-25	Pass	2986
30	1000	0.1	RMS	976.4	-62.32	-25	Pass	9701
1000	2550	1	RMS	2545	-47.95	-25	Pass	1551
2550	2640	1	RMS	2570.55	18.57	60	Pass	601
2640	3000	1	RMS	2675.4	-47.89	-25	Pass	601
3000	12000	1	RMS	11970	-51.11	-25	Pass	9001
12000	26500	1	RMS	24879	-39.04	-25	Pass	14501




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.3	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.16	-25	Pass	2986
30	1000	0.1	RMS	937.6	-62.15	-25	Pass	9701
1000	2550	1	RMS	2538	-48.77	-25	Pass	1551
2550	2640	1	RMS	2590.8	18.6	60	Pass	601
2640	3000	1	RMS	2670	-47.9	-25	Pass	601
3000	12000	1	RMS	11969	-51.19	-25	Pass	9001
12000	26500	1	RMS	24912	-38.93	-25	Pass	14501




13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.75	-25	Pass	2986
30	1000	0.1	RMS	914.5	-62.23	-25	Pass	9701
1000	2550	1	RMS	2549	-48.63	-25	Pass	1551
2550	2640	1	RMS	2590.5	18.07	60	Pass	601
2640	3000	1	RMS	2676.6	-47.93	-25	Pass	601
3000	12000	1	RMS	11968	-51.28	-25	Pass	9001
12000	26500	1	RMS	24914	-38.98	-25	Pass	14501




13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.34	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.68	-25	Pass	2986
30	1000	0.1	RMS	956.5	-62.34	-25	Pass	9701
1000	2550	1	RMS	2541	-48.63	-25	Pass	1551
2550	2640	1	RMS	2610.6	18.94	60	Pass	601
2640	3000	1	RMS	2677.2	-47.86	-25	Pass	601
3000	12000	1	RMS	11971	-51.23	-25	Pass	9001
12000	26500	1	RMS	24900	-39.04	-25	Pass	14501




13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.06	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.12	-25	Pass	2986
30	1000	0.1	RMS	935.8	-62.16	-25	Pass	9701
1000	2550	1	RMS	2546	-48.73	-25	Pass	1551
2550	2640	1	RMS	2610.6	18.13	60	Pass	601
2640	3000	1	RMS	2646	-47.5	-25	Pass	601
3000	12000	1	RMS	11974	-51.22	-25	Pass	9001
12000	26500	1	RMS	24881	-39.03	-25	Pass	14501




13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.5	-25	Pass	2986
30	1000	0.1	RMS	927.4	-62.35	-25	Pass	9701
1000	2550	1	RMS	2544	-42.1	-25	Pass	1551
2550	2640	1	RMS	2570.7	19.24	60	Pass	601
2640	3000	1	RMS	2677.2	-47.9	-25	Pass	601
3000	12000	1	RMS	11966	-51.22	-25	Pass	9001
12000	26500	1	RMS	24856	-39	-25	Pass	14501




13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.3	-25	Pass	2986
30	1000	0.1	RMS	909	-62.34	-25	Pass	9701
1000	2550	1	RMS	2545	-44.26	-25	Pass	1551
2550	2640	1	RMS	2570.85	18.55	60	Pass	601
2640	3000	1	RMS	2680.2	-47.91	-25	Pass	601
3000	12000	1	RMS	11967	-51.22	-25	Pass	9001
12000	26500	1	RMS	24901	-39.02	-25	Pass	14501




13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-25	Pass	2986
30	1000	0.1	RMS	955.4	-62.37	-25	Pass	9701
1000	2550	1	RMS	2545	-48.74	-25	Pass	1551
2550	2640	1	RMS	2588.4	19	60	Pass	601
2640	3000	1	RMS	2679.6	-47.89	-25	Pass	601
3000	12000	1	RMS	11970	-51.25	-25	Pass	9001
12000	26500	1	RMS	24887	-39.01	-25	Pass	14501




13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2986
30	1000	0.1	RMS	908.7	-62.32	-25	Pass	9701
1000	2550	1	RMS	2537	-48.75	-25	Pass	1551
2550	2640	1	RMS	2588.4	18.4	60	Pass	601
2640	3000	1	RMS	2677.2	-47.84	-25	Pass	601
3000	12000	1	RMS	11967	-51.21	-25	Pass	9001
12000	26500	1	RMS	24873	-39.04	-25	Pass	14501




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.09	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.76	-25	Pass	2986
30	1000	0.1	RMS	937.6	-62.35	-25	Pass	9701
1000	2550	1	RMS	2546	-48.73	-25	Pass	1551
2550	2640	1	RMS	2605.95	18.53	60	Pass	601
2640	3000	1	RMS	2669.4	-47.88	-25	Pass	601
3000	12000	1	RMS	11966	-51.27	-25	Pass	9001
12000	26500	1	RMS	24913	-39.02	-25	Pass	14501




13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.24	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.43	-25	Pass	2986
30	1000	0.1	RMS	940.4	-62.3	-25	Pass	9701
1000	2550	1	RMS	2544	-48.75	-25	Pass	1551
2550	2640	1	RMS	2605.65	17.51	60	Pass	601
2640	3000	1	RMS	2678.4	-47.91	-25	Pass	601
3000	12000	1	RMS	11972	-51.18	-25	Pass	9001
12000	26500	1	RMS	24894	-39.06	-25	Pass	14501




13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.6	-25	Pass	2986
30	1000	0.1	RMS	934.7	-62.33	-25	Pass	9701
1000	2550	1	RMS	2535	-42.38	-25	Pass	1551
2550	2640	1	RMS	2571	19.11	60	Pass	601
2640	3000	1	RMS	2682	-47.88	-25	Pass	601
3000	12000	1	RMS	11972	-51.2	-25	Pass	9001
12000	26500	1	RMS	24906	-39.05	-25	Pass	14501




13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.3	-25	Pass	2986
30	1000	0.1	RMS	930.3	-62.31	-25	Pass	9701
1000	2550	1	RMS	2535	-42.4	-25	Pass	1551
2550	2640	1	RMS	2571	18.58	60	Pass	601
2640	3000	1	RMS	2676	-47.87	-25	Pass	601
3000	12000	1	RMS	11970	-51.18	-25	Pass	9001
12000	26500	1	RMS	24899	-39.06	-25	Pass	14501




13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.27	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.33	-25	Pass	2986
30	1000	0.1	RMS	933.8	-62.37	-25	Pass	9701
1000	2550	1	RMS	2550	-43.74	-25	Pass	1551
2550	2640	1	RMS	2585.85	18.57	60	Pass	601
2640	3000	1	RMS	2677.2	-47.88	-25	Pass	601
3000	12000	1	RMS	11969	-51.16	-25	Pass	9001
12000	26500	1	RMS	24878	-39.03	-25	Pass	14501




13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.53	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.05	-25	Pass	2986
30	1000	0.1	RMS	928.5	-62.34	-25	Pass	9701
1000	2550	1	RMS	2550	-47.3	-25	Pass	1551
2550	2640	1	RMS	2586.15	18.26	60	Pass	601
2640	3000	1	RMS	2676.6	-47.9	-25	Pass	601
3000	12000	1	RMS	11964	-51.25	-25	Pass	9001
12000	26500	1	RMS	24859	-39.02	-25	Pass	14501




13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.69	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.98	-25	Pass	2986
30	1000	0.1	RMS	917.1	-62.24	-25	Pass	9701
1000	2550	1	RMS	2542	-48.74	-25	Pass	1551
2550	2640	1	RMS	2601	18.33	60	Pass	601
2640	3000	1	RMS	2676	-47.87	-25	Pass	601
3000	12000	1	RMS	11969	-51.18	-25	Pass	9001
12000	26500	1	RMS	24896	-38.97	-25	Pass	14501



**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.31	-25	Pass	2986
30	1000	0.1	RMS	913.7	-62.37	-25	Pass	9701
1000	2550	1	RMS	2543	-48.71	-25	Pass	1551
2550	2640	1	RMS	2601	17.88	60	Pass	601
2640	3000	1	RMS	2682.6	-47.89	-25	Pass	601
3000	12000	1	RMS	11978	-51.28	-25	Pass	9001
12000	26500	1	RMS	24913	-39.03	-25	Pass	14501



14. LTE_Band41 full


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.94	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.35	-25	Pass	2986
30	1000	0.1	RMS	927.4	-62.94	-25	Pass	9701
1000	2486	1	RMS	2485	-48.83	-25	Pass	1487
2486	2700	1	RMS	2496.343	17.6	60	Pass	601
2700	3000	1	RMS	2701.5	-48.68	-25	Pass	601
3000	12000	1	RMS	4993	-54.96	-25	Pass	9001
12000	27000	1	RMS	24917	-60.75	-25	Pass	15001




14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.89	-25	Pass	2986
30	1000	0.1	RMS	974.7	-62.94	-25	Pass	9701
1000	2486	1	RMS	2485	-48.98	-25	Pass	1487
2486	2700	1	RMS	2496.343	17.19	60	Pass	601
2700	3000	1	RMS	2702	-48.7	-25	Pass	601
3000	12000	1	RMS	4993	-48.55	-25	Pass	9001
12000	27000	1	RMS	24906	-60.78	-25	Pass	15001




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.66	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.92	-25	Pass	2986
30	1000	0.1	RMS	963.4	-62.65	-25	Pass	9701
1000	2486	1	RMS	2452	-49.74	-25	Pass	1487
2486	2700	1	RMS	2590.86	18.59	60	Pass	601
2700	3000	1	RMS	2702	-48.6	-25	Pass	601
3000	12000	1	RMS	5182	-70.63	-25	Pass	9001
12000	27000	1	RMS	24887	-60.28	-25	Pass	15001




14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.4	-25	Pass	2986
30	1000	0.1	RMS	955.3	-62.78	-25	Pass	9701
1000	2486	1	RMS	2436	-49.87	-25	Pass	1487
2486	2700	1	RMS	2590.86	17.52	60	Pass	601
2700	3000	1	RMS	2700	-48.61	-25	Pass	601
3000	12000	1	RMS	5182	-69.88	-25	Pass	9001
12000	27000	1	RMS	24849	-60.33	-25	Pass	15001




14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.82	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.99	-25	Pass	2986
30	1000	0.1	RMS	956.2	-62.73	-25	Pass	9701
1000	2486	1	RMS	2443	-49.78	-25	Pass	1487
2486	2700	1	RMS	2685.377	18.29	60	Pass	601
2700	3000	1	RMS	2700	-48.24	-25	Pass	601
3000	12000	1	RMS	5371	-54.07	-25	Pass	9001
12000	27000	1	RMS	24902	-60.23	-25	Pass	15001




14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.96	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.55	-25	Pass	2986
30	1000	0.1	RMS	910.6	-62.66	-25	Pass	9701
1000	2486	1	RMS	2448	-48.07	-25	Pass	1487
2486	2700	1	RMS	2685.377	17.2	60	Pass	601
2700	3000	1	RMS	2702.5	-48.32	-25	Pass	601
3000	12000	1	RMS	5371	-54.72	-25	Pass	9001
12000	27000	1	RMS	24906	-60.14	-25	Pass	15001




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.83	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.99	-25	Pass	2986
30	1000	0.1	RMS	912.5	-62.62	-25	Pass	9701
1000	2486	1	RMS	2479	-44.98	-25	Pass	1487
2486	2700	1	RMS	2496.7	18.53	60	Pass	601
2700	3000	1	RMS	2702	-48.45	-25	Pass	601
3000	12000	1	RMS	4994	-52.54	-25	Pass	9001
12000	27000	1	RMS	24910	-60.2	-25	Pass	15001




14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.69	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2986
30	1000	0.1	RMS	935.8	-62.62	-25	Pass	9701
1000	2486	1	RMS	2479	-47.61	-25	Pass	1487
2486	2700	1	RMS	2496.7	17.85	60	Pass	601
2700	3000	1	RMS	2700	-48.44	-25	Pass	601
3000	12000	1	RMS	4993	-53.65	-25	Pass	9001
12000	27000	1	RMS	24903	-60.07	-25	Pass	15001




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.85	-25	Pass	2986
30	1000	0.1	RMS	927.7	-62.66	-25	Pass	9701
1000	2486	1	RMS	2411	-49.65	-25	Pass	1487
2486	2700	1	RMS	2588.72	18.11	60	Pass	601
2700	3000	1	RMS	2702.5	-48.45	-25	Pass	601
3000	12000	1	RMS	5177	-63.41	-25	Pass	9001
12000	27000	1	RMS	24910	-60.16	-25	Pass	15001




14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.37	-25	Pass	2986
30	1000	0.1	RMS	928	-62.61	-25	Pass	9701
1000	2486	1	RMS	2450	-48.69	-25	Pass	1487
2486	2700	1	RMS	2588.363	16.96	60	Pass	601
2700	3000	1	RMS	2700	-48.38	-25	Pass	601
3000	12000	1	RMS	11972	-72.16	-25	Pass	9001
12000	27000	1	RMS	24911	-60.02	-25	Pass	15001




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.67	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.14	-25	Pass	2986
30	1000	0.1	RMS	920.1	-62.53	-25	Pass	9701
1000	2486	1	RMS	2412	-49.65	-25	Pass	1487
2486	2700	1	RMS	2680.74	17.95	60	Pass	601
2700	3000	1	RMS	2706.5	-48.25	-25	Pass	601
3000	12000	1	RMS	5361	-56.38	-25	Pass	9001
12000	27000	1	RMS	24879	-60.12	-25	Pass	15001




14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.09	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.09	-25	Pass	2986
30	1000	0.1	RMS	933.9	-62.71	-25	Pass	9701
1000	2486	1	RMS	2452	-49.3	-25	Pass	1487
2486	2700	1	RMS	2680.74	17.23	60	Pass	601
2700	3000	1	RMS	2706.5	-48.34	-25	Pass	601
3000	12000	1	RMS	5360	-67.99	-25	Pass	9001
12000	27000	1	RMS	24853	-60.11	-25	Pass	15001




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.69	-25	Pass	2986
30	1000	0.1	RMS	925.5	-62.68	-25	Pass	9701
1000	2486	1	RMS	2483	-45.62	-25	Pass	1487
2486	2700	1	RMS	2496.7	18.55	60	Pass	601
2700	3000	1	RMS	2701.5	-48.51	-25	Pass	601
3000	12000	1	RMS	4994	-49.42	-25	Pass	9001
12000	27000	1	RMS	24916	-60.06	-25	Pass	15001




14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.57	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.55	-25	Pass	2986
30	1000	0.1	RMS	936.3	-62.66	-25	Pass	9701
1000	2486	1	RMS	2483	-45.92	-25	Pass	1487
2486	2700	1	RMS	2496.7	17.41	60	Pass	601
2700	3000	1	RMS	2700	-48.47	-25	Pass	601
3000	12000	1	RMS	4994	-50.56	-25	Pass	9001
12000	27000	1	RMS	24908	-60.07	-25	Pass	15001




14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.58	-25	Pass	2986
30	1000	0.1	RMS	943.1	-62.55	-25	Pass	9701
1000	2486	1	RMS	2422	-49.7	-25	Pass	1487
2486	2700	1	RMS	2586.58	18.07	60	Pass	601
2700	3000	1	RMS	2700.5	-48.51	-25	Pass	601
3000	12000	1	RMS	5172	-67.3	-25	Pass	9001
12000	27000	1	RMS	24865	-60.13	-25	Pass	15001




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.55	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.37	-25	Pass	2986
30	1000	0.1	RMS	914	-62.64	-25	Pass	9701
1000	2486	1	RMS	2408	-49.71	-25	Pass	1487
2486	2700	1	RMS	2586.223	16.25	60	Pass	601
2700	3000	1	RMS	2700.5	-48.52	-25	Pass	601
3000	12000	1	RMS	5172	-67.73	-25	Pass	9001
12000	27000	1	RMS	24838	-60.06	-25	Pass	15001




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.18	-25	Pass	2986
30	1000	0.1	RMS	932.3	-62.69	-25	Pass	9701
1000	2486	1	RMS	2444	-49.67	-25	Pass	1487
2486	2700	1	RMS	2675.747	18.19	60	Pass	601
2700	3000	1	RMS	2702	-36.6	-25	Pass	601
3000	12000	1	RMS	5352	-55.89	-25	Pass	9001
12000	27000	1	RMS	24910	-60.03	-25	Pass	15001




14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.36	-25	Pass	2986
30	1000	0.1	RMS	910.9	-62.75	-25	Pass	9701
1000	2486	1	RMS	2452	-49.44	-25	Pass	1487
2486	2700	1	RMS	2675.747	16.2	60	Pass	601
2700	3000	1	RMS	2702.5	-34.93	-25	Pass	601
3000	12000	1	RMS	5352	-65.78	-25	Pass	9001
12000	27000	1	RMS	24909	-59.97	-25	Pass	15001




14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.99	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.12	-25	Pass	2986
30	1000	0.1	RMS	962	-62.38	-25	Pass	9701
1000	2486	1	RMS	2479	-46.3	-25	Pass	1487
2486	2700	1	RMS	2497.057	18.76	60	Pass	601
2700	3000	1	RMS	2700.5	-48.39	-25	Pass	601
3000	12000	1	RMS	4994	-55.67	-25	Pass	9001
12000	27000	1	RMS	24877	-60	-25	Pass	15001




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.64	-25	Pass	2986
30	1000	0.1	RMS	899.9	-62.6	-25	Pass	9701
1000	2486	1	RMS	2479	-46.76	-25	Pass	1487
2486	2700	1	RMS	2497.057	18.14	60	Pass	601
2700	3000	1	RMS	2700.5	-48.38	-25	Pass	601
3000	12000	1	RMS	4995	-59.13	-25	Pass	9001
12000	27000	1	RMS	24880	-59.99	-25	Pass	15001




14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.53	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.99	-25	Pass	2986
30	1000	0.1	RMS	951.6	-62.58	-25	Pass	9701
1000	2486	1	RMS	2442	-49.63	-25	Pass	1487
2486	2700	1	RMS	2583.727	17.3	60	Pass	601
2700	3000	1	RMS	2704.5	-48.36	-25	Pass	601
3000	12000	1	RMS	5168	-64.72	-25	Pass	9001
12000	27000	1	RMS	24874	-59.92	-25	Pass	15001




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.7	-25	Pass	2986
30	1000	0.1	RMS	928.5	-62.26	-25	Pass	9701
1000	2486	1	RMS	2417	-49.65	-25	Pass	1487
2486	2700	1	RMS	2584.44	16.51	60	Pass	601
2700	3000	1	RMS	2700.5	-48.36	-25	Pass	601
3000	12000	1	RMS	5751	-67.19	-25	Pass	9001
12000	27000	1	RMS	24887	-60.04	-25	Pass	15001




14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.23	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.51	-25	Pass	2986
30	1000	0.1	RMS	912.8	-62.48	-25	Pass	9701
1000	2486	1	RMS	2425	-49.65	-25	Pass	1487
2486	2700	1	RMS	2671.467	16.86	60	Pass	601
2700	3000	1	RMS	2706.5	-34.81	-25	Pass	601
3000	12000	1	RMS	5342	-57.81	-25	Pass	9001
12000	27000	1	RMS	24915	-59.82	-25	Pass	15001



**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.08	-25	Pass	2986
30	1000	0.1	RMS	932.5	-62.53	-25	Pass	9701
1000	2486	1	RMS	2457	-49.68	-25	Pass	1487
2486	2700	1	RMS	2671.11	17.46	60	Pass	601
2700	3000	1	RMS	2707	-35.35	-25	Pass	601
3000	12000	1	RMS	5342	-59.72	-25	Pass	9001
12000	27000	1	RMS	24918	-59.86	-25	Pass	15001



15. LTE_Band66


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.18	-13	Pass	2986
30	1000	0.1	RMS	971.1	-62.61	-13	Pass	9701
1000	1700	1	RMS	1700	-51.72	-13	Pass	701
1700	1790	1	RMS	1710.2	22.14	60	Pass	601
1790	3000	1	RMS	2675	-48.06	-13	Pass	1211
3000	12000	1	RMS	11967	-41.5	-13	Pass	9001
12000	20000	1	RMS	19030	-31.38	-13	Pass	8001




15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	1000	0.1	RMS	922.7	-62.49	-13	Pass	9701
1000	1700	1	RMS	1700	-51.64	-13	Pass	701
1700	1790	1	RMS	1710.2	22.13	60	Pass	601
1790	3000	1	RMS	2684	-48.07	-13	Pass	1211
3000	12000	1	RMS	11969	-41.61	-13	Pass	9001
12000	20000	1	RMS	18917	-31.43	-13	Pass	8001




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2986
30	1000	0.1	RMS	955.4	-62.56	-13	Pass	9701
1000	1700	1	RMS	1618	-51.87	-13	Pass	701
1700	1790	1	RMS	1744.55	20.76	60	Pass	601
1790	3000	1	RMS	2678	-48.06	-13	Pass	1211
3000	12000	1	RMS	11982	-41.55	-13	Pass	9001
12000	20000	1	RMS	18871	-31.44	-13	Pass	8001




15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.42	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.41	-13	Pass	2986
30	1000	0.1	RMS	908.7	-62.58	-13	Pass	9701
1000	1700	1	RMS	1700	-51.91	-13	Pass	701
1700	1790	1	RMS	1744.55	20.69	60	Pass	601
1790	3000	1	RMS	2672	-48.11	-13	Pass	1211
3000	12000	1	RMS	11974	-41.58	-13	Pass	9001
12000	20000	1	RMS	18936	-31.42	-13	Pass	8001




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	1000	0.1	RMS	909.6	-62.56	-13	Pass	9701
1000	1700	1	RMS	1623	-51.92	-13	Pass	701
1700	1790	1	RMS	1778.9	18.8	60	Pass	601
1790	3000	1	RMS	2679	-48.16	-13	Pass	1211
3000	12000	1	RMS	11973	-41.56	-13	Pass	9001
12000	20000	1	RMS	18937	-31.37	-13	Pass	8001




15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.8	-13	Pass	2986
30	1000	0.1	RMS	943.8	-62.28	-13	Pass	9701
1000	1700	1	RMS	1617	-51.93	-13	Pass	701
1700	1790	1	RMS	1778.9	18.9	60	Pass	601
1790	3000	1	RMS	2672	-48.21	-13	Pass	1211
3000	12000	1	RMS	11972	-41.57	-13	Pass	9001
12000	20000	1	RMS	18929	-31.43	-13	Pass	8001




15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2986
30	1000	0.1	RMS	938.9	-62.39	-13	Pass	9701
1000	1700	1	RMS	1700	-51.73	-13	Pass	701
1700	1790	1	RMS	1710.2	21.91	60	Pass	601
1790	3000	1	RMS	2680	-48.1	-13	Pass	1211
3000	12000	1	RMS	11969	-41.56	-13	Pass	9001
12000	20000	1	RMS	19015	-31.45	-13	Pass	8001




15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	1000	0.1	RMS	980.3	-62.47	-13	Pass	9701
1000	1700	1	RMS	1699	-51.74	-13	Pass	701
1700	1790	1	RMS	1710.2	22.11	60	Pass	601
1790	3000	1	RMS	2688	-48.13	-13	Pass	1211
3000	12000	1	RMS	11970	-41.53	-13	Pass	9001
12000	20000	1	RMS	19029	-31.43	-13	Pass	8001




15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	1000	0.1	RMS	929.7	-62.49	-13	Pass	9701
1000	1700	1	RMS	1621	-51.94	-13	Pass	701
1700	1790	1	RMS	1743.8	20.53	60	Pass	601
1790	3000	1	RMS	2681	-48.16	-13	Pass	1211
3000	12000	1	RMS	11977	-41.57	-13	Pass	9001
12000	20000	1	RMS	19016	-31.39	-13	Pass	8001




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	1000	0.1	RMS	942.4	-62.44	-13	Pass	9701
1000	1700	1	RMS	1615	-51.92	-13	Pass	701
1700	1790	1	RMS	1743.8	20.58	60	Pass	601
1790	3000	1	RMS	2672	-48.12	-13	Pass	1211
3000	12000	1	RMS	11976	-41.58	-13	Pass	9001
12000	20000	1	RMS	19016	-31.46	-13	Pass	8001




15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.47	-13	Pass	2986
30	1000	0.1	RMS	943.7	-62.35	-13	Pass	9701
1000	1700	1	RMS	1618	-51.94	-13	Pass	701
1700	1790	1	RMS	1777.25	18.89	60	Pass	601
1790	3000	1	RMS	2679	-48.16	-13	Pass	1211
3000	12000	1	RMS	11974	-41.56	-13	Pass	9001
12000	20000	1	RMS	18965	-31.47	-13	Pass	8001




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2986
30	1000	0.1	RMS	922.4	-62.49	-13	Pass	9701
1000	1700	1	RMS	1620	-51.91	-13	Pass	701
1700	1790	1	RMS	1777.25	19	60	Pass	601
1790	3000	1	RMS	2674	-48.08	-13	Pass	1211
3000	12000	1	RMS	11970	-41.56	-13	Pass	9001
12000	20000	1	RMS	18928	-31.41	-13	Pass	8001




15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.46	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.25	-13	Pass	2986
30	1000	0.1	RMS	975.6	-62.42	-13	Pass	9701
1000	1700	1	RMS	1700	-51.62	-13	Pass	701
1700	1790	1	RMS	1710.35	21.77	60	Pass	601
1790	3000	1	RMS	2676	-48.14	-13	Pass	1211
3000	12000	1	RMS	11966	-41.51	-13	Pass	9001
12000	20000	1	RMS	18933	-31.43	-13	Pass	8001




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.17	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.15	-13	Pass	2986
30	1000	0.1	RMS	918.4	-62.48	-13	Pass	9701
1000	1700	1	RMS	1700	-51.59	-13	Pass	701
1700	1790	1	RMS	1710.35	21.82	60	Pass	601
1790	3000	1	RMS	2678	-48.17	-13	Pass	1211
3000	12000	1	RMS	11975	-41.51	-13	Pass	9001
12000	20000	1	RMS	19017	-31.44	-13	Pass	8001




15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.49	-13	Pass	2986
30	1000	0.1	RMS	939.7	-62.53	-13	Pass	9701
1000	1700	1	RMS	1624	-51.9	-13	Pass	701
1700	1790	1	RMS	1742.9	20.42	60	Pass	601
1790	3000	1	RMS	2677	-48.15	-13	Pass	1211
3000	12000	1	RMS	11968	-41.57	-13	Pass	9001
12000	20000	1	RMS	18907	-31.44	-13	Pass	8001




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.4	-13	Pass	9701
1000	1700	1	RMS	1620	-51.91	-13	Pass	701
1700	1790	1	RMS	1742.9	20.61	60	Pass	601
1790	3000	1	RMS	2678	-48.15	-13	Pass	1211
3000	12000	1	RMS	11966	-41.53	-13	Pass	9001
12000	20000	1	RMS	18878	-31.36	-13	Pass	8001




15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2986
30	1000	0.1	RMS	918.7	-62.32	-13	Pass	9701
1000	1700	1	RMS	1620	-51.99	-13	Pass	701
1700	1790	1	RMS	1775.3	18.68	60	Pass	601
1790	3000	1	RMS	2678	-48.13	-13	Pass	1211
3000	12000	1	RMS	11971	-41.47	-13	Pass	9001
12000	20000	1	RMS	18889	-31.47	-13	Pass	8001




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	1000	0.1	RMS	911.3	-62.46	-13	Pass	9701
1000	1700	1	RMS	1631	-51.96	-13	Pass	701
1700	1790	1	RMS	1775.3	18.93	60	Pass	601
1790	3000	1	RMS	2678	-48.12	-13	Pass	1211
3000	12000	1	RMS	11975	-41.6	-13	Pass	9001
12000	20000	1	RMS	18939	-31.44	-13	Pass	8001




15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.87	-13	Pass	2986
30	1000	0.1	RMS	908.5	-62.39	-13	Pass	9701
1000	1700	1	RMS	1693	-50.06	-13	Pass	701
1700	1790	1	RMS	1710.65	21.27	60	Pass	601
1790	3000	1	RMS	2678	-48.13	-13	Pass	1211
3000	12000	1	RMS	11974	-41.52	-13	Pass	9001
12000	20000	1	RMS	19016	-31.46	-13	Pass	8001




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	1000	0.1	RMS	924.1	-62.54	-13	Pass	9701
1000	1700	1	RMS	1693	-49.43	-13	Pass	701
1700	1790	1	RMS	1710.65	21.45	60	Pass	601
1790	3000	1	RMS	2680	-48.12	-13	Pass	1211
3000	12000	1	RMS	11969	-41.48	-13	Pass	9001
12000	20000	1	RMS	18922	-31.4	-13	Pass	8001




**15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2986
30	1000	0.1	RMS	916.1	-62.56	-13	Pass	9701
1000	1700	1	RMS	1620	-51.94	-13	Pass	701
1700	1790	1	RMS	1740.65	20.18	60	Pass	601
1790	3000	1	RMS	2672	-48.15	-13	Pass	1211
3000	12000	1	RMS	11968	-41.5	-13	Pass	9001
12000	20000	1	RMS	18866	-31.44	-13	Pass	8001




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2986
30	1000	0.1	RMS	934.7	-62.48	-13	Pass	9701
1000	1700	1	RMS	1619	-51.92	-13	Pass	701
1700	1790	1	RMS	1740.5	20.21	60	Pass	601
1790	3000	1	RMS	2676	-48.13	-13	Pass	1211
3000	12000	1	RMS	11967	-41.54	-13	Pass	9001
12000	20000	1	RMS	19020	-31.45	-13	Pass	8001




15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2986
30	1000	0.1	RMS	925.7	-62.47	-13	Pass	9701
1000	1700	1	RMS	1624	-51.95	-13	Pass	701
1700	1790	1	RMS	1770.65	18.27	60	Pass	601
1790	3000	1	RMS	2672	-48.19	-13	Pass	1211
3000	12000	1	RMS	11968	-41.55	-13	Pass	9001
12000	20000	1	RMS	18937	-31.45	-13	Pass	8001




**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	1000	0.1	RMS	933.8	-62.42	-13	Pass	9701
1000	1700	1	RMS	1700	-51.9	-13	Pass	701
1700	1790	1	RMS	1770.65	18.36	60	Pass	601
1790	3000	1	RMS	2682	-48.13	-13	Pass	1211
3000	12000	1	RMS	11974	-41.56	-13	Pass	9001
12000	20000	1	RMS	19020	-31.45	-13	Pass	8001




15.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	1000	0.1	RMS	955.7	-62.44	-13	Pass	9701
1000	1700	1	RMS	1698	-49.49	-13	Pass	701
1700	1790	1	RMS	1710.8	21.65	60	Pass	601
1790	3000	1	RMS	2677	-48.1	-13	Pass	1211
3000	12000	1	RMS	11968	-41.58	-13	Pass	9001
12000	20000	1	RMS	18898	-31.47	-13	Pass	8001




**15.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.79	-13	Pass	2986
30	1000	0.1	RMS	915.4	-62.41	-13	Pass	9701
1000	1700	1	RMS	1697	-47.63	-13	Pass	701
1700	1790	1	RMS	1710.8	21.82	60	Pass	601
1790	3000	1	RMS	2681	-48.11	-13	Pass	1211
3000	12000	1	RMS	11971	-41.59	-13	Pass	9001
12000	20000	1	RMS	18931	-31.42	-13	Pass	8001




**15.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.01	-13	Pass	2986
30	1000	0.1	RMS	924.3	-62.45	-13	Pass	9701
1000	1700	1	RMS	1616	-51.88	-13	Pass	701
1700	1790	1	RMS	1738.4	20.59	60	Pass	601
1790	3000	1	RMS	2675	-48.14	-13	Pass	1211
3000	12000	1	RMS	11969	-41.58	-13	Pass	9001
12000	20000	1	RMS	19022	-31.4	-13	Pass	8001




**15.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.6	-13	Pass	2986
30	1000	0.1	RMS	922.8	-62.48	-13	Pass	9701
1000	1700	1	RMS	1619	-51.91	-13	Pass	701
1700	1790	1	RMS	1738.4	20.62	60	Pass	601
1790	3000	1	RMS	2672	-48.11	-13	Pass	1211
3000	12000	1	RMS	11971	-41.54	-13	Pass	9001
12000	20000	1	RMS	18931	-31.47	-13	Pass	8001




15.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2986
30	1000	0.1	RMS	918.5	-62.26	-13	Pass	9701
1000	1700	1	RMS	1621	-51.86	-13	Pass	701
1700	1790	1	RMS	1765.85	19.4	60	Pass	601
1790	3000	1	RMS	2671	-48.13	-13	Pass	1211
3000	12000	1	RMS	11970	-41.48	-13	Pass	9001
12000	20000	1	RMS	18875	-31.45	-13	Pass	8001




**15.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.71	-13	Pass	2986
30	1000	0.1	RMS	910.7	-62.38	-13	Pass	9701
1000	1700	1	RMS	1699	-51.79	-13	Pass	701
1700	1790	1	RMS	1765.85	19.67	60	Pass	601
1790	3000	1	RMS	2677	-48.03	-13	Pass	1211
3000	12000	1	RMS	11975	-41.49	-13	Pass	9001
12000	20000	1	RMS	18912	-31.34	-13	Pass	8001




15.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2986
30	1000	0.1	RMS	914.8	-62.49	-13	Pass	9701
1000	1700	1	RMS	1693	-50.93	-13	Pass	701
1700	1790	1	RMS	1711.1	21.45	60	Pass	601
1790	3000	1	RMS	2678	-48.02	-13	Pass	1211
3000	12000	1	RMS	11969	-41.42	-13	Pass	9001
12000	20000	1	RMS	18871	-31.32	-13	Pass	8001




**15.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2986
30	1000	0.1	RMS	941	-62.44	-13	Pass	9701
1000	1700	1	RMS	1693	-50.12	-13	Pass	701
1700	1790	1	RMS	1711.1	21.62	60	Pass	601
1790	3000	1	RMS	2673	-48.03	-13	Pass	1211
3000	12000	1	RMS	11969	-41.57	-13	Pass	9001
12000	20000	1	RMS	19027	-31.37	-13	Pass	8001




15.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	912	-62.35	-13	Pass	9701
1000	1700	1	RMS	1700	-50.05	-13	Pass	701
1700	1790	1	RMS	1736	20.4	60	Pass	601
1790	3000	1	RMS	2675	-48	-13	Pass	1211
3000	12000	1	RMS	11972	-41.48	-13	Pass	9001
12000	20000	1	RMS	19022	-31.32	-13	Pass	8001




**15.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2986
30	1000	0.1	RMS	929.5	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-49.83	-13	Pass	701
1700	1790	1	RMS	1736	20.45	60	Pass	601
1790	3000	1	RMS	2673	-47.93	-13	Pass	1211
3000	12000	1	RMS	11972	-41.54	-13	Pass	9001
12000	20000	1	RMS	18906	-31.36	-13	Pass	8001



**15.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2986
30	1000	0.1	RMS	920.5	-62.37	-13	Pass	9701
1000	1700	1	RMS	1664	-51.75	-13	Pass	701
1700	1790	1	RMS	1761.05	19.7	60	Pass	601
1790	3000	1	RMS	2675	-47.99	-13	Pass	1211
3000	12000	1	RMS	11969	-41.46	-13	Pass	9001
12000	20000	1	RMS	18939	-31.39	-13	Pass	8001



**15.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	1000	0.1	RMS	927.9	-62.44	-13	Pass	9701
1000	1700	1	RMS	1620	-51.73	-13	Pass	701
1700	1790	1	RMS	1761.05	19.75	60	Pass	601
1790	3000	1	RMS	2679	-48.03	-13	Pass	1211
3000	12000	1	RMS	11965	-41.47	-13	Pass	9001
12000	20000	1	RMS	19021	-31.35	-13	Pass	8001

