

## EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

### 1 GSM 850

#### 1.1 GSM 850 MCH

### Test result

Project Number: Certification

Test Time: 2023-01-31\_10.47.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E23010013-01#05

Model: N.A

Name: Certification

Temp.(oC): 21

Project Template: MS Project Template.ini

Hum.: 51%

Manufacture: N.A

Test Engineer: LS

Model Name: N.A

Test Standard: FCC


Templ.(oC): 21

Work Addition: TX

Hum: 51%

Work Additon: TX

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC PART 22\_850\_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|------------|----------|---------|
| 98.125          | -72.73       | -13.73      | -13.0       | 59.73       | 231.90    | Horizontal | Vertical | Pass    |
| 836.596         | -55.28       | 2.54        | -13.0       | 42.28       | 1.10      | Horizontal | Vertical | Pass    |
| 881.447         | -56.51       | -0.18       | -13.0       | 43.51       | 130.70    | Horizontal | Vertical | Pass    |
| 1672.832        | -45.17       | -0.93       | -13.0       | 32.17       | 154.30    | Horizontal | Vertical | Pass    |
| 2509.623        | -45.87       | 4.06        | -13.0       | 32.87       | 220.60    | Horizontal | Vertical | Pass    |
| 8053.487        | -32.47       | 25.49       | -13.0       | 19.47       | 244.40    | Horizontal | Vertical | Pass    |


# Test result

Project Number: Certification

Test Time: 2023-01-31\_10.53.52

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Additon:     | TX                       |

RSE Test case\_CE FCC PART22&24&27 FCC PART 22\_850\_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|----------|----------|---------|
| 60.790          | -69.87       | -16.35      | -13.0       | 56.87       | 205.10    | Vertical | Vertical | Pass    |
| 836.596         | -54.79       | 2.54        | -13.0       | 41.79       | 175.30    | Vertical | Vertical | Pass    |
| 881.447         | -56.08       | -0.18       | -13.0       | 43.08       | 274.30    | Vertical | Vertical | Pass    |
| 1673.332        | -44.57       | -0.94       | -13.0       | 31.57       | 148.40    | Vertical | Vertical | Pass    |
| 2509.623        | -45.76       | 4.06        | -13.0       | 32.76       | 189.70    | Vertical | Vertical | Pass    |
| 9304.174        | -32.16       | 29.32       | -13.0       | 19.16       | 76.60     | Vertical | Vertical | Pass    |

## 2 GPRS 850


### 2.1 GPRS 850 MCH

# Test result

Project Number: Certification

Test Time: 2023-01-31\_10.34.38

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Additon:     | TX                       |



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|------------|----------|---------|
| 363.839         | -66.95       | -10.86      | -13.0       | 53.95       | 110.70    | Horizontal | Vertical | Pass    |
| 833.444         | -54.89       | 2.39        | -13.0       | 41.89       | 360.00    | Horizontal | Vertical | Pass    |
| 881.447         | -57.73       | -0.18       | -13.0       | 44.73       | 139.00    | Horizontal | Vertical | Pass    |
| 1672.832        | -43.53       | -0.93       | -13.0       | 30.53       | 141.00    | Horizontal | Vertical | Pass    |
| 2509.623        | -45.06       | 4.06        | -13.0       | 32.06       | 226.90    | Horizontal | Vertical | Pass    |
| 9228.443        | -31.70       | 27.90       | -13.0       | 18.70       | 318.10    | Horizontal | Vertical | Pass    |


# Test result

Project Number: Certification

Test Time: 2023-01-31\_11.02.49

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Additon:     | TX                       |

RSE Test case\_CE FCC\_PART22&24&27\_FCC PART 22\_850\_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|----------|----------|---------|
| 62.244          | -69.83       | -16.26      | -13.0       | 56.83       | 171.60    | Vertical | Vertical | Pass    |
| 834.171         | -55.32       | 2.42        | -13.0       | 42.32       | 32.00     | Vertical | Vertical | Pass    |
| 881.447         | -56.16       | -0.18       | -13.0       | 43.16       | 13.40     | Vertical | Vertical | Pass    |
| 1672.832        | -44.94       | -0.93       | -13.0       | 31.94       | 199.80    | Vertical | Vertical | Pass    |
| 2509.623        | -47.45       | 4.06        | -13.0       | 34.45       | 162.50    | Vertical | Vertical | Pass    |
| 9295.176        | -31.99       | 29.26       | -13.0       | 18.99       | 122.00    | Vertical | Vertical | Pass    |

### 3 EGPRS 850

#### 3.1 EGPRS 850 MCH


## Test result

Project Number: Certification

Test Time: 2023-01-31\_10.38.35

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Additon:     | TX                       |

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC PART 22\_850\_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|------------|----------|---------|
| 97.641          | -73.85       | -13.88      | -13.0       | 60.85       | 322.40    | Horizontal | Vertical | Pass    |
| 832.717         | -55.74       | 2.35        | -13.0       | 42.74       | 11.60     | Horizontal | Vertical | Pass    |
| 891.145         | -56.46       | -0.06       | -13.0       | 43.46       | 358.20    | Horizontal | Vertical | Pass    |
| 1672.832        | -43.89       | -0.93       | -13.0       | 30.89       | 141.00    | Horizontal | Vertical | Pass    |
| 2509.623        | -45.88       | 4.06        | -13.0       | 32.88       | 215.40    | Horizontal | Vertical | Pass    |
| 9264.434        | -31.24       | 28.46       | -13.0       | 18.24       | 0.00      | Horizontal | Vertical | Pass    |


## Test result

Project Number: Certification

Test Time: 2023-01-31\_11.06.27

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Additon:     | TX                       |

RSE Test case\_CE FCC\_PART22&24&27\_FCC PART 22\_850\_GSM850&LTE B5&CDMA BC0&WCDMA B5&LTE B26



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|----------|----------|---------|
| 60.790          | -69.77       | -16.35      | -13.0       | 56.77       | 154.30    | Vertical | Vertical | Pass    |
| 838.050         | -55.54       | 2.61        | -13.0       | 42.54       | 238.40    | Vertical | Vertical | Pass    |
| 881.447         | -54.32       | -0.18       | -13.0       | 41.32       | 256.60    | Vertical | Vertical | Pass    |
| 1672.832        | -44.14       | -0.93       | -13.0       | 31.14       | 151.80    | Vertical | Vertical | Pass    |
| 2509.623        | -46.69       | 4.06        | -13.0       | 33.69       | 310.00    | Vertical | Vertical | Pass    |
| 9232.942        | -31.79       | 27.94       | -13.0       | 18.79       | 100.00    | Vertical | Vertical | Pass    |

## 4 GSM 1900

### 4.1 GSM 1900 MCH

# Test result

Project Number: Certification

Test Time: 2023-01-31\_11.26.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E23010013-01#05

Model: N.A

Name: Certification

Temp.(oC): 21

Project Template: MS Project Template.ini

Hum.: 51%

Manufacture: N.A

Test Engineer: LS

Model Name: N.A

Test Standard: FCC


Templ.(oC): 21

Work Addition: TX

Hum: 51%

Work Additon: TX

RSE Test case\_CE\_FCC\_FCC PART22&24&27\_FCC PART 24\_1900\_GSM 1900&WCDMA B2&CDMA BC1&TE B2



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|------------|----------|---------|
| 103.459         | -74.17       | -14.88      | -13.0       | 61.17       | 341.30    | Horizontal | Vertical | Pass    |
| 355.596         | -68.71       | -10.66      | -13.0       | 55.71       | 294.40    | Horizontal | Vertical | Pass    |
| 983.757         | -55.55       | 1.90        | -13.0       | 42.55       | 166.40    | Horizontal | Vertical | Pass    |
| 1879.780        | -28.18       | 3.71        | -13.0       | 15.18       | 120.00    | Horizontal | Vertical | Pass    |
| 1955.261        | -51.83       | 0.97        | -13.0       | 38.83       | 75.40     | Horizontal | Vertical | Pass    |
| 6823.044        | -35.01       | 19.13       | -13.0       | 22.01       | 197.90    | Horizontal | Vertical | Pass    |


# Test result

Project Number: Certification

Test Time: 2023-01-28\_14.00.36

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Additon:     | RX                       |

RSE Test case\_CE FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 7-19G



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|------------|----------|---------|
| 11162.959       | -39.97       | 30.81       | -13.0       | 26.97       | 244.90    | Horizontal | Vertical | Pass    |
| 13082.479       | -37.00       | 34.29       | -13.0       | 24.00       | 300.40    | Horizontal | Vertical | Pass    |
| 14171.207       | -32.56       | 39.99       | -13.0       | 19.56       | 0.00      | Horizontal | Vertical | Pass    |
| 14720.070       | -31.99       | 39.04       | -13.0       | 18.99       | 210.00    | Horizontal | Vertical | Pass    |
| 18220.195       | -22.47       | 47.07       | -13.0       | 9.47        | 332.00    | Horizontal | Vertical | Pass    |
| 18802.049       | -22.45       | 47.82       | -13.0       | 9.45        | 253.50    | Horizontal | Vertical | Pass    |




# Test result

Project Number: Certification

Test Time: 2023-01-31\_11.21.51

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Additon:     | TX                       |

RSE Test case\_CE FCC PART22&24&27 FCC PART 24\_1900\_GSM 1900&WCDMA B2&CDMA BC1&LTE B2




| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|----------|----------|---------|
| 62.244          | -69.91       | -16.25      | -13.0       | 56.91       | 170.10    | Vertical | Vertical | Pass    |
| 371.840         | -67.74       | -10.89      | -13.0       | 54.74       | 51.00     | Vertical | Vertical | Pass    |
| 958.058         | -55.78       | 1.37        | -13.0       | 42.78       | 192.00    | Vertical | Vertical | Pass    |
| 1879.780        | -28.27       | 3.71        | -13.0       | 15.27       | 210.20    | Vertical | Vertical | Pass    |
| 1960.260        | -52.28       | 0.88        | -13.0       | 39.28       | 106.00    | Vertical | Vertical | Pass    |
| 3758.810        | -37.93       | 11.54       | -13.0       | 24.93       | 348.20    | Vertical | Vertical | Pass    |

# Test result

Project Number: Certification

Test Time: 2023-01-28\_13.58.30

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Additon:     | RX                       |



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|----------|----------|---------|
| 9906.273        | -42.99       | 29.94       | -13.0       | 29.99       | 354.90    | Vertical | Vertical | Pass    |
| 11156.961       | -39.76       | 30.81       | -13.0       | 26.76       | 0.20      | Vertical | Vertical | Pass    |
| 13103.474       | -37.34       | 34.46       | -13.0       | 24.34       | 71.10     | Vertical | Vertical | Pass    |
| 14159.210       | -32.44       | 39.74       | -13.0       | 19.44       | 71.10     | Vertical | Vertical | Pass    |
| 14774.056       | -32.12       | 39.63       | -13.0       | 19.12       | 313.10    | Vertical | Vertical | Pass    |
| 18232.192       | -21.12       | 47.09       | -13.0       | 8.12        | 71.10     | Vertical | Vertical | Pass    |

## 5 GPRS 1900

### 5.1 GPRS 1900 MCH

# Test result

Project Number: Certification

Test Time: 2023-01-31\_11.29.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E23010013-01#05

Model: N.A

Name: Certification

Temp.(oC): 21

Project Template: MS Project Template.ini

Hum.: 51%

Manufacture: N.A

Test Engineer: LS

Model Name: N.A


Test Standard: FCC

Templ.(oC): 21

Work Addition: TX

Hum: 51%

Work Additon: TX



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|------------|----------|---------|
| 98.125          | -73.77       | -13.71      | -13.0       | 60.77       | 192.00    | Horizontal | Vertical | Pass    |
| 198.010         | -73.33       | -14.78      | -13.0       | 60.33       | 121.70    | Horizontal | Vertical | Pass    |
| 1879.780        | -31.89       | 3.71        | -13.0       | 18.89       | 158.10    | Horizontal | Vertical | Pass    |
| 1953.762        | -52.00       | 0.99        | -13.0       | 39.00       | 325.20    | Horizontal | Vertical | Pass    |
| 3759.810        | -42.54       | 11.55       | -13.0       | 29.54       | 216.10    | Horizontal | Vertical | Pass    |
| 6533.117        | -35.29       | 18.07       | -13.0       | 22.29       | 168.80    | Horizontal | Vertical | Pass    |


# Test result

Project Number: Certification

Test Time: 2023-01-28\_14.02.32

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Addition:    | RX                       |

RSE Test case\_CE FCC FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 7-19G



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|------------|----------|---------|
| 10092.227       | -42.91       | 29.10       | -13.0       | 29.91       | 67.10     | Horizontal | Vertical | Pass    |
| 11234.941       | -40.19       | 31.40       | -13.0       | 27.19       | 359.00    | Horizontal | Vertical | Pass    |
| 12809.548       | -37.28       | 32.67       | -13.0       | 24.28       | 284.70    | Horizontal | Vertical | Pass    |
| 14183.204       | -32.98       | 40.24       | -13.0       | 19.98       | 359.80    | Horizontal | Vertical | Pass    |
| 14750.062       | -32.02       | 39.82       | -13.0       | 19.02       | 75.70     | Horizontal | Vertical | Pass    |
| 18190.202       | -22.33       | 47.04       | -13.0       | 9.33        | 86.90     | Horizontal | Vertical | Pass    |


# Test result

Project Number: Certification

Test Time: 2023-01-31\_11.19.02

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Additon:     | TX                       |

RSE Test case\_CE FCC\_FCC PART22&24&27\_FCC PART 24\_1900\_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|----------|----------|---------|
| 60.790          | -69.46       | -16.33      | -13.0       | 56.46       | 40.60     | Vertical | Vertical | Pass    |
| 976.241         | -55.26       | 1.69        | -13.0       | 42.26       | 17.20     | Vertical | Vertical | Pass    |
| 1879.780        | -27.47       | 3.71        | -13.0       | 14.47       | 199.30    | Vertical | Vertical | Pass    |
| 1964.759        | -52.28       | 0.81        | -13.0       | 39.28       | 202.30    | Vertical | Vertical | Pass    |
| 3759.810        | -38.35       | 11.55       | -13.0       | 25.35       | 338.60    | Vertical | Vertical | Pass    |
| 6726.068        | -35.53       | 18.70       | -13.0       | 22.53       | 138.40    | Vertical | Vertical | Pass    |


# Test result

Project Number: Certification

Test Time: 2023-01-28\_13.56.04

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Additon:     | RX                       |

RSE Test case\_CE FCC\_PART22&24&27\_FCC GSM&CDMA&LTE&WCDMA 7-19G



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|----------|----------|---------|
| 10953.012       | -41.68       | 30.40       | -13.0       | 28.68       | 150.80    | Vertical | Vertical | Pass    |
| 12467.633       | -37.40       | 32.82       | -13.0       | 24.40       | 322.10    | Vertical | Vertical | Pass    |
| 14186.203       | -31.98       | 40.31       | -13.0       | 18.98       | 211.20    | Vertical | Vertical | Pass    |
| 14753.062       | -32.71       | 39.83       | -13.0       | 19.71       | 85.30     | Vertical | Vertical | Pass    |
| 18193.202       | -22.39       | 47.04       | -13.0       | 9.39        | 70.80     | Vertical | Vertical | Pass    |
| 18895.026       | -22.20       | 47.94       | -13.0       | 9.20        | 77.20     | Vertical | Vertical | Pass    |

## 6 EGPRS 1900

### 6.1 EGPRS 1900 MCH

# Test result

Project Number: Certification

Test Time: 2023-01-31\_11.31.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E23010013-01#05

Model: N.A

Name: Certification

Temp.(oC): 21

Project Template: MS Project Template.ini

Hum.: 51%

Manufacture: N.A

Test Engineer: LS

Model Name: N.A

Test Standard: FCC


Templ.(oC): 21

Work Addition: TX

Hum: 51%

Work Additon: TX

RSE Test case\_CE FCC\_PART22&24&27\_FCC PART 24\_1900\_GSM 1900&WCDMA B2&CDMA BC1&LTE B2



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|------------|----------|---------|
| 98.368          | -73.84       | -13.76      | -13.0       | 60.84       | 6.50      | Horizontal | Vertical | Pass    |
| 1433.892        | -51.47       | -0.11       | -13.0       | 38.47       | 354.70    | Horizontal | Vertical | Pass    |
| 1879.780        | -28.88       | 3.71        | -13.0       | 15.88       | 127.80    | Horizontal | Vertical | Pass    |
| 1941.265        | -52.26       | 1.17        | -13.0       | 39.26       | 354.70    | Horizontal | Vertical | Pass    |
| 3617.846        | -44.00       | 12.06       | -13.0       | 31.00       | 292.40    | Horizontal | Vertical | Pass    |
| 6931.017        | -34.14       | 19.22       | -13.0       | 21.14       | 202.00    | Horizontal | Vertical | Pass    |


# Test result

Project Number: Certification

Test Time: 2023-01-28\_14.04.36

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Addition:    | RX                       |

RSE Test case\_CE FCC FCC PART22&24&27 FCC GSM&CDMA&LTE&WCDMA 7-19G



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|------------|----------|---------|
| 10110.222       | -42.37       | 29.15       | -13.0       | 29.37       | 315.70    | Horizontal | Vertical | Pass    |
| 11204.949       | -40.03       | 30.93       | -13.0       | 27.03       | 181.30    | Horizontal | Vertical | Pass    |
| 14195.201       | -32.60       | 40.11       | -13.0       | 19.60       | 258.00    | Horizontal | Vertical | Pass    |
| 14762.059       | -31.02       | 39.86       | -13.0       | 18.02       | 164.50    | Horizontal | Vertical | Pass    |
| 18208.198       | -22.76       | 47.06       | -13.0       | 9.76        | 55.50     | Horizontal | Vertical | Pass    |
| 18889.028       | -21.78       | 47.94       | -13.0       | 8.78        | 118.00    | Horizontal | Vertical | Pass    |




# Test result

Project Number: Certification

Test Time: 2023-01-31\_11.15.31

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Additon:     | TX                       |

RSE Test case\_CE FCC\_PART22&24&27\_FCC PART 24\_1900\_GSM 1900&WCDMA B2&CDMA BC1&LTE B2




| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|----------|----------|---------|
| 61.275          | -70.38       | -16.27      | -13.0       | 57.38       | 143.00    | Vertical | Vertical | Pass    |
| 996.363         | -54.62       | 2.20        | -13.0       | 41.62       | 11.90     | Vertical | Vertical | Pass    |
| 1879.780        | -27.95       | 3.71        | -13.0       | 14.95       | 206.50    | Vertical | Vertical | Pass    |
| 1960.260        | -51.55       | 0.88        | -13.0       | 38.55       | 0.60      | Vertical | Vertical | Pass    |
| 3759.810        | -38.20       | 11.55       | -13.0       | 25.20       | 327.70    | Vertical | Vertical | Pass    |
| 6780.055        | -35.31       | 19.21       | -13.0       | 22.31       | 359.40    | Vertical | Vertical | Pass    |

# Test result

Project Number: Certification

Test Time: 2023-01-28\_13.49.20

|                |     |                   |                          |
|----------------|-----|-------------------|--------------------------|
| EUT Name:      | N.A | Load:             | full load                |
| Manufacturer:  | N.A | Remark:           | DR-RSE01-E23010013-01#05 |
| Model:         | N.A | Name:             | Certification            |
| Temp.(oC):     | 21  | Project Template: | MS Project Template.ini  |
| Hum.:          | 51% | Manufacture:      | N.A                      |
| Test Engineer: | LS  | Model Name:       | N.A                      |
| Test Standard: | FCC | Templ.(oC):       | 21                       |
| Work Addition: | TX  | Hum:              | 51%                      |
|                |     | Work Addition:    | RX                       |



| Frequency (MHz) | Result (dBm) | Factor (dB) | Limit (dBm) | Margin (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|-------------|-------------|-----------|----------|----------|---------|
| 9906.273        | -43.00       | 29.94       | -13.0       | 30.00       | 70.60     | Vertical | Vertical | Pass    |
| 11240.940       | -39.92       | 31.49       | -13.0       | 26.92       | 100.00    | Vertical | Vertical | Pass    |
| 13223.444       | -37.30       | 33.93       | -13.0       | 24.30       | 103.00    | Vertical | Vertical | Pass    |
| 14186.203       | -31.32       | 40.31       | -13.0       | 18.32       | 192.70    | Vertical | Vertical | Pass    |
| 18157.211       | -22.28       | 46.99       | -13.0       | 9.28        | 131.30    | Vertical | Vertical | Pass    |
| 18871.032       | -21.53       | 47.91       | -13.0       | 8.53        | 267.90    | Vertical | Vertical | Pass    |