


# EXHIBIT A. Conducted Spurious Emission

## 1. 802.11a\_20M\_Band1\_L

### 1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	816.781	-60.01	-27	Pass	9700
1000	5150	1	Peak	4981.96	-44.26	-27	Pass	4150
5150	5350	1	Peak	5175	5.94	24	Pass	601
5350	10300	1	Peak	6906.314	-44.08	-27	Pass	4950
10300	10700	1	Peak	10353.333	-44.88	-27	Pass	601
10700	25000	1	Peak	24794.986	-34.07	-27	Pass	14300



## 2. 802.11a\_20M\_Band1\_M

### 2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	797.079	-59.61	-27	Pass	9700
1000	5150	1	Peak	4966.956	-44.24	-27	Pass	4150
5150	5350	1	Peak	5215	6.41	24	Pass	601
5350	10300	1	Peak	5842.099	-45.86	-27	Pass	4950
10300	10700	1	Peak	10440.667	-42.9	-27	Pass	601
10700	25000	1	Peak	24828.988	-34.18	-27	Pass	14300



## 3. 802.11a\_20M\_Band1\_H

### 3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	960.196	-60.37	-27	Pass	9700
1000	5150	1	Peak	4967.956	-42.9	-27	Pass	4150
5150	5350	1	Peak	5235	6.24	24	Pass	601
5350	10300	1	Peak	5810.093	-45.46	-27	Pass	4950
10300	10700	1	Peak	10486	-42.38	-27	Pass	601
10700	25000	1	Peak	24863.99	-34.33	-27	Pass	14300



## 4. 802.11n\_20M\_Band1\_L

### 4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	676.667	-59.94	-27	Pass	9700
1000	5150	1	Peak	4940.95	-43.85	-27	Pass	4150
5150	5350	1	Peak	5174.333	4.16	24	Pass	601
5350	10300	1	Peak	6906.314	-44.07	-27	Pass	4950
10300	10700	1	Peak	10360.667	-45.87	-27	Pass	601
10700	25000	1	Peak	24947.996	-32.98	-27	Pass	14300



## 5. 802.11n\_20M\_Band1\_M

### 5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	945.994	-59.87	-27	Pass	9700
1000	5150	1	Peak	4867.932	-44.19	-27	Pass	4150
5150	5350	1	Peak	5214.333	4.62	24	Pass	601
5350	10300	1	Peak	6340.2	-45.8	-27	Pass	4950
10300	10700	1	Peak	10435.333	-44.13	-27	Pass	601
10700	25000	1	Peak	24879.992	-32.91	-27	Pass	14300



## 6. 802.11n\_20M\_Band1\_H

### 6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	821.982	-60.24	-27	Pass	9700
1000	5150	1	Peak	4961.955	-44.7	-27	Pass	4150
5150	5350	1	Peak	5235	5.02	24	Pass	601
5350	10300	1	Peak	5759.083	-46.23	-27	Pass	4950
10300	10700	1	Peak	10481.333	-43.31	-27	Pass	601
10700	25000	1	Peak	24912.994	-33.92	-27	Pass	14300



## 7. 802.11n\_40M\_Band1\_L

### 7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	809.48	-60.16	-27	Pass	9700
1000	5150	1	Peak	4929.947	-43.48	-27	Pass	4150
5150	5350	1	Peak	5199.667	1.36	24	Pass	601
5350	10300	1	Peak	6920.317	-39.65	-27	Pass	4950
10300	10700	1	Peak	10328	-46.84	-27	Pass	601
10700	25000	1	Peak	24375.956	-34.2	-27	Pass	14300



## 8. 802.11n\_40M\_Band1\_H

### 8.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	784.878	-60.4	-27	Pass	9700
1000	5150	1	Peak	4937.949	-41.72	-27	Pass	4150
5150	5350	1	Peak	5214.333	1.85	24	Pass	601
5350	10300	1	Peak	6973.328	-44.34	-27	Pass	4950
10300	10700	1	Peak	10445.333	-46.63	-27	Pass	601
10700	25000	1	Peak	24998	-34.06	-27	Pass	14300






## 9. 802.11ac\_20M\_Band1\_L

### 9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	795.279	-59.97	-27	Pass	9700
1000	5150	1	Peak	4954.953	-43.71	-27	Pass	4150
5150	5350	1	Peak	5174.333	4.49	24	Pass	601
5350	10300	1	Peak	6906.314	-39.45	-27	Pass	4950
10300	10700	1	Peak	10359.333	-47.04	-27	Pass	601
10700	25000	1	Peak	24871.991	-34.35	-27	Pass	14300



## 10. 802.11ac\_20M\_Band1\_M

### 10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	792.879	-59.93	-27	Pass	9700
1000	5150	1	Peak	4925.946	-42.97	-27	Pass	4150
5150	5350	1	Peak	5215	5.48	24	Pass	601
5350	10300	1	Peak	6959.325	-42.8	-27	Pass	4950
10300	10700	1	Peak	10446	-47.04	-27	Pass	601
10700	25000	1	Peak	24823.988	-33.93	-27	Pass	14300



## 11. 802.11ac\_20M\_Band1\_H

### 11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	890.989	-59.9	-27	Pass	9700
1000	5150	1	Peak	4937.949	-43.35	-27	Pass	4150
5150	5350	1	Peak	5233.333	5.45	24	Pass	601
5350	10300	1	Peak	6986.331	-44.78	-27	Pass	4950
10300	10700	1	Peak	10520	-47.13	-27	Pass	601
10700	25000	1	Peak	24930.995	-34.17	-27	Pass	14300



## 12. 802.11ac\_40M\_Band1\_L

### 12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	999.5	-59.46	-27	Pass	9700
1000	5150	1	Peak	4961.955	-43.91	-27	Pass	4150
5150	5350	1	Peak	5179.667	1.3	24	Pass	601
5350	10300	1	Peak	6920.317	-39.59	-27	Pass	4950
10300	10700	1	Peak	10420.667	-47.22	-27	Pass	601
10700	25000	1	Peak	24857.99	-33.43	-27	Pass	14300



## 13. 802.11ac\_40M\_Band1\_H

### 13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	833.783	-60.54	-27	Pass	9700
1000	5150	1	Peak	2450.349	-43.16	-27	Pass	4150
5150	5350	1	Peak	5219.333	2.09	24	Pass	601
5350	10300	1	Peak	6973.328	-42.94	-27	Pass	4950
10300	10700	1	Peak	10441.333	-46.62	-27	Pass	601
10700	25000	1	Peak	24453.962	-34.58	-27	Pass	14300



## 14. 802.11ac\_80M\_Band1\_M

### 14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	925.592	-59.02	-27	Pass	9700
1000	5150	1	Peak	5150	-33.55	-27	Pass	4150
5150	5350	1	Peak	5209	3.56	24	Pass	601
5350	10300	1	Peak	6947.323	-41.45	-27	Pass	4950
10300	10700	1	Peak	10621.333	-46.97	-27	Pass	601
10700	25000	1	Peak	24928.995	-34.67	-27	Pass	14300



## 15. 802.11a\_20M\_Band2\_L

### 15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	858.385	-60.27	-27	Pass	9700
1000	5150	1	Peak	4907.942	-38.84	-27	Pass	4150
5150	5350	1	Peak	5265.667	10.91	24	Pass	601
5350	10300	1	Peak	5747.08	-45.72	-27	Pass	4950
10300	10700	1	Peak	10514.667	-45.09	-27	Pass	601
10700	25000	1	Peak	24806.987	-34.15	-27	Pass	14300



## 16. 802.11a\_20M\_Band2\_M

### 16.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	906.49	-59.59	-27	Pass	9700
1000	5150	1	Peak	4947.951	-36.11	-27	Pass	4150
5150	5350	1	Peak	5305.667	11.57	24	Pass	601
5350	10300	1	Peak	5357.001	-41.8	-27	Pass	4950
10300	10700	1	Peak	10591.333	-45.13	-27	Pass	601
10700	25000	1	Peak	24433.96	-33.95	-27	Pass	14300






## 17. 802.11a\_20M\_Band2\_H

### 17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	807.98	-60.24	-27	Pass	9700
1000	5150	1	Peak	4961.955	-37.87	-27	Pass	4150
5150	5350	1	Peak	5325.667	11.59	24	Pass	601
5350	10300	1	Peak	5353.001	-35.73	-27	Pass	4950
10300	10700	1	Peak	10640	-45.34	-27	Pass	601
10700	25000	1	Peak	24886.992	-33.45	-27	Pass	14300



## 18. 802.11n\_20M\_Band2\_L

### 18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	828.482	-60.12	-27	Pass	9700
1000	5150	1	Peak	4914.943	-42.54	-27	Pass	4150
5150	5350	1	Peak	5255	7.36	24	Pass	601
5350	10300	1	Peak	7013.336	-45.89	-27	Pass	4950
10300	10700	1	Peak	10518	-45.94	-27	Pass	601
10700	25000	1	Peak	24362.955	-34.12	-27	Pass	14300



## 19. 802.11n\_20M\_Band2\_M

### 19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	898.19	-59.82	-27	Pass	9700
1000	5150	1	Peak	4939.949	-38.89	-27	Pass	4150
5150	5350	1	Peak	5295.333	7.41	24	Pass	601
5350	10300	1	Peak	5351	-44.6	-27	Pass	4950
10300	10700	1	Peak	10600.667	-46.37	-27	Pass	601
10700	25000	1	Peak	24950.997	-33.43	-27	Pass	14300



## 20. 802.11n\_20M\_Band2\_H

### 20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	903.99	-59.19	-27	Pass	9700
1000	5150	1	Peak	4967.956	-41.03	-27	Pass	4150
5150	5350	1	Peak	5315	7.9	24	Pass	601
5350	10300	1	Peak	5350	-35.75	-27	Pass	4950
10300	10700	1	Peak	10638.667	-46.18	-27	Pass	601
10700	25000	1	Peak	24858.99	-34.15	-27	Pass	14300



## 21. 802.11n\_40M\_Band2\_L

### 21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	826.982	-59.34	-27	Pass	9700
1000	5150	1	Peak	4930.947	-42.26	-27	Pass	4150
5150	5350	1	Peak	5259.667	3.6	24	Pass	601
5350	10300	1	Peak	5764.084	-46.11	-27	Pass	4950
10300	10700	1	Peak	10474.667	-46.48	-27	Pass	601
10700	25000	1	Peak	24855.99	-34.37	-27	Pass	14300



## 22. 802.11n\_40M\_Band2\_H

### 22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	832.783	-59.96	-27	Pass	9700
1000	5150	1	Peak	4957.954	-38.83	-27	Pass	4150
5150	5350	1	Peak	5299.667	4.38	24	Pass	601
5350	10300	1	Peak	5353.001	-41.39	-27	Pass	4950
10300	10700	1	Peak	10613.333	-46.66	-27	Pass	601
10700	25000	1	Peak	24809.987	-33.41	-27	Pass	14300



## 23. 802.11ac\_20M\_Band2\_L

### 23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	857.085	-60.08	-27	Pass	9700
1000	5150	1	Peak	4907.942	-41.9	-27	Pass	4150
5150	5350	1	Peak	5252.333	5.82	24	Pass	601
5350	10300	1	Peak	7013.336	-45.39	-27	Pass	4950
10300	10700	1	Peak	10627.333	-46.57	-27	Pass	601
10700	25000	1	Peak	24909.994	-33.96	-27	Pass	14300



## 24. 802.11ac\_20M\_Band2\_M

### 24.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	855.385	-59.84	-27	Pass	9700
1000	5150	1	Peak	4947.951	-41.1	-27	Pass	4150
5150	5350	1	Peak	5305.333	6.34	24	Pass	601
5350	10300	1	Peak	5657.062	-46.45	-27	Pass	4950
10300	10700	1	Peak	10597.333	-46.57	-27	Pass	601
10700	25000	1	Peak	24921.995	-34.07	-27	Pass	14300






## 25. 802.11ac\_20M\_Band2\_H

### 25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	388.037	-59.93	-27	Pass	9700
1000	5150	1	Peak	4967.956	-41.83	-27	Pass	4150
5150	5350	1	Peak	5326	6.28	24	Pass	601
5350	10300	1	Peak	5351	-40.45	-27	Pass	4950
10300	10700	1	Peak	10646.667	-47	-27	Pass	601
10700	25000	1	Peak	24977.998	-32.98	-27	Pass	14300



## 26. 802.11ac\_40M\_Band2\_L

### 26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	844.484	-59.19	-27	Pass	9700
1000	5150	1	Peak	4918.944	-42.37	-27	Pass	4150
5150	5350	1	Peak	5259.667	2.46	24	Pass	601
5350	10300	1	Peak	7023.338	-45.19	-27	Pass	4950
10300	10700	1	Peak	10522.667	-46.5	-27	Pass	601
10700	25000	1	Peak	24360.955	-33.55	-27	Pass	14300



## 27. 802.11ac\_40M\_Band2\_H

### 27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	887.988	-59.26	-27	Pass	9700
1000	5150	1	Peak	4957.954	-41.75	-27	Pass	4150
5150	5350	1	Peak	5299.667	2.98	24	Pass	601
5350	10300	1	Peak	5350	-41.03	-27	Pass	4950
10300	10700	1	Peak	10598.667	-46.98	-27	Pass	601
10700	25000	1	Peak	24855.99	-33.79	-27	Pass	14300



## 28. 802.11ac\_80M\_Band2\_M

### 28.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	779.277	-60.31	-27	Pass	9700
1000	5150	1	Peak	4932.948	-38	-27	Pass	4150
5150	5350	1	Peak	5289.333	4.54	24	Pass	601
5350	10300	1	Peak	5352	-33.78	-27	Pass	4950
10300	10700	1	Peak	10472.667	-47.2	-27	Pass	601
10700	25000	1	Peak	24402.958	-34.26	-27	Pass	14300



## 29. 802.11a\_20M\_Band3\_L

### 29.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	990.599	-59.95	-27	Pass	9700
1000	5470	1	Peak	5470	-39.22	-27	Pass	4470
5470	5725	1	Peak	5494.225	12.3	24	Pass	601
5725	10940	1	Peak	5789.012	-46.35	-27	Pass	5215
10940	11450	1	Peak	10998.65	-44.58	-27	Pass	601
11450	25000	1	Peak	24879.991	-34.19	-27	Pass	13550



## 30. 802.11a\_20M\_Band3\_M

### 30.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	809.98	-59.64	-27	Pass	9700
1000	5470	1	Peak	2448.324	-43.05	-27	Pass	4470
5470	5725	1	Peak	5585.6	9.77	24	Pass	601
5725	10940	1	Peak	5741.003	-45.07	-27	Pass	5215
10940	11450	1	Peak	11429.6	-44.63	-27	Pass	601
11450	25000	1	Peak	24417.957	-34.2	-27	Pass	13550



## 31. 802.11a\_20M\_Band3\_H

### 31.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	807.48	-59.93	-27	Pass	9700
1000	5470	1	Peak	2450.324	-41.64	-27	Pass	4470
5470	5725	1	Peak	5694.825	11.24	24	Pass	601
5725	10940	1	Peak	5727	-31.76	-27	Pass	5215
10940	11450	1	Peak	10996.95	-46.4	-27	Pass	601
11450	25000	1	Peak	24977.998	-33.71	-27	Pass	13550



## 32. 802.11n\_20M\_Band3\_L

### 32.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	877.887	-59.67	-27	Pass	9700
1000	5470	1	Peak	5461.998	-40.42	-27	Pass	4470
5470	5725	1	Peak	5494.225	6.81	24	Pass	601
5725	10940	1	Peak	5847.023	-45.73	-27	Pass	5215
10940	11450	1	Peak	11013.1	-45.53	-27	Pass	601
11450	25000	1	Peak	24886.992	-33.19	-27	Pass	13550






## 33. 802.11n\_20M\_Band3\_M

### 33.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	809.88	-60.04	-27	Pass	9700
1000	5470	1	Peak	4962.887	-43.81	-27	Pass	4470
5470	5725	1	Peak	5586.025	6.52	24	Pass	601
5725	10940	1	Peak	5929.039	-45.09	-27	Pass	5215
10940	11450	1	Peak	11376.05	-46.38	-27	Pass	601
11450	25000	1	Peak	24985.999	-34.08	-27	Pass	13550



## 34. 802.11n\_20M\_Band3\_H

### 34.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	795.979	-59.87	-27	Pass	9700
1000	5470	1	Peak	4924.878	-43.57	-27	Pass	4470
5470	5725	1	Peak	5705.875	7.83	24	Pass	601
5725	10940	1	Peak	5725	-40.69	-27	Pass	5215
10940	11450	1	Peak	11423.65	-45.67	-27	Pass	601
11450	25000	1	Peak	24862.99	-33.98	-27	Pass	13550



## 35. 802.11n\_40M\_Band3\_L

### 35.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	899.19	-59.68	-27	Pass	9700
1000	5470	1	Peak	5470	-40.67	-27	Pass	4470
5470	5725	1	Peak	5499.75	3.85	24	Pass	601
5725	10940	1	Peak	5759.007	-45.94	-27	Pass	5215
10940	11450	1	Peak	11442.35	-45.56	-27	Pass	601
11450	25000	1	Peak	24897.992	-33.96	-27	Pass	13550



## 36. 802.11n\_40M\_Band3\_M

### 36.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	912.491	-60.1	-27	Pass	9700
1000	5470	1	Peak	4938.881	-44.58	-27	Pass	4470
5470	5725	1	Peak	5579.65	3.5	24	Pass	601
5725	10940	1	Peak	5860.026	-45.76	-27	Pass	5215
10940	11450	1	Peak	11431.3	-45.91	-27	Pass	601
11450	25000	1	Peak	24795.985	-34.15	-27	Pass	13550



## 37. 802.11n\_40M\_Band3\_H

### 37.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	829.882	-60.44	-27	Pass	9700
1000	5470	1	Peak	4945.883	-43.72	-27	Pass	4470
5470	5725	1	Peak	5659.55	4.86	24	Pass	601
5725	10940	1	Peak	5727	-42.5	-27	Pass	5215
10940	11450	1	Peak	11429.6	-45.89	-27	Pass	601
11450	25000	1	Peak	24426.958	-33.01	-27	Pass	13550



## 38. 802.11ac\_20M\_Band3\_L

### 38.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	893.989	-59.86	-27	Pass	9700
1000	5470	1	Peak	5464.999	-44.07	-27	Pass	4470
5470	5725	1	Peak	5492.525	6.31	24	Pass	601
5725	10940	1	Peak	5837.021	-46.17	-27	Pass	5215
10940	11450	1	Peak	11427.05	-46.48	-27	Pass	601
11450	25000	1	Peak	24897.992	-33.89	-27	Pass	13550



## 39. 802.11ac\_20M\_Band3\_M

### 39.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	929.293	-60.25	-27	Pass	9700
1000	5470	1	Peak	4907.874	-43.89	-27	Pass	4470
5470	5725	1	Peak	5575.4	5.36	24	Pass	601
5725	10940	1	Peak	5911.036	-46.31	-27	Pass	5215
10940	11450	1	Peak	11407.5	-45.69	-27	Pass	601
11450	25000	1	Peak	24917.994	-34.31	-27	Pass	13550



## 40. 802.11ac\_20M\_Band3\_H

### 40.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	943.694	-60.17	-27	Pass	9700
1000	5470	1	Peak	4932.88	-43.59	-27	Pass	4470
5470	5725	1	Peak	5692.7	7.06	24	Pass	601
5725	10940	1	Peak	5728.001	-41.33	-27	Pass	5215
10940	11450	1	Peak	11438.95	-45.63	-27	Pass	601
11450	25000	1	Peak	24971.998	-33.61	-27	Pass	13550






## 41. 802.11ac\_40M\_Band3\_L

### 41.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	808.68	-59.57	-27	Pass	9700
1000	5470	1	Peak	5470	-42.16	-27	Pass	4470
5470	5725	1	Peak	5499.75	2.87	24	Pass	601
5725	10940	1	Peak	5807.016	-46.57	-27	Pass	5215
10940	11450	1	Peak	11436.4	-46	-27	Pass	601
11450	25000	1	Peak	24914.994	-34.58	-27	Pass	13550



## 42. 802.11ac\_40M\_Band3\_M

### 42.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	826.482	-60.54	-27	Pass	9700
1000	5470	1	Peak	4927.879	-44.25	-27	Pass	4470
5470	5725	1	Peak	5579.65	2.18	24	Pass	601
5725	10940	1	Peak	6238.098	-46.5	-27	Pass	5215
10940	11450	1	Peak	11446.6	-46.33	-27	Pass	601
11450	25000	1	Peak	24816.986	-34.76	-27	Pass	13550



## 43. 802.11ac\_40M\_Band3\_H

### 43.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	812.781	-59.69	-27	Pass	9700
1000	5470	1	Peak	4877.868	-43.7	-27	Pass	4470
5470	5725	1	Peak	5659.55	3.7	24	Pass	601
5725	10940	1	Peak	5731.001	-44.29	-27	Pass	5215
10940	11450	1	Peak	11430.45	-46.11	-27	Pass	601
11450	25000	1	Peak	24911.994	-34.27	-27	Pass	13550



## 44. 802.11ac\_80M\_Band3\_L

### 44.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	853.785	-60.08	-27	Pass	9700
1000	5470	1	Peak	5459.998	-35.43	-27	Pass	4470
5470	5725	1	Peak	5529.5	4.25	24	Pass	601
5725	10940	1	Peak	5779.01	-42.85	-27	Pass	5215
10940	11450	1	Peak	11394.75	-45.9	-27	Pass	601
11450	25000	1	Peak	24840.988	-33.49	-27	Pass	13550



## 45. 802.11ac\_80M\_Band3\_H

### 45.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	825.082	-59.1	-27	Pass	9700
1000	5470	1	Peak	5433.992	-42	-27	Pass	4470
5470	5725	1	Peak	5609.825	1.92	24	Pass	601
5725	10940	1	Peak	5731.001	-40.2	-27	Pass	5215
10940	11450	1	Peak	11447.45	-45.69	-27	Pass	601
11450	25000	1	Peak	24981.999	-34.38	-27	Pass	13550



## 46. 802.11a\_20M\_Band4\_L

### 46.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	929.493	-59.97	-27	Pass	9700
1000	5650	1	Peak	5392.945	-44.02	-27	Pass	4650
5650	5700	1	Peak	5650.583	-46.45	-26.57	Pass	601
5700	5720	1	Peak	5717.867	-30.93	15	Pass	601
5720	5725	1	Peak	5720.142	-27.37	15.92	Pass	601
5725	5850	1	Peak	5751.042	13.21	30	Pass	601
5850	5855	1	Peak	5854.883	-46.94	15.87	Pass	601
5855	5875	1	Peak	5874.4	-46.65	10.17	Pass	601
5875	5925	1	Peak	5925	-47.7	-27	Pass	601
5925	25000	1	Peak	24939.997	-34.42	-27	Pass	19075



## 47. 802.11a\_20M\_Band4\_M

### 47.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	877.787	-60.47	-27	Pass	9700
1000	5650	1	Peak	5436.954	-43.94	-27	Pass	4650
5650	5700	1	Peak	5652.5	-44.88	-25.15	Pass	601
5700	5720	1	Peak	5704.067	-44.01	11.14	Pass	601
5720	5725	1	Peak	5720.158	-43.28	15.96	Pass	601
5725	5850	1	Peak	5790.833	13.18	30	Pass	601
5850	5855	1	Peak	5854.925	-44.79	15.77	Pass	601
5855	5875	1	Peak	5874.767	-45.76	10.07	Pass	601
5875	5925	1	Peak	5923.667	-46.76	-26.01	Pass	601
5925	25000	1	Peak	24906.995	-33.8	-27	Pass	19075



## 48. 802.11a\_20M\_Band4\_H

### 48.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	785.278	-60.2	-27	Pass	9700
1000	5650	1	Peak	5472.962	-43.59	-27	Pass	4650
5650	5700	1	Peak	5650.667	-47.3	-26.51	Pass	601
5700	5720	1	Peak	5700.233	-45.86	10.07	Pass	601
5720	5725	1	Peak	5720.175	-45.44	16	Pass	601
5725	5850	1	Peak	5830.833	12.94	30	Pass	601
5850	5855	1	Peak	5854.967	-33.52	15.68	Pass	601
5855	5875	1	Peak	5859.767	-34.35	14.27	Pass	601
5875	5925	1	Peak	5925	-47.38	-27	Pass	601
5925	25000	1	Peak	24872.993	-33.75	-27	Pass	19075






## 49. 802.11n\_20M\_Band4\_L

### 49.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	860.986	-60.32	-27	Pass	9700
1000	5650	1	Peak	4963.852	-44.12	-27	Pass	4650
5650	5700	1	Peak	5650	-46.94	-27	Pass	601
5700	5720	1	Peak	5718.767	-33.84	15.25	Pass	601
5720	5725	1	Peak	5720.15	-31.33	15.94	Pass	601
5725	5850	1	Peak	5738.958	9.35	30	Pass	601
5850	5855	1	Peak	5854.908	-46.09	15.81	Pass	601
5855	5875	1	Peak	5873.067	-46.54	10.54	Pass	601
5875	5925	1	Peak	5923.417	-46.41	-25.83	Pass	601
5925	25000	1	Peak	24824.991	-34.86	-27	Pass	19075



## 50. 802.11n\_20M\_Band4\_M

### 50.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	784.678	-60.15	-27	Pass	9700
1000	5650	1	Peak	5430.953	-44.74	-27	Pass	4650
5650	5700	1	Peak	5650	-47.92	-27	Pass	601
5700	5720	1	Peak	5700.1	-45.68	10.03	Pass	601
5720	5725	1	Peak	5720.017	-45.24	15.64	Pass	601
5725	5850	1	Peak	5777.292	9.05	30	Pass	601
5850	5855	1	Peak	5854.842	-45.72	15.96	Pass	601
5855	5875	1	Peak	5874.333	-46.07	10.19	Pass	601
5875	5925	1	Peak	5924.917	-47.23	-26.94	Pass	601
5925	25000	1	Peak	24357.966	-34.59	-27	Pass	19075



## 51. 802.11n\_20M\_Band4\_H

### 51.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	938.694	-59.46	-27	Pass	9700
1000	5650	1	Peak	4971.854	-44.13	-27	Pass	4650
5650	5700	1	Peak	5650.083	-47.61	-26.94	Pass	601
5700	5720	1	Peak	5700.1	-46.51	10.03	Pass	601
5720	5725	1	Peak	5720.658	-44.94	17.1	Pass	601
5725	5850	1	Peak	5819.167	8.88	30	Pass	601
5850	5855	1	Peak	5854.617	-36.69	16.47	Pass	601
5855	5875	1	Peak	5855.033	-37.79	15.59	Pass	601
5875	5925	1	Peak	5925	-47.85	-27	Pass	601
5925	25000	1	Peak	24336.965	-33.96	-27	Pass	19075



## 52. 802.11n\_40M\_Band4\_L

### 52.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	764.476	-59.76	-27	Pass	9700
1000	5650	1	Peak	4911.841	-44.74	-27	Pass	4650
5650	5700	1	Peak	5650.083	-46.94	-26.94	Pass	601
5700	5720	1	Peak	5718.133	-30.94	15.08	Pass	601
5720	5725	1	Peak	5720.317	-31.52	16.32	Pass	601
5725	5850	1	Peak	5744.792	6.13	30	Pass	601
5850	5855	1	Peak	5854.958	-46.61	15.7	Pass	601
5855	5875	1	Peak	5874.433	-46.57	10.16	Pass	601
5875	5925	1	Peak	5924.917	-46.86	-26.94	Pass	601
5925	25000	1	Peak	24874.993	-33.87	-27	Pass	19075



## 53. 802.11n\_40M\_Band4\_H

### 53.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	477.546	-60.16	-27	Pass	9700
1000	5650	1	Peak	5442.955	-43.63	-27	Pass	4650
5650	5700	1	Peak	5650.75	-45.44	-26.45	Pass	601
5700	5720	1	Peak	5700.867	-46.03	10.24	Pass	601
5720	5725	1	Peak	5720.025	-45.02	15.66	Pass	601
5725	5850	1	Peak	5784.583	6.38	30	Pass	601
5850	5855	1	Peak	5854.883	-41.61	15.87	Pass	601
5855	5875	1	Peak	5875	-45.31	10	Pass	601
5875	5925	1	Peak	5924.667	-47.81	-26.75	Pass	601
5925	25000	1	Peak	24833.991	-34.3	-27	Pass	19075



## 54. 802.11ac\_20M\_Band4\_L

### 54.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	918.892	-59.91	-27	Pass	9700
1000	5650	1	Peak	4963.852	-44.73	-27	Pass	4650
5650	5700	1	Peak	5650.917	-46.9	-26.32	Pass	601
5700	5720	1	Peak	5701.4	-41.69	10.39	Pass	601
5720	5725	1	Peak	5720.317	-37.06	16.32	Pass	601
5725	5850	1	Peak	5749.375	9.11	30	Pass	601
5850	5855	1	Peak	5854.9	-46.85	15.83	Pass	601
5855	5875	1	Peak	5874.367	-46.53	10.18	Pass	601
5875	5925	1	Peak	5924.5	-47.42	-26.63	Pass	601
5925	25000	1	Peak	24805.99	-34.91	-27	Pass	19075



## 55. 802.11ac\_20M\_Band4\_M

### 55.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	886.088	-59.43	-27	Pass	9700
1000	5650	1	Peak	4920.843	-44.86	-27	Pass	4650
5650	5700	1	Peak	5650.167	-47.58	-26.88	Pass	601
5700	5720	1	Peak	5700.033	-46.46	10.01	Pass	601
5720	5725	1	Peak	5720	-44.76	15.6	Pass	601
5725	5850	1	Peak	5789.167	8.32	30	Pass	601
5850	5855	1	Peak	5854.992	-46.21	15.62	Pass	601
5855	5875	1	Peak	5872.767	-45.7	10.63	Pass	601
5875	5925	1	Peak	5924.417	-47.88	-26.57	Pass	601
5925	25000	1	Peak	24883.994	-34.77	-27	Pass	19075



## 56. 802.11ac\_20M\_Band4\_H

### 56.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	864.586	-60.11	-27	Pass	9700
1000	5650	1	Peak	4938.847	-42.83	-27	Pass	4650
5650	5700	1	Peak	5650.417	-47.69	-26.69	Pass	601
5700	5720	1	Peak	5700.567	-46.69	10.16	Pass	601
5720	5725	1	Peak	5720.05	-45.91	15.71	Pass	601
5725	5850	1	Peak	5829.167	8.44	30	Pass	601
5850	5855	1	Peak	5854.808	-40.46	16.04	Pass	601
5855	5875	1	Peak	5874.367	-44.35	10.18	Pass	601
5875	5925	1	Peak	5924.083	-46.69	-26.32	Pass	601
5925	25000	1	Peak	24941.997	-34.21	-27	Pass	19075






## 57. 802.11ac\_40M\_Band4\_L

### 57.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	978.998	-59.99	-27	Pass	9700
1000	5650	1	Peak	4949.849	-44.83	-27	Pass	4650
5650	5700	1	Peak	5651.25	-45.73	-26.07	Pass	601
5700	5720	1	Peak	5717.867	-36.65	15	Pass	601
5720	5725	1	Peak	5720.183	-36.09	16.02	Pass	601
5725	5850	1	Peak	5744.583	5.28	30	Pass	601
5850	5855	1	Peak	5854.808	-46.36	16.04	Pass	601
5855	5875	1	Peak	5874.533	-46.2	10.13	Pass	601
5875	5925	1	Peak	5923.833	-47.06	-26.14	Pass	601
5925	25000	1	Peak	24985.999	-34.28	-27	Pass	19075



## 58. 802.11ac\_40M\_Band4\_H

### 58.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	857.185	-59.8	-27	Pass	9700
1000	5650	1	Peak	4943.848	-42.99	-27	Pass	4650
5650	5700	1	Peak	5650	-47.46	-27	Pass	601
5700	5720	1	Peak	5702	-44.97	10.56	Pass	601
5720	5725	1	Peak	5720.042	-44.67	15.7	Pass	601
5725	5850	1	Peak	5784.375	5.35	30	Pass	601
5850	5855	1	Peak	5854.433	-43.79	16.89	Pass	601
5855	5875	1	Peak	5874.933	-44.88	10.02	Pass	601
5875	5925	1	Peak	5923.667	-47.08	-26.01	Pass	601
5925	25000	1	Peak	24933.997	-34.56	-27	Pass	19075



## 59. 802.11ac\_80M\_Band4\_M

### 59.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	811.481	-59.45	-27	Pass	9700
1000	5650	1	Peak	5586.986	-43	-27	Pass	4650
5650	5700	1	Peak	5650.333	-40.48	-26.75	Pass	601
5700	5720	1	Peak	5705.733	-31.51	11.61	Pass	601
5720	5725	1	Peak	5720.125	-29.72	15.88	Pass	601
5725	5850	1	Peak	5776.25	3.85	30	Pass	601
5850	5855	1	Peak	5854.858	-32.7	15.92	Pass	601
5855	5875	1	Peak	5872.767	-35.15	10.63	Pass	601
5875	5925	1	Peak	5924.833	-41.75	-26.88	Pass	601
5925	25000	1	Peak	24798.989	-33.83	-27	Pass	19075

